



Test Mode UNII-2C_TX AC(VHT40) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	38.600	35.816
110	5550	38.700	35.821
134	5670	38.800	35.913
142	5710	58.700	36.911


CH102






CH110
26 dB Bandwidth




CH134




99 % Occupied Bandwidth



CH142
26 dB Bandwidth




CH142
99 % Occupied Bandwidth



Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	119.400	75.825
122	5610	130.800	75.821
138	5690	150.800	82.860


CH106






CH122
26 dB Bandwidth



CH138




99 % Occupied Bandwidth




Test Mode	UNII-2C_TX AX(HE20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.100	18.750
116	5580	20.100	18.745
140	5700	20.100	18.760
144	5720	19.920	18.763


CH100






CH116
26 dB Bandwidth




CH140




99 % Occupied Bandwidth



CH144
26 dB Bandwidth



CH144
99 % Occupied Bandwidth




Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.600	37.651
110	5550	39.800	37.725
134	5670	40.100	37.782
142	5710	41.600	37.915


CH102

CH110
26 dB Bandwidth

CH134




99 % Occupied Bandwidth



CH142
26 dB Bandwidth

CH142
99 % Occupied Bandwidth




Test Mode UNII-2C_TX AX(HE80) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	112.800	77.177
122	5610	119.600	77.145
138	5690	141.000	77.726


CH106

CH122
26 dB Bandwidth

CH138



99 % Occupied Bandwidth




Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.120	27.117	0.5	Pass
157	5785	15.120	26.518	0.5	Pass
165	5825	15.120	25.828	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165



99 % Occupied Bandwidth




Test Mode	UNII-3_TX AC(VHT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.120	29.396	0.5	Pass
157	5785	15.120	28.880	0.5	Pass
165	5825	15.120	28.184	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165



99 % Occupied Bandwidth




Test Mode UNII-3_TX AC(VHT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	33.800	54.449	0.5	Pass
159	5795	33.800	53.913	0.5	Pass

CH151

CH159
6 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	72.600	125.871	0.5	Pass

CH155 6 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-3_TX AX(HE20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.120	25.333	0.5	Pass
157	5785	15.120	24.653	0.5	Pass
165	5825	15.120	23.216	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165



99 % Occupied Bandwidth




Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	33.800	51.275	0.5	Pass
159	5795	32.600	49.392	0.5	Pass

CH151

CH159
6 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	67.600	118.611	0.5	Pass

CH155 6 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.74	0.32	19.06	30.00	1.0000	Pass
40	5200	22.48	0.32	22.80	30.00	1.0000	Pass
48	5240	23.32	0.32	23.64	30.00	1.0000	Pass

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.61	0.32	18.93	30.00	1.0000	Pass
40	5200	22.37	0.32	22.69	30.00	1.0000	Pass
48	5240	23.38	0.32	23.70	30.00	1.0000	Pass

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.01	30.00	1.0000	Pass
40	5200	25.76	30.00	1.0000	Pass
48	5240	26.68	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.97	0.34	19.31	30.00	1.0000	Pass
40	5200	23.46	0.34	23.80	30.00	1.0000	Pass
48	5240	23.61	0.34	23.95	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.76	0.34	19.10	30.00	1.0000	Pass
40	5200	23.33	0.34	23.67	30.00	1.0000	Pass
48	5240	23.42	0.34	23.76	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.22	30.00	1.0000	Pass
40	5200	26.75	30.00	1.0000	Pass
48	5240	26.87	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.35	0.67	18.02	30.00	1.0000	Pass
46	5230	21.06	0.67	21.73	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.41	0.67	18.08	30.00	1.0000	Pass
46	5230	21.15	0.67	21.82	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.06	30.00	1.0000	Pass
46	5230	24.79	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.39	0.14	17.53	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.26	0.14	17.40	30.00	1.0000	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.48	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.49	0.45	19.94	30.00	1.0000	Pass
40	5200	22.15	0.45	22.60	30.00	1.0000	Pass
48	5240	23.40	0.45	23.85	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.25	0.45	19.70	30.00	1.0000	Pass
40	5200	21.95	0.45	22.40	30.00	1.0000	Pass
48	5240	23.25	0.45	23.70	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	22.83	30.00	1.0000	Pass
40	5200	25.51	30.00	1.0000	Pass
48	5240	26.79	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.67	0.12	18.79	30.00	1.0000	Pass
46	5230	21.89	0.12	22.01	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.76	0.12	18.88	30.00	1.0000	Pass
46	5230	21.86	0.12	21.98	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	21.85	30.00	1.0000	Pass
46	5230	25.01	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.67	0.13	17.80	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.61	0.13	17.74	30.00	1.0000	Pass

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	20.78	30.00	1.0000	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.25	0.32	17.57	23.98	0.2500	Pass
60	5300	16.95	0.32	17.27	23.98	0.2500	Pass
64	5320	16.93	0.32	17.25	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.52	0.32	17.84	23.98	0.2500	Pass
60	5300	17.37	0.32	17.69	23.98	0.2500	Pass
64	5320	17.38	0.32	17.70	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.72	23.98	0.2500	Pass
60	5300	20.50	23.98	0.2500	Pass
64	5320	20.49	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.74	0.34	18.08	23.98	0.2500	Pass
60	5300	17.65	0.34	17.99	23.98	0.2500	Pass
64	5320	17.44	0.34	17.78	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.86	0.34	18.20	23.98	0.2500	Pass
60	5300	17.98	0.34	18.32	23.98	0.2500	Pass
64	5320	17.66	0.34	18.00	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.15	23.98	0.2500	Pass
60	5300	21.17	23.98	0.2500	Pass
64	5320	20.90	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.94	0.67	19.61	23.98	0.2500	Pass
62	5310	16.81	0.67	17.48	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.42	0.67	20.09	23.98	0.2500	Pass
62	5310	17.51	0.67	18.18	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.87	23.98	0.2500	Pass
62	5310	20.85	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.71	0.14	16.85	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.38	0.14	17.52	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	20.21	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.27	0.45	17.72	23.98	0.2500	Pass
60	5300	17.35	0.45	17.80	23.98	0.2500	Pass
64	5320	17.32	0.45	17.77	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.36	0.45	17.81	23.98	0.2500	Pass
60	5300	17.85	0.45	18.30	23.98	0.2500	Pass
64	5320	17.23	0.45	17.68	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.78	23.98	0.2500	Pass
60	5300	21.07	23.98	0.2500	Pass
64	5320	20.74	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.42	0.12	20.54	23.98	0.2500	Pass
62	5310	17.69	0.12	17.81	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.04	0.12	21.16	23.98	0.2500	Pass
62	5310	17.55	0.12	17.67	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	23.87	23.98	0.2500	Pass
62	5310	20.75	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.45	0.13	16.58	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.21	0.13	17.34	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.99	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.66	0.32	17.98	23.98	0.2500	Pass
116	5580	17.41	0.32	17.73	23.98	0.2500	Pass
140	5700	17.14	0.32	17.46	23.98	0.2500	Pass
144	5720	17.58	0.32	17.90	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.64	0.32	17.96	23.98	0.2500	Pass
116	5580	17.58	0.32	17.90	23.98	0.2500	Pass
140	5700	17.44	0.32	17.76	23.98	0.2500	Pass
144	5720	17.51	0.32	17.83	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.98	23.98	0.2500	Pass
116	5580	20.83	23.98	0.2500	Pass
140	5700	20.62	23.98	0.2500	Pass
144	5720	20.88	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.65	0.34	17.99	23.98	0.2500	Pass
116	5580	17.67	0.34	18.01	23.98	0.2500	Pass
140	5700	17.79	0.34	18.13	23.98	0.2500	Pass
144	5720	18.05	0.34	18.39	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.43	0.34	17.77	23.98	0.2500	Pass
116	5580	17.57	0.34	17.91	23.98	0.2500	Pass
140	5700	17.68	0.34	18.02	23.98	0.2500	Pass
144	5720	18.25	0.34	18.59	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.89	23.98	0.2500	Pass
116	5580	20.97	23.98	0.2500	Pass
140	5700	21.09	23.98	0.2500	Pass
144	5720	21.51	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.78	0.67	19.45	23.98	0.2500	Pass
110	5550	19.95	0.67	20.62	23.98	0.2500	Pass
134	5670	18.52	0.67	19.19	23.98	0.2500	Pass
142	5710	19.98	0.67	20.65	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.98	0.67	19.65	23.98	0.2500	Pass
110	5550	19.83	0.67	20.50	23.98	0.2500	Pass
134	5670	18.97	0.67	19.64	23.98	0.2500	Pass
142	5710	20.48	0.67	21.15	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.56	23.98	0.2500	Pass
110	5550	23.57	23.98	0.2500	Pass
134	5670	22.43	23.98	0.2500	Pass
142	5710	23.91	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.82	0.14	17.96	23.98	0.2500	Pass
122	5610	20.27	0.14	20.41	23.98	0.2500	Pass
138	5690	20.41	0.14	20.55	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.74	0.14	17.88	23.98	0.2500	Pass
122	5610	20.54	0.14	20.68	23.98	0.2500	Pass
138	5690	20.48	0.14	20.62	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	20.93	23.98	0.2500	Pass
122	5610	23.56	23.98	0.2500	Pass
138	5690	23.59	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.11	0.45	17.56	23.98	0.2500	Pass
116	5580	17.49	0.45	17.94	23.98	0.2500	Pass
140	5700	17.26	0.45	17.71	23.98	0.2500	Pass
144	5720	18.63	0.45	18.63	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.25	0.45	17.70	23.98	0.2500	Pass
116	5580	17.58	0.45	18.03	23.98	0.2500	Pass
140	5700	17.32	0.45	17.77	23.98	0.2500	Pass
144	5720	18.42	0.45	18.42	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.64	23.98	0.2500	Pass
116	5580	21.00	23.98	0.2500	Pass
140	5700	20.75	23.98	0.2500	Pass
144	5720	21.98	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.61	0.12	18.73	23.98	0.2500	Pass
110	5550	20.41	0.12	20.53	23.98	0.2500	Pass
134	5670	18.05	0.12	18.17	23.98	0.2500	Pass
142	5710	20.23	0.12	20.68	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.86	0.12	18.98	23.98	0.2500	Pass
110	5550	20.24	0.12	20.36	23.98	0.2500	Pass
134	5670	18.42	0.12	18.54	23.98	0.2500	Pass
142	5710	20.81	0.12	21.26	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.87	23.98	0.2500	Pass
110	5550	23.46	23.98	0.2500	Pass
134	5670	21.37	23.98	0.2500	Pass
142	5710	23.66	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.91	0.13	18.04	23.98	0.2500	Pass
122	5610	18.13	0.13	18.26	23.98	0.2500	Pass
138	5690	20.54	0.13	20.66	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.82	0.13	17.95	23.98	0.2500	Pass
122	5610	18.38	0.13	18.51	23.98	0.2500	Pass
138	5690	20.68	0.13	20.80	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	21.01	23.98	0.2500	Pass
122	5610	21.40	23.98	0.2500	Pass
138	5690	23.75	23.98	0.2500	Pass

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.61	0.32	22.93	30.00	1.0000	Pass
157	5785	22.79	0.32	23.11	30.00	1.0000	Pass
165	5825	22.49	0.32	22.81	30.00	1.0000	Pass

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.19	0.32	22.51	30.00	1.0000	Pass
157	5785	22.05	0.32	22.37	30.00	1.0000	Pass
165	5825	21.91	0.32	22.23	30.00	1.0000	Pass

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.74	30.00	1.0000	Pass
157	5785	25.77	30.00	1.0000	Pass
165	5825	25.54	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.52	0.34	22.86	30.00	1.0000	Pass
157	5785	22.67	0.34	23.01	30.00	1.0000	Pass
165	5825	22.36	0.34	22.70	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.17	0.34	22.51	30.00	1.0000	Pass
157	5785	22.03	0.34	22.37	30.00	1.0000	Pass
165	5825	21.88	0.34	22.22	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.70	30.00	1.0000	Pass
157	5785	25.71	30.00	1.0000	Pass
165	5825	25.48	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.45	0.67	23.12	30.00	1.0000	Pass
159	5795	22.09	0.67	22.76	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.77	0.67	22.44	30.00	1.0000	Pass
159	5795	21.67	0.67	22.34	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.80	30.00	1.0000	Pass
159	5795	25.57	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.32	0.14	20.46	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.03	0.14	21.17	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.84	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.57	0.45	23.02	30.00	1.0000	Pass
157	5785	22.36	0.45	22.81	30.00	1.0000	Pass
165	5825	22.49	0.45	22.94	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.21	0.45	22.66	30.00	1.0000	Pass
157	5785	21.85	0.45	22.30	30.00	1.0000	Pass
165	5825	22.06	0.45	22.51	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.85	30.00	1.0000	Pass
157	5785	25.57	30.00	1.0000	Pass
165	5825	25.74	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.73	0.12	22.85	30.00	1.0000	Pass
159	5795	22.56	0.12	22.68	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.12	0.12	22.24	30.00	1.0000	Pass
159	5795	21.94	0.12	22.06	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.57	30.00	1.0000	Pass
159	5795	25.39	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.96	0.13	20.09	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.91	0.13	21.04	30.00	1.0000	Pass

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.60	30.00	1.0000	Pass

Note: Output power = Measure result + Cable loss

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.11	0.32	13.43	16.69	Pass
40	5200	12.91	0.32	13.23	16.69	Pass
48	5240	13.09	0.32	13.41	16.69	Pass



Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.30	0.32	13.62	16.69	Pass
40	5200	13.25	0.32	13.57	16.69	Pass
48	5240	13.32	0.32	13.64	16.69	Pass




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	16.53	16.69	Pass
40	5200	16.41	16.69	Pass
48	5240	16.54	16.69	Pass


Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.95	0.34	13.29	16.69	Pass
40	5200	13.16	0.34	13.50	16.69	Pass
48	5240	13.20	0.34	13.54	16.69	Pass


CH36



CH40




CH48




Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	13.11	0.34	13.45	16.69	Pass
40	5200	12.95	0.34	13.30	16.69	Pass
48	5240	12.85	0.34	13.19	16.69	Pass


CH36



CH40



CH48




Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	16.38	16.69	Pass
40	5200	16.41	16.69	Pass
48	5240	16.38	16.69	Pass


Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.65	0.67	11.32	16.69	Pass
46	5230	10.79	0.67	11.46	16.69	Pass

CH38




CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.96	0.67	11.63	16.69	Pass
46	5230	10.43	0.67	11.10	16.69	Pass

CH38



CH46




Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	14.49	16.69	Pass
46	5230	14.29	16.69	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.22	0.14	7.36	16.69	Pass


CH42



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.42	0.14	7.56	16.69	Pass

CH42




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	10.47	16.69	Pass


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.70	0.45	13.15	16.69	Pass
40	5200	12.81	0.45	13.26	16.69	Pass
48	5240	12.96	0.45	13.40	16.69	Pass


CH36



CH40




CH48




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.89	0.45	13.34	16.69	Pass
40	5200	12.86	0.45	13.31	16.69	Pass
48	5240	12.86	0.45	13.31	16.69	Pass


CH36



CH40



CH48



Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	16.26	16.69	Pass
40	5200	16.30	16.69	Pass
48	5240	16.37	16.69	Pass