










2Mbps Middle



2Mbps High



Agilent Spectrum Analyzer - Swept SA

Marker 1 20.520330000000 GHz

Input: RF PNO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB

Avg Type: Log-Pwr Avg/Hold: 2/100

Ref Offset 1 dB Ref 20.00 dBm

Mkr1 20.520 GHz -47.798 dBm

10 dB/div Log

Start 30 MHz #Res BW 100 kHz #VBW 300 kHz Stop 26.00 GHz Sweep 2.48 s (1001 pts)

Peak Search

- Next Peak
- Next Right
- Next Left
- Marker Delta
- Mkr→CF
- Mkr→Ref Lvl
- More 1 of 2

Agilent Spectrum Analyzer - Swept SA

Display Line -18.50 dBm

Input: RF PNO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB

Avg Type: Log-Pwr Avg/Hold: 100/100

Ref Offset 1 dB Ref 20.00 dBm

Mkr2 2.483 50 GHz -58.935 dBm

10 dB/div Log

Center 2.48500 GHz #Res BW 100 kHz #VBW 300 kHz Span 30.00 MHz Sweep 2.93 ms (1001 pts)

MNR	MODE	TRIG	SQL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.477 02 GHz	1.498 dBm			
2	N	1	f	2.483 50 GHz	-58.935 dBm			

Display

- Annotation▶
- Title▶
- Graticule On Off
- Display Line -18.50 dBm On Off
- System Display▶ Settings

Agilent Spectrum Analyzer - Swept SA

Display Line -21.94 dBm

Input: RF PNO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB

Avg Type: Log-Pwr Avg/Hold: 100/100

Ref Offset 1 dB Ref 20.00 dBm

Mkr2 2.400 000 GHz -58.166 dBm

10 dB/div Log

Center 2.39300 GHz #Res BW 100 kHz #VBW 300 kHz Span 25.00 MHz Sweep 2.40 ms (1001 pts)

MNR	MODE	TRIG	SQL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.402 150 GHz	-1.943 dBm			
2	N	1	f	2.400 000 GHz	-58.166 dBm			


Display

- Annotation▶
- Title▶
- Graticule On Off
- Display Line -21.94 dBm On Off
- System Display▶ Settings

3Mbps Low







APPENDIX PHOTOGRAPHS

Please refer to “ANNEX”

***** END OF REPORT *****