


802.11ax HE20


CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5415.00	56.48	14.11	42.37	74.00	-17.52	298	235 Peak	Horizontal	
2	5466.50	54.51	12.14	42.37	68.20	-13.69	298	235 Peak	Horizontal	
3 *	5700.00	97.72	55.66	42.06	68.20	29.52	298	235 Peak	Horizontal	
4 !	5726.50	63.09	20.80	42.29	68.20	-5.11	298	235 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5404.50	56.77	14.41	42.36	74.00	-17.23	289	163 Peak	Vertical	
2	5461.50	54.77	12.39	42.38	68.20	-13.43	289	163 Peak	Vertical	
3 *	5700.00	93.82	51.76	42.06	68.20	25.62	289	163 Peak	Vertical	
4	5725.00	58.95	16.67	42.28	68.20	-9.25	289	163 Peak	Vertical	

802.11ax HE20

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5409.50	43.16	0.80	42.36	54.00	-10.84	298	235 Average	Horizontal	
2 *	5700.00	85.34	43.28	42.06	54.00	31.34	298	235 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5412.00	43.30	0.94	42.36	54.00	-10.70	289	163 Average	Vertical	
2 *	5700.00	82.24	40.18	42.06	54.00	28.24	289	163 Average	Vertical	


802.11ax HE40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5445.50	56.53	14.14	42.39	74.00	-17.47	300	294 Peak	Horizontal	
2	5465.50	56.08	13.71	42.37	68.20	-12.12	300	294 Peak	Horizontal	
3 *	5510.00	86.61	44.30	42.31	68.20	18.41	300	294 Peak	Horizontal	
4	5815.50	56.10	13.32	42.78	68.20	-12.10	300	294 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.00	50.99	16.61	42.38	74.00	-15.01	0	0 Peak	Vertical	
2 !	5467.50	63.36	20.99	42.37	68.20	-4.84	0	0 Peak	Vertical	
3 *	5510.00	90.71	48.40	42.31	68.20	22.51	0	0 Peak	Vertical	
4	5793.00	55.93	13.14	42.79	68.20	-12.27	0	0 Peak	Vertical	

802.11ax HE40

CH 102 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5460.00	43.62	1.24	42.38	54.00	-10.38	300	294	Average	Horizontal		
2 *	5510.00	74.41	32.10	42.31	54.00	20.41	300	294	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5460.00	46.96	4.58	42.38	54.00	-7.04	297	164	Average	Vertical		
2 *	5510.00	79.73	37.42	42.31	54.00	25.73	297	164	Average	Vertical		


802.11ax HE40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5386.50	54.83	12.51	42.32	74.00	-19.17	279	241 Peak	Horizontal	
2	5463.50	55.08	12.71	42.37	68.20	-13.12	279	241 Peak	Horizontal	
3 *	5550.00	93.16	50.90	42.26	68.20	24.96	279	241 Peak	Horizontal	
4	5825.50	55.69	12.94	42.75	68.20	-12.51	279	241 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5361.00	54.00	11.75	42.25	74.00	-20.00	294	164 Peak	Vertical	
2	5461.00	54.10	11.72	42.38	68.20	-14.10	294	164 Peak	Vertical	
3 *	5550.00	90.25	47.99	42.26	68.20	22.05	294	164 Peak	Vertical	
4	5847.50	56.06	13.39	42.67	68.20	-12.14	294	164 Peak	Vertical	

802.11ax HE40

CH 110 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	5390.00	42.74	0.41	42.33	54.00	-11.26	279	241 Average	Horizontal	
2 *	5550.00	81.51	39.25	42.26	54.00	27.51	279	241 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	5460.00	42.54	0.16	42.38	54.00	-11.46	294	164 Average	Vertical	
2 *	5550.00	78.78	36.52	42.26	54.00	24.78	294	164 Average	Vertical	


802.11ax HE40

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5387.50	56.44	14.12	42.32	74.00	-17.56	300	240 Peak	Horizontal	
2	5463.50	54.05	11.68	42.37	68.20	-14.15	300	240 Peak	Horizontal	
3 *	5670.00	95.74	53.64	42.10	68.20	27.54	300	240 Peak	Horizontal	
4	5727.00	59.91	17.61	42.30	68.20	-8.29	300	240 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5454.00	55.06	12.68	42.38	74.00	-18.94	295	169 Peak	Horizontal	
2	5463.00	53.81	11.44	42.37	68.20	-14.39	295	169 Peak	Horizontal	
3 *	5670.00	88.33	46.23	42.10	68.20	20.13	295	169 Peak	Horizontal	
4	5807.00	56.88	14.07	42.81	68.20	-11.32	295	169 Peak	Horizontal	

802.11ax HE40

CH 134 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5387.50	44.24	1.92	42.32	54.00	-9.76	300	240 Average	Horizontal	
2 *	5670.00	83.13	41.03	42.10	54.00	29.13	300	240 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5376.50	44.85	2.56	42.29	54.00	-9.15	295	169 Average	Horizontal	
2 *	5670.00	78.07	35.97	42.10	54.00	24.07	295	169 Average	Horizontal	

Mask, 4.5GHz ~ 7GHz
U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5514.00	55.72	13.42	42.30	68.20	-12.48	301	240 Peak	Horizontal	
2	5698.00	56.95	14.89	42.06	103.73	-46.78	301	240 Peak	Horizontal	
3	5714.00	65.00	22.82	42.18	109.12	-44.12	301	240 Peak	Horizontal	
4	5721.50	69.37	27.12	42.25	118.06	-48.69	301	240 Peak	Horizontal	
5	5745.00	97.23	54.78	42.45	135.00	-37.77	301	240 Peak	Horizontal	
6	5854.50	54.67	11.96	42.71	113.22	-58.55	301	240 Peak	Horizontal	
7	5870.00	55.22	12.38	42.84	106.60	-51.38	301	240 Peak	Horizontal	
8	5900.00	57.51	14.41	43.10	86.66	-29.15	301	240 Peak	Horizontal	
9	5934.50	55.94	12.89	43.05	68.20	-12.26	301	240 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5562.50	57.28	15.03	42.25	68.20	-10.92	273	161 Peak	Vertical	
2	5692.00	56.57	14.49	42.08	99.30	-42.73	273	161 Peak	Vertical	
3	5720.00	65.33	23.09	42.24	110.00	-45.47	273	161 Peak	Vertical	
4	5724.50	66.19	23.91	42.28	132.58	-66.39	273	161 Peak	Vertical	
5	5745.00	95.04	53.39	42.45	135.00	-39.16	273	161 Peak	Vertical	
6	5855.00	55.83	13.12	42.71	110.00	-54.97	273	161 Peak	Vertical	
7	5861.00	56.87	14.11	42.76	109.12	-52.25	273	161 Peak	Vertical	
8	5916.00	56.82	13.74	43.08	74.84	-18.02	273	161 Peak	Vertical	
9	5962.50	57.31	14.35	42.96	68.20	-10.89	273	161 Peak	Vertical	


802.11a

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5486.00	55.84	13.49	42.35	68.20	-12.36	202	260 Peak	Horizontal	
2	5681.00	54.94	12.85	42.09	91.18	-36.24	202	260 Peak	Horizontal	
3	5708.50	55.06	12.92	42.14	107.58	-52.52	202	260 Peak	Horizontal	
4	5721.00	55.66	13.41	42.25	115.64	-59.98	202	260 Peak	Horizontal	
5	5785.00	98.48	55.75	42.73	135.00	-36.52	202	260 Peak	Horizontal	
6	5851.00	55.19	12.51	42.68	130.16	-74.97	202	260 Peak	Horizontal	
7	5866.00	56.47	13.66	42.81	107.72	-51.25	202	260 Peak	Horizontal	
8	5905.00	56.39	13.30	43.09	82.96	-26.57	202	260 Peak	Horizontal	
9	5942.50	56.33	13.29	43.04	68.20	-11.87	202	260 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5520.50	56.34	14.06	42.28	68.20	-11.86	288	360 Peak	Vertical	
2	5672.50	55.52	13.42	42.10	84.89	-29.37	288	360 Peak	Vertical	
3	5712.50	54.65	12.48	42.17	108.70	-54.05	288	360 Peak	Vertical	
4	5721.00	53.59	11.34	42.25	115.64	-62.05	288	360 Peak	Vertical	
5	5785.00	92.88	50.15	42.73	135.00	-42.12	288	360 Peak	Vertical	
6	5850.50	54.92	12.25	42.67	132.58	-77.66	288	360 Peak	Vertical	
7	5875.00	56.42	13.54	42.88	105.20	-48.78	288	360 Peak	Vertical	
8	5893.50	56.49	13.44	43.05	91.47	-34.98	288	360 Peak	Vertical	
9	5935.50	56.60	13.54	43.06	68.20	-11.60	288	360 Peak	Vertical	

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5519.50	55.75	13.45	42.30	68.20	-12.45	249	256 Peak	Horizontal	
2	5669.50	55.76	13.66	42.10	82.67	-26.91	249	256 Peak	Horizontal	
3	5709.50	54.34	12.19	42.15	107.86	-53.52	249	256 Peak	Horizontal	
4	5724.50	53.69	11.41	42.28	132.58	-78.89	249	256 Peak	Horizontal	
5	5825.00	99.79	57.04	42.75	135.00	-35.21	249	256 Peak	Horizontal	
6	5850.50	70.15	27.40	42.67	132.58	-62.43	249	256 Peak	Horizontal	
7	5859.50	67.47	24.72	42.75	109.54	-42.07	249	256 Peak	Horizontal	
8	5882.00	58.63	15.68	42.95	100.00	-41.37	249	256 Peak	Horizontal	
9	5944.00	56.64	13.60	43.04	68.20	-11.56	249	256 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5487.50	56.66	14.31	42.35	68.20	-11.54	298	352 Peak	Vertical	
2	5667.50	54.77	12.67	42.10	81.19	-26.42	298	352 Peak	Vertical	
3	5706.50	54.80	12.68	42.12	107.02	-52.22	298	352 Peak	Vertical	
4	5723.50	53.63	11.36	42.27	127.74	-74.11	298	352 Peak	Vertical	
5	5825.00	96.01	53.26	42.75	135.00	-38.99	298	352 Peak	Vertical	
6	5850.00	64.94	22.27	42.67	135.00	-70.06	298	352 Peak	Vertical	
7	5857.50	63.02	20.29	42.73	110.10	-47.08	298	352 Peak	Vertical	
8	5889.00	56.48	13.40	43.00	94.81	-38.41	298	352 Peak	Vertical	
9	5966.00	56.98	14.03	42.95	68.20	-11.22	298	352 Peak	Vertical	

802.11ax HE20

CH 149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5551.50	55.76	13.50	42.26	68.20	-12.44	208	261 Peak	Horizontal	
2	5681.50	56.02	13.93	42.09	91.55	-35.53	208	261 Peak	Horizontal	
3	5719.00	60.38	18.15	42.23	110.52	-50.14	208	261 Peak	Horizontal	
4	5722.50	61.41	19.15	42.26	122.90	-61.49	208	261 Peak	Horizontal	
5	5745.00	98.51	56.06	42.45	135.00	-36.49	208	261 Peak	Horizontal	
6	5852.00	55.81	13.12	42.69	125.32	-69.51	208	261 Peak	Horizontal	
7	5873.00	55.89	13.03	42.86	105.76	-49.87	208	261 Peak	Horizontal	
8	5915.00	56.31	13.23	43.08	75.57	-19.26	208	261 Peak	Horizontal	
9	5933.50	57.73	14.68	43.05	68.20	-10.47	208	261 Peak	Horizontal	

CH 149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5593.00	56.21	14.01	42.20	68.20	-11.99	271	161 Peak	Vertical	
2	5697.00	55.76	13.69	42.07	102.99	-47.23	271	161 Peak	Vertical	
3	5712.00	56.39	14.22	42.17	108.56	-52.17	271	161 Peak	Vertical	
4	5724.50	57.13	14.85	42.28	132.58	-75.45	271	161 Peak	Vertical	
5	5745.00	94.35	51.90	42.45	135.00	-40.65	271	161 Peak	Vertical	
6	5855.00	56.65	13.94	42.71	110.80	-54.15	271	161 Peak	Vertical	
7	5855.00	56.65	13.94	42.71	110.80	-54.15	271	161 Peak	Vertical	
8	5913.50	56.57	13.49	43.08	76.68	-20.11	271	161 Peak	Vertical	
9	5999.50	56.41	13.64	42.77	68.20	-11.79	271	161 Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5689.00	55.85	13.67	42.18	68.20	-12.35	249	263 Peak	Horizontal	
2	5695.00	55.17	13.10	42.07	101.51	-46.34	249	263 Peak	Horizontal	
3	5720.00	54.81	12.57	42.24	110.80	-55.99	249	263 Peak	Horizontal	
4	5720.50	54.85	12.61	42.24	113.22	-58.37	249	263 Peak	Horizontal	
5	5785.00	99.37	56.64	42.73	135.00	-35.63	249	263 Peak	Horizontal	
6	5850.00	56.20	13.53	42.67	135.00	-78.80	249	263 Peak	Horizontal	
7	5857.00	55.63	12.90	42.73	110.24	-54.61	249	263 Peak	Horizontal	
8	5902.50	56.72	13.62	43.10	84.81	-28.09	249	263 Peak	Horizontal	
9	5982.50	56.71	13.85	42.86	68.20	-11.49	249	263 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5536.00	55.76	13.48	42.28	68.20	-12.44	288	192 Peak	Vertical	
2	5679.00	55.54	13.45	42.09	89.70	-34.16	288	192 Peak	Vertical	
3	5715.50	55.43	13.24	42.19	109.54	-54.11	288	192 Peak	Vertical	
4	5721.50	53.98	11.73	42.25	118.06	-64.08	288	192 Peak	Vertical	
5	5785.00	95.63	52.90	42.73	135.00	-39.37	288	192 Peak	Vertical	
6	5855.00	55.04	12.33	42.71	110.80	-55.76	288	192 Peak	Vertical	
7	5860.00	56.42	13.67	42.75	109.40	-52.98	288	192 Peak	Vertical	
8	5899.00	57.78	14.69	43.09	87.40	-29.62	288	192 Peak	Vertical	
9	5957.50	57.55	14.55	43.00	68.20	-10.65	288	192 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5535.50	58.25	15.97	42.28	68.20	-9.95	223	260 Peak	HORIZONTAL	
2	5673.00	57.86	15.77	42.09	85.26	-27.40	223	260 Peak	HORIZONTAL	
3	5719.00	54.87	12.64	42.23	110.52	-55.65	223	260 Peak	HORIZONTAL	
4	5724.00	54.13	11.86	42.27	130.16	-76.03	223	260 Peak	HORIZONTAL	
5	5825.00	102.25	59.50	42.75	135.00	-32.75	223	260 Peak	HORIZONTAL	
6	5852.00	69.30	26.61	42.69	125.32	-56.02	223	260 Peak	HORIZONTAL	
7	5855.00	68.74	26.03	42.71	110.80	-42.06	223	260 Peak	HORIZONTAL	
8	5888.00	59.63	16.64	42.99	95.55	-35.92	223	260 Peak	HORIZONTAL	
9	5973.50	57.31	14.40	42.91	68.20	-10.89	223	260 Peak	HORIZONTAL	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5529.50	57.52	15.23	42.29	68.20	-10.68	299	349 Peak	Vertical	
2	5681.00	56.37	14.28	42.09	91.18	-34.81	299	349 Peak	Vertical	
3	5706.50	54.44	12.32	42.12	107.02	-52.58	299	349 Peak	Vertical	
4	5724.00	54.06	11.79	42.27	130.16	-76.10	299	349 Peak	Vertical	
5	5825.00	97.23	54.48	42.75	135.00	-37.77	299	349 Peak	Vertical	
6	5850.00	64.90	22.23	42.67	135.00	-70.10	299	349 Peak	Vertical	
7	5857.50	63.41	20.68	42.73	110.10	-46.69	299	349 Peak	Vertical	
8	5875.50	56.91	14.03	42.88	104.83	-47.92	299	349 Peak	Vertical	
9	5934.50	57.11	14.06	43.05	68.20	-11.09	299	349 Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5611.00	57.46	15.28	42.18	68.20	-10.74	100	82 Peak	Horizontal	
2	5699.00	60.07	18.01	42.06	104.46	-44.39	100	82 Peak	Horizontal	
3	5719.00	66.93	24.70	42.23	110.52	-43.59	100	82 Peak	Horizontal	
4	5723.50	66.83	24.56	42.27	127.74	-60.91	100	82 Peak	Horizontal	
5	5755.00	95.24	52.71	42.53	135.00	-39.76	100	82 Peak	Horizontal	
6	5851.00	55.67	12.99	42.68	130.16	-74.49	100	82 Peak	Horizontal	
7	5871.00	55.60	12.75	42.85	106.32	-50.72	100	82 Peak	Horizontal	
8	5915.50	56.64	13.56	43.08	75.21	-18.57	100	82 Peak	Horizontal	
9	5991.50	56.60	13.79	42.81	68.20	-11.60	100	82 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5596.50	56.67	14.47	42.20	68.20	-11.53	300	165 Peak	Vertical	
2	5700.00	99.51	17.45	42.06	105.20	-45.69	300	165 Peak	Vertical	
3	5720.00	64.60	22.36	42.24	110.00	-46.20	300	165 Peak	Vertical	
4	5721.50	67.95	25.70	42.25	118.06	-50.11	300	165 Peak	Vertical	
5	5755.00	94.56	52.03	42.53	135.00	-40.44	300	165 Peak	Vertical	
6	5850.50	56.27	13.60	42.67	132.58	-76.31	300	165 Peak	Vertical	
7	5869.50	56.63	13.79	42.84	106.74	-50.11	300	165 Peak	Vertical	
8	5907.50	58.09	14.99	43.10	81.11	-23.02	300	165 Peak	Vertical	
9	5967.50	57.35	14.41	42.94	68.20	-10.85	300	165 Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5513.50	57.74	15.44	42.30	68.20	-10.46	202	258 Peak	Horizontal	
2	5661.00	56.81	14.69	42.12	76.37	-19.56	202	258 Peak	Horizontal	
3	5717.50	55.98	13.76	42.22	110.10	-54.12	202	258 Peak	Horizontal	
4	5725.00	57.10	14.82	42.28	135.00	-77.90	202	258 Peak	Horizontal	
5	5795.00	99.27	56.47	42.00	135.00	-35.73	202	258 Peak	Horizontal	
6	5850.00	65.20	22.53	42.67	135.00	-69.80	202	258 Peak	Horizontal	
7	5859.50	64.41	21.66	42.75	109.54	-45.13	202	258 Peak	Horizontal	
8	5877.50	57.21	14.30	42.91	103.34	-46.13	202	258 Peak	Horizontal	
9	5935.50	57.07	14.01	43.06	68.20	-11.13	202	258 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5522.00	56.72	14.42	42.30	68.20	-11.48	300	355 Peak	Vertical	
2	5666.50	56.24	14.13	42.11	80.45	-24.21	300	355 Peak	Vertical	
3	5703.50	54.81	12.71	42.10	106.18	-51.37	300	355 Peak	Vertical	
4	5725.00	55.44	13.16	42.28	135.00	-79.56	300	355 Peak	Vertical	
5	5795.00	94.48	51.68	42.00	135.00	-40.52	300	355 Peak	Vertical	
6	5852.00	57.52	14.83	42.69	125.32	-67.00	300	355 Peak	Vertical	
7	5867.00	56.04	13.22	42.82	107.44	-51.40	300	355 Peak	Vertical	
8	5886.00	56.88	13.90	42.98	97.03	-40.15	300	355 Peak	Vertical	
9	5956.00	56.96	13.96	43.00	68.20	-11.24	300	355 Peak	Vertical	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-1

Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	51.34	21.10	27.22	-6.12	40.00	-18.90	100	263	Peak	Horizontal		
2	158.04	21.52	27.92	-6.40	43.50	-21.98	146	360	Peak	Horizontal		
3	417.03	25.77	29.15	-3.38	46.00	-20.23	100	155	Peak	Horizontal		
4	513.06	27.49	29.37	-1.88	46.00	-18.51	200	339	Peak	Horizontal		
5	729.37	31.85	29.86	1.99	46.00	-14.15	134	360	Peak	Horizontal		
6	844.00	33.70	30.20	3.50	46.00	-12.30	100	355	Peak	Horizontal		

Vertical



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	53.28	23.33	29.50	-6.17	40.00	-16.67	200	62	Peak	Vertical		
2	161.92	20.95	27.41	-6.46	43.50	-22.55	100	14	Peak	Vertical		
3	401.51	24.95	28.62	-3.67	46.00	-21.05	100	24	Peak	Vertical		
4	595.51	29.08	29.04	0.04	46.00	-16.92	100	131	Peak	Vertical		
5	709.00	32.20	30.38	1.82	46.00	-13.80	200	108	Peak	Vertical		
6	844.00	33.59	30.89	3.50	46.00	-12.41	100	200	Peak	Vertical		

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 18360.00	63.49	66.13	-2.64	68.20	-4.71	180	63	Peak	Horizontal		
2 15540.00	42.11	35.60	6.51	54.00	-11.89	194	223	Average	Horizontal		
3 15540.00	55.49	48.98	6.51	74.00	-18.51	194	223	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 18360.00	65.16	67.80	-2.64	68.20	-3.04	180	64	Peak	Vertical		
2 15540.00	41.63	35.12	6.51	54.00	-12.37	205	181	Average	Vertical		
3 15540.00	55.23	48.72	6.51	74.00	-18.77	205	181	Peak	Vertical		


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	10400.00	62.10	64.77	-2.67	60.20	-6.10	100	55 Peak	Horizontal	
2	15600.00	44.31	37.82	6.49	54.00	-9.69	198	225 Average	Horizontal	
3	15600.00	59.59	53.10	6.49	74.00	-14.41	198	225 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	10400.00	63.97	66.64	-2.67	60.20	-4.23	100	73 Peak	Vertical	
2	15600.00	45.21	38.72	6.49	54.00	-8.79	100	55 Average	Vertical	
3	15600.00	59.89	53.40	6.49	74.00	-14.11	100	55 Peak	Vertical	


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	10400.00	55.80	58.20	-2.40	68.20	-12.40	390	288 Peak	Horizontal	
2	15720.00	41.90	34.93	6.97	54.00	-12.10	233	249 Average	Horizontal	
3	15720.00	56.82	49.85	6.97	74.00	-17.18	233	249 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	10400.00	60.49	62.89	-2.40	68.20	-7.71	100	269 Peak	Vertical	
2	15720.00	42.72	35.75	6.97	54.00	-11.28	100	59 Average	Vertical	
3	15720.00	57.30	50.33	6.97	74.00	-16.70	100	59 Peak	Vertical	


802.11ax HE20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1 10360.00	61.06	63.70	-2.64	68.20	-7.14	100	128 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1 10360.00	64.46	67.10	-2.64	68.20	-3.74	115	86 Peak	Vertical	


802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	10400.00	60.55	63.22	-2.67	60.20	-7.65	100	126 Peak	Horizontal	
2	15600.00	43.03	36.54	6.49	54.00	-10.97	197	225 Average	Horizontal	
3	15600.00	57.34	50.85	6.49	74.00	-16.66	197	225 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	10400.00	63.61	66.28	-2.67	60.20	-4.59	102	87 Peak	Vertical	
2	15600.00	43.73	37.24	6.49	54.00	-10.27	100	56 Average	Vertical	
3	15600.00	58.50	52.01	6.49	74.00	-15.50	100	56 Peak	Vertical	


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10480.00	54.74	57.14	-2.40	68.20	-13.46	300	281	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10480.00	59.84	62.24	-2.40	68.20	-8.36	110	270	Peak	Vertical		


802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10380.00	53.91	56.57	-2.66	68.20	-14.29	216	148	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1 10380.00	58.68	61.34	-2.66	68.20	-9.52	116	87	Peak	Vertical		


802.11ax HE40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10460.00	59.51	61.98	-2.47	68.20	-8.69	100	55	Peak	Horizontal		
2	15690.00	42.61	35.70	6.91	54.00	-11.39	300	267	Average	Horizontal		
3	15690.00	56.25	49.34	6.91	74.00	-17.75	300	267	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10460.00	61.80	64.27	-2.47	68.20	-6.40	100	268	Peak	Vertical		
2	15690.00	44.30	37.39	6.91	54.00	-9.70	195	43	Average	Vertical		
3	15690.00	59.00	52.09	6.91	74.00	-15.00	195	43	Peak	Vertical		

U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.00	56.73	59.04	-2.31	60.20	-11.47	182	151 Peak	Horizontal	
2	15780.00	43.39	36.38	7.01	54.00	-10.61	297	269 Average	Horizontal	
3	15780.00	58.71	51.70	7.01	74.00	-15.29	297	269 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10520.00	56.97	59.28	-2.31	60.20	-11.23	300	75 Peak	Vertical	
2	15780.00	44.74	37.73	7.01	54.00	-9.26	199	186 Average	Vertical	
3	15780.00	60.11	53.10	7.01	74.00	-13.89	199	186 Peak	Vertical	


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.00	47.73	49.92	-2.19	54.00	-6.27	100	60 Average	Horizontal	
2	10600.00	62.43	64.62	-2.19	74.00	-11.57	100	60 Peak	Horizontal	
3	15900.00	47.09	39.90	7.19	54.00	-6.91	200	223 Average	Horizontal	
4	15900.00	62.24	55.05	7.19	74.00	-11.76	200	223 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.00	51.58	53.77	-2.19	54.00	-2.42	110	88 Average	Vertical	
2	10600.00	66.21	68.40	-2.19	74.00	-7.79	110	88 Peak	Vertical	
3	15900.00	48.00	40.81	7.19	54.00	-6.00	196	34 Average	Vertical	
4	15900.00	63.34	56.15	7.19	74.00	-10.66	196	34 Peak	Vertical	


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	47.63	49.73	-2.10	54.00	-6.37	100	151 Average	Horizontal	
2	10640.00	62.01	64.11	-2.10	74.00	-11.99	100	151 Peak	Horizontal	
3	15960.00	48.82	41.59	7.23	54.00	-5.18	200	247 Average	Horizontal	
4	15960.00	63.84	56.61	7.23	74.00	-10.16	200	247 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	50.99	53.09	-2.10	54.00	-3.01	100	89 Average	Vertical	
2	10640.00	66.16	68.26	-2.10	74.00	-7.84	100	89 Peak	Vertical	
3	15960.00	52.37	45.14	7.23	54.00	-1.63	191	52 Average	Vertical	
4	15960.00	66.97	59.74	7.23	74.00	-7.03	191	52 Peak	Vertical	


802.11ax HE20

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Level	Line	Line					
		Factor							
			dB/m	dBuV/m	dB	cm	deg		
1	10520.00	55.74	58.05	-2.31	68.20	-12.46	100	56 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Level	Line	Line					
		Factor							
			dB/m	dBuV/m	dB	cm	deg		
1	10520.00	57.55	59.86	-2.31	68.20	-10.65	216	238 Peak	Vertical


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.00	47.15	49.34	-2.19	54.00	-6.85	213	151 Average	Horizontal	
2	10600.00	62.38	64.57	-2.19	74.00	-11.62	213	151 Peak	Horizontal	
3	15900.00	47.30	49.11	-7.19	54.00	-6.70	195	223 Average	Horizontal	
4	15900.00	62.94	55.75	7.19	74.00	-11.06	195	223 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.00	51.80	53.99	-2.19	54.00	-2.20	189	272 Average	Vertical	
2	10600.00	66.92	69.11	-2.19	74.00	-7.08	189	272 Peak	Vertical	
3	15900.00	50.26	43.07	7.19	54.00	-3.74	203	48 Average	Vertical	
4	15900.00	64.59	57.40	7.19	74.00	-9.41	203	48 Peak	Vertical	


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10640.00	47.09	49.19	-2.10	54.00	-6.91	100	56	Average	Horizontal		
2	10640.00	62.18	64.28	-2.10	74.00	-11.82	100	56	Peak	Horizontal		
3	15960.00	48.06	40.83	7.23	54.00	-5.94	284	262	Average	Horizontal		
4	15960.00	63.00	56.57	7.23	74.00	-10.20	284	262	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10640.00	50.74	52.84	-2.10	54.00	-3.26	100	268	Average	Vertical		
2	10640.00	65.79	67.89	-2.10	74.00	-8.21	100	268	Peak	Vertical		
3	15960.00	49.54	42.31	7.23	54.00	-4.46	100	49	Average	Vertical		
4	15960.00	65.18	57.95	7.23	74.00	-8.82	100	49	Peak	Vertical		


802.11ax HE40

CH 54 (Horizontal)

CH 54 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	10540.00	57.21	59.49	-2.28	60.20	-10.99	180	150 Peak	Horizontal	
2	15810.00	44.09	37.04	7.05	54.00	-9.91	289	264 Average	Horizontal	
3	15810.00	59.14	52.09	7.05	74.00	-14.86	289	264 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	10540.00	62.11	64.39	-2.28	60.20	-6.09	180	269 Peak	Vertical	
2	15810.00	46.03	38.98	7.05	54.00	-7.97	182	44 Average	Vertical	
3	15810.00	60.86	53.81	7.05	74.00	-13.14	182	44 Peak	Vertical	


802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	44.23	46.37	-2.14	54.00	-9.77	100	57	Average	Horizontal	
2	10620.00	58.31	60.45	-2.14	74.00	-15.69	100	57	Peak	Horizontal	
3	15930.00	44.91	37.69	7.22	54.00	-9.09	281	262	Average	Horizontal	
4	15930.00	59.41	52.19	7.22	74.00	-14.59	281	262	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	49.49	51.63	-2.14	54.00	-4.51	100	268	Average	Vertical	
2	10620.00	63.65	65.79	-2.14	74.00	-10.35	100	268	Peak	Vertical	
3	15930.00	46.83	39.61	7.22	54.00	-7.17	100	57	Average	Vertical	
4	15930.00	61.27	54.05	7.22	74.00	-12.73	100	57	Peak	Vertical	

U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	40.40	41.91	-1.51	54.00	-13.60	200	60 Average	Horizontal	
2	11000.00	56.46	57.97	-1.51	74.00	-17.54	200	60 Peak	Horizontal	
3	16500.00	63.53	55.97	7.56	68.20	-4.67	203	146 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	42.76	44.27	-1.51	54.00	-11.24	100	89 Average	Vertical	
2	11000.00	57.82	59.33	-1.51	74.00	-16.18	100	89 Peak	Vertical	
3	16500.00	67.18	59.62	7.56	68.20	-1.02	198	50 Peak	Vertical	


802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	36.92	38.09	-1.17	54.00	-17.08	200	248 Average	Horizontal	
2	11160.00	53.40	54.57	-1.17	74.00	-20.60	200	248 Peak	Horizontal	
3	16740.00	67.78	59.60	8.18	68.20	-0.42	300	156 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	35.99	37.16	-1.17	54.00	-18.01	100	83 Average	Vertical	
2	11160.00	52.66	53.83	-1.17	74.00	-21.34	100	83 Peak	Vertical	
3	16740.00	66.44	58.26	8.18	68.20	-1.76	200	47 Peak	Vertical	


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	34.34	35.10	-0.76	54.00	-19.66	200	175 Average	Horizontal	
2	11400.00	47.36	48.12	-0.76	74.00	-26.64	200	175 Peak	Horizontal	
3	17100.00	63.15	54.86	8.29	68.20	-5.05	300	145 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	32.75	33.51	-0.76	54.00	-21.25	200	55 Average	Vertical	
2	11400.00	46.53	47.29	-0.76	74.00	-27.47	200	55 Peak	Vertical	
3	17100.00	66.58	58.29	8.29	68.20	-1.62	186	194 Peak	Vertical	


802.11ax HE20

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	39.86	41.37	-1.51	54.00	-14.14	100	148 Average	Horizontal	
2	11000.00	54.36	55.87	-1.51	74.00	-19.64	100	148 Peak	Horizontal	
3	16500.00	65.54	57.98	7.56	68.20	-2.66	200	133 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11000.00	41.90	43.41	-1.51	54.00	-12.10	100	153 Average	Vertical	
2	11000.00	55.47	56.98	-1.51	74.00	-18.53	100	153 Peak	Vertical	
3	16500.00	66.79	59.23	7.56	68.20	-1.41	200	51 Peak	Vertical	