Appendix B: Test Results of Radiated Spurious Emissions & Mains


Conducted Emission Test

<EUT Standalone>

Band Edges, 2.31GHz ~ 2.5GHz


BLE_1M	
Low Channel (Horizontal) Peak	**Low Channel (Vertical) Peak**

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao. ,Linkou Dist. ,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2381.49	50.25	55.60	-5.35	74.00	-23.75	276	281	Peak	Horizontal	
2 *	2402.00	98.19	103.49	-5.30	74.00	24.19	276	281	Peak	Horizontal	
3	2489.98	49.71	54.39	-4.68	74.00	-24.29	276	281	Peak	Horizontal	

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao. ,Linkou Dist. ,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2388.19	50.17	55.51	-5.34	74.00	-23.83	112	206	Peak	Vertical	
2 *	2402.00	97.93	103.23	-5.30	74.00	23.93	112	206	Peak	Vertical	
3	2490.41	49.55	54.22	-4.67	74.00	-24.45	112	206	Peak	Vertical	

BLE_1M

Low Channel (Horizontal) Average


TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2369.99	37.69	43.16	-5.47	54.00	-16.31	276	281	Average	Horizontal	
2 *	2402.00	97.72	103.02	-5.30	54.00	43.72	276	281	Average	Horizontal	
3	2497.67	37.87	42.45	-4.58	54.00	-16.13	276	281	Average	Horizontal	

Low Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2385.72	37.73	43.08	-5.35	54.00	-16.27	116	206	Average	Vertical	
2 *	2402.01	97.44	102.74	-5.30	54.00	43.44	112	206	Average	Vertical	
3	2486.89	37.77	42.45	-4.68	54.00	-16.23	112	206	Average	Vertical	

BLE_1M

Middle Channel (Horizontal) Peak


TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2336.41	49.58	55.15	-5.57	74.00	-24.42	140	162	Peak	Horizontal	
2 *	2440.00	96.43	101.49	-5.06	74.00	22.43	140	162	Peak	Horizontal	
3	2489.17	49.44	54.12	-4.68	74.00	-24.56	140	162	Peak	Horizontal	

Middle Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2357.31	49.90	55.39	-5.49	74.00	-24.10	163	265	Peak	Vertical	
2 *	2440.00	98.01	103.07	-5.06	74.00	24.01	163	265	Peak	Vertical	
3	2495.58	50.01	54.62	-4.61	74.00	-23.99	163	265	Peak	Vertical	

BLE_1M

Middle Channel (Horizontal) Average


TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2377.59	37.38	42.76	-5.38	54.00	-16.62	140	162	Average	Horizontal	
2 *	2440.00	95.98	101.04	-5.06	54.00	41.98	140	162	Average	Horizontal	
3	2499.53	37.87	42.43	-4.56	54.00	-16.13	140	162	Average	Horizontal	

Middle Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2382.15	37.46	42.81	-5.35	54.00	-16.54	163	265	Average	Vertical	
2 *	2440.00	97.57	102.63	-5.06	54.00	43.57	163	265	Average	Vertical	
3	2496.96	37.99	42.58	-4.59	54.00	-16.01	163	265	Average	Vertical	

BLE_1M

High Channel (Horizontal) Peak


TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2376.79	50.78	56.17	-5.39	74.00	-23.22	211	164	Peak	Horizontal	
2 *	2480.00	95.82	100.51	-4.69	74.00	21.82	211	164	Peak	Horizontal	
3	2486.99	50.68	55.36	-4.68	74.00	-23.32	211	164	Peak	Horizontal	

High Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2382.82	49.48	54.83	-5.35	74.00	-24.52	253	269	Peak	Vertical	
2 *	2480.00	98.50	103.19	-4.69	74.00	24.50	253	269	Peak	Vertical	
3	2495.16	51.05	55.67	-4.62	74.00	-22.95	253	269	Peak	Vertical	

BLE_1M

High Channel (Horizontal) Average


TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2384.29	37.45	42.80	-5.35	54.00	-16.55	211	164	Average	Horizontal	
2 *	2480.00	95.35	100.04	-4.69	54.00	41.35	211	164	Average	Horizontal	
3	2483.61	38.42	43.11	-4.69	54.00	-15.58	211	164	Average	Horizontal	

High Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2380.40	37.45	42.80	-5.35	54.00	-16.55	253	269	Average	Vertical	
2 *	2480.00	98.02	102.71	-4.69	54.00	44.02	253	269	Average	Vertical	
3	2483.61	39.13	43.82	-4.69	54.00	-14.87	253	269	Average	Vertical	

BLE_2M

Low Channel (Horizontal) Peak


TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2364.06	50.24	55.72	-5.48	74.00	-23.76	283	265	Peak	Horizontal	
2 *	2402.00	98.43	103.73	-5.30	74.00	24.43	283	265	Peak	Horizontal	
3	2497.01	49.84	54.43	-4.59	74.00	-24.16	283	265	Peak	Horizontal	

Low Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2366.19	49.83	55.31	-5.48	74.00	-24.17	117	219	Peak	Vertical	
2 *	2402.00	98.20	103.50	-5.30	74.00	24.20	117	219	Peak	Vertical	
3	2499.34	49.53	54.10	-4.57	74.00	-24.47	117	219	Peak	Vertical	

BLE_2M

Low Channel (Horizontal) Average


TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2385.62	37.74	43.09	-5.35	54.00	-16.26	283	265	Average	Horizontal	
2 *	2402.00	96.48	101.78	-5.30	54.00	42.48	283	265	Average	Horizontal	
3	2489.12	37.78	42.46	-4.68	54.00	-16.22	283	265	Average	Horizontal	

Low Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2385.38	37.82	43.17	-5.35	54.00	-16.18	117	219	Average	Vertical	
2 *	2402.00	96.25	101.55	-5.30	54.00	42.25	117	219	Average	Vertical	
3	2495.20	37.93	42.55	-4.62	54.00	-16.07	117	219	Average	Vertical	

BLE_2M

Middle Channel (Horizontal) Peak


TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2377.59	50.23	55.61	-5.38	74.00	-23.77	136	151	Peak	Horizontal	
2 *	2440.00	96.69	101.75	-5.06	74.00	22.69	136	151	Peak	Horizontal	
3	2483.76	50.24	54.93	-4.69	74.00	-23.76	136	151	Peak	Horizontal	

Middle Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2332.61	49.64	55.25	-5.61	74.00	-24.36	158	275	Peak	Vertical	
2 *	2440.00	98.23	103.29	-5.06	74.00	24.23	158	275	Peak	Vertical	
3	2487.89	50.90	55.58	-4.68	74.00	-23.10	158	275	Peak	Vertical	

BLE_2M

Middle Channel (Horizontal) Average


TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2372.27	37.49	42.94	-5.45	54.00	-16.51	136	151	Average	Horizontal	
2 *	2440.00	94.82	99.88	-5.06	54.00	40.82	136	151	Average	Horizontal	
3	2485.61	37.81	42.49	-4.68	54.00	-16.19	136	151	Average	Horizontal	

Middle Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2378.78	37.46	42.83	-5.37	54.00	-16.54	158	275	Average	Vertical	
2 *	2440.00	96.18	101.24	-5.06	54.00	42.18	158	275	Average	Vertical	
3	2485.66	37.86	42.54	-4.68	54.00	-16.14	158	275	Average	Vertical	

BLE_2M

High Channel (Horizontal) Peak


TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2379.73	49.47	54.83	-5.36	74.00	-24.53	203	155	Peak	Horizontal	
2 *	2480.00	96.01	100.70	-4.69	74.00	22.01	203	155	Peak	Horizontal	
3	2495.87	49.99	54.60	-4.61	74.00	-24.01	203	155	Peak	Horizontal	

High Channel (Vertical) Peak

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.75	49.36	54.70	-5.34	74.00	-24.64	248	266	Peak	Vertical	
2 *	2480.00	98.76	103.45	-4.69	74.00	24.76	248	266	Peak	Vertical	
3	2484.14	51.79	56.47	-4.68	74.00	-22.21	248	266	Peak	Vertical	

BLE_2M

High Channel (Horizontal) Average


TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2355.70	37.42	42.91	-5.49	54.00	-16.58	203	155	Average	Horizontal	
2 *	2480.00	94.10	98.79	-4.69	54.00	40.10	203	155	Average	Horizontal	
3	2483.50	38.33	43.02	-4.69	54.00	-15.67	203	155	Average	Horizontal	

High Channel (Vertical) Average

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2370.52	37.58	43.04	-5.46	54.00	-16.42	248	266	Average	Vertical	
2 *	2480.00	96.84	101.53	-4.69	54.00	42.84	248	266	Average	Vertical	
3	2483.50	39.53	44.22	-4.69	54.00	-14.47	248	266	Average	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

(Horizontal)


TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	53.28	21.84	28.01	-6.17	40.00	-18.16	100	328	Peak	Horizontal	
2	170.65	22.22	28.94	-6.72	43.50	-21.28	200	80	Peak	Horizontal	
3	435.46	26.13	28.96	-2.83	46.00	-19.87	189	360	Peak	Horizontal	
4	577.08	28.35	28.91	-0.56	46.00	-17.65	100	36	Peak	Horizontal	
5	714.82	31.93	30.17	1.76	46.00	-14.07	200	190	Peak	Horizontal	
6	845.77	34.28	30.78	3.50	46.00	-11.72	164	360	Peak	Horizontal	

(Vertical)

TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	31.94	22.95	30.65	-7.70	40.00	-17.05	100	344	Peak	Vertical	
2	147.37	21.83	28.56	-6.73	43.50	-21.67	100	324	Peak	Vertical	
3	381.14	25.64	29.58	-3.94	46.00	-20.36	100	336	Peak	Vertical	
4	601.33	28.81	28.73	0.08	46.00	-17.19	200	149	Peak	Vertical	
5	729.37	32.12	30.13	1.99	46.00	-13.88	100	100	Peak	Vertical	
6	845.77	33.42	29.92	3.50	46.00	-12.58	112	360	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

BLE_1M

Low Channel (Horizontal)


TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4804.00	22.61	32.02	-9.41	54.00	-31.39	111	24	Average	Horizontal	
2	4804.00	34.70	44.11	-9.41	74.00	-39.30	111	24	Peak	Horizontal	

Low Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4804.00	21.55	30.96	-9.41	54.00	-32.45	289	314	Average	Vertical	
2	4804.00	34.09	43.50	-9.41	74.00	-39.91	289	314	Peak	Vertical	

BLE_1M

Middle Channel (Horizontal)


TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4880.00	21.93	31.34	-9.41	54.00	-32.07	117	16	Average	Horizontal	
2	4880.00	33.84	43.25	-9.41	74.00	-40.16	117	16	Peak	Horizontal	
3	7320.00	20.60	27.67	-7.07	54.00	-33.40	144	166	Average	Horizontal	
4	7320.00	34.76	41.83	-7.07	74.00	-39.24	144	166	Peak	Horizontal	

Middle Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4880.00	21.78	31.19	-9.41	54.00	-32.22	283	319	Average	Vertical	
2	4880.00	34.52	43.93	-9.41	74.00	-39.48	283	319	Peak	Vertical	
3	7320.00	20.65	27.72	-7.07	54.00	-33.35	111	282	Average	Vertical	
4	7320.00	34.25	41.32	-7.07	74.00	-39.75	111	282	Peak	Vertical	

BLE_1M

High Channel (Horizontal)


TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.00	22.45	31.57	-9.12	54.00	-31.55	120	13	Average	Horizontal	
2	4960.00	34.62	43.74	-9.12	74.00	-39.38	120	13	Peak	Horizontal	
3	7440.00	20.16	27.15	-6.99	54.00	-33.84	140	162	Average	Horizontal	
4	7440.00	34.25	41.24	-6.99	74.00	-39.75	140	162	Peak	Horizontal	

High Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.00	22.07	31.19	-9.12	54.00	-31.93	283	324	Average	Vertical	
2	4960.00	34.71	43.83	-9.12	74.00	-39.29	283	324	Peak	Vertical	
3	7440.00	20.26	27.25	-6.99	54.00	-33.74	118	289	Average	Vertical	
4	7440.00	33.73	40.72	-6.99	74.00	-40.27	118	289	Peak	Vertical	

BLE_2M

Low Channel (Horizontal)


TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4804.00	22.32	31.73	-9.41	54.00	-31.68	121	22	Average	Horizontal	
2	4804.00	34.63	44.04	-9.41	74.00	-39.37	121	22	Peak	Horizontal	

Low Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4804.00	21.52	30.93	-9.41	54.00	-32.48	286	316	Average	Vertical	
2	4804.00	33.86	43.27	-9.41	74.00	-40.14	286	316	Peak	Vertical	

BLE_2M

Middle Channel (Horizontal)


TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4880.00	21.47	30.88	-9.41	54.00	-32.53	119	20	Average	Horizontal	
2	4880.00	33.66	43.07	-9.41	74.00	-40.34	119	20	Peak	Horizontal	
3	7320.00	20.41	27.48	-7.07	54.00	-33.59	133	154	Average	Horizontal	
4	7320.00	34.65	41.72	-7.07	74.00	-39.35	133	154	Peak	Horizontal	

Middle Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4880.00	21.08	30.49	-9.41	54.00	-32.92	280	321	Average	Vertical	
2	4880.00	34.12	43.53	-9.41	74.00	-39.88	280	321	Peak	Vertical	
3	7320.00	20.50	27.57	-7.07	54.00	-33.50	122	281	Average	Vertical	
4	7320.00	34.01	41.08	-7.07	74.00	-39.99	122	281	Peak	Vertical	

BLE_2M

High Channel (Horizontal)


TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.00	22.17	31.29	-9.12	54.00	-31.83	133	31	Average	Horizontal	
2	4960.00	34.15	43.27	-9.12	74.00	-39.85	133	31	Peak	Horizontal	
3	7440.00	20.56	27.55	-6.99	54.00	-33.44	146	170	Average	Horizontal	
4	7440.00	34.76	41.75	-6.99	74.00	-39.24	146	170	Peak	Horizontal	

High Channel (Vertical)

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4960.00	21.63	30.75	-9.12	54.00	-32.37	283	334	Average	Vertical	
2	4960.00	34.40	43.52	-9.12	74.00	-39.60	283	334	Peak	Vertical	
3	7440.00	20.81	27.80	-6.99	54.00	-33.19	113	296	Average	Vertical	
4	7440.00	34.12	41.11	-6.99	74.00	-39.88	113	296	Peak	Vertical	

Mains Conducted Emission, TX 150kHz ~ 30MHz

(Line)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.32	6.40	-3.54	9.94	49.58	-43.18	Average	line1	
2	0.32	9.58	-0.36	9.94	59.58	-50.00	QP	line1	
3	1.62	6.14	-3.92	10.06	46.00	-39.86	Average	line1	
4	1.62	11.67	1.61	10.06	56.00	-44.33	QP	line1	
5	3.43	6.10	-4.02	10.12	46.00	-39.90	Average	line1	
6	3.43	19.59	9.47	10.12	56.00	-36.41	QP	line1	
7	4.40	6.48	-3.67	10.15	46.00	-39.52	Average	line1	
8	4.40	20.74	10.59	10.15	56.00	-35.26	QP	line1	
9	5.37	6.02	-4.18	10.20	50.00	-43.98	Average	line1	
10	5.37	17.31	7.11	10.20	60.00	-42.69	QP	line1	
11	5.82	5.68	-4.53	10.21	50.00	-44.32	Average	line1	
12	5.82	12.92	2.71	10.21	60.00	-47.08	QP	line1	

(Neutral)

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1


	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	7.96	-1.97	9.93	55.59	-47.63	Average	neutral	
2	0.16	11.67	1.74	9.93	65.59	-53.92	QP	neutral	
3	0.54	6.30	-3.64	9.94	46.00	-39.70	Average	neutral	
4	0.54	10.46	0.52	9.94	56.00	-45.54	QP	neutral	
5	1.76	6.31	-3.67	9.98	46.00	-39.69	Average	neutral	
6	1.76	13.84	3.86	9.98	56.00	-42.16	QP	neutral	
7	3.57	6.15	-3.88	10.03	46.00	-39.85	Average	neutral	
8	3.57	20.67	10.64	10.03	56.00	-35.33	QP	neutral	
9	4.40	6.44	-3.61	10.05	46.00	-39.56	Average	neutral	
10	4.40	21.22	11.17	10.05	56.00	-34.78	QP	neutral	
11	24.21	9.41	-1.19	10.60	50.00	-40.59	Average	neutral	
12	24.21	14.69	4.09	10.60	60.00	-45.31	QP	neutral	

<Charging Mode>

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

Horizontal


TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	56.19	22.84	29.14	-6.30	40.00	-17.16	200	67	Peak	Horizontal	
2	141.55	26.48	33.63	-7.15	43.50	-17.02	200	78	Peak	Horizontal	
3	232.73	34.26	41.91	-7.65	46.00	-11.74	100	161	Peak	Horizontal	
4	299.66	33.23	39.09	-5.86	46.00	-12.77	100	161	Peak	Horizontal	
5	845.77	34.37	30.87	3.50	46.00	-11.63	200	5	Peak	Horizontal	
6	926.28	34.02	29.30	4.72	46.00	-11.98	102	360	Peak	Horizontal	

Vertical

TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	30.00	30.52	38.51	-7.99	40.00	-9.48	100	354	Peak	Vertical	
2	142.52	25.90	33.03	-7.13	43.50	-17.60	100	54	Peak	Vertical	
3	299.66	29.13	34.99	-5.86	46.00	-16.87	200	273	Peak	Vertical	
4	432.55	28.43	31.37	-2.94	46.00	-17.57	100	194	Peak	Vertical	
5	709.97	32.19	30.34	1.85	46.00	-13.81	200	61	Peak	Vertical	
6	845.77	34.64	31.14	3.50	46.00	-11.36	100	31	Peak	Vertical	

Mains Conducted Emission, TX 150kHz ~ 30MHz

Line

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.17	21.34	11.32	10.02	54.84	-33.50	Average	line1	
2	0.17	35.49	25.47	10.02	64.84	-29.35	QP	line1	
3	0.47	33.57	23.52	10.05	46.60	-13.03	Average	line1	
4	0.47	39.53	29.48	10.05	56.60	-17.07	QP	line1	
5	0.69	20.43	10.34	10.09	46.00	-25.57	Average	line1	
6	0.69	25.30	15.21	10.09	56.00	-30.70	QP	line1	
7	3.61	16.84	6.37	10.47	46.00	-29.16	Average	line1	
8	3.61	22.34	11.87	10.47	56.00	-33.66	QP	line1	
9	8.29	23.97	13.09	10.88	50.00	-26.03	Average	line1	
10	8.29	28.78	17.90	10.88	60.00	-31.22	QP	line1	
11	13.58	29.75	18.63	11.12	50.00	-20.25	Average	line1	
12	13.58	34.85	23.73	11.12	60.00	-25.15	QP	line1	

Neutral

TUV Rheinland Taiwan Ltd.
No. 458-18,Sec 2,Fenliao.,Linkou Dist.,New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.17	21.58	11.57	10.01	54.84	-33.26	Average	neutral	
2	0.17	34.28	24.27	10.01	64.84	-30.56	QP	neutral	
3	0.47	35.21	25.17	10.04	46.60	-11.39	Average	neutral	
4	0.47	40.81	30.77	10.04	56.60	-15.79	QP	neutral	
5	0.71	21.73	11.66	10.07	46.00	-24.27	Average	neutral	
6	0.71	26.51	16.44	10.07	56.00	-29.49	QP	neutral	
7	4.15	18.47	8.18	10.29	46.00	-27.53	Average	neutral	
8	4.15	23.78	13.49	10.29	56.00	-32.22	QP	neutral	
9	8.67	24.56	13.93	10.63	50.00	-25.44	Average	neutral	
10	8.67	29.80	19.17	10.63	60.00	-30.20	QP	neutral	
11	13.92	31.61	20.70	10.91	50.00	-18.39	Average	neutral	
12	13.92	36.67	25.76	10.91	60.00	-23.33	QP	neutral	