


802.11n HT20

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	63.72	22.20	41.52	74.00	-10.28	316	313	Peak	Horizontal	
2 *	5180.00	107.97	66.49	41.48	68.20	39.77	316	313	Peak	Horizontal	
3	5396.50	55.31	13.14	42.17	74.00	-18.69	316	313	Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.50	58.63	17.10	41.53	74.00	-15.37	100	48	Peak	Vertical	
2 *	5180.00	101.68	60.20	41.48	68.20	33.48	100	48	Peak	Vertical	
3	5392.50	55.60	13.43	42.17	74.00	-18.40	100	48	Peak	Vertical	

802.11n HT20

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	49.34	7.82	41.52	54.00	-4.66	316	313	Average	Horizontal	
2 *	5180.00	98.96	57.38	41.40	54.00	44.86	316	313	Average	Horizontal	
3	5364.50	42.91	0.82	42.09	54.00	-11.09	316	313	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	43.92	2.40	41.52	54.00	-10.08	100	48	Average	Vertical	
2 *	5180.00	92.33	59.85	41.40	54.00	38.33	100	48	Average	Vertical	
3	5401.50	42.80	0.62	42.18	54.00	-11.20	100	48	Average	Vertical	


802.11n HT20

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	54.94	13.42	41.52	74.00	-19.06	298	323	Peak	HORIZONTAL	
2 *	5200.00	109.35	67.90	41.45	68.20	41.15	298	323	Peak	HORIZONTAL	
3	5452.00	54.89	12.67	42.22	74.00	-19.11	298	323	Peak	HORIZONTAL	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5116.00	55.46	13.80	41.57	74.00	-18.54	100	11	Peak	Vertical	
2 *	5200.00	101.99	60.54	41.45	68.20	33.79	100	11	Peak	Vertical	
3	5403.50	54.90	12.71	42.19	74.00	-19.10	100	11	Peak	Vertical	

802.11n HT20

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



		Freq	Level	Rd		Lmt		Over	APos	TPos	Remark	Pol/Phase	Note
		MHz	dBuV/m	dBuV	dB/m	dBuV/m		dB	cm	deg			
1		5149.00	43.03	1.51	41.52	54.00	-10.97		298	323	Average	HORIZONTAL	
2	*	5200.00	100.03	58.58	41.45	54.00	46.03		298	323	Average	HORIZONTAL	
3		5371.00	42.86	0.76	42.10	54.00	-11.14		298	323	Average	HORIZONTAL	


802.11n HT20

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4884.50	55.48	14.52	40.96	74.00	-18.52	307	322	Peak	Horizontal	
2 *	5240.00	100.23	66.59	41.64	68.20	40.03	307	322	Peak	Horizontal	
3	5427.50	54.60	12.40	42.20	74.00	-19.40	307	322	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5123.00	55.05	13.50	41.55	74.00	-18.95	100	11	Peak	Vertical	
2 *	5240.00	100.66	59.02	41.64	68.20	32.46	100	11	Peak	Vertical	
3	5377.50	54.89	12.76	42.13	74.00	-19.11	100	11	Peak	Vertical	

802.11n HT20

CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5121.50	42.49	0.93	41.56	54.00	-11.51	307	322 Average	Horizontal	
2 *	5240.00	98.95	57.31	41.64	54.00	44.95	307	322 Average	Horizontal	
3	5403.00	43.15	0.96	42.19	54.00	-10.85	307	322 Average	Horizontal	

CH 48 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5121.50	42.70	1.13	41.57	54.00	-11.30	100	11 Average	Vertical	
2 *	5240.00	92.08	50.44	41.64	54.00	38.08	100	11 Average	Vertical	
3	5424.00	42.87	0.67	42.20	54.00	-11.13	100	11 Average	Vertical	

Band Edges, 4.5GHz ~ 7GHz
U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5130.00	55.71	14.16	41.55	74.00	-18.29	300	311	Peak	Horizontal	
2 *	5269.00	109.91	68.20	41.71	68.20	41.71	300	311	Peak	Horizontal	
3	5428.50	55.42	13.22	42.20	74.00	-18.58	300	311	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5082.50	54.72	13.22	41.50	74.00	-19.28	304	302	Peak	Vertical	
2 *	5269.00	103.97	62.26	41.71	68.20	35.77	304	302	Peak	Vertical	
3	5454.50	54.69	12.48	42.21	74.00	-19.31	304	302	Peak	Vertical	

802.11a

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.50	42.50	0.97	41.53	54.00	-11.50	300	311	Average	Horizontal	
2 *	5260.00	99.55	58.15	41.71	54.00	45.55	300	311	Average	Horizontal	
3	5351.50	42.87	0.82	42.05	54.00	-11.13	300	311	Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.50	42.34	0.80	41.54	54.00	-11.66	304	302	Average	Vertical	
2 *	5260.00	94.54	52.83	41.71	54.00	40.54	304	302	Average	Vertical	
3	5400.50	42.42	0.24	42.18	54.00	-11.58	304	302	Average	Vertical	

802.11a

CH 60 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 60 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5138.00	42.41	0.88	41.53	54.00	-11.59	300	321	Average	Horizontal	
2 *	5330.00	99.36	57.54	41.82	54.00	45.36	300	321	Average	Horizontal	
3	5350.50	43.14	1.09	42.05	54.00	-10.86	300	321	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5131.00	42.26	0.71	41.55	54.00	-11.74	100	58	Average	Vertical	
2 *	5330.00	92.07	50.25	41.82	54.00	38.07	100	58	Average	Vertical	
3	5376.00	42.57	0.45	42.12	54.00	-11.43	100	58	Average	Vertical	

802.11a

CH 64 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 64 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5132.00	42.35	0.80	41.55	54.00	-11.65	300	310	Average	Horizontal	
2 *	5320.00	100.71	50.80	41.91	54.00	46.71	300	310	Average	Horizontal	
3	5350.00	47.17	5.12	42.05	54.00	-6.83	300	310	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5100.50	42.20	0.63	41.57	54.00	-11.80	100	9	Average	Vertical	
2 *	5320.00	91.06	49.95	41.91	54.00	37.06	100	9	Average	Vertical	
3	5350.00	43.75	1.70	42.05	54.00	-10.25	100	9	Average	Vertical	


802.11n HT20

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.00	55.69	14.16	41.53	74.00	-18.31	302	309	Peak	Horizontal	
2 *	5268.00	108.57	67.16	41.71	68.20	40.67	302	309	Peak	Horizontal	
3	5424.00	55.84	13.64	42.20	74.00	-18.16	302	309	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4791.00	54.64	13.68	40.96	74.00	-19.36	100	9	Peak	Vertical	
2 *	5268.00	101.61	60.10	41.71	68.20	33.61	100	9	Peak	Vertical	
3	5405.50	55.91	13.72	42.19	74.00	-18.09	100	9	Peak	Vertical	

802.11n HT20

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5138.50	42.73	1.20	41.53	54.00	-11.27	302	309 Average	Horizontal	
2 *	5268.00	99.68	57.89	41.71	54.00	45.68	302	309 Average	Horizontal	
3	5424.00	43.24	1.04	42.20	54.00	-10.76	302	309 Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5121.50	42.47	0.91	41.56	54.00	-11.53	100	9 Average	Vertical	
2 *	5268.00	92.47	50.76	41.71	54.00	38.47	100	9 Average	Vertical	
3	5368.00	42.70	0.60	42.10	54.00	-11.30	100	9 Average	Vertical	


802.11n HT20

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4947.00	54.73	13.47	41.26	74.00	-19.27	301	321	Peak	Horizontal	
2 *	5390.00	109.39	67.57	41.82	68.20	41.19	301	321	Peak	Horizontal	
3	5391.50	56.44	14.28	42.16	74.00	-17.56	301	321	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5121.50	54.55	12.99	41.56	74.00	-19.45	100	56	Peak	Vertical	
2 *	5390.00	100.27	58.45	41.82	68.20	32.07	100	56	Peak	Vertical	
3	5448.00	55.86	13.64	42.22	74.00	-18.14	100	56	Peak	Vertical	

802.11n HT20

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5132.00	42.76	1.21	41.55	54.00	-11.24	301	321 Average	Horizontal	
2 *	5300.00	99.26	57.44	41.62	54.00	45.26	301	321 Average	Horizontal	
3	5373.00	43.45	1.33	42.12	54.00	-10.55	301	321 Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5122.00	42.51	0.95	41.56	54.00	-11.49	100	56 Average	Vertical	
2 *	5300.00	91.37	49.55	41.62	54.00	37.37	100	56 Average	Vertical	
3	5386.50	42.74	0.59	42.15	54.00	-11.26	100	56 Average	Vertical	


802.11n HT20

CH 64 (Horizontal) Peak


CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5116.00	42.71	1.14	41.57	54.00	-11.29	298	321	Average	Horizontal	
2 *	5320.00	100.12	58.21	41.91	54.00	46.12	298	321	Average	Horizontal	
3 !	5350.00	49.95	7.98	42.05	54.00	-4.05	298	321	Average	Horizontal	

CH 64 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5116.00	42.49	0.92	41.57	54.00	-11.51	100	8	Average	Vertical	
2 *	5320.00	91.79	49.88	41.91	54.00	37.79	100	8	Average	Vertical	
3	5350.00	44.84	2.79	42.05	54.00	-9.16	100	8	Average	Vertical	

Band Edges, 4.5GHz ~ 7GHz
U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5379.00	54.80	12.67	42.13	74.00	-19.20	300	318 Peak	Horizontal	
2	5463.50	54.63	12.43	42.20	68.20	-13.57	300	318 Peak	Horizontal	
3 *	5500.00	105.84	63.69	42.15	68.20	37.64	300	318 Peak	Horizontal	
4	5846.00	56.20	13.70	42.50	68.20	-12.00	300	318 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5391.50	55.01	12.85	42.16	74.00	-18.99	104	16 Peak	Vertical	
2	5470.00	54.49	12.30	42.19	68.20	-13.71	104	16 Peak	Vertical	
3 *	5500.00	99.59	57.44	42.15	68.20	31.39	104	16 Peak	Vertical	
4	5776.00	56.11	13.62	42.49	68.20	-12.09	104	16 Peak	Vertical	

802.11a

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5455.50	42.75	0.54	42.21	54.00	-11.25	300	318	Average	Horizontal	
2 *	5500.00	96.62	54.47	42.15	54.00	42.62	300	318	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5371.50	42.45	0.34	42.11	54.00	-11.55	104	16	Average	Vertical	
2 *	5500.00	89.09	47.74	42.15	54.00	35.09	104	16	Average	Vertical	

802.11a

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5417.50	54.97	12.77	42.20	74.00	-19.03	302	308	Peak	HORIZONTAL	
2	5461.50	54.21	12.01	42.20	68.20	-13.99	302	308	Peak	HORIZONTAL	
3 *	5580.00	105.65	63.61	42.04	68.20	37.45	302	308	Peak	HORIZONTAL	
4	5824.50	56.25	13.69	42.56	68.20	-11.95	302	308	Peak	HORIZONTAL	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5485.00	54.70	12.51	42.19	74.00	-19.30	100	14	Peak	Vertical	
2	5462.00	53.34	11.14	42.20	68.20	-14.86	100	14	Peak	Vertical	
3 *	5580.00	96.89	54.85	42.04	68.20	28.69	100	14	Peak	Vertical	
4	5743.50	56.76	14.50	42.26	68.20	-11.44	100	14	Peak	Vertical	

802.11a

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5449.50	42.59	0.37	42.22	54.00	-11.41	302	308	Average	HORIZONTAL	
2 *	5500.00	96.92	54.88	42.04	54.00	42.92	302	308	Average	HORIZONTAL	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5398.50	42.61	0.43	42.18	54.00	-11.39	100	14	Average	Vertical	
2 *	5500.00	67.54	45.50	42.04	54.00	33.54	100	14	Average	Vertical	


802.11a

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5350.00	54.77	12.72	42.05	74.00	-19.23	292	315	Peak	Horizontal	
2	5464.50	54.79	12.59	42.20	68.20	-13.41	292	315	Peak	Horizontal	
3 *	5700.00	105.76	63.88	41.88	68.20	37.56	292	315	Peak	Horizontal	
4	5725.00	60.72	18.62	42.10	68.20	-7.48	292	315	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5402.00	54.83	12.64	42.19	74.00	-19.17	105	66	Peak	Vertical	
2	5460.00	53.54	11.35	42.19	68.20	-14.66	105	66	Peak	Vertical	
3 *	5700.00	95.20	53.32	41.88	68.20	27.00	105	66	Peak	Vertical	
4	5817.50	56.52	13.93	42.59	68.20	-11.68	105	66	Peak	Vertical	

802.11a

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5374.00	42.54	0.42	42.12	54.00	-11.46	292	315	Average	Horizontal	
2 *	5700.00	96.70	54.82	41.88	54.00	42.70	292	315	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5440.00	42.41	0.20	42.21	54.00	-11.59	105	66	Average	Vertical	
2 *	5700.00	66.20	44.32	41.88	54.00	32.20	105	66	Average	Vertical	

802.11a

CH 144 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5413.50	55.58	13.39	42.19	74.00	-18.42	301	314	Peak	Horizontal	
2	5462.00	53.52	11.62	42.20	68.20	-14.38	301	314	Peak	Horizontal	
3	5720.00	104.77	62.71	42.06	122.20	-17.43	301	314	Peak	Horizontal	
4	6973.00	58.98	14.93	44.05	68.20	-9.22	301	314	Peak	Horizontal	

CH 144 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5436.00	54.85	12.64	42.21	74.00	-19.15	100	68	Peak	Vertical	
2	5469.00	52.92	10.73	42.19	68.20	-15.28	100	68	Peak	Vertical	
3	5720.00	96.51	54.45	42.06	122.20	-25.69	100	68	Peak	Vertical	
4	6982.00	59.21	15.14	44.07	68.20	-8.99	100	68	Peak	Vertical	

802.11a

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5354.50	42.50	0.44	42.06	54.00	-11.50	301	314 Average	Horizontal	
2 *	5720.00	95.68	53.62	42.06	54.00	41.68	301	314 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5351.50	42.57	0.52	42.05	54.00	-11.43	100	68 Average	Vertical	
2 *	5720.00	67.78	45.72	42.06	54.00	33.78	100	68 Average	Vertical	


802.11n HT20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5313.00	55.00	12.91	42.09	74.00	-19.00	296	318	Peak	Horizontal	
2	5460.50	54.48	12.28	42.20	68.20	-13.72	296	318	Peak	Horizontal	
3 *	5500.00	105.76	63.61	42.15	68.20	37.56	296	318	Peak	Horizontal	
4	5813.50	55.66	13.05	42.61	68.20	-12.54	296	318	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5377.50	55.05	12.92	42.13	74.00	-18.95	100	17	Peak	Vertical	
2	5460.50	53.65	11.46	42.19	68.20	-14.55	100	17	Peak	Vertical	
3 *	5500.00	98.54	56.39	42.15	68.20	30.34	100	17	Peak	Vertical	
4	5798.00	56.05	13.41	42.64	68.20	-12.15	100	17	Peak	Vertical	


802.11n HT20

CH 100 (Horizontal) Average

CH 100 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5450.58	42.97	0.75	42.22	54.00	-11.03	296	318 Average	Horizontal	
2 *	5500.00	96.94	54.79	42.15	54.00	42.94	296	318 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5352.00	42.79	0.74	42.05	54.00	-11.21	100	17 Average	Vertical	
2 *	5500.00	69.26	47.11	42.15	54.00	35.26	100	17 Average	Vertical	


802.11n HT20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5443.50	54.64	12.43	42.21	74.00	-19.36	298	315	Peak	Horizontal	
2	5464.00	56.07	13.87	42.20	68.20	-12.13	298	315	Peak	Horizontal	
3 *	5580.00	105.65	63.61	42.04	68.20	37.45	298	315	Peak	Horizontal	
4	5761.50	55.64	13.25	42.39	68.20	-12.56	298	315	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5437.50	54.47	12.26	42.21	74.00	-19.53	100	17	Peak	Vertical	
2	5460.50	53.53	11.34	42.19	68.20	-14.67	100		Peak	Vertical	
3 *	5580.00	95.73	53.69	42.04	68.20	27.53	100	17	Peak	Vertical	
4	5848.00	56.07	13.58	42.49	68.20	-12.13	100	17	Peak	Vertical	

802.11n HT20

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5384.50	42.78	0.64	42.14	54.00	-11.22	298	315	Average	Horizontal	
2 *	5598.00	96.09	54.05	42.04	54.00	42.09	298	315	Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5392.50	42.73	0.56	42.17	54.00	-11.27	100	17	Average	Vertical	
2 *	5598.00	87.33	45.29	42.04	54.00	33.33	100	17	Average	Vertical	


802.11n HT20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5391.50	54.74	12.58	42.16	74.00	-19.26	302	313 Peak	Horizontal	
2	5465.00	54.12	11.92	42.20	68.20	-14.08	302	313 Peak	Horizontal	
3 *	5700.00	103.90	62.02	41.88	68.20	35.70	302	313 Peak	Horizontal	
4	5725.00	57.61	15.51	42.10	68.20	-10.59	302	313 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5455.00	54.92	12.71	42.21	74.00	-19.08	108	67 Peak	Vertical	
2	5460.50	53.39	11.19	42.20	68.20	-14.81	108	67 Peak	Vertical	
3 *	5700.00	95.13	53.25	41.88	68.20	26.93	108	67 Peak	Vertical	
4	5820.00	55.70	13.12	42.58	68.20	-12.50	108	67 Peak	Vertical	

802.11n HT20

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5423.00	42.74	0.54	42.20	54.00	-11.26	302	313	Average	Horizontal	
2 *	5700.00	94.54	52.66	41.88	54.00	40.54	302	313	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.50	42.87	0.67	42.20	54.00	-11.13	108	67	Average	Vertical	
2 *	5700.00	86.37	44.49	41.88	54.00	32.37	108	67	Average	Vertical	


802.11n HT20

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5396.00	54.84	12.67	42.17	74.00	-19.16	302	315 Peak	Horizontal	
2	5461.50	53.86	11.66	42.20	68.20	-14.34	302	315 Peak	Horizontal	
3	5720.00	105.93	63.87	42.06	122.20	-16.27	302	315 Peak	Horizontal	
4	6996.50	59.43	15.32	44.11	68.20	-8.77	302	315 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5365.00	54.78	12.69	42.09	74.00	-19.22	100	67 Peak	Vertical	
2	5461.50	54.09	11.89	42.20	68.20	-14.11	100	67 Peak	Vertical	
3	5720.00	97.41	55.35	42.06	122.20	-24.79	100	67 Peak	Vertical	
4	6787.00	58.81	14.96	43.85	68.20	-9.39	100	67 Peak	Vertical	

802.11n HT20

CH 144 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5435.00	42.85	0.64	42.21	54.00	-11.15	302	315	Average	Horizontal	
2 *	5720.00	95.47	53.41	42.06	54.00	41.47	302	315	Average	Horizontal	

CH 144 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5435.50	42.76	0.55	42.21	54.00	-11.24	100	67	Average	Vertical	
2 *	5720.00	67.17	45.11	42.06	54.00	33.17	100	67	Average	Vertical	

Band Edges, 4.5GHz ~ 7GHz

U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5517.50	55.77	13.64	42.13	68.20	-12.43	300	307 Peak	Horizontal	
2	5666.00	55.57	13.64	41.93	80.08	-24.51	300	307 Peak	Horizontal	
3	5719.50	56.99	14.94	42.05	110.66	-53.67	300	307 Peak	Horizontal	
4	5724.00	60.57	18.48	42.09	130.16	-69.59	300	307 Peak	Horizontal	
5	5745.00	107.68	65.41	42.27	135.00	-27.32	300	307 Peak	Horizontal	
6	5853.50	55.87	12.96	42.51	118.06	-62.99	300	307 Peak	Horizontal	
7	5867.50	54.95	12.32	42.63	107.30	-52.35	300	307 Peak	Horizontal	
8	5895.50	55.76	12.89	42.87	89.99	-34.23	300	307 Peak	Horizontal	
9	5942.00	56.76	13.90	42.86	68.20	-11.44	300	307 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5583.00	55.56	13.42	42.14	68.20	-12.64	100	56 Peak	Vertical	
2	5653.00	54.95	13.01	41.94	70.43	-15.48	100	56 Peak	Vertical	
3	5709.50	54.76	12.79	41.97	107.86	-53.10	100	56 Peak	Vertical	
4	5725.00	55.97	13.87	42.10	135.00	-79.03	100	56 Peak	Vertical	
5	5745.00	96.94	54.67	42.27	135.00	-30.06	100	56 Peak	Vertical	
6	5854.50	54.67	12.15	42.52	113.22	-50.55	100	56 Peak	Vertical	
7	5871.50	56.15	13.48	42.67	106.18	-50.03	100	56 Peak	Vertical	
8	5916.00	56.63	13.74	42.89	74.84	-18.21	100	56 Peak	Vertical	
9	5961.00	56.22	13.44	42.78	68.20	-11.98	100	56 Peak	Vertical	