


802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5553.50	56.22	14.14	42.00	68.20	-11.98	275	306 Peak	Horizontal	
2	5650.00	56.08	14.15	41.93	74.14	-18.06	275	306 Peak	Horizontal	
3	5704.00	55.75	13.84	41.91	106.32	-50.57	275	306 Peak	Horizontal	
4	5722.50	54.36	12.28	42.08	122.90	-68.54	275	306 Peak	Horizontal	
5	5785.00	106.97	64.42	42.55	135.00	-28.03	275	306 Peak	Horizontal	
6	5850.50	55.32	12.84	42.48	132.58	-77.26	275	306 Peak	Horizontal	
7	5864.50	55.60	12.99	42.61	108.14	-52.54	275	306 Peak	Horizontal	
8	5919.00	56.59	13.70	42.89	72.62	-16.03	275	306 Peak	Horizontal	
9	5989.50	56.55	13.92	42.63	68.20	-11.65	275	306 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5527.00	59.84	17.72	42.12	68.20	-8.36	101	66 Peak	Vertical	
2	5666.00	55.97	14.04	41.93	80.00	-24.11	101	66 Peak	Vertical	
3	5708.50	54.18	12.22	41.96	107.50	-53.40	101	66 Peak	Vertical	
4	5724.00	53.99	11.90	42.09	130.16	-76.17	101	66 Peak	Vertical	
5	5785.00	100.27	57.72	42.55	135.00	-34.73	101	66 Peak	Vertical	
6	5852.00	55.43	12.93	42.50	125.32	-69.89	101	66 Peak	Vertical	
7	5875.50	55.50	12.89	42.69	105.62	-50.04	101	66 Peak	Vertical	
8	5898.50	56.08	13.18	42.90	87.77	-31.69	101	66 Peak	Vertical	
9	5954.00	57.12	14.29	42.83	68.20	-11.08	101	66 Peak	Vertical	

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5594.50	55.62	13.60	42.02	68.20	-12.58	100	0 Peak	Horizontal	
2	5675.50	54.78	12.86	41.92	87.11	-32.33	100	0 Peak	Horizontal	
3	5715.50	54.46	12.45	42.01	109.54	-55.08	100	0 Peak	Horizontal	
4	5724.00	53.49	11.40	42.09	130.16	-76.67	100	0 Peak	Horizontal	
5	5825.00	106.68	64.12	42.56	135.00	-28.32	100	0 Peak	Horizontal	
6	5850.00	67.59	25.11	42.48	135.00	-67.41	100	0 Peak	Horizontal	
7	5855.50	59.76	17.24	42.52	118.66	-50.90	100	0 Peak	Horizontal	
8	5914.00	56.63	13.74	42.89	76.31	-19.68	100	0 Peak	Horizontal	
9	5959.50	55.05	12.86	42.79	68.20	-12.55	100	0 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5595.00	56.09	14.05	42.04	68.20	-12.11	100	67 Peak	Vertical	
2	5693.50	55.37	13.48	41.89	100.41	-45.04	100	67 Peak	Vertical	
3	5719.00	54.25	12.21	42.04	110.52	-56.27	100	67 Peak	Vertical	
4	5724.50	54.33	12.23	42.10	132.58	-78.25	100	67 Peak	Vertical	
5	5825.00	99.79	57.23	42.56	135.00	-35.21	100	67 Peak	Vertical	
6	5850.00	60.73	18.25	42.48	135.00	-74.27	100	67 Peak	Vertical	
7	5855.50	55.85	13.33	42.52	118.66	-54.81	100	67 Peak	Vertical	
8	5903.00	55.75	12.84	42.91	84.44	-28.69	100	67 Peak	Vertical	
9	5971.00	56.09	13.36	42.73	68.20	-12.11	100	67 Peak	Vertical	


802.11n HT20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5621.50	55.69	13.70	41.99	68.20	-12.51	300	315	Peak	Horizontal	
2	5652.50	54.86	12.92	41.94	70.06	-15.20	300	315	Peak	Horizontal	
3	5720.00	60.04	17.98	42.06	110.80	-50.76	300	315	Peak	Horizontal	
4	5724.00	62.39	20.30	42.09	130.16	-67.77	300	315	Peak	Horizontal	
5	5745.00	106.66	64.39	42.27	135.00	-28.34	300	315	Peak	Horizontal	
6	5853.00	54.80	12.30	42.50	120.48	-65.68	300	315	Peak	Horizontal	
7	5874.50	55.44	12.74	42.70	105.34	-49.90	300	315	Peak	Horizontal	
8	5879.00	56.37	13.64	42.73	102.23	-45.86	300	315	Peak	Horizontal	
9	5982.00	57.24	14.56	42.68	68.20	-10.96	300	315	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5482.50	55.07	12.00	42.10	68.20	-13.13	111	67	Peak	Vertical	
2	5672.00	54.64	12.72	41.92	84.52	-29.88	111	67	Peak	Vertical	
3	5711.50	55.32	13.34	41.98	108.42	-53.10	111	67	Peak	Vertical	
4	5725.00	57.12	15.02	42.10	135.00	-77.88	111	67	Peak	Vertical	
5	5745.00	97.46	55.19	42.27	135.00	-37.54	111	67	Peak	Vertical	
6	5851.00	55.67	13.18	42.49	130.16	-74.49	111	67	Peak	Vertical	
7	5860.00	55.11	12.48	42.63	107.16	-52.05	111	67	Peak	Vertical	
8	5879.00	55.86	13.13	42.73	102.23	-46.37	111	67	Peak	Vertical	
9	5984.50	55.96	13.30	42.66	68.20	-12.24	111	67	Peak	Vertical	


802.11n HT20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5540.50	55.81	13.71	42.10	68.20	-12.39	296	324	Peak	Horizontal	
2	5657.50	56.21	14.28	41.93	73.77	-17.56	296	324	Peak	Horizontal	
3	5711.00	54.44	12.46	41.98	108.28	-53.84	296	324	Peak	Horizontal	
4	5720.00	54.02	11.96	42.06	110.80	-56.78	296	324	Peak	Horizontal	
5	5785.00	105.60	63.05	42.55	135.00	-29.40	296	324	Peak	Horizontal	
6	5855.00	53.87	11.35	42.52	110.80	-56.93	296	324	Peak	Horizontal	
7	5865.00	55.19	12.58	42.61	108.00	-52.81	296	324	Peak	Horizontal	
8	5892.00	55.33	12.48	42.85	92.58	-37.25	296	324	Peak	Horizontal	
9	5928.50	56.93	14.06	42.87	68.20	-11.27	296	324	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5531.00	55.84	13.73	42.11	68.20	-12.36	100	64	Peak	Vertical	
2	5654.50	55.68	13.74	41.94	71.54	-15.86	100	64	Peak	Vertical	
3	5717.00	54.49	12.46	42.03	109.96	-55.47	100	64	Peak	Vertical	
4	5720.00	53.92	11.86	42.06	110.80	-56.88	100	64	Peak	Vertical	
5	5785.00	98.23	55.68	42.55	135.00	-36.77	100	64	Peak	Vertical	
6	5855.00	55.06	12.54	42.52	110.80	-55.74	100	64	Peak	Vertical	
7	5862.00	56.20	13.61	42.59	108.04	-52.64	100	64	Peak	Vertical	
8	5914.00	56.26	13.37	42.89	76.31	-20.05	100	64	Peak	Vertical	
9	5930.50	55.85	12.98	42.87	68.20	-12.35	100	64	Peak	Vertical	


802.11n HT20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5618.00	55.38	13.39	41.99	68.20	-12.82	318	305 Peak	Horizontal	
2	5670.00	56.29	14.37	41.92	83.04	-26.75	318	305 Peak	Horizontal	
3	5701.50	53.80	11.91	41.89	105.62	-51.82	318	305 Peak	Horizontal	
4	5722.00	54.67	12.59	42.08	120.48	-65.81	318	305 Peak	Horizontal	
5	5825.00	107.62	65.06	42.56	135.00	-27.38	318	305 Peak	Horizontal	
6	5850.00	65.12	22.64	42.48	135.00	-69.88	318	305 Peak	Horizontal	
7	5855.00	62.18	19.66	42.52	118.80	-48.62	318	305 Peak	Horizontal	
8	5884.00	57.07	14.30	42.77	98.52	-41.45	318	305 Peak	Horizontal	
9	5932.50	56.39	13.52	42.87	68.20	-11.81	318	305 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5646.50	54.70	12.74	41.96	68.20	-13.50	100	61 Peak	Vertical	
2	5673.50	54.09	12.18	41.91	85.63	-31.54	100	61 Peak	Vertical	
3	5712.50	54.04	12.05	41.99	108.70	-54.66	100	61 Peak	Vertical	
4	5720.00	53.52	11.46	42.06	110.00	-57.28	100	61 Peak	Vertical	
5	5825.00	98.35	55.79	42.56	135.00	-36.65	100	61 Peak	Vertical	
6	5850.00	57.21	14.73	42.48	132.50	-75.37	100	61 Peak	Vertical	
7	5863.00	55.56	12.97	42.59	108.56	-53.00	100	61 Peak	Vertical	
8	5899.50	55.38	12.47	42.91	87.03	-31.65	100	61 Peak	Vertical	
9	5982.00	57.04	14.36	42.68	68.20	-11.16	100	61 Peak	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	64.92	24.65	32.07	-7.42	40.00	-15.35	200	316	Peak	Horizontal	
2	172.59	33.27	39.31	-6.04	43.50	-10.23	200	354	QP	Horizontal	
3	201.69	37.49	46.11	-8.62	43.50	-6.01	100	114	QP	Horizontal	
4	251.16	35.53	42.31	-6.78	46.00	-10.47	100	11	QP	Horizontal	
5	562.53	37.04	37.32	-0.28	46.00	-8.96	200	62	Peak	Horizontal	
6	936.95	35.20	29.74	5.46	46.00	-10.80	200	63	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	57.16	25.40	31.43	-6.03	40.00	-14.60	100	205	Peak	Vertical	
2	135.79	31.45	38.90	-7.45	43.50	-12.05	200	128	Peak	Vertical	
3	267.65	31.15	37.55	-6.40	46.00	-14.85	200	337	Peak	Vertical	
4	395.69	36.53	39.78	-3.25	46.00	-9.47	100	206	Peak	Vertical	
5	853.53	35.45	31.17	4.28	46.00	-10.55	199	0	Peak	Vertical	
6	941.00	34.65	29.11	5.54	46.00	-11.35	200	37	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10360.00	57.19	62.60	-5.41	68.20	-11.01	100	311	Peak	Horizontal	
2 15540.00	47.62	45.37	2.25	54.00	-6.38	100	248	Average	Horizontal	
3 15540.00	61.44	59.19	2.25	74.00	-12.56	100	248	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10360.00	58.43	63.84	-5.41	68.20	-9.77	100	224	Peak	Vertical	
2 15540.00	42.81	40.56	2.25	54.00	-11.19	100	4	Average	Vertical	
3 15540.00	56.33	54.08	2.25	74.00	-17.67	100	4	Peak	Vertical	


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10400.00	49.96	55.37	-5.41	68.20	-18.24	100	247	Peak	Horizontal	
2	15600.00	46.52	44.31	2.21	54.00	-7.48	100	102	Average	Horizontal	
3	15600.00	60.77	58.56	2.21	74.00	-13.23	100	102	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10400.00	51.96	57.37	-5.41	68.20	-16.24	100	158	Peak	Vertical	
2	15600.00	44.06	41.85	2.21	54.00	-9.94	100	0	Average	Vertical	
3	15600.00	58.60	56.39	2.21	74.00	-15.40	100	0	Peak	Vertical	


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10480.00	51.47	56.55	-5.08	68.20	-16.73	100	253	Peak	Horizontal	
2 15720.00	45.67	49.01	2.66	54.00	-8.33	100	249	Average	Horizontal	
3 15720.00	60.01	57.35	2.66	74.00	-13.99	100	249	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 10480.00	53.20	58.28	-5.08	68.20	-15.00	100	248	Peak	Vertical	
2 15720.00	43.58	46.92	2.66	54.00	-10.42	100	351	Average	Vertical	
3 15720.00	58.40	55.74	2.66	74.00	-15.60	100	351	Peak	Vertical	


802.11n HT20

CH 36 (Horizontal)


CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 40 (Horizontal)


CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10480.00	52.62	57.70	-5.08	68.20	-15.58	100		246 Peak	Horizontal	
2	15720.00	46.15	46.15	2.66	54.00	-5.19	100		71 Average	Horizontal	
3	15720.00	61.86	59.20	2.66	74.00	-12.14	100		71 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10480.00	56.56	61.64	-5.08	68.20	-11.64	100		261 Peak	Vertical	
2	15720.00	44.70	42.04	2.66	54.00	-9.30	104		360 Average	Vertical	
3	15720.00	59.77	57.11	2.66	74.00	-14.23	104		360 Peak	Vertical	

U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	57.78	62.66	-4.96	68.20	-10.50	100		311 Peak	Horizontal	
2	15780.00	46.78	44.10	2.68	54.00	-7.22	100		116 Average	Horizontal	
3	15780.00	62.16	59.48	2.68	74.00	-11.84	100		116 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	59.85	64.81	-4.96	68.20	-8.35	100		256 Peak	Vertical	
2	15780.00	44.27	41.59	2.68	54.00	-9.73	100		341 Average	Vertical	
3	15780.00	59.25	56.57	2.68	74.00	-14.75	100		341 Peak	Vertical	


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10690.00	41.94	46.80	-4.86	54.00	-12.06	100	245	Average	Horizontal	
2	10690.00	57.41	62.27	-4.86	74.00	-16.59	100	245	Peak	Horizontal	
3	15900.00	46.99	44.16	2.83	54.00	-7.01	207	116	Average	Horizontal	
4	15900.00	61.81	58.98	2.83	74.00	-12.19	207	116	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10690.00	41.22	46.08	-4.86	54.00	-12.78	100	263	Average	Vertical	
2	10690.00	56.42	61.28	-4.86	74.00	-17.58	100	263	Peak	Vertical	
3	15900.00	42.85	40.02	2.83	54.00	-11.15	100	341	Average	Vertical	
4	15900.00	58.06	55.23	2.83	74.00	-15.94	100	341	Peak	Vertical	


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	40.93	45.70	-4.77	54.00	-13.07	100	245	Average	Horizontal	
2	10640.00	56.51	61.28	-4.77	74.00	-17.49	100	245	Peak	Horizontal	
3	15960.00	46.27	43.42	2.85	54.00	-7.73	100	118	Average	Horizontal	
4	15960.00	61.07	58.22	2.85	74.00	-12.93	100	118	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	42.20	46.97	-4.77	54.00	-11.80	100	248	Average	Vertical	
2	10640.00	57.53	62.30	-4.77	74.00	-16.47	100	248	Peak	Vertical	
3	15960.00	43.66	40.81	2.85	54.00	-10.34	100	341	Average	Vertical	
4	15960.00	58.41	55.56	2.85	74.00	-15.59	100	341	Peak	Vertical	


802.11n HT20

CH 52 (Horizontal)


CH 52 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	43.44	48.30	-4.86	54.00	-10.56	100	70	Average	Horizontal	
2	10600.00	56.73	61.59	-4.86	74.00	-17.27	100	70	Peak	Horizontal	
3	15900.00	46.38	43.55	2.83	54.00	-7.62	100	117	Average	Horizontal	
4	15900.00	61.82	58.99	2.83	74.00	-12.18	100	117	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	43.61	48.47	-4.86	54.00	-10.39	100	245	Average	Vertical	
2	10600.00	58.47	63.33	-4.86	74.00	-15.53	100	245	Peak	Vertical	
3	15900.00	42.86	40.83	2.83	54.00	-11.14	100	360	Average	Vertical	
4	15900.00	54.41	51.58	2.83	74.00	-19.59	100	360	Peak	Vertical	


802.11n HT20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	42.55	47.32	-4.77	54.00	-11.45	100	72 Average	Horizontal	
2	10640.00	55.52	60.39	-4.77	74.00	-18.38	100	72 Peak	Horizontal	
3	15960.00	44.20	41.35	2.85	54.00	-9.80	200	65 Average	Horizontal	
4	15960.00	59.02	56.17	2.85	74.00	-14.98	200	65 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	42.62	47.39	-4.77	54.00	-11.38	100	250 Average	Vertical	
2	10640.00	56.51	61.28	-4.77	74.00	-17.49	100	250 Peak	Vertical	
3	15960.00	44.60	41.75	2.85	54.00	-9.40	100	354 Average	Vertical	
4	15960.00	59.26	56.41	2.85	74.00	-14.74	100	354 Peak	Vertical	

U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	39.18	43.43	-4.25	54.00	-14.82	100	63	Average	Horizontal	
2	11000.00	55.12	59.37	-4.25	74.00	-18.88	100	63	Peak	Horizontal	
3	16500.00	53.51	58.08	3.43	68.20	-14.69	100	119	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	34.29	38.54	-4.25	54.00	-19.71	100	315	Average	Vertical	
2	11000.00	51.04	55.29	-4.25	74.00	-22.96	100	315	Peak	Vertical	
3	16500.00	46.60	43.17	3.43	68.20	-21.60	100	136	Peak	Vertical	


802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	37.17	41.07	-3.90	54.00	-16.83	100	67	Average	Horizontal
2	11160.00	53.13	57.03	-3.90	74.00	-20.87	100	67	Peak	Horizontal
3	16740.00	51.45	47.27	4.18	68.20	-16.75	200	67	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	35.57	39.47	-3.90	54.00	-18.43	101	360	Average	Vertical
2	11160.00	51.60	55.50	-3.90	74.00	-22.40	101	360	Peak	Vertical
3	16740.00	47.30	43.12	4.18	68.20	-20.90	100	263	Peak	Vertical


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	39.47	42.94	-3.47	54.00	-14.53	100	67	Average	Horizontal	
2	11400.00	55.14	58.61	-3.47	74.00	-18.86	100	67	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	34.26	37.73	-3.47	54.00	-19.74	101	360	Average	Vertical	
2	11400.00	50.00	53.47	-3.47	74.00	-24.00	101	360	Peak	Vertical	


802.11a

CH 144 (Horizontal)

CH 144 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11440.00	39.28	42.62	-3.34	54.00	-14.72	100	65	Average	Horizontal	
2	11440.00	54.85	58.19	-3.34	74.00	-19.15	100	65	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11440.00	34.56	37.90	-3.34	54.00	-19.44	200	113	Average	Vertical	
2	11440.00	49.60	52.94	-3.34	74.00	-24.40	200	113	Peak	Vertical	


802.11n HT20

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	48.08	44.33	-4.25	54.00	-13.92	100	64	Average	Horizontal	
2	11000.00	53.48	57.65	-4.25	74.00	-20.60	100	64	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	36.30	40.55	-4.25	54.00	-17.70	200	110	Average	Vertical	
2	11000.00	51.59	55.84	-4.25	74.00	-22.41	200	110	Peak	Vertical	


802.11n HT20

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	39.24	43.14	-3.90	54.00	-14.76	100	51	Average	Horizontal	
2	11160.00	52.85	56.75	-3.90	74.00	-21.15	100	51	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11160.00	36.08	39.98	-3.90	54.00	-17.92	100	28	Average	Vertical	
2	11160.00	49.27	53.17	-3.90	74.00	-24.73	100	28	Peak	Vertical	


802.11n HT20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11480.00	39.51	42.98	-3.47	54.00	-14.49	266	317	Average	Horizontal	
2	11480.00	52.78	56.25	-3.47	74.00	-21.22	266	317	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11480.00	37.09	40.56	-3.47	54.00	-16.91	100	118	Average	Vertical	
2	11480.00	50.47	53.94	-3.47	74.00	-23.53	100	118	Peak	Vertical	


802.11n HT20

CH 144 (Horizontal)

CH 144 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11440.00	48.07	43.41	-3.34	54.00	-13.93	300	323	Average	Horizontal	
2	11440.00	52.61	55.95	-3.34	74.00	-21.39	300	323	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11440.00	36.99	40.33	-3.34	54.00	-17.01	100	74	Average	Vertical	
2	11440.00	50.32	53.66	-3.34	74.00	-23.68	100	74	Peak	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	48.72	43.90	-3.18	54.00	-13.28	100	57	Average	Horizontal	
2	11490.00	57.17	68.35	-3.18	74.00	-16.83	100	57	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	37.79	48.97	-3.18	54.00	-16.21	100	87	Average	Vertical	
2	11490.00	53.16	56.34	-3.18	74.00	-20.84	100	87	Peak	Vertical	


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	40.64	43.73	-3.09	54.00	-13.36	100	58	Average	Horizontal	
2	11570.00	56.66	59.75	-3.09	74.00	-17.34	100	58	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	37.11	40.20	-3.09	54.00	-16.89	100	84	Average	Vertical	
2	11570.00	52.21	55.30	-3.09	74.00	-21.79	100	84	Peak	Vertical	


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	43.60	46.47	-2.87	54.00	-10.40	100	60	Average	Horizontal	
2	11650.00	59.26	62.13	-2.87	74.00	-14.74	100	60	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	40.55	43.42	-2.87	54.00	-13.45	100	82	Average	Vertical	
2	11650.00	55.65	58.52	-2.87	74.00	-18.35	100	82	Peak	Vertical	


802.11n HT20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	48.83	44.01	-3.18	54.00	-13.17	300	322	Average	Horizontal	
2	11490.00	54.48	57.66	-3.18	74.00	-19.52	300	322	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11490.00	38.05	41.23	-3.18	54.00	-15.95	100	72	Average	Vertical	
2	11490.00	50.89	54.07	-3.18	74.00	-23.11	100	72	Peak	Vertical	


802.11n HT20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	38.58	41.67	-3.09	54.00	-15.42	200	28	Average	Horizontal	
2	11570.00	51.44	54.53	-3.09	74.00	-22.56	200	28	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11570.00	37.65	40.74	-3.09	54.00	-16.35	100	63	Average	Vertical	
2	11570.00	51.22	54.31	-3.09	74.00	-22.78	100	63	Peak	Vertical	


802.11n HT20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	34.37	37.24	-2.87	54.00	-19.63	100		84 Average	Horizontal	
2	11650.00	49.38	52.25	-2.87	74.00	-24.62	100		84 Peak	Horizontal	
3	17475.00	58.64	53.68	4.96	68.20	-9.56	200		128 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	40.72	43.59	-2.87	54.00	-13.28	100		66 Average	Vertical	
2	11650.00	54.63	57.50	-2.87	74.00	-19.37	100		66 Peak	Vertical	
3	17475.00	55.14	50.18	4.96	68.20	-13.06	100		286 Peak	Vertical	

<EUT with charger>

Spurious Emissions, Charge Mode, 30MHz ~ 1GHz


Charge

(Horizontal)

(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	51.34	22.78	28.66	-5.88	40.00	-17.22	180	360 Peak	Horizontal	
2	186.17	28.90	36.75	-7.85	43.50	-14.60	200	206 Peak	Horizontal	
3	559.62	32.72	33.06	-0.34	46.00	-13.28	100	188 Peak	Horizontal	
4	732.28	33.19	30.48	2.71	46.00	-12.81	101	360 Peak	Horizontal	
5	845.77	35.39	31.36	4.03	46.00	-10.61	200	204 Peak	Horizontal	
6	923.37	34.89	29.80	5.09	46.00	-11.11	200	289 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	50.37	26.96	32.95	-5.99	40.00	-13.04	180	225 Peak	Vertical	
2	186.17	24.34	32.19	-7.85	43.50	-19.16	200	324 Peak	Vertical	
3	576.11	30.76	30.68	0.08	46.00	-15.24	100	4 Peak	Vertical	
4	729.37	32.59	29.90	2.69	46.00	-13.41	200	286 Peak	Vertical	
5	851.59	33.97	29.73	4.24	46.00	-12.03	200	154 Peak	Vertical	
6	899.12	34.62	29.82	4.80	46.00	-11.38	100	130 Peak	Vertical	

Mains Conducted Emission, Charge Mode, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dB	dB			
1	0.16	8.61	-1.41	10.02	55.34	-46.73 Average	line1	
2	0.16	22.03	12.01	10.02	65.34	-43.31 QP	line1	
3	0.29	8.09	-1.93	10.02	50.45	-42.36 Average	line1	
4	0.29	19.21	9.19	10.02	60.45	-41.24 QP	line1	
5	0.57	6.74	-3.34	10.00	46.00	-39.26 Average	line1	
6	0.57	10.94	0.86	10.00	56.00	-45.06 QP	line1	
7	1.59	6.22	-3.99	10.21	46.00	-39.78 Average	line1	
8	1.59	9.13	-1.08	10.21	56.00	-46.87 QP	line1	
9	4.82	5.75	-4.86	10.61	46.00	-40.25 Average	line1	
10	4.82	10.37	-0.24	10.61	56.00	-45.63 QP	line1	
11	11.35	6.09	-4.16	11.05	50.00	-43.11 Average	line1	
12	11.35	11.45	0.40	11.05	60.00	-48.55 QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over			
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dB	dB			
1	0.20	8.05	-1.96	10.01	53.72	-45.67 Average	neutral	
2	0.20	17.19	7.18	10.01	63.72	-46.53 QP	neutral	
3	0.28	8.22	-1.79	10.01	50.74	-42.52 Average	neutral	
4	0.28	19.28	9.27	10.01	60.74	-41.46 QP	neutral	
5	0.58	7.92	-2.14	10.06	46.00	-38.08 Average	neutral	
6	0.58	12.11	2.05	10.06	56.00	-43.89 QP	neutral	
7	1.27	7.07	-3.02	10.09	46.00	-38.93 Average	neutral	
8	1.27	10.41	0.32	10.09	56.00	-45.59 QP	neutral	
9	5.19	6.41	-3.99	10.40	50.00	-43.59 Average	neutral	
10	5.19	11.18	0.78	10.40	60.00	-48.82 QP	neutral	
11	14.49	7.65	-3.31	10.96	50.00	-42.35 Average	neutral	
12	14.49	13.08	2.12	10.96	60.00	-46.92 QP	neutral	