






11AC20SISO_Ant1_5825_5925~40000




11AC40SISO_Ant1_5190_30~5140



11AC40SISO_Ant1_5190_5360~40000




11AC40SISO_Ant1_5230_30~5140




11AC40SISO_Ant1_5230_5360~40000



11AC40SISO_Ant1_5755_30~5650




11AC40SISO_Ant1_5755_5925~40000




11AC40SISO_Ant1_5795_30~5650



11AC40SISO_Ant1_5795_5925~40000




11AC80SISO_Ant1_5210_30~5140



11AC80SISO_Ant1_5210_5360~40000



11AC80SISO_Ant1_5775_30~5650



11AC80SISO_Ant1_5775_5925~40000



Appendix I:EmissionsinRestrictedBands

Test Result

TestMode	Antenna	ChannelName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-62.63	2.00	1.25	-59.38	≤-41.20	PASS
				AV	5145.400	-53.42	2.00	1.25	-50.17	≤-41.20	PASS
				AV	5150.000	-54.18	2.00	1.25	-50.93	≤-41.20	PASS
				Peak	4500.000	-55.18	2.00	0.00	-53.18	≤-27.00	PASS
				Peak	5149.600	-43.46	2.00	0.00	-41.46	≤-27.00	PASS
				Peak	5150.000	-43.81	2.00	0.00	-41.81	≤-27.00	PASS
		High	5240	AV	5350.000	-58.67	2.00	1.25	-55.42	≤-41.20	PASS
				AV	5365.200	-57.91	2.00	1.25	-54.66	≤-41.20	PASS
				AV	5460.000	-59.51	2.00	1.25	-56.26	≤-41.20	PASS
				Peak	5350.000	-49.67	2.00	0.00	-47.67	≤-27.00	PASS
				Peak	5369.040	-47.06	2.00	0.00	-45.06	≤-27.00	PASS
				Peak	5460.000	-49.66	2.00	0.00	-47.66	≤-27.00	PASS
		Low	5745	Peak	5650.000	-50.387	2.00	0.00	-48.387	≤-27.00	PASS
				Peak	5700.000	-49.79	2.00	0.00	-47.79	≤10.00	PASS
				Peak	5720.000	-47.02	2.00	0.00	-45.02	≤15.60	PASS
				Peak	5725.000	-38.79	2.00	0.00	-36.79	≤27.00	PASS
		High	5825	Peak	5850.000	-44.034	2.00	0.00	-42.034	≤27.00	PASS
				Peak	5855.000	-45.9	2.00	0.00	-43.9	≤15.60	PASS
				Peak	5875.000	-49.35	2.00	0.00	-47.35	≤10.00	PASS
				Peak	5925.000	-50.63	2.00	0.00	-48.63	≤-27.00	PASS
11N20S ISO	Ant1	Low	5180	AV	4500.000	-62.78	2.00	0.87	-59.91	≤-41.20	PASS
				AV	5144.000	-53.49	2.00	0.87	-50.62	≤-41.20	PASS
				AV	5150.000	-53.62	2.00	0.87	-50.75	≤-41.20	PASS
				Peak	4500.000	-53.88	2.00	0.00	-51.88	≤-27.00	PASS
				Peak	5145.400	-43.68	2.00	0.00	-41.68	≤-27.00	PASS
				Peak	5150.000	-42.28	2.00	0.00	-40.28	≤-27.00	PASS
		High	5240	AV	5350.000	-58.17	2.00	1.06	-55.11	≤-41.20	PASS
				AV	5351.040	-57.8	2.00	1.06	-54.74	≤-41.20	PASS
				AV	5460.000	-59.58	2.00	1.06	-56.52	≤-41.20	PASS
				Peak	5350.000	-50.06	2.00	0.00	-48.06	≤-27.00	PASS
				Peak	5362.320	-47.37	2.00	0.00	-45.37	≤-27.00	PASS
				Peak	5460.000	-51.18	2.00	0.00	-49.18	≤-27.00	PASS
		Low	5745	Peak	5650.000	-50.806	2.00	0.00	-48.806	≤-27.00	PASS
				Peak	5700.000	-49.98	2.00	0.00	-47.98	≤10.00	PASS

				Peak	5720.000	-46.31	2.00	0.00	-44.31	≤15.60	PASS
				Peak	5725.000	-38.98	2.00	0.00	-36.98	≤27.00	PASS
		High	5825	Peak	5850.000	-39.393	2.00	0.00	-37.393	≤27.00	PASS
				Peak	5855.000	-45.19	2.00	0.00	-43.19	≤15.60	PASS
				Peak	5875.000	-49.85	2.00	0.00	-47.85	≤10.00	PASS
				Peak	5925.000	-49.62	2.00	0.00	-47.62	≤-27.00	PASS
11N40S ISO	Ant1	Low	5190	AV	4500.000	-62.67	2.00	1.06	-59.61	≤-41.20	PASS
				AV	5148.200	-52.27	2.00	1.06	-49.21	≤-41.20	PASS
				AV	5150.000	-52.54	2.00	1.06	-49.48	≤-41.20	PASS
				Peak	4500.000	-53.92	2.00	0.00	-51.92	≤-27.00	PASS
				Peak	5138.400	-41.73	2.00	0.00	-39.73	≤-27.00	PASS
				Peak	5150.000	-43.86	2.00	0.00	-41.86	≤-27.00	PASS
		High	5230	AV	5350.000	-58.4	2.00	1.06	-55.34	≤-41.20	PASS
				AV	5357.040	-58.01	2.00	1.06	-54.95	≤-41.20	PASS
				AV	5460.000	-58.76	2.00	1.06	-55.7	≤-41.20	PASS
				Peak	5350.000	-50.8	2.00	0.00	-48.8	≤-27.00	PASS
				Peak	5362.500	-46.61	2.00	0.00	-44.61	≤-27.00	PASS
				Peak	5460.000	-50.59	2.00	0.00	-48.59	≤-27.00	PASS
		Low	5755	Peak	5650.000	-50.313	2.00	0.00	-48.313	≤-27.00	PASS
				Peak	5700.000	-49.2	2.00	0.00	-47.2	≤10.00	PASS
				Peak	5720.000	-37.02	2.00	0.00	-35.02	≤15.60	PASS
				Peak	5725.000	-38.76	2.00	0.00	-36.76	≤27.00	PASS
		High	5795	Peak	5850.000	-41.105	2.00	0.00	-39.105	≤27.00	PASS
				Peak	5855.000	-46.46	2.00	0.00	-44.46	≤15.60	PASS
				Peak	5875.000	-48.35	2.00	0.00	-46.35	≤10.00	PASS
				Peak	5925.000	-51.56	2.00	0.00	-49.56	≤-27.00	PASS
11AC20 SISO	Ant1	Low	5180	AV	4500.000	-62.91	2.00	0.76	-60.15	≤-41.20	PASS
				AV	5143.300	-52.9	2.00	0.76	-50.14	≤-41.20	PASS
				AV	5150.000	-53.77	2.00	0.76	-51.01	≤-41.20	PASS
				Peak	4500.000	-53	2.00	0.00	-51	≤-27.00	PASS
				Peak	5148.900	-42.68	2.00	0.00	-40.68	≤-27.00	PASS
				Peak	5150.000	-42.21	2.00	0.00	-40.21	≤-27.00	PASS
		High	5240	AV	5350.000	-58.31	2.00	0.79	-55.52	≤-41.20	PASS
				AV	5351.280	-57.64	2.00	0.79	-54.85	≤-41.20	PASS
				AV	5460.000	-59.6	2.00	0.79	-56.81	≤-41.20	PASS
				Peak	5350.000	-49.89	2.00	0.00	-47.89	≤-27.00	PASS
				Peak	5403.120	-47.43	2.00	0.00	-45.43	≤-27.00	PASS
				Peak	5460.000	-51.05	2.00	0.00	-49.05	≤-27.00	PASS
		Low	5745	Peak	5650.000	-51.222	2.00	0.00	-49.222	≤-27.00	PASS
				Peak	5700.000	-49.94	2.00	0.00	-47.94	≤10.00	PASS
				Peak	5720.000	-44.87	2.00	0.00	-42.87	≤15.60	PASS
				Peak	5725.000	-39.1	2.00	0.00	-37.1	≤27.00	PASS
		High	5825	Peak	5850.000	-33.653	2.00	0.00	-31.653	≤27.00	PASS

				Peak	5855.000	-45.35	2.00	0.00	-43.35	≤15.60	PASS
				Peak	5875.000	-48.92	2.00	0.00	-46.92	≤10.00	PASS
				Peak	5925.000	-49.35	2.00	0.00	-47.35	≤-27.00	PASS
11AC40 SISO	Ant1	Low	5190	AV	4500.000	-62.8	2.00	1.06	-59.74	≤-41.20	PASS
				AV	5147.500	-52.83	2.00	1.06	-49.77	≤-41.20	PASS
				AV	5150.000	-52.73	2.00	1.06	-49.67	≤-41.20	PASS
				Peak	4500.000	-54.08	2.00	0.00	-52.08	≤-27.00	PASS
				Peak	5143.300	-42.2	2.00	0.00	-40.2	≤-27.00	PASS
				Peak	5150.000	-43.55	2.00	0.00	-41.55	≤-27.00	PASS
		High	5230	AV	5350.000	-58.53	2.00	1.12	-55.41	≤-41.20	PASS
				AV	5357.300	-57.65	2.00	1.12	-54.53	≤-41.20	PASS
				AV	5460.000	-58.97	2.00	1.12	-55.85	≤-41.20	PASS
				Peak	5350.000	-47.97	2.00	0.00	-45.97	≤-27.00	PASS
				Peak	5424.120	-47.34	2.00	0.00	-45.34	≤-27.00	PASS
				Peak	5460.000	-51.66	2.00	0.00	-49.66	≤-27.00	PASS
		Low	5755	Peak	5650.000	-49.375	2.00	0.00	-47.375	≤-27.00	PASS
				Peak	5700.000	-47.64	2.00	0.00	-45.64	≤10.00	PASS
				Peak	5720.000	-35.58	2.00	0.00	-33.58	≤15.60	PASS
				Peak	5725.000	-36.7	2.00	0.00	-34.7	≤27.00	PASS
		High	5795	Peak	5850.000	-43.12	2.00	0.00	-41.12	≤27.00	PASS
				Peak	5855.000	-45.71	2.00	0.00	-43.71	≤15.60	PASS
				Peak	5875.000	-49.61	2.00	0.00	-47.61	≤10.00	PASS
				Peak	5925.000	-50.55	2.00	0.00	-48.55	≤-27.00	PASS
11AC80 SISO	Ant1	Low	5210	AV	4500.000	-62.42	2.00	0.92	-59.5	≤-41.20	PASS
				AV	5146.500	-51.76	2.00	0.92	-48.84	≤-41.20	PASS
				AV	5150.000	-52.21	2.00	0.92	-49.29	≤-41.20	PASS
				Peak	4500.000	-54.81	2.00	0.00	-52.81	≤-27.00	PASS
				Peak	5135.250	-37.42	2.00	0.00	-35.42	≤-27.00	PASS
				Peak	5150.000	-41.57	2.00	0.00	-39.57	≤-27.00	PASS
		High	5210	AV	5350.000	-58.24	2.00	0.92	-55.32	≤-41.20	PASS
				AV	5356.960	-57.59	2.00	0.92	-54.67	≤-41.20	PASS
				AV	5460.000	-58.9	2.00	0.92	-55.98	≤-41.20	PASS
				Peak	5350.000	-48.11	2.00	0.00	-46.11	≤-27.00	PASS
				Peak	5370.120	-46.39	2.00	0.00	-44.39	≤-27.00	PASS
				Peak	5460.000	-49.7	2.00	0.00	-47.7	≤-27.00	PASS
		Low	5775	Peak	5650.000	-48.959	2.00	0.00	-46.959	≤-27.00	PASS
				Peak	5700.000	-39	2.00	0.00	-37	≤10.00	PASS
				Peak	5720.000	-41.19	2.00	0.00	-39.19	≤15.60	PASS
				Peak	5725.000	-32.47	2.00	0.00	-30.47	≤27.00	PASS
		High	5775	Peak	5850.000	-40.751	2.00	0.00	-38.751	≤27.00	PASS
				Peak	5855.000	-40	2.00	0.00	-38	≤15.60	PASS
				Peak	5875.000	-45.83	2.00	0.00	-43.83	≤10.00	PASS
				Peak	5925.000	-50.36	2.00	0.00	-48.36	≤-27.00	PASS

Note:


1. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs


11A_Ant1_Low_5180_AV




11A_Ant1_Low_5180_Peak




11A_Ant1_High_5240_AV




11A_Ant1_High_5240_Peak



11A_Ant1_Low_5745_Peak




11A_Ant1_High_5825_Peak




11N20SISO_Ant1_Low_5180_AV




11N20SISO_Ant1_Low_5180_Peak




11N20SISO_Ant1_High_5240_AV



11N20SISO_Ant1_High_5240_Peak




11N20SISO_Ant1_Low_5745_Peak




11N20SISO_Ant1_High_5825_Peak




11N40SISO_Ant1_Low_5190_AV



11N40SISO_Ant1_Low_5190_Peak



11N40SISO_Ant1_High_5230_AV



11N40SISO_Ant1_High_5230_Peak



11N40SISO_Ant1_Low_5755_Peak




11N40SISO_Ant1_High_5795_Peak



11AC20SISO_Ant1_Low_5180_AV




11AC20SISO_Ant1_Low_5180_Peak



11AC20SISO_Ant1_High_5240_AV




11AC20SISO_Ant1_High_5240_Peak




11AC20SISO_Ant1_Low_5745_Peak




11AC20SISO_Ant1_High_5825_Peak




11AC40SISO_Ant1_Low_5190_AV



11AC40SISO_Ant1_Low_5190_Peak




11AC40SISO_Ant1_High_5230_AV



11AC40SISO_Ant1_High_5230_Peak



11AC40SISO_Ant1_Low_5755_Peak



11AC40SISO_Ant1_High_5795_Peak



11AC80SISO_Ant1_Low_5210_AV



11AC80SISO_Ant1_Low_5210_Peak




11AC80SISO_Ant1_High_5210_AV



11AC80SISO_Ant1_High_5210_Peak



11AC80SISO_Ant1_Low_5775_Peak



11AC80SISO_Ant1_High_5775_Peak

