





FEITUKEJI

|                            |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|----------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Frequency ID               | 1      | 2      | 3      | 4      | 5      | 6      | 7      | 8      | 9      | 10     | 11     | 12     | 13     | 14     | 15     | 16     | 17     | 18     | 19     | 20     | 21     | 22     | 23     | 24     | 25     | 26     |
| Frequency (MHz)            | 2400.0 | 2410.0 | 2420.0 | 2430.0 | 2440.0 | 2450.0 | 2460.0 | 2470.0 | 2480.0 | 2490.0 | 2500.0 | 5150.0 | 5200.0 | 5250.0 | 5300.0 | 5350.0 | 5400.0 | 5450.0 | 5500.0 | 5550.0 | 5600.0 | 5650.0 | 5700.0 | 5750.0 | 5800.0 | 5850.0 |
| Point Values               |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
| Ant. Port Input Pwr. (dBm) | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   | 0.00   |
| Tot. Rad. Pwr. (dBm)       | -1.93  | -1.74  | -1.65  | -1.39  | -1.33  | -1.55  | -1.57  | -1.61  | -1.93  | -1.94  | -1.77  | -4.29  | -3.09  | -3.54  | -4.27  | -4.62  | -4.25  | -4.39  | -3.97  | -3.60  | -4.05  | -4.91  | -4.84  | -4.66  | -4.33  | -4.17  |
| Peak EIRP (dBm)            | 3.46   | 3.53   | 3.51   | 3.50   | 3.27   | 3.07   | 3.16   | 3.23   | 2.94   | 2.93   | 3.18   | 1.21   | 2.53   | 2.07   | 0.95   | 0.37   | 0.81   | 0.99   | 1.51   | 2.10   | 1.65   | 0.70   | 0.67   | 0.66   | 0.94   | 1.00   |
| Directivity (dBi)          | 5.38   | 5.27   | 5.16   | 4.89   | 4.60   | 4.62   | 4.73   | 4.85   | 4.86   | 4.88   | 4.95   | 5.49   | 5.61   | 5.62   | 5.22   | 5.00   | 5.06   | 5.38   | 5.48   | 5.71   | 5.70   | 5.61   | 5.51   | 5.31   | 5.27   | 5.17   |
| Efficiency (dB)            | -1.93  | -1.74  | -1.65  | -1.39  | -1.33  | -1.55  | -1.57  | -1.61  | -1.93  | -1.94  | -1.77  | -4.29  | -3.09  | -3.54  | -4.27  | -4.62  | -4.25  | -4.39  | -3.97  | -3.60  | -4.05  | -4.91  | -4.84  | -4.66  | -4.33  | -4.17  |
| Efficiency (%)             | 64.20  | 67.10  | 68.50  | 72.60  | 73.60  | 70.00  | 69.70  | 69.00  | 64.20  | 63.90  | 66.50  | 37.30  | 49.10  | 44.20  | 37.40  | 34.50  | 37.60  | 36.40  | 40.10  | 43.60  | 39.40  | 32.30  | 32.80  | 34.20  | 36.90  | 38.30  |
| Gain (dBi)                 | 3.46   | 3.53   | 3.51   | 3.50   | 3.27   | 3.07   | 3.16   | 3.23   | 2.94   | 2.93   | 3.18   | 1.21   | 2.53   | 2.07   | 0.95   | 0.37   | 0.81   | 0.99   | 1.51   | 2.10   | 1.65   | 0.70   | 0.67   | 0.66   | 0.94   | 1.00   |
| NHPRP ±Pi/4 (dBm)          | -3.98  | -3.81  | -3.74  | -3.46  | -3.37  | -3.56  | -3.58  | -3.66  | -4.03  | -4.08  | -3.91  | -6.45  | -5.21  | -5.74  | -6.44  | -6.82  | -6.43  | -6.58  | -6.25  | -5.90  | -6.31  | -7.13  | -7.05  | -6.87  | -6.56  | -6.41  |
| NHPRP ±Pi/6 (dBm)          | -5.62  | -5.47  | -5.42  | -5.16  | -5.08  | -5.29  | -5.33  | -5.45  | -5.85  | -5.92  | -5.76  | -8.12  | -6.87  | -7.48  | -8.23  | -8.69  | -8.33  | -8.54  | -8.23  | -7.84  | -8.18  | -8.95  | -8.88  | -8.70  | -8.44  | -8.33  |
| NHPRP ±Pi/8 (dBm)          | -6.97  | -6.84  | -6.80  | -6.55  | -6.49  | -6.74  | -6.80  | -6.95  | -7.38  | -7.46  | -7.30  | -9.39  | -8.09  | -8.71  | -9.45  | -9.97  | -9.62  | -9.87  | -9.56  | -9.18  | -9.47  | -10.22 | -10.16 | -10.00 | -9.78  | -9.70  |
| Upper Hem. PRP (dBm)       | -4.79  | -4.60  | -4.49  | -4.22  | -4.16  | -4.38  | -4.44  | -4.54  | -4.91  | -4.96  | -4.80  | -7.56  | -6.30  | -6.70  | -7.46  | -7.84  | -7.54  | -7.77  | -7.50  | -7.19  | -7.71  | -8.55  | -8.39  | -8.14  | -7.73  | -7.56  |
| Lower Hem. PRP (dBm)       | -5.09  | -4.90  | -4.83  | -4.59  | -4.53  | -4.74  | -4.72  | -4.71  | -4.97  | -4.94  | -4.76  | -7.04  | -5.90  | -6.41  | -7.10  | -7.44  | -7.00  | -7.05  | -6.52  | -6.11  | -6.49  | -7.36  | -7.37  | -7.24  | -6.97  | -6.83  |
| Upper Hem. PRP (%)         | 33.17  | 34.67  | 35.56  | 37.86  | 38.39  | 36.44  | 35.97  | 35.18  | 32.32  | 31.91  | 33.11  | 17.53  | 23.42  | 21.36  | 17.93  | 16.43  | 17.61  | 16.70  | 17.80  | 19.10  | 16.96  | 13.97  | 14.50  | 15.35  | 16.86  | 17.55  |
| Lower Hem. PRP (%)         | 31.00  | 32.38  | 32.90  | 34.78  | 35.20  | 33.61  | 33.75  | 33.82  | 31.85  | 32.03  | 33.41  | 19.75  | 25.71  | 22.87  | 19.48  | 18.05  | 19.97  | 19.73  | 22.26  | 24.51  | 22.44  | 18.35  | 18.31  | 18.88  | 20.07  | 20.73  |





Manufacturer: Dongguan Topsy Electronics Co., Ltd  
 Manufacturer address: No.6-201, Luyi 1st Road, Tangxia, Dongguan, Guangdong Province, China

