




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU / Ant1_NTNV




802.11ax(HEW20) MCH 5200MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5240MHz SU / Ant1 NTN




802.11ax(HEW20) LCH 5260MHz SU / Ant1 NTN




802.11ax(HEW20) MCH 5300MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5320MHz SU / Ant1 NTN




802.11ax(HEW20) LCH 5500MHz SU / Ant1 NTN




802.11ax(HEW20) MCH 5580MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5700MHz SU / Ant1 NTN




802.11ax(HEW40) LCH 5190MHz SU / Ant1 NTN




802.11ax(HEW40) HCH 5230MHz SU / Ant1 NTN




802.11ax(HEW40) LCH 5270MHz SU / Ant1 NTNV




802.11ax(HEW40) HCH 5310MHz SU / Ant1 NTNV




802.11ax(HEW40) LCH 5510MHz SU / Ant1 NTN



802.11ax(HEW40) MCH 5550MHz SU / Ant1 NTN




802.11ax(HEW40) HCH 5670MHz SU / Ant1 NTN




2.2.3 6dB BW


802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ax(HEW20) LCH 5745MHz SU / Ant1 NTN




802.11ax(HEW20) MCH 5785MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5825MHz SU / Ant1 NTN



802.11ax(HEW40) LCH 5755MHz SU / Ant1 NTN



802.11ax(HEW40) HCH 5795MHz SU / Ant1 NTN



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power


Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)		Verdict
					ANT1	Limit	
802.11a	SISO	5180	/	/	13.04	<=23.98	Pass
		5200	/	/	12.92	<=23.98	Pass
		5240	/	/	13.47	<=23.98	Pass
		5260	/	/	13.09	<=23.98	Pass
		5300	/	/	13.90	<=23.98	Pass
		5320	/	/	13.86	<=23.98	Pass
		5500	/	/	13.27	<=23.98	Pass
		5580	/	/	13.31	<=23.98	Pass
		5700	/	/	13.17	<=23.98	Pass
		5745	/	/	13.05	<=30	Pass
		5785	/	/	13.07	<=30	Pass
		5825	/	/	12.92	<=30	Pass
802.11ac (VHT20)	SISO	5180	/	/	12.89	<=23.98	Pass
		5200	/	/	12.83	<=23.98	Pass
		5240	/	/	13.33	<=23.98	Pass
		5260	/	/	13.84	<=23.98	Pass
		5300	/	/	13.70	<=23.98	Pass
		5320	/	/	13.70	<=23.98	Pass
		5500	/	/	13.39	<=23.98	Pass
		5580	/	/	13.29	<=23.98	Pass
		5700	/	/	13.10	<=23.98	Pass
		5745	/	/	13.06	<=30	Pass
		5785	/	/	12.98	<=30	Pass
		5825	/	/	13.46	<=30	Pass
802.11ac (VHT40)	SISO	5190	/	/	12.85	<=23.98	Pass
		5230	/	/	13.32	<=23.98	Pass
		5270	/	/	13.88	<=23.98	Pass
		5310	/	/	13.64	<=23.98	Pass
		5510	/	/	13.69	<=23.98	Pass
		5550	/	/	12.97	<=23.98	Pass
		5670	/	/	13.09	<=23.98	Pass
		5755	/	/	13.01	<=30	Pass
		5795	/	/	13.23	<=30	Pass
802.11ax (HEW20)	SISO	5180	SU	/	12.78	<=23.98	Pass
		5200	SU	/	12.85	<=23.98	Pass
		5240	SU	/	13.30	<=23.98	Pass
		5260	SU	/	13.89	<=23.98	Pass
		5300	SU	/	13.51	<=23.98	Pass
		5320	SU	/	13.80	<=23.98	Pass

		5500	SU	/	13.45	<=23.98	Pass
		5580	SU	/	13.40	<=23.98	Pass
		5700	SU	/	13.11	<=23.98	Pass
		5745	SU	/	13.16	<=30	Pass
		5785	SU	/	12.95	<=30	Pass
		5825	SU	/	13.26	<=30	Pass
802.11ax (HEW40)	SISO	5190	SU	/	12.84	<=23.98	Pass
		5230	SU	/	13.10	<=23.98	Pass
		5270	SU	/	13.75	<=23.98	Pass
		5310	SU	/	13.49	<=23.98	Pass
		5510	SU	/	13.80	<=23.98	Pass
		5550	SU	/	13.37	<=23.98	Pass
		5670	SU	/	13.35	<=23.98	Pass
		5755	SU	/	13.37	<=30	Pass
		5795	SU	/	13.70	<=30	Pass
Note1: Antenna Gain: - Band: 1 Ant1: 1.00dBi; - Band: 3 Ant1: 1.00dBi; - Band: 2A Ant1: 1.00dBi; - Band: 2C Ant1: 1.00dBi;							


3.2 Test Graph

3.2.1 Power


802.11a LCH 5180MHz Ant1 NTN




802.11a MCH 5200MHz Ant1 NTN




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_MCH_5580MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40) HCH 5795MHz Ant1 NTN




802.11ax(HEW20) LCH 5180MHz SU / Ant1 NTN




802.11ax(HEW20) MCH 5200MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5240MHz SU / Ant1 NTN




802.11ax(HEW20)_LCH_5260MHz_SU / Ant1_NTNV




802.11ax(HEW20)_MCH_5300MHz_SU / Ant1_NTNV




802.11ax(HEW20) HCH 5320MHz SU / Ant1 NTN




802.11ax(HEW20) LCH 5500MHz SU / Ant1 NTN




802.11ax(HEW20) MCH 5580MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5700MHz SU / Ant1 NTN




802.11ax(HEW20)_LCH_5745MHz_SU / Ant1_NTNV




802.11ax(HEW20)_MCH_5785MHz_SU / Ant1_NTNV




802.11ax(HEW20) HCH 5825MHz SU / Ant1 NTN




802.11ax(HEW40) LCH 5190MHz SU / Ant1 NTN




802.11ax(HEW40) HCH 5230MHz SU / Ant1 NTN




802.11ax(HEW40) LCH 5270MHz SU / Ant1 NTN




802.11ax(HEW40) HCH 5310MHz SU / Ant1 NTNV




802.11ax(HEW40) LCH 5510MHz SU / Ant1 NTNV




802.11ax(HEW40) MCH 5550MHz SU / Ant1 NTN




802.11ax(HEW40) HCH 5670MHz SU / Ant1 NTN



802.11ax(HEW40) LCH 5755MHz SU / Ant1 NTN



802.11ax(HEW40) HCH 5795MHz SU / Ant1 NTN



4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)		Verdict
					ANT1	Limit	
802.11a	SISO	5180	/	/	2.07	<=11	Pass
		5200	/	/	2.17	<=11	Pass
		5240	/	/	2.38	<=11	Pass
		5260	/	/	2.28	<=11	Pass
		5300	/	/	2.88	<=11	Pass
		5320	/	/	3.06	<=11	Pass
		5500	/	/	2.07	<=11	Pass
		5580	/	/	2.00	<=11	Pass
		5700	/	/	1.84	<=11	Pass
802.11ac (VHT20)	SISO	5180	/	/	1.74	<=11	Pass
		5200	/	/	1.67	<=11	Pass
		5240	/	/	2.16	<=11	Pass
		5260	/	/	2.58	<=11	Pass
		5300	/	/	2.55	<=11	Pass
		5320	/	/	2.51	<=11	Pass
		5500	/	/	1.82	<=11	Pass
		5580	/	/	1.63	<=11	Pass
		5700	/	/	1.41	<=11	Pass
802.11ac (VHT40)	SISO	5190	/	/	-1.61	<=11	Pass
		5230	/	/	-1.03	<=11	Pass
		5270	/	/	-0.27	<=11	Pass
		5310	/	/	-0.74	<=11	Pass
		5510	/	/	-1.07	<=11	Pass
		5550	/	/	-1.85	<=11	Pass
		5670	/	/	-1.43	<=11	Pass
		5700	/	/	-1.43	<=11	Pass
802.11ax (HEW20)	SISO	5180	SU	/	1.52	<=11	Pass
		5200	SU	/	1.39	<=11	Pass
		5240	SU	/	1.92	<=11	Pass
		5260	SU	/	2.51	<=11	Pass
		5300	SU	/	2.27	<=11	Pass
		5320	SU	/	2.50	<=11	Pass
		5500	SU	/	1.54	<=11	Pass
		5580	SU	/	1.49	<=11	Pass
		5700	SU	/	1.20	<=11	Pass
802.11ax (HEW40)	SISO	5190	SU	/	-1.90	<=11	Pass
		5230	SU	/	-1.30	<=11	Pass
		5270	SU	/	-0.60	<=11	Pass
		5310	SU	/	-0.90	<=11	Pass
		5510	SU	/	-1.24	<=11	Pass
		5550	SU	/	-1.56	<=11	Pass

		5670	SU	/	-1.30	<=11	Pass
Note1: Antenna Gain: - Band: 1 Ant1: 1.00dBi; - Band: 3 Ant1: 1.00dBi; - Band: 2A Ant1: 1.00dBi; - Band: 2C Ant1: 1.00dBi;							


4.1.2 PSD-Band3

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/500kHz)		Verdict
					ANT1	Limit	
802.11a	SISO	5745	/	/	-1.32	<=30	Pass
		5785	/	/	-1.32	<=30	Pass
		5825	/	/	-1.02	<=30	Pass
802.11ac (VHT20)	SISO	5745	/	/	-1.62	<=30	Pass
		5785	/	/	-1.62	<=30	Pass
		5825	/	/	-1.26	<=30	Pass
802.11ac (VHT40)	SISO	5755	/	/	-4.68	<=30	Pass
		5795	/	/	-4.35	<=30	Pass
802.11ax (HEW20)	SISO	5745	SU	/	-1.73	<=30	Pass
		5785	SU	/	-1.86	<=30	Pass
		5825	SU	/	-1.73	<=30	Pass
802.11ax (HEW40)	SISO	5755	SU	/	-4.50	<=30	Pass
		5795	SU	/	-4.12	<=30	Pass
Note1: Antenna Gain: - Band: 1 Ant1: 1.00dBi; - Band: 3 Ant1: 1.00dBi; - Band: 2A Ant1: 1.00dBi; - Band: 2C Ant1: 1.00dBi;							


4.2 Test Graph

4.2.1 PSD


802.11a_LCH_5180MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant1_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_MCH_5580MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40) HCH 5670MHz Ant1 NTN




802.11ax(HEW20) LCH 5180MHz SU / Ant1 NTN




802.11ax(HEW20) MCH 5200MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5240MHz SU / Ant1 NTN




802.11ax(HEW20)_LCH_5260MHz_SU / Ant1_NTNV




802.11ax(HEW20)_MCH_5300MHz_SU / Ant1_NTNV




802.11ax(HEW20) HCH 5320MHz SU / Ant1 NTVN




802.11ax(HEW20) LCH 5500MHz SU / Ant1 NTVN




802.11ax(HEW20) MCH 5580MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5700MHz SU / Ant1 NTN




802.11ax(HEW40) LCH 5190MHz SU / Ant1 NTN




802.11ax(HEW40) HCH 5230MHz SU / Ant1 NTN




802.11ax(HEW40) LCH 5270MHz SU / Ant1 NTN




802.11ax(HEW40) HCH 5310MHz SU / Ant1 NTN




802.11ax(HEW40) LCH 5510MHz SU / Ant1 NTNV



802.11ax(HEW40) MCH 5550MHz SU / Ant1 NTNV




802.11ax(HEW40) HCH 5670MHz SU / Ant1 NTN




4.2.2 PSD-Band3


802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ax(HEW20) LCH 5745MHz SU / Ant1 NTN




802.11ax(HEW20) MCH 5785MHz SU / Ant1 NTN




802.11ax(HEW20)_HCH_5825MHz_SU / Ant1_NTNV



802.11ax(HEW40)_LCH_5755MHz_SU / Ant1_NTNV



802.11ax(HEW40) HCH 5795MHz SU / Ant1 NTVN



5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (AC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	102	5180.020	5150 to 5250	Pass
						120	5179.980	5150 to 5250	Pass
						138	5180.000	5150 to 5250	Pass
					-30	120	5180.040	5150 to 5250	Pass
					-20	120	5179.980	5150 to 5250	Pass
					-10	120	5179.980	5150 to 5250	Pass
					0	120	5180.000	5150 to 5250	Pass
					10	120	5180.020	5150 to 5250	Pass
					30	120	5180.020	5150 to 5250	Pass
					40	120	5180.000	5150 to 5250	Pass
					50	120	5180.000	5150 to 5250	Pass
		5200	/	/	20	102	5200.000	5150 to 5250	Pass
						120	5200.100	5150 to 5250	Pass
						138	5200.060	5150 to 5250	Pass
					-30	120	5200.040	5150 to 5250	Pass
					-20	120	5200.040	5150 to 5250	Pass
					-10	120	5200.040	5150 to 5250	Pass
					0	120	5200.040	5150 to 5250	Pass
					10	120	5200.040	5150 to 5250	Pass
					30	120	5200.060	5150 to 5250	Pass
					40	120	5200.040	5150 to 5250	Pass
					50	120	5200.020	5150 to 5250	Pass
		5240	/	/	20	102	5240.040	5150 to 5250	Pass
						120	5240.000	5150 to 5250	Pass
						138	5239.960	5150 to 5250	Pass
					-30	120	5240.020	5150 to 5250	Pass
					-20	120	5240.040	5150 to 5250	Pass
					-10	120	5239.980	5150 to 5250	Pass
					0	120	5239.980	5150 to 5250	Pass
					10	120	5240.040	5150 to 5250	Pass
					30	120	5239.980	5150 to 5250	Pass
					40	120	5240.020	5150 to 5250	Pass
					50	120	5240.020	5150 to 5250	Pass
		5260	/	/	20	102	5260.040	5250 to 5350	Pass
						120	5259.980	5250 to 5350	Pass
						138	5260.020	5250 to 5350	Pass
					-30	120	5260.060	5250 to 5350	Pass
					-20	120	5260.000	5250 to 5350	Pass
					-10	120	5260.000	5250 to 5350	Pass

					0	120	5260.020	5250 to 5350	Pass
					10	120	5260.000	5250 to 5350	Pass
					30	120	5260.040	5250 to 5350	Pass
					40	120	5260.020	5250 to 5350	Pass
					50	120	5260.000	5250 to 5350	Pass
		5300	/	/	20	102	5300.020	5250 to 5350	Pass
						120	5300.040	5250 to 5350	Pass
						138	5300.040	5250 to 5350	Pass
					-30	120	5300.020	5250 to 5350	Pass
					-20	120	5300.060	5250 to 5350	Pass
					-10	120	5300.000	5250 to 5350	Pass
					0	120	5300.020	5250 to 5350	Pass
					10	120	5299.980	5250 to 5350	Pass
					30	120	5300.020	5250 to 5350	Pass
					40	120	5300.040	5250 to 5350	Pass
					50	120	5300.000	5250 to 5350	Pass
		5320	/	/	20	102	5320.020	5250 to 5350	Pass
						120	5320.060	5250 to 5350	Pass
						138	5320.060	5250 to 5350	Pass
					-30	120	5320.040	5250 to 5350	Pass
					-20	120	5320.020	5250 to 5350	Pass
					-10	120	5320.040	5250 to 5350	Pass
					0	120	5320.040	5250 to 5350	Pass
					10	120	5320.040	5250 to 5350	Pass
					30	120	5320.040	5250 to 5350	Pass
					40	120	5319.980	5250 to 5350	Pass
					50	120	5320.060	5250 to 5350	Pass
		5500	/	/	20	102	5500.040	5470 to 5725	Pass
						120	5500.000	5470 to 5725	Pass
						138	5500.000	5470 to 5725	Pass
					-30	120	5500.060	5470 to 5725	Pass
					-20	120	5500.040	5470 to 5725	Pass
					-10	120	5499.980	5470 to 5725	Pass
					0	120	5500.040	5470 to 5725	Pass
					10	120	5500.020	5470 to 5725	Pass
					30	120	5500.060	5470 to 5725	Pass
					40	120	5500.020	5470 to 5725	Pass
					50	120	5499.940	5470 to 5725	Pass
		5580	/	/	20	102	5580.040	5470 to 5725	Pass
						120	5580.020	5470 to 5725	Pass
						138	5580.020	5470 to 5725	Pass
					-30	120	5580.020	5470 to 5725	Pass
					-20	120	5580.020	5470 to 5725	Pass
					-10	120	5580.020	5470 to 5725	Pass
					0	120	5580.020	5470 to 5725	Pass
					10	120	5580.000	5470 to 5725	Pass
					30	120	5580.000	5470 to 5725	Pass
					40	120	5579.940	5470 to 5725	Pass
					50	120	5580.020	5470 to 5725	Pass
		5700	/	/	20	102	5700.000	5470 to 5725	Pass
						120	5699.960	5470 to 5725	Pass

						138	5699.980	5470 to 5725	Pass
					-30	120	5700.060	5470 to 5725	Pass
					-20	120	5700.000	5470 to 5725	Pass
					-10	120	5700.040	5470 to 5725	Pass
					0	120	5700.080	5470 to 5725	Pass
					10	120	5700.020	5470 to 5725	Pass
					30	120	5699.980	5470 to 5725	Pass
					40	120	5699.980	5470 to 5725	Pass
					50	120	5699.960	5470 to 5725	Pass
		5745	/	/	20	102	5745.000	5725 to 5850	Pass
						120	5745.020	5725 to 5850	Pass
						138	5745.020	5725 to 5850	Pass
					-30	120	5745.020	5725 to 5850	Pass
					-20	120	5745.060	5725 to 5850	Pass
					-10	120	5745.000	5725 to 5850	Pass
					0	120	5745.000	5725 to 5850	Pass
					10	120	5745.020	5725 to 5850	Pass
					30	120	5745.000	5725 to 5850	Pass
					40	120	5745.020	5725 to 5850	Pass
		5785	/	/	20	102	5785.000	5725 to 5850	Pass
						120	5785.000	5725 to 5850	Pass
						138	5785.000	5725 to 5850	Pass
					-30	120	5785.000	5725 to 5850	Pass
					-20	120	5784.960	5725 to 5850	Pass
					-10	120	5785.020	5725 to 5850	Pass
					0	120	5784.980	5725 to 5850	Pass
					10	120	5785.020	5725 to 5850	Pass
					30	120	5785.020	5725 to 5850	Pass
					40	120	5785.000	5725 to 5850	Pass
		5825	/	/	20	102	5825.020	5725 to 5850	Pass
						120	5825.000	5725 to 5850	Pass
						138	5825.000	5725 to 5850	Pass
					-30	120	5825.060	5725 to 5850	Pass
					-20	120	5825.000	5725 to 5850	Pass
					-10	120	5825.020	5725 to 5850	Pass
					0	120	5825.020	5725 to 5850	Pass
					10	120	5825.040	5725 to 5850	Pass
					30	120	5824.960	5725 to 5850	Pass
					40	120	5824.980	5725 to 5850	Pass
802.11ac (VHT20)	SISO	5180	/	/	20	102	5180.000	5150 to 5250	Pass
						120	5180.000	5150 to 5250	Pass
						138	5180.020	5150 to 5250	Pass
					-30	120	5180.020	5150 to 5250	Pass
					-20	120	5180.020	5150 to 5250	Pass
					-10	120	5180.000	5150 to 5250	Pass
					0	120	5180.100	5150 to 5250	Pass
					10	120	5180.040	5150 to 5250	Pass
					30	120	5179.960	5150 to 5250	Pass

					40	120	5180.040	5150 to 5250	Pass
					50	120	5179.980	5150 to 5250	Pass
		5200	/	/	20	102	5200.020	5150 to 5250	Pass
						120	5200.100	5150 to 5250	Pass
						138	5200.060	5150 to 5250	Pass
						-30	5200.100	5150 to 5250	Pass
					-20	120	5200.060	5150 to 5250	Pass
					-10	120	5200.040	5150 to 5250	Pass
					0	120	5200.080	5150 to 5250	Pass
					10	120	5200.040	5150 to 5250	Pass
					30	120	5200.060	5150 to 5250	Pass
					40	120	5200.060	5150 to 5250	Pass
					50	120	5200.040	5150 to 5250	Pass
		5240	/	/	20	102	5240.020	5150 to 5250	Pass
						120	5240.060	5150 to 5250	Pass
						138	5239.980	5150 to 5250	Pass
						-30	5240.020	5150 to 5250	Pass
					-20	120	5240.060	5150 to 5250	Pass
					-10	120	5240.100	5150 to 5250	Pass
					0	120	5240.020	5150 to 5250	Pass
					10	120	5240.000	5150 to 5250	Pass
					30	120	5240.060	5150 to 5250	Pass
					40	120	5240.040	5150 to 5250	Pass
					50	120	5240.000	5150 to 5250	Pass
		5260	/	/	20	102	5260.040	5250 to 5350	Pass
						120	5260.020	5250 to 5350	Pass
						138	5260.020	5250 to 5350	Pass
						-30	5260.020	5250 to 5350	Pass
					-20	120	5260.040	5250 to 5350	Pass
					-10	120	5260.020	5250 to 5350	Pass
					0	120	5260.000	5250 to 5350	Pass
					10	120	5260.060	5250 to 5350	Pass
					30	120	5260.020	5250 to 5350	Pass
					40	120	5260.100	5250 to 5350	Pass
					50	120	5260.060	5250 to 5350	Pass
		5300	/	/	20	102	5300.000	5250 to 5350	Pass
						120	5300.000	5250 to 5350	Pass
						138	5299.980	5250 to 5350	Pass
						-30	5300.020	5250 to 5350	Pass
					-20	120	5300.000	5250 to 5350	Pass
					-10	120	5300.040	5250 to 5350	Pass
					0	120	5300.020	5250 to 5350	Pass
					10	120	5300.020	5250 to 5350	Pass
					30	120	5300.020	5250 to 5350	Pass
					40	120	5300.080	5250 to 5350	Pass
					50	120	5299.980	5250 to 5350	Pass
		5320	/	/	20	102	5320.040	5250 to 5350	Pass
						120	5320.020	5250 to 5350	Pass
						138	5320.060	5250 to 5350	Pass
					-30	120	5320.040	5250 to 5350	Pass
					-20	120	5320.080	5250 to 5350	Pass

					-10	120	5320.020	5250 to 5350	Pass
					0	120	5320.080	5250 to 5350	Pass
					10	120	5320.040	5250 to 5350	Pass
					30	120	5320.060	5250 to 5350	Pass
					40	120	5320.060	5250 to 5350	Pass
					50	120	5320.060	5250 to 5350	Pass
		5500	/	/	20	102	5500.000	5470 to 5725	Pass
						120	5499.980	5470 to 5725	Pass
						138	5500.000	5470 to 5725	Pass
					-30	120	5500.020	5470 to 5725	Pass
					-20	120	5500.060	5470 to 5725	Pass
					-10	120	5500.060	5470 to 5725	Pass
					0	120	5500.060	5470 to 5725	Pass
					10	120	5500.060	5470 to 5725	Pass
					30	120	5499.960	5470 to 5725	Pass
					40	120	5500.020	5470 to 5725	Pass
					50	120	5500.060	5470 to 5725	Pass
		5580	/	/	20	102	5580.020	5470 to 5725	Pass
						120	5580.020	5470 to 5725	Pass
						138	5580.040	5470 to 5725	Pass
					-30	120	5580.080	5470 to 5725	Pass
					-20	120	5580.000	5470 to 5725	Pass
					-10	120	5579.980	5470 to 5725	Pass
					0	120	5580.040	5470 to 5725	Pass
					10	120	5580.060	5470 to 5725	Pass
					30	120	5580.040	5470 to 5725	Pass
					40	120	5580.060	5470 to 5725	Pass
					50	120	5580.020	5470 to 5725	Pass
		5700	/	/	20	102	5700.040	5470 to 5725	Pass
						120	5700.020	5470 to 5725	Pass
						138	5699.980	5470 to 5725	Pass
					-30	120	5699.980	5470 to 5725	Pass
					-20	120	5700.040	5470 to 5725	Pass
					-10	120	5699.980	5470 to 5725	Pass
					0	120	5699.980	5470 to 5725	Pass
					10	120	5700.020	5470 to 5725	Pass
					30	120	5700.020	5470 to 5725	Pass
					40	120	5699.960	5470 to 5725	Pass
					50	120	5700.080	5470 to 5725	Pass
		5745	/	/	20	102	5745.000	5725 to 5850	Pass
						120	5744.980	5725 to 5850	Pass
						138	5745.020	5725 to 5850	Pass
					-30	120	5745.020	5725 to 5850	Pass
					-20	120	5745.000	5725 to 5850	Pass
					-10	120	5745.040	5725 to 5850	Pass
					0	120	5745.000	5725 to 5850	Pass
					10	120	5745.020	5725 to 5850	Pass
					30	120	5745.020	5725 to 5850	Pass
					40	120	5745.040	5725 to 5850	Pass
					50	120	5745.020	5725 to 5850	Pass
		5785	/	/	20	102	5785.000	5725 to 5850	Pass

							120	5785.060	5725 to 5850	Pass				
							138	5785.060	5725 to 5850	Pass				
						-30	120	5785.040	5725 to 5850	Pass				
						-20	120	5785.040	5725 to 5850	Pass				
						-10	120	5785.020	5725 to 5850	Pass				
						0	120	5785.020	5725 to 5850	Pass				
						10	120	5785.020	5725 to 5850	Pass				
						30	120	5785.040	5725 to 5850	Pass				
						40	120	5784.960	5725 to 5850	Pass				
						50	120	5785.060	5725 to 5850	Pass				
						5825	/	/		20	102	5825.020	5725 to 5850	Pass
											120	5825.040	5725 to 5850	Pass
		138	5825.080	5725 to 5850	Pass									
		-30	120	5825.000	5725 to 5850					Pass				
		-20	120	5825.040	5725 to 5850					Pass				
		-10	120	5825.000	5725 to 5850					Pass				
		0	120	5825.020	5725 to 5850					Pass				
		10	120	5824.980	5725 to 5850					Pass				
		30	120	5824.980	5725 to 5850					Pass				
		40	120	5825.060	5725 to 5850					Pass				
		50	120	5824.980	5725 to 5850					Pass				
		802.11ac (VHT40)	SISO	5190	/					/		20	102	5190.080
						120	5190.080	5150 to 5250	Pass					
						138	5190.080	5150 to 5250	Pass					
						-30	120	5190.160	5150 to 5250			Pass		
						-20	120	5190.080	5150 to 5250			Pass		
						-10	120	5190.040	5150 to 5250			Pass		
						0	120	5190.120	5150 to 5250			Pass		
						10	120	5190.120	5150 to 5250			Pass		
						30	120	5190.080	5150 to 5250			Pass		
						40	120	5190.080	5150 to 5250			Pass		
						50	120	5190.040	5150 to 5250			Pass		
5230	/					/		20	102			5230.040	5150 to 5250	Pass
				120	5230.080				5150 to 5250	Pass				
				138	5230.080				5150 to 5250	Pass				
				-30	120			5230.160	5150 to 5250	Pass				
				-20	120			5230.080	5150 to 5250	Pass				
				-10	120			5230.120	5150 to 5250	Pass				
				0	120			5230.160	5150 to 5250	Pass				
				10	120			5230.080	5150 to 5250	Pass				
				30	120			5230.080	5150 to 5250	Pass				
				40	120			5230.080	5150 to 5250	Pass				
				50	120			5230.160	5150 to 5250	Pass				
				5270	/			/		20	102	5270.080	5250 to 5350	Pass
120	5270.000					5250 to 5350	Pass							
138	5270.040					5250 to 5350	Pass							
-30	120					5270.120	5250 to 5350			Pass				
-20	120					5270.040	5250 to 5350			Pass				
-10	120					5270.120	5250 to 5350			Pass				
0	120					5270.000	5250 to 5350			Pass				
10	120					5270.040	5250 to 5350			Pass				

					30	120	5270.040	5250 to 5350	Pass
					40	120	5270.080	5250 to 5350	Pass
					50	120	5270.080	5250 to 5350	Pass
		5310	/	/	20	102	5310.120	5250 to 5350	Pass
						120	5310.120	5250 to 5350	Pass
						138	5310.120	5250 to 5350	Pass
					-30	120	5310.080	5250 to 5350	Pass
					-20	120	5310.080	5250 to 5350	Pass
					-10	120	5310.040	5250 to 5350	Pass
					0	120	5310.120	5250 to 5350	Pass
					10	120	5310.040	5250 to 5350	Pass
					30	120	5310.080	5250 to 5350	Pass
					40	120	5310.120	5250 to 5350	Pass
					50	120	5310.040	5250 to 5350	Pass
		5510	/	/	20	102	5510.080	5470 to 5725	Pass
						120	5510.080	5470 to 5725	Pass
						138	5510.040	5470 to 5725	Pass
					-30	120	5510.080	5470 to 5725	Pass
					-20	120	5510.120	5470 to 5725	Pass
					-10	120	5510.080	5470 to 5725	Pass
					0	120	5510.120	5470 to 5725	Pass
					10	120	5510.040	5470 to 5725	Pass
					30	120	5510.120	5470 to 5725	Pass
					40	120	5510.120	5470 to 5725	Pass
					50	120	5510.080	5470 to 5725	Pass
		5550	/	/	20	102	5550.040	5470 to 5725	Pass
						120	5550.080	5470 to 5725	Pass
						138	5550.080	5470 to 5725	Pass
					-30	120	5550.160	5470 to 5725	Pass
					-20	120	5550.120	5470 to 5725	Pass
					-10	120	5550.080	5470 to 5725	Pass
					0	120	5550.080	5470 to 5725	Pass
					10	120	5550.080	5470 to 5725	Pass
					30	120	5550.120	5470 to 5725	Pass
					40	120	5550.080	5470 to 5725	Pass
					50	120	5550.000	5470 to 5725	Pass
		5670	/	/	20	102	5670.040	5470 to 5725	Pass
						120	5670.040	5470 to 5725	Pass
						138	5670.040	5470 to 5725	Pass
					-30	120	5670.000	5470 to 5725	Pass
					-20	120	5670.120	5470 to 5725	Pass
					-10	120	5670.080	5470 to 5725	Pass
					0	120	5670.080	5470 to 5725	Pass
					10	120	5670.080	5470 to 5725	Pass
					30	120	5670.080	5470 to 5725	Pass
					40	120	5670.040	5470 to 5725	Pass
					50	120	5670.000	5470 to 5725	Pass
		5755	/	/	20	102	5755.040	5725 to 5850	Pass
						120	5755.040	5725 to 5850	Pass
						138	5755.080	5725 to 5850	Pass
					-30	120	5755.120	5725 to 5850	Pass

					-20	120	5754.920	5725 to 5850	Pass
					-10	120	5755.040	5725 to 5850	Pass
					0	120	5755.040	5725 to 5850	Pass
					10	120	5755.000	5725 to 5850	Pass
					30	120	5755.000	5725 to 5850	Pass
					40	120	5755.080	5725 to 5850	Pass
					50	120	5755.040	5725 to 5850	Pass
		5795	/	/	20	102	5795.000	5725 to 5850	Pass
						120	5795.080	5725 to 5850	Pass
						138	5795.120	5725 to 5850	Pass
					-30	120	5795.040	5725 to 5850	Pass
					-20	120	5795.080	5725 to 5850	Pass
					-10	120	5795.120	5725 to 5850	Pass
					0	120	5795.080	5725 to 5850	Pass
					10	120	5795.000	5725 to 5850	Pass
					30	120	5795.120	5725 to 5850	Pass
					40	120	5795.080	5725 to 5850	Pass
					50	120	5795.080	5725 to 5850	Pass
802.11ax (HEW20)	SISO	5180	SU	/	20	102	5180.040	5150 to 5250	Pass
						120	5179.960	5150 to 5250	Pass
						138	5180.000	5150 to 5250	Pass
					-30	120	5180.020	5150 to 5250	Pass
					-20	120	5180.020	5150 to 5250	Pass
					-10	120	5180.040	5150 to 5250	Pass
					0	120	5180.020	5150 to 5250	Pass
					10	120	5180.020	5150 to 5250	Pass
					30	120	5180.000	5150 to 5250	Pass
					40	120	5180.000	5150 to 5250	Pass
					50	120	5180.020	5150 to 5250	Pass
		5200	SU	/	20	102	5200.140	5150 to 5250	Pass
						120	5200.020	5150 to 5250	Pass
						138	5200.080	5150 to 5250	Pass
					-30	120	5200.060	5150 to 5250	Pass
					-20	120	5200.100	5150 to 5250	Pass
					-10	120	5200.100	5150 to 5250	Pass
					0	120	5200.060	5150 to 5250	Pass
					10	120	5200.080	5150 to 5250	Pass
					30	120	5200.040	5150 to 5250	Pass
					40	120	5200.000	5150 to 5250	Pass
					50	120	5200.100	5150 to 5250	Pass
		5240	SU	/	20	102	5240.080	5150 to 5250	Pass
						120	5240.060	5150 to 5250	Pass
						138	5240.040	5150 to 5250	Pass
					-30	120	5240.040	5150 to 5250	Pass
					-20	120	5239.960	5150 to 5250	Pass
					-10	120	5240.040	5150 to 5250	Pass
					0	120	5239.940	5150 to 5250	Pass
					10	120	5239.920	5150 to 5250	Pass
					30	120	5240.020	5150 to 5250	Pass
					40	120	5240.080	5150 to 5250	Pass
					50	120	5240.020	5150 to 5250	Pass

		5260	SU	/	20	102	5260.120	5250 to 5350	Pass
						120	5260.060	5250 to 5350	Pass
						138	5260.040	5250 to 5350	Pass
					-30	120	5260.060	5250 to 5350	Pass
					-20	120	5260.040	5250 to 5350	Pass
					-10	120	5260.020	5250 to 5350	Pass
					0	120	5260.060	5250 to 5350	Pass
					10	120	5259.960	5250 to 5350	Pass
					30	120	5260.040	5250 to 5350	Pass
					40	120	5260.020	5250 to 5350	Pass
					50	120	5259.960	5250 to 5350	Pass
		5300	SU	/	20	102	5300.020	5250 to 5350	Pass
						120	5300.120	5250 to 5350	Pass
						138	5300.040	5250 to 5350	Pass
					-30	120	5300.020	5250 to 5350	Pass
					-20	120	5299.940	5250 to 5350	Pass
					-10	120	5299.920	5250 to 5350	Pass
					0	120	5300.020	5250 to 5350	Pass
					10	120	5300.000	5250 to 5350	Pass
					30	120	5300.040	5250 to 5350	Pass
					40	120	5299.960	5250 to 5350	Pass
					50	120	5300.040	5250 to 5350	Pass
		5320	SU	/	20	102	5320.020	5250 to 5350	Pass
						120	5320.040	5250 to 5350	Pass
						138	5319.960	5250 to 5350	Pass
					-30	120	5320.040	5250 to 5350	Pass
					-20	120	5320.060	5250 to 5350	Pass
					-10	120	5320.120	5250 to 5350	Pass
					0	120	5319.980	5250 to 5350	Pass
					10	120	5320.020	5250 to 5350	Pass
					30	120	5320.060	5250 to 5350	Pass
					40	120	5319.960	5250 to 5350	Pass
					50	120	5320.000	5250 to 5350	Pass
		5500	SU	/	20	102	5499.980	5470 to 5725	Pass
						120	5500.020	5470 to 5725	Pass
						138	5500.040	5470 to 5725	Pass
					-30	120	5500.040	5470 to 5725	Pass
					-20	120	5500.020	5470 to 5725	Pass
					-10	120	5500.040	5470 to 5725	Pass
					0	120	5499.980	5470 to 5725	Pass
					10	120	5500.000	5470 to 5725	Pass
					30	120	5499.980	5470 to 5725	Pass
					40	120	5500.000	5470 to 5725	Pass
					50	120	5500.000	5470 to 5725	Pass
		5580	SU	/	20	102	5580.100	5470 to 5725	Pass
						120	5580.120	5470 to 5725	Pass
						138	5580.000	5470 to 5725	Pass
					-30	120	5580.020	5470 to 5725	Pass
					-20	120	5580.060	5470 to 5725	Pass
					-10	120	5580.020	5470 to 5725	Pass
					0	120	5580.080	5470 to 5725	Pass

					10	120	5580.000	5470 to 5725	Pass
					30	120	5580.040	5470 to 5725	Pass
					40	120	5579.980	5470 to 5725	Pass
					50	120	5580.040	5470 to 5725	Pass
		5700	SU	/	20	102	5700.080	5470 to 5725	Pass
						120	5699.980	5470 to 5725	Pass
						138	5699.940	5470 to 5725	Pass
					-30	120	5699.960	5470 to 5725	Pass
					-20	120	5699.960	5470 to 5725	Pass
					-10	120	5700.000	5470 to 5725	Pass
					0	120	5700.080	5470 to 5725	Pass
					10	120	5700.000	5470 to 5725	Pass
					30	120	5700.000	5470 to 5725	Pass
					40	120	5700.060	5470 to 5725	Pass
					50	120	5699.980	5470 to 5725	Pass
		5745	SU	/	20	102	5745.020	5725 to 5850	Pass
						120	5744.960	5725 to 5850	Pass
						138	5745.040	5725 to 5850	Pass
					-30	120	5744.980	5725 to 5850	Pass
					-20	120	5745.000	5725 to 5850	Pass
					-10	120	5745.100	5725 to 5850	Pass
					0	120	5745.000	5725 to 5850	Pass
					10	120	5745.080	5725 to 5850	Pass
					30	120	5744.980	5725 to 5850	Pass
					40	120	5745.060	5725 to 5850	Pass
					50	120	5745.040	5725 to 5850	Pass
		5785	SU	/	20	102	5784.980	5725 to 5850	Pass
						120	5785.060	5725 to 5850	Pass
						138	5785.060	5725 to 5850	Pass
					-30	120	5785.040	5725 to 5850	Pass
					-20	120	5784.980	5725 to 5850	Pass
					-10	120	5785.120	5725 to 5850	Pass
					0	120	5784.940	5725 to 5850	Pass
					10	120	5785.060	5725 to 5850	Pass
					30	120	5784.980	5725 to 5850	Pass
					40	120	5785.080	5725 to 5850	Pass
					50	120	5784.960	5725 to 5850	Pass
		5825	SU	/	20	102	5824.920	5725 to 5850	Pass
						120	5825.160	5725 to 5850	Pass
						138	5825.040	5725 to 5850	Pass
					-30	120	5825.080	5725 to 5850	Pass
					-20	120	5825.120	5725 to 5850	Pass
					-10	120	5825.000	5725 to 5850	Pass
					0	120	5825.020	5725 to 5850	Pass
					10	120	5825.020	5725 to 5850	Pass
					30	120	5825.040	5725 to 5850	Pass
					40	120	5825.060	5725 to 5850	Pass
					50	120	5825.000	5725 to 5850	Pass
802.11ax (HEW40)	SISO	5190	SU	/	20	102	5190.080	5150 to 5250	Pass
						120	5190.040	5150 to 5250	Pass
						138	5190.120	5150 to 5250	Pass

					-30	120	5190.040	5150 to 5250	Pass
					-20	120	5190.040	5150 to 5250	Pass
					-10	120	5190.080	5150 to 5250	Pass
					0	120	5190.120	5150 to 5250	Pass
					10	120	5190.120	5150 to 5250	Pass
					30	120	5190.080	5150 to 5250	Pass
					40	120	5190.080	5150 to 5250	Pass
					50	120	5190.040	5150 to 5250	Pass
		5230	SU	/	20	102	5230.160	5150 to 5250	Pass
						120	5230.160	5150 to 5250	Pass
						138	5230.080	5150 to 5250	Pass
					-30	120	5230.120	5150 to 5250	Pass
					-20	120	5230.080	5150 to 5250	Pass
					-10	120	5230.080	5150 to 5250	Pass
					0	120	5230.120	5150 to 5250	Pass
					10	120	5230.080	5150 to 5250	Pass
					30	120	5230.080	5150 to 5250	Pass
					40	120	5230.160	5150 to 5250	Pass
					50	120	5230.160	5150 to 5250	Pass
		5270	SU	/	20	102	5270.000	5250 to 5350	Pass
						120	5270.080	5250 to 5350	Pass
						138	5270.080	5250 to 5350	Pass
					-30	120	5270.040	5250 to 5350	Pass
					-20	120	5270.040	5250 to 5350	Pass
					-10	120	5270.080	5250 to 5350	Pass
					0	120	5270.040	5250 to 5350	Pass
					10	120	5270.040	5250 to 5350	Pass
					30	120	5270.120	5250 to 5350	Pass
					40	120	5270.080	5250 to 5350	Pass
					50	120	5270.120	5250 to 5350	Pass
		5310	SU	/	20	102	5310.080	5250 to 5350	Pass
						120	5310.160	5250 to 5350	Pass
						138	5310.120	5250 to 5350	Pass
					-30	120	5310.120	5250 to 5350	Pass
					-20	120	5310.160	5250 to 5350	Pass
					-10	120	5310.080	5250 to 5350	Pass
					0	120	5310.120	5250 to 5350	Pass
					10	120	5310.160	5250 to 5350	Pass
					30	120	5310.120	5250 to 5350	Pass
					40	120	5310.160	5250 to 5350	Pass
					50	120	5310.120	5250 to 5350	Pass
		5510	SU	/	20	102	5510.120	5470 to 5725	Pass
						120	5510.040	5470 to 5725	Pass
						138	5510.080	5470 to 5725	Pass
					-30	120	5510.120	5470 to 5725	Pass
					-20	120	5510.120	5470 to 5725	Pass
					-10	120	5510.040	5470 to 5725	Pass
					0	120	5510.000	5470 to 5725	Pass
					10	120	5510.080	5470 to 5725	Pass
					30	120	5510.040	5470 to 5725	Pass
					40	120	5510.040	5470 to 5725	Pass

				50	120	5510.080	5470 to 5725	Pass
				20	102	5550.040	5470 to 5725	Pass
					120	5550.000	5470 to 5725	Pass
					138	5550.040	5470 to 5725	Pass
					120	5549.960	5470 to 5725	Pass
				-30	120	5550.080	5470 to 5725	Pass
				-20	120	5550.080	5470 to 5725	Pass
				-10	120	5550.080	5470 to 5725	Pass
				0	120	5550.000	5470 to 5725	Pass
				10	120	5550.040	5470 to 5725	Pass
				30	120	5550.080	5470 to 5725	Pass
				40	120	5550.000	5470 to 5725	Pass
				50	120	5550.040	5470 to 5725	Pass
				20	102	5670.080	5470 to 5725	Pass
					120	5670.000	5470 to 5725	Pass
					138	5670.080	5470 to 5725	Pass
					120	5670.040	5470 to 5725	Pass
				-30	120	5670.120	5470 to 5725	Pass
				-20	120	5670.000	5470 to 5725	Pass
				-10	120	5670.040	5470 to 5725	Pass
				0	120	5669.960	5470 to 5725	Pass
				10	120	5670.040	5470 to 5725	Pass
				30	120	5670.040	5470 to 5725	Pass
				40	120	5670.080	5470 to 5725	Pass
				50	120	5670.080	5470 to 5725	Pass
				20	102	5755.000	5725 to 5850	Pass
					120	5755.040	5725 to 5850	Pass
					138	5755.040	5725 to 5850	Pass
					120	5755.120	5725 to 5850	Pass
				-30	120	5755.040	5725 to 5850	Pass
				-20	120	5755.040	5725 to 5850	Pass
				-10	120	5755.080	5725 to 5850	Pass
				0	120	5755.000	5725 to 5850	Pass
				10	120	5755.000	5725 to 5850	Pass
				30	120	5755.000	5725 to 5850	Pass
				40	120	5755.000	5725 to 5850	Pass
				50	120	5755.120	5725 to 5850	Pass
				20	102	5795.160	5725 to 5850	Pass
					120	5795.080	5725 to 5850	Pass
					138	5795.040	5725 to 5850	Pass
					120	5795.080	5725 to 5850	Pass
				-30	120	5795.080	5725 to 5850	Pass
				-20	120	5795.040	5725 to 5850	Pass
				-10	120	5795.000	5725 to 5850	Pass
				0	120	5795.080	5725 to 5850	Pass
				10	120	5795.080	5725 to 5850	Pass
				30	120	5795.120	5725 to 5850	Pass
				40	120	5795.080	5725 to 5850	Pass
				50	120	5795.000	5725 to 5850	Pass

DFS

1. Signal Calibration

1.1 Test Result

1.1.1 SC

Band: 2A						
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration	
			Type	Trial Id	Result	Limit
802.11ax (HEW20)	20	5260	0	0	Refer To Test Graph	Pass
			1	0	Refer To Test Graph	Pass
			2	0	Refer To Test Graph	Pass
			3	0	Refer To Test Graph	Pass
			4	0	Refer To Test Graph	Pass
			5	0	Refer To Test Graph	Pass
			6	0	Refer To Test Graph	Pass
802.11ax (HEW40)	40	5270	0	0	Refer To Test Graph	Pass
			1	0	Refer To Test Graph	Pass
			2	0	Refer To Test Graph	Pass
			3	0	Refer To Test Graph	Pass
			4	0	Refer To Test Graph	Pass
			5	0	Refer To Test Graph	Pass
			6	0	Refer To Test Graph	Pass


1.1.2 SC

Band: 2C						
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration	
			Type	Trial Id	Result	Limit
802.11ax (HEW20)	20	5500	0	0	Refer To Test Graph	Pass
			1	0	Refer To Test Graph	Pass
			2	0	Refer To Test Graph	Pass
			3	0	Refer To Test Graph	Pass
			4	0	Refer To Test Graph	Pass
			5	0	Refer To Test Graph	Pass
			6	0	Refer To Test Graph	Pass
802.11ax (HEW40)	40	5510	0	0	Refer To Test Graph	Pass
			1	0	Refer To Test Graph	Pass
			2	0	Refer To Test Graph	Pass
			3	0	Refer To Test Graph	Pass
			4	0	Refer To Test Graph	Pass
			5	0	Refer To Test Graph	Pass
			6	0	Refer To Test Graph	Pass


1.2 Test Graph

1.2.1 SC


Signal Calibration_802.11ax(HEW20)_2A_5260MHz_RadarType0_Trial0




Signal Calibration_802.11ax(HEW20)_2A_5260MHz_RadarType1_Trial0




Signal Calibration_802.11ax(HEW20)_2A_5260MHz_RadarType2_Trial0




Signal Calibration_802.11ax(HEW20)_2A_5260MHz_RadarType3_Trial0




Signal Calibration_802.11ax(HEW20)_2A_5260MHz_RadarType4_Trial0




Signal Calibration_802.11ax(HEW20)_2A_5260MHz_RadarType5_Trial0




Signal Calibration_802.11ax(HEW20)_2A_5260MHz_RadarType6_Trial0




Signal Calibration_802.11ax(HEW40)_2A_5270MHz_RadarType0_Trial0




Signal Calibration_802.11ax(HEW40)_2A_5270MHz_RadarType1_Trial0




Signal Calibration_802.11ax(HEW40)_2A_5270MHz_RadarType2_Trial0




Signal Calibration_802.11ax(HEW40)_2A_5270MHz_RadarType3_Trial0




Signal Calibration_802.11ax(HEW40)_2A_5270MHz_RadarType4_Trial0



Signal Calibration_802.11ax(HEW40)_2A_5270MHz_RadarType5_Trial0




Signal Calibration_802.11ax(HEW40)_2A_5270MHz_RadarType6_Trial0




1.2.2 SC


Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType0_Trial0




Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType1_Trial0




Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType2_Trial0




Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType3_Trial0




Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType4_Trial0




Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType5_Trial0




Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType6_Trial0




Signal Calibration_802.11ax(HEW40)_2C_5510MHz_RadarType0_Trial0




Signal Calibration_802.11ax(HEW40)_2C_5510MHz_RadarType1_Trial0




Signal Calibration_802.11ax(HEW40)_2C_5510MHz_RadarType2_Trial0




Signal Calibration_802.11ax(HEW40)_2C_5510MHz_RadarType3_Trial0




Signal Calibration_802.11ax(HEW40)_2C_5510MHz_RadarType4_Trial0



Signal Calibration_802.11ax(HEW40)_2C_5510MHz_RadarType5_Trial0



Signal Calibration_802.11ax(HEW40)_2C_5510MHz_RadarType6_Trial0



2. Channel Loading (Payload)

2.1 Test Result

2.1.1 Payload


Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ax (HEW20)	20	5260	93.95	≥ 17	Pass
802.11ax (HEW40)	40	5270	95.22	≥ 17	Pass

2.1.2 Payload

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ax (HEW20)	20	5500	95.40	≥ 17	Pass
802.11ax (HEW40)	40	5510	95.39	≥ 17	Pass


2.2 Test Graph

2.2.1 Payload




2.2.2 Payload

Channel Loading (Payload) 802.11ax(HEW20) 2C 5500MHz



Channel Loading (Payload) 802.11ax(HEW40) 2C 5510MHz



3. Channel Move Time and Closing Transmission Time

3.1 Test Result

3.1.1 CMT_CTT

Band: 2A


Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Closing Transmission Time (ms)		Channel Move Time (s)		Verdict
			Result	Limit	Result	Limit	
802.11ax (HEW20)	20	5260	6.500	<= 60	0.861	<=10	Pass
802.11ax (HEW40)	40	5270	7.500	<= 60	0.920	<=10	Pass

3.1.2 CMT_CTT

Band: 2C							
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Closing Transmission Time (ms)		Channel Move Time (s)		Verdict
			Result	Limit	Result	Limit	
802.11ax (HEW20)	20	5500	7.000	<= 60	0.886	<=10	Pass
802.11ax (HEW40)	40	5510	6.000	<= 60	0.888	<=10	Pass


3.2 Test Graph

3.2.1 CMT_CTT




3.2.2 CMT_CTT

Channel Move Time and Closing Transmission Time 802.11ax(HEW20) 2C 5500MHz



Channel Move Time and Closing Transmission Time 802.11ax(HEW40) 2C 5510MHz



4. Non-Occupancy Period

4.1 Test Result

4.1.1 Period

Band: 2A



Report No.: KSCR260600155503

Page: 350 of 352


Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11ax (HEW20)	20	5260	Refer To Test Graph		Pass
802.11ax (HEW40)	40	5270	Refer To Test Graph		Pass

4.1.2 Period

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11ax (HEW20)	20	5500	Refer To Test Graph		Pass
802.11ax (HEW40)	40	5510	Refer To Test Graph		Pass


4.2 Test Graph

4.2.1 Period




4.2.2 Period

Non-Occupancy Period 802.11ax(HEW20) 2C 5500MHz



Non-Occupancy Period 802.11ax(HEW40) 2C 5510MHz



- End of the Report -