

Temperature(WCDMA_HSUPA)								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9400	1	NV	-20	-4.10	-0.002181	±2.5	PASS
Band2	9400	1	NV	-10	-3.50	-0.001862	±2.5	PASS
Band2	9400	1	NV	0	2.94	0.001564	±2.5	PASS
Band2	9400	1	NV	10	-1.00	-0.000532	±2.5	PASS
Band2	9400	1	NV	20	0.81	0.000431	±2.5	PASS
Band2	9400	1	NV	30	2.33	0.001239	±2.5	PASS
Band2	9400	1	NV	40	-4.88	-0.002596	±2.5	PASS
Band2	9400	1	NV	50	-1.68	-0.000894	±2.5	PASS
Band2	9400	1	NV	60	-4.53	-0.002410	±2.5	PASS
Band2	9400	2	NV	-20	5.70	0.003032	±2.5	PASS
Band2	9400	2	NV	-10	-2.91	-0.001548	±2.5	PASS
Band2	9400	2	NV	0	-1.11	-0.000590	±2.5	PASS
Band2	9400	2	NV	10	0.54	0.000287	±2.5	PASS
Band2	9400	2	NV	20	1.76	0.000936	±2.5	PASS
Band2	9400	2	NV	30	-7.14	-0.003798	±2.5	PASS
Band2	9400	2	NV	40	5.85	0.003112	±2.5	PASS
Band2	9400	2	NV	50	5.60	0.002979	±2.5	PASS
Band2	9400	2	NV	60	-2.71	-0.001441	±2.5	PASS
Band2	9400	3	NV	-20	2.99	0.001590	±2.5	PASS
Band2	9400	3	NV	-10	4.99	0.002654	±2.5	PASS
Band2	9400	3	NV	0	-1.06	-0.000564	±2.5	PASS
Band2	9400	3	NV	10	0.70	0.000372	±2.5	PASS
Band2	9400	3	NV	20	1.54	0.000819	±2.5	PASS
Band2	9400	3	NV	30	2.34	0.001245	±2.5	PASS
Band2	9400	3	NV	40	-3.54	-0.001883	±2.5	PASS
Band2	9400	3	NV	50	-1.69	-0.000899	±2.5	PASS
Band2	9400	3	NV	60	2.48	0.001319	±2.5	PASS
Band2	9400	4	NV	-20	4.92	0.002617	±2.5	PASS
Band2	9400	4	NV	-10	4.34	0.002309	±2.5	PASS
Band2	9400	4	NV	0	2.00	0.001064	±2.5	PASS
Band2	9400	4	NV	10	-3.42	-0.001819	±2.5	PASS
Band2	9400	4	NV	20	-1.48	-0.000787	±2.5	PASS
Band2	9400	4	NV	30	8.72	0.004638	±2.5	PASS
Band2	9400	4	NV	40	9.40	0.005000	±2.5	PASS
Band2	9400	4	NV	50	7.68	0.004085	±2.5	PASS
Band2	9400	4	NV	60	5.49	0.002920	±2.5	PASS
Band2	9400	5	NV	-20	9.69	0.005154	±2.5	PASS
Band2	9400	5	NV	-10	5.44	0.002894	±2.5	PASS
Band2	9400	5	NV	0	-5.14	-0.002734	±2.5	PASS
Band2	9400	5	NV	10	-7.25	-0.003856	±2.5	PASS
Band2	9400	5	NV	20	7.39	0.003931	±2.5	PASS

Band2	9400	5	NV	30	-1.60	-0.000851	±2.5	PASS
Band2	9400	5	NV	40	-3.93	-0.002090	±2.5	PASS
Band2	9400	5	NV	50	-7.82	-0.004160	±2.5	PASS
Band2	9400	5	NV	60	4.34	0.002309	±2.5	PASS
Band5	4182	1	NV	-20	0.03	0.000036	±2.5	PASS
Band5	4182	1	NV	-10	0.05	0.000060	±2.5	PASS
Band5	4182	1	NV	0	1.55	0.001853	±2.5	PASS
Band5	4182	1	NV	10	0.64	0.000765	±2.5	PASS
Band5	4182	1	NV	20	-1.17	-0.001399	±2.5	PASS
Band5	4182	1	NV	30	-0.66	-0.000789	±2.5	PASS
Band5	4182	1	NV	40	-0.94	-0.001124	±2.5	PASS
Band5	4182	1	NV	50	-0.86	-0.001028	±2.5	PASS
Band5	4182	1	NV	60	1.31	0.001566	±2.5	PASS
Band5	4182	2	NV	-20	0.37	0.000442	±2.5	PASS
Band5	4182	2	NV	-10	-1.13	-0.001351	±2.5	PASS
Band5	4182	2	NV	0	0.61	0.000729	±2.5	PASS
Band5	4182	2	NV	10	1.26	0.001506	±2.5	PASS
Band5	4182	2	NV	20	1.48	0.001769	±2.5	PASS
Band5	4182	2	NV	30	-1.40	-0.001674	±2.5	PASS
Band5	4182	2	NV	40	1.54	0.001841	±2.5	PASS
Band5	4182	2	NV	50	-1.37	-0.001638	±2.5	PASS
Band5	4182	2	NV	60	-0.33	-0.000395	±2.5	PASS
Band5	4182	3	NV	-20	0.52	0.000622	±2.5	PASS
Band5	4182	3	NV	-10	0.47	0.000562	±2.5	PASS
Band5	4182	3	NV	0	-0.54	-0.000646	±2.5	PASS
Band5	4182	3	NV	10	0.09	0.000108	±2.5	PASS
Band5	4182	3	NV	20	0.46	0.000550	±2.5	PASS
Band5	4182	3	NV	30	1.19	0.001423	±2.5	PASS
Band5	4182	3	NV	40	1.19	0.001423	±2.5	PASS
Band5	4182	3	NV	50	1.43	0.001710	±2.5	PASS
Band5	4182	3	NV	60	1.48	0.001769	±2.5	PASS
Band5	4182	4	NV	-20	2.58	0.003085	±2.5	PASS
Band5	4182	4	NV	-10	1.65	0.001973	±2.5	PASS
Band5	4182	4	NV	0	1.50	0.001793	±2.5	PASS
Band5	4182	4	NV	10	-0.17	-0.000203	±2.5	PASS
Band5	4182	4	NV	20	1.67	0.001997	±2.5	PASS
Band5	4182	4	NV	30	0.37	0.000442	±2.5	PASS
Band5	4182	4	NV	40	-0.34	-0.000407	±2.5	PASS
Band5	4182	4	NV	50	1.84	0.002200	±2.5	PASS
Band5	4182	4	NV	60	2.15	0.002571	±2.5	PASS
Band5	4182	5	NV	-20	4.45	0.005320	±2.5	PASS
Band5	4182	5	NV	-10	0.85	0.001016	±2.5	PASS
Band5	4182	5	NV	0	1.51	0.001805	±2.5	PASS
Band5	4182	5	NV	10	3.80	0.004543	±2.5	PASS

Band5	4182	5	NV	20	0.18	0.000215	±2.5	PASS
Band5	4182	5	NV	30	7.49	0.008955	±2.5	PASS
Band5	4182	5	NV	40	0.46	0.000550	±2.5	PASS
Band5	4182	5	NV	50	-1.28	-0.001530	±2.5	PASS
Band5	4182	5	NV	60	-3.24	-0.003874	±2.5	PASS

-----END OF THE REPORT-----