

Description: Outdoor IP67 Dual WiFi / DSCR,
Standard SMA 90deg Swivel

Series: Stick Antenna

PART NUMBER: W5097




Features:

- Dual band WiFi Stick antenna
- Omni directional for 360° horizontal plane coverage
- RoHS Compliant
- Covers 2.4 GHz and 5-6GHz
- DSRC 5.9GHz
- IP67
- SMA Male Swivel connector

Applications:

- WLAN devices using WiFi (802.11a/b/g), Bluetooth and ZigBee
- V2X DSRC communication
- In-building wireless access points (AP)
- Replacements for wireless routers
- Economical solution for OEMs with dual-band wireless devices.



All dimensions are in mm / inches

Issue: 1619



Description: Outdoor IP67 Dual WiFi / DSCR,
Standard SMA 90deg Swivel

Series: Stick Antenna

PART NUMBER: W5097

ELECTRICAL SPECIFICATIONS

Frequency	2400-2500MHz & 5150-6000MHz
Nominal Impedance	50Ω
VSWR	2.0 Max
Peak Gain (2400-2500MHz)	2.2dBi
Peak Gain (5150-6000MHz)	3.5dBi
Average efficiency(2400-2500MHz)	65%
Average efficiency(5150-6000MHz)	70%
Polarization:	linear

Description: Outdoor IP67 Dual WiFi / DSCR,
Standard SMA 90deg Swivel

Series: Stick Antenna

PART NUMBER: W5097

MECHANICAL SPECIFICATIONS

Antenna body	TPEE
Color	black
Ingress Protection	IP67
Weight	17.2 g
Overall Length	3.92 INCHES
Connector type	SMA male

ENVIRONMENTAL SPECIFICATIONS


Operating temperature	-40/+85 ° C
-----------------------	-------------

Series: Stick Antenna

Description: Outdoor IP67 Dual WiFi / DSCR,
Standard SMA 90deg Swivel

PART NUMBER: W5097

MECHANICAL DRAWING




Series: Stick Antenna

Description: Outdoor IP67 Dual WiFi / DSCR,
Standard SMA 90deg Swivel

PART NUMBER: W5097

CHARTS

VSWR measured in free space



Series: Stick Antenna



Description: Outdoor IP67 Dual WiFi / DSCR,
Standard SMA 90deg Swivel

PART NUMBER: W5097

CHARTS

Chamber set up

HORN




Description: Outdoor IP67 Dual WiFi / DSCR,
Standard SMA 90deg Swivel

Series: Stick Antenna

PART NUMBER: W5097

CHARTS

Efficiency measured in free space




Description: Outdoor IP67 Dual WiFi / DSCR,
Standard SMA 90deg Swivel

Series: Stick Antenna

PART NUMBER: W5097

CHARTS

Peak Gain measured in free space



Description: Outdoor IP67 Dual WiFi / DSCR,
Standard SMA 90deg Swivel


Series: Stick Antenna

PART NUMBER: W5097

CHARTS

Gain Plots

XY Plane



2400MHz
Avg (dBi) = -4.07
Peak (dBi) = -2.05
Avg -3 (deg) = 28
5

2450MHz
Avg (dBi) = -3.89
Peak (dBi) = -1.39
Avg -3 (deg) = 26
5

2480MHz
Avg (dBi) = -3.32
Peak (dBi) = -1.32
Avg -3 (deg) = 26
5

Phi Angle

— 2400MHz — 2450MHz
— 2480MHz


Description: Outdoor IP67 Dual WiFi / DSCR,
Standard SMA 90deg Swivel

Series: Stick Antenna

PART NUMBER: W5097

CHARTS

Gain Plots




Description: Outdoor IP67 Dual WiFi / DSCR,
Standard SMA 90deg Swivel

Series: Stick Antenna

PART NUMBER: W5097

CHARTS

Gain Plots




Description: Outdoor IP67 Dual WiFi / DSCR,
Standard SMA 90deg Swivel

Series: Stick Antenna

PART NUMBER: W5097

CHARTS

Gain Plots




Description: Outdoor IP67 Dual WiFi / DSCR,
Standard SMA 90deg Swivel

Series: Stick Antenna

PART NUMBER: W5097

CHARTS

Gain Plots




Description: Outdoor IP67 Dual WiFi / DSCR,
Standard SMA 90deg Swivel

Series: Stick Antenna

PART NUMBER: W5097

CHARTS

Gain Plots



Series: Stick Antenna

Description: Outdoor IP67 Dual WiFi / DSCR,
Standard SMA 90deg Swivel

PART NUMBER: W5097

PACKAGING

10PCS/Bullet PE bag
500PCS/Carton Box