



















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-53.96	≤ -20	Pass
NVNT	1-DH5	2480	Hopping	-53.58	≤ -20	Pass
NVNT	2-DH5	2402	Hopping	-53.42	≤ -20	Pass
NVNT	2-DH5	2480	Hopping	-52.08	≤ -20	Pass
NVNT	3-DH5	2402	Hopping	-54.77	≤ -20	Pass
NVNT	3-DH5	2480	Hopping	-53.02	≤ -20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-39.93	<=-20	Pass
NVNT	1-DH5	2441	-38.59	<=-20	Pass
NVNT	1-DH5	2480	-37.96	<=-20	Pass
NVNT	2-DH5	2402	-39.02	<=-20	Pass
NVNT	2-DH5	2441	-38.47	<=-20	Pass
NVNT	2-DH5	2480	-37.37	<=-20	Pass
NVNT	3-DH5	2402	-39.41	<=-20	Pass
NVNT	3-DH5	2441	-37.88	<=-20	Pass
NVNT	3-DH5	2480	-38.24	<=-20	Pass






























Right Dwell Time


Condition	Mode	Frequency (MHz)	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	0.372	118.668	319	31600	<=400	Pass
NVNT	1-DH3	2441	1.62	257.58	159	31600	<=400	Pass
NVNT	1-DH5	2441	2.869	304.114	106	31600	<=400	Pass
NVNT	2-DH1	2441	0.38	121.22	319	31600	<=400	Pass
NVNT	2-DH3	2441	1.632	259.488	159	31600	<=400	Pass
NVNT	2-DH5	2441	2.88	308.16	107	31600	<=400	Pass
NVNT	3-DH1	2441	0.38	121.6	320	31600	<=400	Pass
NVNT	3-DH3	2441	1.63	260.8	160	31600	<=400	Pass
NVNT	3-DH5	2441	2.882	305.492	106	31600	<=400	Pass




























Maximum Peak Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	-0.28	<=30	Pass
NVNT	1-DH5	2441	-0.67	<=30	Pass
NVNT	1-DH5	2480	-1.4	<=30	Pass
NVNT	2-DH5	2402	-0.28	<=21	Pass
NVNT	2-DH5	2441	-0.63	<=21	Pass
NVNT	2-DH5	2480	-1.43	<=21	Pass
NVNT	3-DH5	2402	-0.12	<=21	Pass
NVNT	3-DH5	2441	-0.49	<=21	Pass
NVNT	3-DH5	2480	-1.41	<=21	Pass















**-20dB Bandwidth**


Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	0.9456	Pass
NVNT	1-DH5	2441	0.9424	Pass
NVNT	1-DH5	2480	0.931	Pass
NVNT	2-DH5	2402	1.22	Pass
NVNT	2-DH5	2441	1.279	Pass
NVNT	2-DH5	2480	1.208	Pass
NVNT	3-DH5	2402	1.193	Pass
NVNT	3-DH5	2441	1.291	Pass
NVNT	3-DH5	2480	1.23	Pass

















Carrier Frequencies Separation


Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2401.903	2403.067	1.164	≥ 0.946	Pass
NVNT	1-DH5	2440.921	2442.067	1.146	≥ 0.942	Pass
NVNT	1-DH5	2479.083	2480.079	0.996	≥ 0.931	Pass
NVNT	2-DH5	2402.089	2402.929	0.84	≥ 0.813	Pass
NVNT	2-DH5	2440.915	2441.884	0.969	≥ 0.853	Pass
NVNT	2-DH5	2478.906	2479.923	1.017	≥ 0.805	Pass
NVNT	3-DH5	2401.93	2403.241	1.311	≥ 0.795	Pass
NVNT	3-DH5	2441.086	2442.037	0.951	≥ 0.861	Pass
NVNT	3-DH5	2478.906	2479.95	1.044	≥ 0.82	Pass















Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	≥ 15	Pass
NVNT	2-DH5	79	≥ 15	Pass
NVNT	3-DH5	79	≥ 15	Pass











Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-52.68	≤ -20	Pass
NVNT	1-DH5	2480	No-Hopping	-54.31	≤ -20	Pass
NVNT	2-DH5	2402	No-Hopping	-55.23	≤ -20	Pass
NVNT	2-DH5	2480	No-Hopping	-54.11	≤ -20	Pass
NVNT	3-DH5	2402	No-Hopping	-54.41	≤ -20	Pass
NVNT	3-DH5	2480	No-Hopping	-50.4	≤ -20	Pass




















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-55.18	≤ -20	Pass
NVNT	1-DH5	2480	Hopping	-53.54	≤ -20	Pass
NVNT	2-DH5	2402	Hopping	-53.61	≤ -20	Pass
NVNT	2-DH5	2480	Hopping	-52.17	≤ -20	Pass
NVNT	3-DH5	2402	Hopping	-55.08	≤ -20	Pass
NVNT	3-DH5	2480	Hopping	-54.18	≤ -20	Pass















Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-40.02	<=-20	Pass
NVNT	1-DH5	2441	-39.18	<=-20	Pass
NVNT	1-DH5	2480	-38.04	<=-20	Pass
NVNT	2-DH5	2402	-38.73	<=-20	Pass
NVNT	2-DH5	2441	-38.85	<=-20	Pass
NVNT	2-DH5	2480	-37.99	<=-20	Pass
NVNT	3-DH5	2402	-39.05	<=-20	Pass
NVNT	3-DH5	2441	-39.04	<=-20	Pass
NVNT	3-DH5	2480	-37.18	<=-20	Pass

