

Type:		802.11n(HT20)																												
CH01	Spectrum Ref Level 20.50 dBm Att 30 dB Offset 1.00 dB RBW 100 kHz SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500 1Pk View 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] D1 -6.23 dBm 2.4044400 GHz 0.40 dBm 2.4132600 GHz CF 2.412 GHz1001 ptsSpan 30.0 MHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.40444 GHz</td><td>-6.23 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.41326 GHz</td><td>0.40 dBm</td><td></td><td></td></tr><tr><td>D3</td><td>M1</td><td>1</td><td>15.15 MHz</td><td>-0.55 dB</td><td></td><td></td></tr></table>		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.40444 GHz	-6.23 dBm			M2	1		2.41326 GHz	0.40 dBm			D3	M1	1	15.15 MHz	-0.55 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1	1		2.40444 GHz	-6.23 dBm																										
M2	1		2.41326 GHz	0.40 dBm																										
D3	M1	1	15.15 MHz	-0.55 dB																										
CH06	Spectrum Ref Level 20.50 dBm Att 30 dB Offset 1.00 dB RBW 100 kHz SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500 1Pk View 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] M2 D1 -8.48 dBm 2.4281800 GHz -1.70 dBm 2.4420100 GHz CF 2.437 GHz1001 ptsSpan 30.0 MHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.42818 GHz</td><td>-8.48 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.44201 GHz</td><td>-1.70 dBm</td><td></td><td></td></tr><tr><td>D3</td><td>M1</td><td>1</td><td>17.64 MHz</td><td>0.46 dB</td><td></td><td></td></tr></table>		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.42818 GHz	-8.48 dBm			M2	1		2.44201 GHz	-1.70 dBm			D3	M1	1	17.64 MHz	0.46 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1	1		2.42818 GHz	-8.48 dBm																										
M2	1		2.44201 GHz	-1.70 dBm																										
D3	M1	1	17.64 MHz	0.46 dB																										
CH11	Spectrum Ref Level 20.50 dBm Att 30 dB Offset 1.00 dB RBW 100 kHz SWT 75.9 μs VBW 300 kHz Mode Auto FFT Count 500/500 1Pk View 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] D1 D3 -7.17 dBm 2.4544700 GHz -0.71 dBm 2.4632600 GHz CF 2.462 GHz1001 ptsSpan 30.0 MHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.45447 GHz</td><td>-7.17 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.46326 GHz</td><td>-0.71 dBm</td><td></td><td></td></tr><tr><td>D3</td><td>M1</td><td>1</td><td>15.93 MHz</td><td>0.46 dB</td><td></td><td></td></tr></table>		Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.45447 GHz	-7.17 dBm			M2	1		2.46326 GHz	-0.71 dBm			D3	M1	1	15.93 MHz	0.46 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																								
M1	1		2.45447 GHz	-7.17 dBm																										
M2	1		2.46326 GHz	-0.71 dBm																										
D3	M1	1	15.93 MHz	0.46 dB																										

Type:	802.11n(HT40)																												
CH03	Spectrum Ref Level 20.50 dBm Att 30 dB Offset 1.00 dB RBW 100 kHz SWT 132.7 μs VBW 300 kHz Mode Auto FFT Count 500/500 1Pk View 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] M2 D1 -12.35 dBm 2.4043600 GHz -3.76 dBm 2.4194800 GHz CF 2.422 GHz 1001 pts Span 60.0 MHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.40436 GHz</td><td>-12.35 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.41948 GHz</td><td>-3.76 dBm</td><td></td><td></td></tr><tr><td>D3</td><td>M1</td><td>1</td><td>35.28 MHz</td><td>1.92 dB</td><td></td><td></td></tr></table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.40436 GHz	-12.35 dBm			M2	1		2.41948 GHz	-3.76 dBm			D3	M1	1	35.28 MHz	1.92 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1	1		2.40436 GHz	-12.35 dBm																									
M2	1		2.41948 GHz	-3.76 dBm																									
D3	M1	1	35.28 MHz	1.92 dB																									
CH06	Spectrum Ref Level 20.50 dBm Att 30 dB Offset 1.00 dB RBW 100 kHz SWT 132.7 μs VBW 300 kHz Mode Auto FFT Count 500/500 1Pk View 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] M2 D1 -12.59 dBm 2.4193600 GHz -4.37 dBm 2.4344800 GHz CF 2.437 GHz 1001 pts Span 60.0 MHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41936 GHz</td><td>-12.59 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.43448 GHz</td><td>-4.37 dBm</td><td></td><td></td></tr><tr><td>D3</td><td>M1</td><td>1</td><td>35.28 MHz</td><td>1.08 dB</td><td></td><td></td></tr></table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.41936 GHz	-12.59 dBm			M2	1		2.43448 GHz	-4.37 dBm			D3	M1	1	35.28 MHz	1.08 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1	1		2.41936 GHz	-12.59 dBm																									
M2	1		2.43448 GHz	-4.37 dBm																									
D3	M1	1	35.28 MHz	1.08 dB																									
CH09	Spectrum Ref Level 20.50 dBm Att 30 dB Offset 1.00 dB RBW 100 kHz SWT 132.7 μs VBW 300 kHz Mode Auto FFT Count 500/500 1Pk View 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] M2 D1 -13.04 dBm 2.4343600 GHz -4.70 dBm 2.4494800 GHz CF 2.452 GHz 1001 pts Span 60.0 MHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.43436 GHz</td><td>-13.04 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.44948 GHz</td><td>-4.70 dBm</td><td></td><td></td></tr><tr><td>D3</td><td>M1</td><td>1</td><td>35.28 MHz</td><td>1.45 dB</td><td></td><td></td></tr></table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.43436 GHz	-13.04 dBm			M2	1		2.44948 GHz	-4.70 dBm			D3	M1	1	35.28 MHz	1.45 dB		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																							
M1	1		2.43436 GHz	-13.04 dBm																									
M2	1		2.44948 GHz	-4.70 dBm																									
D3	M1	1	35.28 MHz	1.45 dB																									

APPENDIX C

Output power			
Test Mode	Frequency MHz	Reading dBm	Limit dBm
802.11b _ 11Mbps	2412	18.50	30.00
	2437	18.16	30.00
	2462	18.12	30.00
802.11g_54Mbps	2412	16.94	30.00
	2437	16.46	30.00
	2462	16.54	30.00
802.11n HT20_MCS7	2412	16.45	30.00
	2437	16.04	30.00
	2462	16.74	30.00
802.11n HT40_MCS7	2422	16.27	30.00
	2437	15.81	30.00
	2452	15.77	30.00

APPENDIX D

Test Item:	Bandedge	Type:	802.11b																																								
CH01	Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] 5.96 dBm M2[1] -5.96 dBm M3 -58.55 dBm M4 -58.99 dBm M5 -38.72 dBm D1 -14.040 dBm Start 2.31 GHz 691 pts Stop 2.422 GHz Marker <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.413 GHz</td><td>5.96 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-41.34 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-58.55 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-58.99 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.3996 GHz</td><td>-38.72 dBm</td><td></td><td></td></tr></tbody></table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.413 GHz	5.96 dBm			M2	1		2.4 GHz	-41.34 dBm			M3	1		2.39 GHz	-58.55 dBm			M4	1		2.31 GHz	-58.99 dBm			M5	1		2.3996 GHz	-38.72 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																					
M1	1		2.413 GHz	5.96 dBm																																							
M2	1		2.4 GHz	-41.34 dBm																																							
M3	1		2.39 GHz	-58.55 dBm																																							
M4	1		2.31 GHz	-58.99 dBm																																							
M5	1		2.3996 GHz	-38.72 dBm																																							



CH11	Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] 4.47 dBm M2[1] -54.80 dBm M3 -56.16 dBm M4 -54.10 dBm D1 -15.530 dBm Start 2.452 GHz 691 pts Stop 2.5 GHz Marker <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.46301 GHz</td><td>4.47 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-54.80 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-56.16 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.4950609 GHz</td><td>-54.10 dBm</td><td></td><td></td></tr></tbody></table>	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.46301 GHz	4.47 dBm			M2	1		2.4835 GHz	-54.80 dBm			M3	1		2.5 GHz	-56.16 dBm			M4	1		2.4950609 GHz	-54.10 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																														
M1	1		2.46301 GHz	4.47 dBm																																
M2	1		2.4835 GHz	-54.80 dBm																																
M3	1		2.5 GHz	-56.16 dBm																																
M4	1		2.4950609 GHz	-54.10 dBm																																

Test Item:	Bandedge	Type:	802.11g																																										
CH01	Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300 1Pk Max 0.31 dBm 2.410740 GHz -35.56 dBm 2.400000 GHz -58.61 dBm 2.399438 GHz -19.690 dBm Start 2.31 GHz 691 pts Stop 2.422 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41074 GHz</td><td>0.31 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-35.56 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-53.18 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-58.61 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399438 GHz</td><td>-37.49 dBm</td><td></td><td></td></tr></table>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.41074 GHz	0.31 dBm			M2	1		2.4 GHz	-35.56 dBm			M3	1		2.39 GHz	-53.18 dBm			M4	1		2.31 GHz	-58.61 dBm			M5	1		2.399438 GHz	-37.49 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.41074 GHz	0.31 dBm																																									
M2	1		2.4 GHz	-35.56 dBm																																									
M3	1		2.39 GHz	-53.18 dBm																																									
M4	1		2.31 GHz	-58.61 dBm																																									
M5	1		2.399438 GHz	-37.49 dBm																																									
CH11	Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300 1Pk Max -1.15 dBm 2.4632880 GHz -51.17 dBm 2.4835000 GHz -50.67 dBm 2.4907478 GHz -21.150 dBm Start 2.452 GHz 691 pts Stop 2.5 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.463288 GHz</td><td>-1.15 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-51.17 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-53.55 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.4907478 GHz</td><td>-50.67 dBm</td><td></td><td></td></tr></table>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.463288 GHz	-1.15 dBm			M2	1		2.4835 GHz	-51.17 dBm			M3	1		2.5 GHz	-53.55 dBm			M4	1		2.4907478 GHz	-50.67 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.463288 GHz	-1.15 dBm																																									
M2	1		2.4835 GHz	-51.17 dBm																																									
M3	1		2.5 GHz	-53.55 dBm																																									
M4	1		2.4907478 GHz	-50.67 dBm																																									




Test Item:	Bandedge	Type:	802.11n(HT20)																																										
CH01	Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 246.5 μs VBW 300 kHz Mode Auto FFT Count 300/300 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] M3 M4 0.24 dBm 2.410740 GHz -37.18 dBm 2.490000 GHz D1 -19.760 dBm Start 2.31 GHz 691 pts Stop 2.422 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41074 GHz</td><td>0.24 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-37.18 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-49.13 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-58.81 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399762 GHz</td><td>-35.83 dBm</td><td></td><td></td></tr></table>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.41074 GHz	0.24 dBm			M2	1		2.4 GHz	-37.18 dBm			M3	1		2.39 GHz	-49.13 dBm			M4	1		2.31 GHz	-58.81 dBm			M5	1		2.399762 GHz	-35.83 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.41074 GHz	0.24 dBm																																									
M2	1		2.4 GHz	-37.18 dBm																																									
M3	1		2.39 GHz	-49.13 dBm																																									
M4	1		2.31 GHz	-58.81 dBm																																									
M5	1		2.399762 GHz	-35.83 dBm																																									
CH11	Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 113.8 μs VBW 300 kHz Mode Auto FFT Count 300/300 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] M3 M4 -0.94 dBm 2.4632880 GHz -48.97 dBm 2.4835000 GHz D1 -20.940 dBm Start 2.452 GHz 691 pts Stop 2.5 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.463288 GHz</td><td>-0.94 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-48.97 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-54.26 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.4838609 GHz</td><td>-47.71 dBm</td><td></td><td></td></tr></table>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.463288 GHz	-0.94 dBm			M2	1		2.4835 GHz	-48.97 dBm			M3	1		2.5 GHz	-54.26 dBm			M4	1		2.4838609 GHz	-47.71 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.463288 GHz	-0.94 dBm																																									
M2	1		2.4835 GHz	-48.97 dBm																																									
M3	1		2.5 GHz	-54.26 dBm																																									
M4	1		2.4838609 GHz	-47.71 dBm																																									


Test Item:	Bandedge	Type:	802.11n(HT40)																																										
CH03	Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 303.4 μs VBW 300 kHz Mode Auto FFT Count 300/300 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] M3 M4 M5 -3.99 dBm 2.427000 GHz -42.55 dBm 2.4400000 GHz D1 -23.990 dBm Start 2.31 GHz 691 pts Stop 2.442 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.427 GHz</td><td>-3.99 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-42.55 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-46.49 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-58.62 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.396278 GHz</td><td>-37.70 dBm</td><td></td><td></td></tr></table>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.427 GHz	-3.99 dBm			M2	1		2.4 GHz	-42.55 dBm			M3	1		2.39 GHz	-46.49 dBm			M4	1		2.31 GHz	-58.62 dBm			M5	1		2.396278 GHz	-37.70 dBm		
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.427 GHz	-3.99 dBm																																									
M2	1		2.4 GHz	-42.55 dBm																																									
M3	1		2.39 GHz	-46.49 dBm																																									
M4	1		2.31 GHz	-58.62 dBm																																									
M5	1		2.396278 GHz	-37.70 dBm																																									
CH09	Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWT 1.1 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1Pk Max 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm M1[1] M2[1] M3 M4 -4.72 dBm 2.4495660 GHz -47.02 dBm 2.4835000 GHz D1 -24.720 dBm Start 2.432 GHz 691 pts Stop 2.5 GHz Marker <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-value</th><th>Y-value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.449566 GHz</td><td>-4.72 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-47.02 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-52.56 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.4862029 GHz</td><td>-39.23 dBm</td><td></td><td></td></tr></table>			Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1		2.449566 GHz	-4.72 dBm			M2	1		2.4835 GHz	-47.02 dBm			M3	1		2.5 GHz	-52.56 dBm			M4	1		2.4862029 GHz	-39.23 dBm									
Type	Ref	Trc	X-value	Y-value	Function	Function Result																																							
M1	1		2.449566 GHz	-4.72 dBm																																									
M2	1		2.4835 GHz	-47.02 dBm																																									
M3	1		2.5 GHz	-52.56 dBm																																									
M4	1		2.4862029 GHz	-39.23 dBm																																									




APPENDIX E




Test Item:	SE	Type:	802.11b
CH01 Reference level			
CH01 30MHz~1000MHz			

CH01 1GHz~26GHz	
CH06 Reference level	
CH06 30MHz~1000MHz	




CH06 1GHz~26GHz	
CH11 Reference level	
CH11 30MHz~1000MHz	









Test Item:	SE	Type:	802.11g
CH01 Reference level			
CH01 30MHz~1000MHz			
CH01 1GHz~26GHz			




CH06 Reference level	
CH06 30MHz~1000MHz	
CH06 1GHz~26GHz	




CH11 Reference level	
CH11 30MHz~1000MHz	
CH11 1GHz~26GHz	




Test Item:	SE	Type:	802.11n(HT20)
CH01 Reference level			
CH01 30MHz~1000MHz			
CH01 1GHz~26GHz			

CH06 Reference level	
CH06 30MHz~1000MHz	
CH06 1GHz~26GHz	

CH11 Reference level	 The spectrum plot shows a reference level with a peak at 2.4607410 GHz. The y-axis represents power in dBm, ranging from -70 to 10. The x-axis represents frequency in GHz, ranging from 2.462 to 2.4607410. The plot shows a sharp peak at the specified frequency, with a power level of approximately -0.94 dBm. The plot is titled 'Spectrum' and includes parameters: Ref Level 21.00 dBm, Offset 1.00 dB, RBW 100 kHz, Att 30 dB, SWT 75.9 μs, VBW 300 kHz, Mode Auto FFT, Count 100/100, 1Pk Max, M1[1], -0.94 dBm, 2.4607410 GHz, CF 2.462 GHz, 691 pts, Span 30.0 MHz.
CH11 30MHz~1000MHz	 The spectrum plot shows a wideband signal from 30 MHz to 1.0 GHz. The y-axis represents power in dBm, ranging from -70 to 10. The x-axis represents frequency in MHz, ranging from 30.0 to 1.0. The plot shows a noisy signal with a peak at 860.0170 MHz, with a power level of approximately -52.50 dBm. The plot is titled 'Spectrum' and includes parameters: Ref Level 20.00 dBm, Offset 1.00 dB, RBW 100 kHz, Att 30 dB, SWT 30.1 ms, VBW 300 kHz, Mode Auto Sweep, Count 10/10, 1Pk Max, M1[1], -52.50 dBm, 860.0170 MHz, Start 30.0 MHz, 30001 pts, Stop 1.0 GHz.
CH11 1GHz~26GHz	 The spectrum plot shows a wideband signal from 1.0 GHz to 26.0 GHz. The y-axis represents power in dBm, ranging from -70 to 10. The x-axis represents frequency in GHz, ranging from 1.0 to 26.0. The plot shows a noisy signal with a peak at 15.896667 GHz, with a power level of approximately -47.19 dBm. The plot is titled 'Spectrum' and includes parameters: Ref Level 20.00 dBm, Offset 1.00 dB, RBW 100 kHz, Att 30 dB, SWT 250 ms, VBW 300 kHz, Mode Auto Sweep, Count 10/10, 1Pk Max, M1[1], -47.19 dBm, 15.896667 GHz, Start 1.0 GHz, 30001 pts, Stop 26.0 GHz.

Test Item:	SE	Type:	802.11n(HT40)
CH03 Reference level			
CH03 30MHz~1000MHz			
CH03 1GHz~26GHz			

CH06 Reference level	
CH06 30MHz~1000MHz	
CH06 1GHz~26GHz	

CH09 Reference level	
CH09 30MHz~1000MHz	
CH09 1GHz~26GHz	

APPENDIX PHOTOGRAPHS

Please refer to “ANNEX”

******* END OF REPORT *******