






Antenna Manufacturer	ANT Communication Technology (Shenzhen) Co., LTD.
Operating frequency band	2.400-2.4835GHz

Antenna VSWR-right ear




Antenna Efficiency-right ear

Frequency/Mhz	Efficiency/%	Efficiency/dB	MaxGain/dBi
2400	24.32	-6.14	2.4
2410	25.41	-5.95	1.68
2420	26.12	-5.83	2.15
2430	27.67	-5.58	1.17
2440	27.67	-5.58	1.75
2450	28.31	-5.48	1.44
2460	26.3	-5.8	1.76
2470	25.88	-5.87	1.62
2480	25.59	-5.92	1.55







Antenna VSWR- left ear



Antenna Efficiency- left ear

Frequency/Mhz	Efficiency/%	Efficiency/dB	MaxGain/dBi
2400	25.82	-5.88	2.56
2410	26.42	-5.78	2.02
2420	27.67	-5.58	2.63
2430	27.8	-5.56	1.94
2440	28.25	-5.49	2.45
2450	28.84	-5.4	1.97
2460	28.51	-5.45	2.1
2470	28.97	-5.38	2.05
2480	27.16	-5.66	1.95



Trade Mark:iFLYTEK

Model:

BT/WLAN 2.4G/5G ANT :

Antenna manufacturer : ZheJiang HaiTong Communication Electronics Co.,LTD

Antenna model : HT_B2_ANT

Antenna morphology: FPC

size : 23.58*10.02*0.11

Maximum antenna gain:

Fre	Gain	Fre	Gain
2400	0.65	5150	3.50
2410	0.57	5200	1.97
2420	0.47	5250	2.05
2430	0.52	5300	1.64
2440	0.94	5350	2.37
2450	0.84	5400	1.95
2460	0.73	5450	1.44
2470	0.59	5500	1.46
2480	0.48	5550	2.05
2490	0.42	5600	1.14
2500	0.62	5650	1.70
		5700	2.84
		5750	1.23
		5800	1.44
		5850	1.24