




802.11a_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV




802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_MCH_5200MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_LCH_5260MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_MCH_5300MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5320MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_LCH_5500MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_MCH_5580MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5700MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5270MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_HCH_5310MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5510MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_MCH_5550MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_HCH_5670MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_MCH_5290MHz_SU_ / _Ant1_NTNV



802.11ax(HEW80)_LCH_5530MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_HCH_5610MHz_SU_ / _Ant1_NTNV




2.2.3 6dB BW


802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5745MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_MCH_5785MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5825MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5755MHz_SU_ / _Ant1_NTNV



802.11ax(HEW40)_HCH_5795MHz_SU_ / _Ant1_NTNV



802.11ax(HEW80)_MCH_5775MHz_SU_/_Ant1_NTNV



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power


Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)		Verdict
					ANT1	Limit	
802.11a	SISO	5180	/	/	17.70	<=23.98	Pass
		5200	/	/	16.65	<=23.98	Pass
		5240	/	/	16.96	<=23.98	Pass
		5260	/	/	14.74	<=23.98	Pass
		5300	/	/	14.18	<=23.98	Pass
		5320	/	/	14.15	<=23.98	Pass
		5500	/	/	17.10	<=23.98	Pass
		5580	/	/	16.34	<=23.98	Pass
		5700	/	/	16.81	<=23.98	Pass
		5745	/	/	18.01	<=30	Pass
		5785	/	/	18.70	<=30	Pass
		5825	/	/	18.47	<=30	Pass
802.11ac (VHT20)	SISO	5180	/	/	17.11	<=23.98	Pass
		5200	/	/	16.29	<=23.98	Pass
		5240	/	/	16.91	<=23.98	Pass
		5260	/	/	14.59	<=23.98	Pass
		5300	/	/	14.09	<=23.98	Pass
		5320	/	/	13.99	<=23.98	Pass
		5500	/	/	17.39	<=23.98	Pass
		5580	/	/	16.73	<=23.98	Pass
		5700	/	/	17.09	<=23.98	Pass
		5745	/	/	18.20	<=30	Pass
		5785	/	/	18.86	<=30	Pass
		5825	/	/	18.59	<=30	Pass
802.11ac (VHT40)	SISO	5190	/	/	14.96	<=23.98	Pass
		5230	/	/	15.90	<=23.98	Pass
		5270	/	/	15.52	<=23.98	Pass
		5310	/	/	15.06	<=23.98	Pass
		5510	/	/	16.89	<=23.98	Pass
		5550	/	/	17.45	<=23.98	Pass
		5670	/	/	15.47	<=23.98	Pass
		5755	/	/	18.21	<=30	Pass
802.11ac	SISO	5795	/	/	18.43	<=30	Pass
		5210	/	/	15.84	<=23.98	Pass

(VHT80)		5290	/	/	15.83	<=23.98	Pass
		5530	/	/	16.84	<=23.98	Pass
		5610	/	/	16.91	<=23.98	Pass
		5775	/	/	18.32	<=30	Pass
802.11ax (HEW20)	SISO	5180	SU	/	17.09	<=23.98	Pass
		5200	SU	/	17.18	<=23.98	Pass
		5240	SU	/	16.55	<=23.98	Pass
		5260	SU	/	17.40	<=23.98	Pass
		5300	SU	/	17.30	<=23.98	Pass
		5320	SU	/	16.63	<=23.98	Pass
		5500	SU	/	16.19	<=23.98	Pass
		5580	SU	/	14.59	<=23.98	Pass
		5700	SU	/	15.50	<=23.98	Pass
		5745	SU	/	17.81	<=30	Pass
		5785	SU	/	18.15	<=30	Pass
		5825	SU	/	18.02	<=30	Pass
802.11ax (HEW40)	SISO	5190	SU	/	16.90	<=23.98	Pass
		5230	SU	/	17.87	<=23.98	Pass
		5270	SU	/	17.17	<=23.98	Pass
		5310	SU	/	16.89	<=23.98	Pass
		5510	SU	/	16.89	<=23.98	Pass
		5550	SU	/	17.39	<=23.98	Pass
		5670	SU	/	17.36	<=23.98	Pass
		5755	SU	/	17.56	<=30	Pass
		5795	SU	/	17.89	<=30	Pass
802.11ax (HEW80)	SISO	5210	SU	/	15.67	<=23.98	Pass
		5290	SU	/	15.59	<=23.98	Pass
		5530	SU	/	16.28	<=23.98	Pass
		5610	SU	/	17.85	<=23.98	Pass
		5775	SU	/	17.87	<=30	Pass
Note1: Antenna Gain: 1.56dBi							


3.2 Test Graph

3.2.1 Power


802.11a_LCH_5180MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant1_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_MCH_5580MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV




802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_MCH_5200MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_LCH_5260MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_MCH_5300MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5320MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_LCH_5500MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_MCH_5580MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5700MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_LCH_5745MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_MCH_5785MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5825MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5270MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_HCH_5310MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5510MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_MCH_5550MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_HCH_5670MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5755MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_HCH_5795MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_MCH_5290MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_LCH_5530MHz_SU_ / _Ant1_NTNV



802.11ax(HEW80)_HCH_5610MHz_SU_ / _Ant1_NTNV



802.11ax(HEW80)_MCH_5775MHz_SU_ / _Ant1_NTNV



4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)		Verdict
					ANT1	Limit	
802.11a	SISO	5180	/	/	6.68	<=11	Pass
		5200	/	/	5.32	<=11	Pass
		5240	/	/	5.86	<=11	Pass
		5260	/	/	3.43	<=11	Pass
		5300	/	/	3.07	<=11	Pass
		5320	/	/	2.90	<=11	Pass
		5500	/	/	5.95	<=11	Pass
		5580	/	/	5.29	<=11	Pass
		5700	/	/	5.55	<=11	Pass
802.11ac (VHT20)	SISO	5180	/	/	5.53	<=11	Pass
		5200	/	/	4.87	<=11	Pass
		5240	/	/	5.50	<=11	Pass
		5260	/	/	3.10	<=11	Pass
		5300	/	/	2.43	<=11	Pass
		5320	/	/	2.39	<=11	Pass
		5500	/	/	5.84	<=11	Pass
		5580	/	/	5.25	<=11	Pass
		5700	/	/	5.53	<=11	Pass
802.11ac (VHT40)	SISO	5190	/	/	0.89	<=11	Pass
		5230	/	/	1.56	<=11	Pass
		5270	/	/	1.05	<=11	Pass
		5310	/	/	0.45	<=11	Pass
		5510	/	/	2.29	<=11	Pass
		5550	/	/	2.85	<=11	Pass
		5670	/	/	0.93	<=11	Pass
802.11ac (VHT80)	SISO	5210	/	/	-1.21	<=11	Pass
		5290	/	/	-1.79	<=11	Pass
		5530	/	/	-0.68	<=11	Pass
		5610	/	/	-0.54	<=11	Pass
802.11ax (HEW20)	SISO	5180	SU	/	5.25	<=11	Pass
		5200	SU	/	5.42	<=11	Pass
		5240	SU	/	4.70	<=11	Pass
		5260	SU	/	5.37	<=11	Pass
		5300	SU	/	5.39	<=11	Pass
		5320	SU	/	4.65	<=11	Pass

		5500	SU	/	4.29	<=11	Pass
		5580	SU	/	2.73	<=11	Pass
		5700	SU	/	3.52	<=11	Pass
802.11ax (HEW40)	SISO	5190	SU	/	2.45	<=11	Pass
		5230	SU	/	3.27	<=11	Pass
		5270	SU	/	2.29	<=11	Pass
		5310	SU	/	1.91	<=11	Pass
		5510	SU	/	2.01	<=11	Pass
		5550	SU	/	2.54	<=11	Pass
		5670	SU	/	2.44	<=11	Pass
		802.11ax (HEW80)	SISO	5210	SU	/	-2.07
5290	SU			/	-2.24	<=11	Pass
5530	SU			/	-0.64	<=11	Pass
5610	SU			/	0.84	<=11	Pass
Note1: Antenna Gain: 1.56dBi							


4.1.2 PSD-Band3

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/500kHz)		Verdict
					ANT1	Limit	
802.11a	SISO	5745	/	/	3.81	<=30	Pass
		5785	/	/	4.28	<=30	Pass
		5825	/	/	4.26	<=30	Pass
802.11ac (VHT20)	SISO	5745	/	/	3.77	<=30	Pass
		5785	/	/	4.29	<=30	Pass
		5825	/	/	4.39	<=30	Pass
802.11ac (VHT40)	SISO	5755	/	/	0.81	<=30	Pass
		5795	/	/	1.04	<=30	Pass
802.11ac (VHT80)	SISO	5775	/	/	-1.92	<=30	Pass
802.11ax (HEW20)	SISO	5745	SU	/	2.66	<=30	Pass
		5785	SU	/	2.87	<=30	Pass
		5825	SU	/	3.00	<=30	Pass
802.11ax (HEW40)	SISO	5755	SU	/	-0.40	<=30	Pass
		5795	SU	/	-0.05	<=30	Pass
802.11ax (HEW80)	SISO	5775	SU	/	-1.91	<=30	Pass
Note1: Antenna Gain: 1.56dBi							


4.2 Test Graph

4.2.1 PSD


802.11a_LCH_5180MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant1_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_MCH_5580MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV




802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5180MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_MCH_5200MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5240MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_LCH_5260MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_MCH_5300MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5320MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_LCH_5500MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_MCH_5580MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5700MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5190MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_HCH_5230MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5270MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_HCH_5310MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5510MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_MCH_5550MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_HCH_5670MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_MCH_5210MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_MCH_5290MHz_SU_ / _Ant1_NTNV



802.11ax(HEW80)_LCH_5530MHz_SU_ / _Ant1_NTNV




802.11ax(HEW80)_HCH_5610MHz_SU_ / _Ant1_NTNV




4.2.2 PSD-Band3


802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV




802.11ax(HEW20)_LCH_5745MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_MCH_5785MHz_SU_ / _Ant1_NTNV




802.11ax(HEW20)_HCH_5825MHz_SU_ / _Ant1_NTNV




802.11ax(HEW40)_LCH_5755MHz_SU_ / _Ant1_NTNV



802.11ax(HEW40)_HCH_5795MHz_SU_ / _Ant1_NTNV



802.11ax(HEW80)_MCH_5775MHz_SU_/_Ant1_NTNV



5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	4.5	5180.000	5150 to 5250	Pass
						5.0	5180.040	5150 to 5250	Pass
						5.5	5180.060	5150 to 5250	Pass
					-30	5.0	5180.000	5150 to 5250	Pass
					-20	5.0	5179.980	5150 to 5250	Pass
					-10	5.0	5180.040	5150 to 5250	Pass
					0	5.0	5180.020	5150 to 5250	Pass
					10	5.0	5180.000	5150 to 5250	Pass
					30	5.0	5180.020	5150 to 5250	Pass
					40	5.0	5180.020	5150 to 5250	Pass
					50	5.0	5179.980	5150 to 5250	Pass
		5200	/	/	20	4.5	5199.980	5150 to 5250	Pass
						5.0	5200.060	5150 to 5250	Pass
						5.5	5200.140	5150 to 5250	Pass
					-30	5.0	5200.020	5150 to 5250	Pass
					-20	5.0	5200.100	5150 to 5250	Pass
					-10	5.0	5200.040	5150 to 5250	Pass
					0	5.0	5200.120	5150 to 5250	Pass
					10	5.0	5200.040	5150 to 5250	Pass
					30	5.0	5200.000	5150 to 5250	Pass
					40	5.0	5200.040	5150 to 5250	Pass
					50	5.0	5200.080	5150 to 5250	Pass
		5240	/	/	20	4.5	5240.020	5150 to 5250	Pass
						5.0	5240.040	5150 to 5250	Pass
						5.5	5240.000	5150 to 5250	Pass
					-30	5.0	5240.040	5150 to 5250	Pass
					-20	5.0	5240.100	5150 to 5250	Pass
					-10	5.0	5240.000	5150 to 5250	Pass
					0	5.0	5239.960	5150 to 5250	Pass
					10	5.0	5240.080	5150 to 5250	Pass
					30	5.0	5240.060	5150 to 5250	Pass
					40	5.0	5240.060	5150 to 5250	Pass
					50	5.0	5240.000	5150 to 5250	Pass

		5260	/	/	20	4.5	5260.100	5250 to 5350	Pass
						5.0	5260.000	5250 to 5350	Pass
						5.5	5260.080	5250 to 5350	Pass
					-30	5.0	5260.040	5250 to 5350	Pass
					-20	5.0	5260.020	5250 to 5350	Pass
					-10	5.0	5260.040	5250 to 5350	Pass
					0	5.0	5259.960	5250 to 5350	Pass
					10	5.0	5259.940	5250 to 5350	Pass
					30	5.0	5260.060	5250 to 5350	Pass
					40	5.0	5260.060	5250 to 5350	Pass
					50	5.0	5259.920	5250 to 5350	Pass
		5300	/	/	20	4.5	5300.020	5250 to 5350	Pass
						5.0	5300.060	5250 to 5350	Pass
						5.5	5300.060	5250 to 5350	Pass
					-30	5.0	5300.080	5250 to 5350	Pass
					-20	5.0	5300.060	5250 to 5350	Pass
					-10	5.0	5300.000	5250 to 5350	Pass
					0	5.0	5299.960	5250 to 5350	Pass
					10	5.0	5300.020	5250 to 5350	Pass
					30	5.0	5300.040	5250 to 5350	Pass
					40	5.0	5300.020	5250 to 5350	Pass
					50	5.0	5300.020	5250 to 5350	Pass
		5320	/	/	20	4.5	5320.100	5250 to 5350	Pass
						5.0	5320.040	5250 to 5350	Pass
						5.5	5320.160	5250 to 5350	Pass
					-30	5.0	5320.000	5250 to 5350	Pass
					-20	5.0	5320.060	5250 to 5350	Pass
					-10	5.0	5320.060	5250 to 5350	Pass
					0	5.0	5320.040	5250 to 5350	Pass
					10	5.0	5320.040	5250 to 5350	Pass
					30	5.0	5320.040	5250 to 5350	Pass
					40	5.0	5320.040	5250 to 5350	Pass
					50	5.0	5320.080	5250 to 5350	Pass
		5500	/	/	20	4.5	5500.020	5470 to 5725	Pass
						5.0	5500.020	5470 to 5725	Pass
						5.5	5500.140	5470 to 5725	Pass
					-30	5.0	5500.100	5470 to 5725	Pass
					-20	5.0	5500.080	5470 to 5725	Pass
					-10	5.0	5500.120	5470 to 5725	Pass
					0	5.0	5499.980	5470 to 5725	Pass
					10	5.0	5500.060	5470 to 5725	Pass
					30	5.0	5500.060	5470 to 5725	Pass
					40	5.0	5500.060	5470 to 5725	Pass

					50	5.0	5500.060	5470 to 5725	Pass
		5580	/	/	20	4.5	5580.080	5470 to 5725	Pass
						5.0	5580.040	5470 to 5725	Pass
						5.5	5580.060	5470 to 5725	Pass
					-30	5.0	5580.080	5470 to 5725	Pass
					-20	5.0	5580.000	5470 to 5725	Pass
					-10	5.0	5580.000	5470 to 5725	Pass
					0	5.0	5580.000	5470 to 5725	Pass
					10	5.0	5579.940	5470 to 5725	Pass
					30	5.0	5579.960	5470 to 5725	Pass
					40	5.0	5580.140	5470 to 5725	Pass
					50	5.0	5580.000	5470 to 5725	Pass
		5700	/	/	20	4.5	5700.020	5470 to 5725	Pass
						5.0	5700.040	5470 to 5725	Pass
						5.5	5699.980	5470 to 5725	Pass
					-30	5.0	5700.060	5470 to 5725	Pass
					-20	5.0	5700.040	5470 to 5725	Pass
					-10	5.0	5700.060	5470 to 5725	Pass
					0	5.0	5700.000	5470 to 5725	Pass
					10	5.0	5700.000	5470 to 5725	Pass
					30	5.0	5700.060	5470 to 5725	Pass
					40	5.0	5700.080	5470 to 5725	Pass
					50	5.0	5700.080	5470 to 5725	Pass
		5745	/	/	20	4.5	5745.020	5725 to 5850	Pass
						5.0	5744.960	5725 to 5850	Pass
						5.5	5744.960	5725 to 5850	Pass
					-30	5.0	5745.040	5725 to 5850	Pass
					-20	5.0	5745.040	5725 to 5850	Pass
					-10	5.0	5745.020	5725 to 5850	Pass
					0	5.0	5745.040	5725 to 5850	Pass
					10	5.0	5745.100	5725 to 5850	Pass
					30	5.0	5744.980	5725 to 5850	Pass
					40	5.0	5745.060	5725 to 5850	Pass
					50	5.0	5745.040	5725 to 5850	Pass
		5785	/	/	20	4.5	5784.980	5725 to 5850	Pass
						5.0	5785.080	5725 to 5850	Pass
						5.5	5785.020	5725 to 5850	Pass
					-30	5.0	5785.040	5725 to 5850	Pass
					-20	5.0	5785.080	5725 to 5850	Pass
					-10	5.0	5785.020	5725 to 5850	Pass
					0	5.0	5785.080	5725 to 5850	Pass
					10	5.0	5785.100	5725 to 5850	Pass
					30	5.0	5785.040	5725 to 5850	Pass

		5825	/	/	40	5.0	5785.080	5725 to 5850	Pass
					50	5.0	5785.040	5725 to 5850	Pass
					20	4.5	5825.060	5725 to 5850	Pass
						5.0	5825.040	5725 to 5850	Pass
						5.5	5825.040	5725 to 5850	Pass
					-30	5.0	5825.040	5725 to 5850	Pass
					-20	5.0	5825.060	5725 to 5850	Pass
					-10	5.0	5825.020	5725 to 5850	Pass
					0	5.0	5825.060	5725 to 5850	Pass
					10	5.0	5825.100	5725 to 5850	Pass
					30	5.0	5825.100	5725 to 5850	Pass
					40	5.0	5825.040	5725 to 5850	Pass
					50	5.0	5825.040	5725 to 5850	Pass
802.11ac (VHT20)	SISO	5180	/	/	20	4.5	5180.020	5150 to 5250	Pass
						5.0	5180.000	5150 to 5250	Pass
						5.5	5180.000	5150 to 5250	Pass
					-30	5.0	5180.020	5150 to 5250	Pass
					-20	5.0	5180.040	5150 to 5250	Pass
					-10	5.0	5180.080	5150 to 5250	Pass
					0	5.0	5180.040	5150 to 5250	Pass
					10	5.0	5179.980	5150 to 5250	Pass
					30	5.0	5180.000	5150 to 5250	Pass
					40	5.0	5180.040	5150 to 5250	Pass
					50	5.0	5179.980	5150 to 5250	Pass
		5200	/	/	20	4.5	5200.060	5150 to 5250	Pass
						5.0	5199.960	5150 to 5250	Pass
						5.5	5200.020	5150 to 5250	Pass
					-30	5.0	5200.020	5150 to 5250	Pass
					-20	5.0	5200.020	5150 to 5250	Pass
					-10	5.0	5200.000	5150 to 5250	Pass
					0	5.0	5200.100	5150 to 5250	Pass
					10	5.0	5200.020	5150 to 5250	Pass
					30	5.0	5200.000	5150 to 5250	Pass
					40	5.0	5200.080	5150 to 5250	Pass
					50	5.0	5200.060	5150 to 5250	Pass
		5240	/	/	20	4.5	5240.020	5150 to 5250	Pass
						5.0	5240.020	5150 to 5250	Pass
						5.5	5240.100	5150 to 5250	Pass
					-30	5.0	5240.020	5150 to 5250	Pass
					-20	5.0	5240.020	5150 to 5250	Pass
					-10	5.0	5240.040	5150 to 5250	Pass
					0	5.0	5240.020	5150 to 5250	Pass
					10	5.0	5240.060	5150 to 5250	Pass

					30	5.0	5240.020	5150 to 5250	Pass
					40	5.0	5240.020	5150 to 5250	Pass
					50	5.0	5240.080	5150 to 5250	Pass
		5260	/	/	20	4.5	5260.040	5250 to 5350	Pass
						5.0	5260.040	5250 to 5350	Pass
						5.5	5260.040	5250 to 5350	Pass
					-30	5.0	5260.040	5250 to 5350	Pass
					-20	5.0	5260.060	5250 to 5350	Pass
					-10	5.0	5260.040	5250 to 5350	Pass
					0	5.0	5260.060	5250 to 5350	Pass
					10	5.0	5260.040	5250 to 5350	Pass
					30	5.0	5260.000	5250 to 5350	Pass
					40	5.0	5260.060	5250 to 5350	Pass
					50	5.0	5260.060	5250 to 5350	Pass
		5300	/	/	20	4.5	5300.040	5250 to 5350	Pass
						5.0	5300.020	5250 to 5350	Pass
						5.5	5300.040	5250 to 5350	Pass
					-30	5.0	5299.980	5250 to 5350	Pass
					-20	5.0	5300.060	5250 to 5350	Pass
					-10	5.0	5300.020	5250 to 5350	Pass
					0	5.0	5300.040	5250 to 5350	Pass
					10	5.0	5300.040	5250 to 5350	Pass
					30	5.0	5300.080	5250 to 5350	Pass
					40	5.0	5300.060	5250 to 5350	Pass
					50	5.0	5300.000	5250 to 5350	Pass
		5320	/	/	20	4.5	5319.980	5250 to 5350	Pass
						5.0	5320.080	5250 to 5350	Pass
						5.5	5320.100	5250 to 5350	Pass
					-30	5.0	5320.020	5250 to 5350	Pass
					-20	5.0	5320.020	5250 to 5350	Pass
					-10	5.0	5320.060	5250 to 5350	Pass
					0	5.0	5320.020	5250 to 5350	Pass
					10	5.0	5320.000	5250 to 5350	Pass
					30	5.0	5320.040	5250 to 5350	Pass
					40	5.0	5320.040	5250 to 5350	Pass
					50	5.0	5320.020	5250 to 5350	Pass
		5500	/	/	20	4.5	5500.000	5470 to 5725	Pass
						5.0	5500.040	5470 to 5725	Pass
						5.5	5500.060	5470 to 5725	Pass
					-30	5.0	5500.060	5470 to 5725	Pass
					-20	5.0	5499.980	5470 to 5725	Pass
					-10	5.0	5500.060	5470 to 5725	Pass
					0	5.0	5500.000	5470 to 5725	Pass

					10	5.0	5500.040	5470 to 5725	Pass
					30	5.0	5500.060	5470 to 5725	Pass
					40	5.0	5500.020	5470 to 5725	Pass
					50	5.0	5500.040	5470 to 5725	Pass
		5580	/	/	20	4.5	5579.980	5470 to 5725	Pass
						5.0	5580.020	5470 to 5725	Pass
						5.5	5580.060	5470 to 5725	Pass
					-30	5.0	5580.040	5470 to 5725	Pass
					-20	5.0	5580.040	5470 to 5725	Pass
					-10	5.0	5579.980	5470 to 5725	Pass
					0	5.0	5580.040	5470 to 5725	Pass
					10	5.0	5580.040	5470 to 5725	Pass
					30	5.0	5580.020	5470 to 5725	Pass
					40	5.0	5580.040	5470 to 5725	Pass
					50	5.0	5580.020	5470 to 5725	Pass
		5700	/	/	20	4.5	5700.040	5470 to 5725	Pass
						5.0	5700.060	5470 to 5725	Pass
						5.5	5700.080	5470 to 5725	Pass
					-30	5.0	5700.060	5470 to 5725	Pass
					-20	5.0	5700.060	5470 to 5725	Pass
					-10	5.0	5700.020	5470 to 5725	Pass
					0	5.0	5700.020	5470 to 5725	Pass
					10	5.0	5700.120	5470 to 5725	Pass
					30	5.0	5700.020	5470 to 5725	Pass
					40	5.0	5700.040	5470 to 5725	Pass
					50	5.0	5700.060	5470 to 5725	Pass
		5745	/	/	20	4.5	5745.060	5725 to 5850	Pass
						5.0	5745.040	5725 to 5850	Pass
						5.5	5745.020	5725 to 5850	Pass
					-30	5.0	5744.940	5725 to 5850	Pass
					-20	5.0	5745.060	5725 to 5850	Pass
					-10	5.0	5745.000	5725 to 5850	Pass
					0	5.0	5745.000	5725 to 5850	Pass
					10	5.0	5745.000	5725 to 5850	Pass
					30	5.0	5745.040	5725 to 5850	Pass
					40	5.0	5745.000	5725 to 5850	Pass
					50	5.0	5745.040	5725 to 5850	Pass
		5785	/	/	20	4.5	5785.000	5725 to 5850	Pass
						5.0	5785.040	5725 to 5850	Pass
						5.5	5785.060	5725 to 5850	Pass
					-30	5.0	5785.100	5725 to 5850	Pass
					-20	5.0	5785.040	5725 to 5850	Pass
					-10	5.0	5785.060	5725 to 5850	Pass

					0	5.0	5785.060	5725 to 5850	Pass
					10	5.0	5785.020	5725 to 5850	Pass
					30	5.0	5785.120	5725 to 5850	Pass
					40	5.0	5785.000	5725 to 5850	Pass
					50	5.0	5785.020	5725 to 5850	Pass
		5825	/	/	20	4.5	5825.020	5725 to 5850	Pass
						5.0	5825.000	5725 to 5850	Pass
						5.5	5825.020	5725 to 5850	Pass
					-30	5.0	5825.000	5725 to 5850	Pass
					-20	5.0	5825.000	5725 to 5850	Pass
					-10	5.0	5825.000	5725 to 5850	Pass
					0	5.0	5825.060	5725 to 5850	Pass
					10	5.0	5824.980	5725 to 5850	Pass
					30	5.0	5825.040	5725 to 5850	Pass
					40	5.0	5825.000	5725 to 5850	Pass
					50	5.0	5824.960	5725 to 5850	Pass
		5190	/	/	20	4.5	5190.080	5150 to 5250	Pass
						5.0	5190.040	5150 to 5250	Pass
						5.5	5190.040	5150 to 5250	Pass
					-30	5.0	5190.120	5150 to 5250	Pass
					-20	5.0	5190.080	5150 to 5250	Pass
					-10	5.0	5190.080	5150 to 5250	Pass
					0	5.0	5190.120	5150 to 5250	Pass
					10	5.0	5190.120	5150 to 5250	Pass
					30	5.0	5190.040	5150 to 5250	Pass
					40	5.0	5190.040	5150 to 5250	Pass
					50	5.0	5190.040	5150 to 5250	Pass
		5230	/	/	20	4.5	5230.000	5150 to 5250	Pass
						5.0	5230.040	5150 to 5250	Pass
						5.5	5230.120	5150 to 5250	Pass
					-30	5.0	5230.080	5150 to 5250	Pass
					-20	5.0	5230.160	5150 to 5250	Pass
					-10	5.0	5230.040	5150 to 5250	Pass
					0	5.0	5230.080	5150 to 5250	Pass
					10	5.0	5230.080	5150 to 5250	Pass
					30	5.0	5230.000	5150 to 5250	Pass
					40	5.0	5230.080	5150 to 5250	Pass
					50	5.0	5230.120	5150 to 5250	Pass
		5270	/	/	20	4.5	5270.080	5250 to 5350	Pass
						5.0	5270.040	5250 to 5350	Pass
						5.5	5270.040	5250 to 5350	Pass
					-30	5.0	5270.040	5250 to 5350	Pass
					-20	5.0	5270.200	5250 to 5350	Pass

					-10	5.0	5270.080	5250 to 5350	Pass
					0	5.0	5270.080	5250 to 5350	Pass
					10	5.0	5270.080	5250 to 5350	Pass
					30	5.0	5270.080	5250 to 5350	Pass
					40	5.0	5270.080	5250 to 5350	Pass
					50	5.0	5270.040	5250 to 5350	Pass
		5310	/	/	20	4.5	5310.000	5250 to 5350	Pass
						5.0	5310.040	5250 to 5350	Pass
						5.5	5310.040	5250 to 5350	Pass
					-30	5.0	5310.080	5250 to 5350	Pass
					-20	5.0	5310.080	5250 to 5350	Pass
					-10	5.0	5310.120	5250 to 5350	Pass
					0	5.0	5310.080	5250 to 5350	Pass
					10	5.0	5310.000	5250 to 5350	Pass
					30	5.0	5310.120	5250 to 5350	Pass
					40	5.0	5310.040	5250 to 5350	Pass
					50	5.0	5310.080	5250 to 5350	Pass
		5510	/	/	20	4.5	5510.120	5470 to 5725	Pass
						5.0	5510.080	5470 to 5725	Pass
						5.5	5510.080	5470 to 5725	Pass
					-30	5.0	5510.160	5470 to 5725	Pass
					-20	5.0	5510.080	5470 to 5725	Pass
					-10	5.0	5510.160	5470 to 5725	Pass
					0	5.0	5510.120	5470 to 5725	Pass
					10	5.0	5510.080	5470 to 5725	Pass
					30	5.0	5510.160	5470 to 5725	Pass
					40	5.0	5510.080	5470 to 5725	Pass
					50	5.0	5510.120	5470 to 5725	Pass
		5550	/	/	20	4.5	5550.040	5470 to 5725	Pass
						5.0	5550.080	5470 to 5725	Pass
						5.5	5550.080	5470 to 5725	Pass
					-30	5.0	5550.120	5470 to 5725	Pass
					-20	5.0	5550.040	5470 to 5725	Pass
					-10	5.0	5550.120	5470 to 5725	Pass
					0	5.0	5550.040	5470 to 5725	Pass
					10	5.0	5550.160	5470 to 5725	Pass
					30	5.0	5550.080	5470 to 5725	Pass
					40	5.0	5550.080	5470 to 5725	Pass
					50	5.0	5550.080	5470 to 5725	Pass
		5670	/	/	20	4.5	5670.120	5470 to 5725	Pass
						5.0	5670.120	5470 to 5725	Pass
						5.5	5670.080	5470 to 5725	Pass
					-30	5.0	5670.040	5470 to 5725	Pass

802.11ac (VHT80)	SISO				-20	5.0	5670.040	5470 to 5725	Pass
					-10	5.0	5670.080	5470 to 5725	Pass
					0	5.0	5670.120	5470 to 5725	Pass
					10	5.0	5670.120	5470 to 5725	Pass
					30	5.0	5669.960	5470 to 5725	Pass
					40	5.0	5670.040	5470 to 5725	Pass
					50	5.0	5670.040	5470 to 5725	Pass
		5755	/	/	20	4.5	5755.080	5725 to 5850	Pass
						5.0	5755.080	5725 to 5850	Pass
						5.5	5755.160	5725 to 5850	Pass
					-30	5.0	5755.120	5725 to 5850	Pass
					-20	5.0	5755.120	5725 to 5850	Pass
					-10	5.0	5755.080	5725 to 5850	Pass
					0	5.0	5755.040	5725 to 5850	Pass
					10	5.0	5755.000	5725 to 5850	Pass
					30	5.0	5755.080	5725 to 5850	Pass
					40	5.0	5755.200	5725 to 5850	Pass
					50	5.0	5755.120	5725 to 5850	Pass
		5795	/	/	20	4.5	5795.080	5725 to 5850	Pass
						5.0	5795.040	5725 to 5850	Pass
						5.5	5795.040	5725 to 5850	Pass
					-30	5.0	5795.160	5725 to 5850	Pass
					-20	5.0	5795.080	5725 to 5850	Pass
					-10	5.0	5795.080	5725 to 5850	Pass
					0	5.0	5795.120	5725 to 5850	Pass
					10	5.0	5795.040	5725 to 5850	Pass
					30	5.0	5795.080	5725 to 5850	Pass
					40	5.0	5795.080	5725 to 5850	Pass
					50	5.0	5795.080	5725 to 5850	Pass
		5210	/	/	20	4.5	5210.000	5150 to 5250	Pass
						5.0	5210.075	5150 to 5250	Pass
						5.5	5210.000	5150 to 5250	Pass
					-30	5.0	5210.000	5150 to 5250	Pass
					-20	5.0	5210.000	5150 to 5250	Pass
					-10	5.0	5210.000	5150 to 5250	Pass
					0	5.0	5210.000	5150 to 5250	Pass
					10	5.0	5210.075	5150 to 5250	Pass
					30	5.0	5210.000	5150 to 5250	Pass
					40	5.0	5210.075	5150 to 5250	Pass
					50	5.0	5210.000	5150 to 5250	Pass
		5290	/	/	20	4.5	5290.150	5250 to 5350	Pass
						5.0	5290.075	5250 to 5350	Pass
						5.5	5290.000	5250 to 5350	Pass

					-30	5.0	5290.150	5250 to 5350	Pass
					-20	5.0	5290.150	5250 to 5350	Pass
					-10	5.0	5290.150	5250 to 5350	Pass
					0	5.0	5290.000	5250 to 5350	Pass
					10	5.0	5290.075	5250 to 5350	Pass
					30	5.0	5290.075	5250 to 5350	Pass
					40	5.0	5290.075	5250 to 5350	Pass
					50	5.0	5290.075	5250 to 5350	Pass
		5530	/	/	20	4.5	5530.075	5470 to 5725	Pass
						5.0	5530.075	5470 to 5725	Pass
						5.5	5530.075	5470 to 5725	Pass
					-30	5.0	5530.075	5470 to 5725	Pass
					-20	5.0	5530.075	5470 to 5725	Pass
					-10	5.0	5530.075	5470 to 5725	Pass
					0	5.0	5530.000	5470 to 5725	Pass
					10	5.0	5530.150	5470 to 5725	Pass
					30	5.0	5530.075	5470 to 5725	Pass
					40	5.0	5530.075	5470 to 5725	Pass
					50	5.0	5530.000	5470 to 5725	Pass
		5610	/	/	20	4.5	5610.000	5470 to 5725	Pass
						5.0	5610.000	5470 to 5725	Pass
						5.5	5610.075	5470 to 5725	Pass
					-30	5.0	5610.000	5470 to 5725	Pass
					-20	5.0	5610.075	5470 to 5725	Pass
					-10	5.0	5610.000	5470 to 5725	Pass
					0	5.0	5610.000	5470 to 5725	Pass
					10	5.0	5610.000	5470 to 5725	Pass
					30	5.0	5610.000	5470 to 5725	Pass
					40	5.0	5610.000	5470 to 5725	Pass
					50	5.0	5610.000	5470 to 5725	Pass
		5775	/	/	20	4.5	5775.150	5725 to 5850	Pass
						5.0	5775.150	5725 to 5850	Pass
						5.5	5775.150	5725 to 5850	Pass
					-30	5.0	5775.150	5725 to 5850	Pass
					-20	5.0	5775.150	5725 to 5850	Pass
					-10	5.0	5775.150	5725 to 5850	Pass
					0	5.0	5775.150	5725 to 5850	Pass
					10	5.0	5775.150	5725 to 5850	Pass
					30	5.0	5775.075	5725 to 5850	Pass
					40	5.0	5775.075	5725 to 5850	Pass
					50	5.0	5775.075	5725 to 5850	Pass
802.11ax (HEW20)	SISO	5180	SU	/	20	4.5	5180.020	5150 to 5250	Pass
						5.0	5180.060	5150 to 5250	Pass

						5.5	5180.020	5150 to 5250	Pass
					-30	5.0	5180.000	5150 to 5250	Pass
					-20	5.0	5180.140	5150 to 5250	Pass
					-10	5.0	5180.060	5150 to 5250	Pass
					0	5.0	5180.020	5150 to 5250	Pass
					10	5.0	5180.100	5150 to 5250	Pass
					30	5.0	5180.000	5150 to 5250	Pass
					40	5.0	5180.140	5150 to 5250	Pass
					50	5.0	5180.020	5150 to 5250	Pass
		5200	SU	/	20	4.5	5200.040	5150 to 5250	Pass
						5.0	5200.080	5150 to 5250	Pass
						5.5	5200.040	5150 to 5250	Pass
					-30	5.0	5200.000	5150 to 5250	Pass
					-20	5.0	5200.000	5150 to 5250	Pass
					-10	5.0	5200.020	5150 to 5250	Pass
					0	5.0	5200.060	5150 to 5250	Pass
					10	5.0	5200.060	5150 to 5250	Pass
					30	5.0	5200.040	5150 to 5250	Pass
					40	5.0	5200.020	5150 to 5250	Pass
					50	5.0	5200.000	5150 to 5250	Pass
		5240	SU	/	20	4.5	5240.060	5150 to 5250	Pass
						5.0	5240.040	5150 to 5250	Pass
						5.5	5240.060	5150 to 5250	Pass
					-30	5.0	5240.100	5150 to 5250	Pass
					-20	5.0	5239.960	5150 to 5250	Pass
					-10	5.0	5240.140	5150 to 5250	Pass
					0	5.0	5240.040	5150 to 5250	Pass
					10	5.0	5240.060	5150 to 5250	Pass
					30	5.0	5240.060	5150 to 5250	Pass
					40	5.0	5240.080	5150 to 5250	Pass
					50	5.0	5240.120	5150 to 5250	Pass
		5260	SU	/	20	4.5	5260.040	5250 to 5350	Pass
						5.0	5260.160	5250 to 5350	Pass
						5.5	5260.100	5250 to 5350	Pass
					-30	5.0	5260.080	5250 to 5350	Pass
					-20	5.0	5260.080	5250 to 5350	Pass
					-10	5.0	5260.100	5250 to 5350	Pass
					0	5.0	5260.100	5250 to 5350	Pass
					10	5.0	5260.140	5250 to 5350	Pass
					30	5.0	5260.080	5250 to 5350	Pass
					40	5.0	5260.140	5250 to 5350	Pass
					50	5.0	5260.080	5250 to 5350	Pass
		5300	SU	/	20	4.5	5300.040	5250 to 5350	Pass

						5.0	5300.180	5250 to 5350	Pass
						5.5	5300.080	5250 to 5350	Pass
					-30	5.0	5300.180	5250 to 5350	Pass
					-20	5.0	5300.080	5250 to 5350	Pass
					-10	5.0	5300.160	5250 to 5350	Pass
					0	5.0	5300.100	5250 to 5350	Pass
					10	5.0	5300.140	5250 to 5350	Pass
					30	5.0	5300.060	5250 to 5350	Pass
					40	5.0	5300.160	5250 to 5350	Pass
					50	5.0	5300.080	5250 to 5350	Pass
		5320	SU	/	20	4.5	5320.120	5250 to 5350	Pass
						5.0	5320.060	5250 to 5350	Pass
						5.5	5320.060	5250 to 5350	Pass
					-30	5.0	5320.040	5250 to 5350	Pass
					-20	5.0	5320.100	5250 to 5350	Pass
					-10	5.0	5320.060	5250 to 5350	Pass
					0	5.0	5320.120	5250 to 5350	Pass
					10	5.0	5320.060	5250 to 5350	Pass
					30	5.0	5320.060	5250 to 5350	Pass
					40	5.0	5320.060	5250 to 5350	Pass
					50	5.0	5320.080	5250 to 5350	Pass
		5500	SU	/	20	4.5	5500.160	5470 to 5725	Pass
						5.0	5500.040	5470 to 5725	Pass
						5.5	5500.120	5470 to 5725	Pass
					-30	5.0	5500.060	5470 to 5725	Pass
					-20	5.0	5500.100	5470 to 5725	Pass
					-10	5.0	5500.020	5470 to 5725	Pass
					0	5.0	5499.960	5470 to 5725	Pass
					10	5.0	5500.060	5470 to 5725	Pass
					30	5.0	5500.080	5470 to 5725	Pass
					40	5.0	5500.040	5470 to 5725	Pass
					50	5.0	5500.060	5470 to 5725	Pass
		5580	SU	/	20	4.5	5580.040	5470 to 5725	Pass
						5.0	5580.020	5470 to 5725	Pass
						5.5	5580.000	5470 to 5725	Pass
					-30	5.0	5580.060	5470 to 5725	Pass
					-20	5.0	5580.000	5470 to 5725	Pass
					-10	5.0	5580.040	5470 to 5725	Pass
					0	5.0	5580.080	5470 to 5725	Pass
					10	5.0	5580.080	5470 to 5725	Pass
					30	5.0	5580.140	5470 to 5725	Pass
					40	5.0	5580.040	5470 to 5725	Pass
					50	5.0	5580.060	5470 to 5725	Pass

		5700	SU	/	20	4.5	5700.100	5470 to 5725	Pass
						5.0	5700.080	5470 to 5725	Pass
						5.5	5700.000	5470 to 5725	Pass
					-30	5.0	5700.040	5470 to 5725	Pass
					-20	5.0	5700.080	5470 to 5725	Pass
					-10	5.0	5700.100	5470 to 5725	Pass
					0	5.0	5700.120	5470 to 5725	Pass
					10	5.0	5700.020	5470 to 5725	Pass
					30	5.0	5700.060	5470 to 5725	Pass
					40	5.0	5700.080	5470 to 5725	Pass
					50	5.0	5700.080	5470 to 5725	Pass
		5745	SU	/	20	4.5	5745.100	5725 to 5850	Pass
						5.0	5745.060	5725 to 5850	Pass
						5.5	5745.060	5725 to 5850	Pass
					-30	5.0	5745.080	5725 to 5850	Pass
					-20	5.0	5745.120	5725 to 5850	Pass
					-10	5.0	5745.060	5725 to 5850	Pass
					0	5.0	5745.120	5725 to 5850	Pass
					10	5.0	5745.080	5725 to 5850	Pass
					30	5.0	5745.100	5725 to 5850	Pass
					40	5.0	5745.140	5725 to 5850	Pass
					50	5.0	5745.080	5725 to 5850	Pass
		5785	SU	/	20	4.5	5785.140	5725 to 5850	Pass
						5.0	5785.120	5725 to 5850	Pass
						5.5	5785.100	5725 to 5850	Pass
					-30	5.0	5785.100	5725 to 5850	Pass
					-20	5.0	5785.060	5725 to 5850	Pass
					-10	5.0	5785.200	5725 to 5850	Pass
					0	5.0	5785.000	5725 to 5850	Pass
					10	5.0	5785.100	5725 to 5850	Pass
					30	5.0	5785.100	5725 to 5850	Pass
					40	5.0	5785.140	5725 to 5850	Pass
					50	5.0	5785.080	5725 to 5850	Pass
		5825	SU	/	20	4.5	5825.080	5725 to 5850	Pass
						5.0	5825.100	5725 to 5850	Pass
						5.5	5825.060	5725 to 5850	Pass
					-30	5.0	5825.100	5725 to 5850	Pass
					-20	5.0	5825.080	5725 to 5850	Pass
					-10	5.0	5825.100	5725 to 5850	Pass
					0	5.0	5825.160	5725 to 5850	Pass
					10	5.0	5825.140	5725 to 5850	Pass
					30	5.0	5825.060	5725 to 5850	Pass
					40	5.0	5825.080	5725 to 5850	Pass