

					50	5.0	5825.120	5725 to 5850	Pass
802.11ax (HEW40)	SISO	5190	SU	/	20	4.5	5190.080	5150 to 5250	Pass
						5.0	5190.080	5150 to 5250	Pass
						5.5	5190.000	5150 to 5250	Pass
					-30	5.0	5190.120	5150 to 5250	Pass
					-20	5.0	5190.080	5150 to 5250	Pass
					-10	5.0	5190.040	5150 to 5250	Pass
					0	5.0	5190.000	5150 to 5250	Pass
					10	5.0	5190.080	5150 to 5250	Pass
					30	5.0	5190.080	5150 to 5250	Pass
					40	5.0	5190.040	5150 to 5250	Pass
					50	5.0	5190.120	5150 to 5250	Pass
		5230	SU	/	20	4.5	5230.080	5150 to 5250	Pass
						5.0	5230.080	5150 to 5250	Pass
						5.5	5230.120	5150 to 5250	Pass
					-30	5.0	5230.080	5150 to 5250	Pass
					-20	5.0	5230.120	5150 to 5250	Pass
					-10	5.0	5230.080	5150 to 5250	Pass
					0	5.0	5230.160	5150 to 5250	Pass
					10	5.0	5230.080	5150 to 5250	Pass
					30	5.0	5230.120	5150 to 5250	Pass
					40	5.0	5230.080	5150 to 5250	Pass
					50	5.0	5230.080	5150 to 5250	Pass
		5270	SU	/	20	4.5	5270.000	5250 to 5350	Pass
						5.0	5270.040	5250 to 5350	Pass
						5.5	5270.080	5250 to 5350	Pass
					-30	5.0	5270.120	5250 to 5350	Pass
					-20	5.0	5270.080	5250 to 5350	Pass
					-10	5.0	5270.000	5250 to 5350	Pass
					0	5.0	5270.040	5250 to 5350	Pass
					10	5.0	5270.080	5250 to 5350	Pass
					30	5.0	5270.080	5250 to 5350	Pass
					40	5.0	5270.080	5250 to 5350	Pass
					50	5.0	5270.120	5250 to 5350	Pass
		5310	SU	/	20	4.5	5310.080	5250 to 5350	Pass
						5.0	5310.160	5250 to 5350	Pass
						5.5	5310.000	5250 to 5350	Pass
					-30	5.0	5310.120	5250 to 5350	Pass
					-20	5.0	5310.040	5250 to 5350	Pass
					-10	5.0	5310.120	5250 to 5350	Pass
					0	5.0	5310.040	5250 to 5350	Pass
					10	5.0	5310.120	5250 to 5350	Pass
					30	5.0	5310.120	5250 to 5350	Pass

					40	5.0	5310.120	5250 to 5350	Pass
					50	5.0	5310.120	5250 to 5350	Pass
		5510	SU	/	20	4.5	5510.120	5470 to 5725	Pass
						5.0	5510.080	5470 to 5725	Pass
						5.5	5510.080	5470 to 5725	Pass
					-30	5.0	5510.040	5470 to 5725	Pass
					-20	5.0	5510.000	5470 to 5725	Pass
					-10	5.0	5510.000	5470 to 5725	Pass
					0	5.0	5510.120	5470 to 5725	Pass
					10	5.0	5510.120	5470 to 5725	Pass
					30	5.0	5510.120	5470 to 5725	Pass
					40	5.0	5510.080	5470 to 5725	Pass
					50	5.0	5510.080	5470 to 5725	Pass
		5550	SU	/	20	4.5	5550.120	5470 to 5725	Pass
						5.0	5550.040	5470 to 5725	Pass
						5.5	5550.080	5470 to 5725	Pass
					-30	5.0	5550.040	5470 to 5725	Pass
					-20	5.0	5550.000	5470 to 5725	Pass
					-10	5.0	5550.120	5470 to 5725	Pass
					0	5.0	5550.080	5470 to 5725	Pass
					10	5.0	5550.160	5470 to 5725	Pass
					30	5.0	5550.080	5470 to 5725	Pass
					40	5.0	5550.040	5470 to 5725	Pass
					50	5.0	5550.080	5470 to 5725	Pass
		5670	SU	/	20	4.5	5670.040	5470 to 5725	Pass
						5.0	5670.120	5470 to 5725	Pass
						5.5	5670.120	5470 to 5725	Pass
					-30	5.0	5670.040	5470 to 5725	Pass
					-20	5.0	5670.080	5470 to 5725	Pass
					-10	5.0	5670.120	5470 to 5725	Pass
					0	5.0	5670.080	5470 to 5725	Pass
					10	5.0	5670.120	5470 to 5725	Pass
					30	5.0	5670.120	5470 to 5725	Pass
					40	5.0	5670.120	5470 to 5725	Pass
					50	5.0	5670.040	5470 to 5725	Pass
		5755	SU	/	20	4.5	5755.120	5725 to 5850	Pass
						5.0	5755.080	5725 to 5850	Pass
						5.5	5755.120	5725 to 5850	Pass
					-30	5.0	5755.080	5725 to 5850	Pass
					-20	5.0	5755.040	5725 to 5850	Pass
					-10	5.0	5755.120	5725 to 5850	Pass
					0	5.0	5755.080	5725 to 5850	Pass
					10	5.0	5755.160	5725 to 5850	Pass

					30	5.0	5755.120	5725 to 5850	Pass
					40	5.0	5755.080	5725 to 5850	Pass
					50	5.0	5755.120	5725 to 5850	Pass
		5795	SU	/	20	4.5	5795.080	5725 to 5850	Pass
						5.0	5795.120	5725 to 5850	Pass
						5.5	5795.120	5725 to 5850	Pass
					-30	5.0	5795.080	5725 to 5850	Pass
					-20	5.0	5795.040	5725 to 5850	Pass
					-10	5.0	5795.080	5725 to 5850	Pass
					0	5.0	5795.080	5725 to 5850	Pass
					10	5.0	5795.120	5725 to 5850	Pass
					30	5.0	5795.120	5725 to 5850	Pass
					40	5.0	5795.040	5725 to 5850	Pass
					50	5.0	5795.120	5725 to 5850	Pass
		5210	SU	/	20	4.5	5210.075	5150 to 5250	Pass
						5.0	5210.150	5150 to 5250	Pass
						5.5	5210.150	5150 to 5250	Pass
					-30	5.0	5210.150	5150 to 5250	Pass
					-20	5.0	5210.075	5150 to 5250	Pass
					-10	5.0	5210.075	5150 to 5250	Pass
					0	5.0	5210.075	5150 to 5250	Pass
					10	5.0	5210.150	5150 to 5250	Pass
					30	5.0	5210.000	5150 to 5250	Pass
					40	5.0	5210.075	5150 to 5250	Pass
					50	5.0	5210.075	5150 to 5250	Pass
		5290	SU	/	20	4.5	5290.150	5250 to 5350	Pass
						5.0	5290.075	5250 to 5350	Pass
						5.5	5290.150	5250 to 5350	Pass
					-30	5.0	5290.075	5250 to 5350	Pass
					-20	5.0	5290.150	5250 to 5350	Pass
					-10	5.0	5290.075	5250 to 5350	Pass
					0	5.0	5290.075	5250 to 5350	Pass
					10	5.0	5290.075	5250 to 5350	Pass
					30	5.0	5290.075	5250 to 5350	Pass
					40	5.0	5290.150	5250 to 5350	Pass
					50	5.0	5290.000	5250 to 5350	Pass
		5530	SU	/	20	4.5	5530.075	5470 to 5725	Pass
						5.0	5530.000	5470 to 5725	Pass
						5.5	5530.075	5470 to 5725	Pass
					-30	5.0	5530.075	5470 to 5725	Pass
					-20	5.0	5530.000	5470 to 5725	Pass
					-10	5.0	5530.075	5470 to 5725	Pass
					0	5.0	5530.075	5470 to 5725	Pass

					10	5.0	5530.075	5470 to 5725	Pass
					30	5.0	5530.075	5470 to 5725	Pass
					40	5.0	5530.075	5470 to 5725	Pass
					50	5.0	5530.000	5470 to 5725	Pass
		5610	SU	/	20	4.5	5610.150	5470 to 5725	Pass
						5.0	5610.075	5470 to 5725	Pass
						5.5	5610.000	5470 to 5725	Pass
					-30	5.0	5610.000	5470 to 5725	Pass
					-20	5.0	5610.075	5470 to 5725	Pass
					-10	5.0	5610.000	5470 to 5725	Pass
					0	5.0	5610.000	5470 to 5725	Pass
					10	5.0	5610.075	5470 to 5725	Pass
					30	5.0	5610.000	5470 to 5725	Pass
					40	5.0	5610.000	5470 to 5725	Pass
					50	5.0	5610.075	5470 to 5725	Pass
		5775	SU	/	20	4.5	5775.150	5725 to 5850	Pass
						5.0	5775.150	5725 to 5850	Pass
						5.5	5775.150	5725 to 5850	Pass
					-30	5.0	5775.150	5725 to 5850	Pass
					-20	5.0	5775.150	5725 to 5850	Pass
					-10	5.0	5775.150	5725 to 5850	Pass
					0	5.0	5775.150	5725 to 5850	Pass
					10	5.0	5775.150	5725 to 5850	Pass
					30	5.0	5775.075	5725 to 5850	Pass
					40	5.0	5775.075	5725 to 5850	Pass
					50	5.0	5775.075	5725 to 5850	Pass

6. DFS-Signal Calibration

6.1 Test Result

6.1.1 SC

Band: 2A						
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration	
			Type	Trial Id	Result	Limit
802.11ax (HEW80)	80	5290	0	0	Refer To Test Graph	Pass
			1	0	Refer To Test Graph	Pass
			2	0	Refer To Test Graph	Pass
			3	0	Refer To Test Graph	Pass
			4	0	Refer To Test Graph	Pass
			5	0	Refer To Test Graph	Pass
			6	0	Refer To Test Graph	Pass
802.11ax (HEW20)	20	5320	0	0	Refer To Test Graph	Pass
			1	0	Refer To Test Graph	Pass
			2	0	Refer To Test Graph	Pass
			3	0	Refer To Test Graph	Pass
			4	0	Refer To Test Graph	Pass
			5	0	Refer To Test Graph	Pass
			6	0	Refer To Test Graph	Pass


6.1.2 SC

Band: 2C						
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration	
			Type	Trial Id	Result	Limit
802.11ax (HEW80)	80	5530	0	0	Refer To Test Graph	Pass
			1	0	Refer To Test Graph	Pass
			2	0	Refer To Test Graph	Pass
			3	0	Refer To Test Graph	Pass
			4	0	Refer To Test Graph	Pass
			5	0	Refer To Test Graph	Pass
			6	0	Refer To Test Graph	Pass
802.11ax (HEW20)	20	5500	0	0	Refer To Test Graph	Pass
			1	0	Refer To Test Graph	Pass
			2	0	Refer To Test Graph	Pass
			3	0	Refer To Test Graph	Pass
			4	0	Refer To Test Graph	Pass
			5	0	Refer To Test Graph	Pass
			6	0	Refer To Test Graph	Pass


6.2 Test Graph

6.2.1 SC


Signal Calibration_802.11ax(HEW80)_2A_5290MHz_RadarType0_Trial0




Signal Calibration_802.11ax(HEW80)_2A_5290MHz_RadarType1_Trial0




Signal Calibration_802.11ax(HEW80)_2A_5290MHz_RadarType2_Trial0




Signal Calibration_802.11ax(HEW80)_2A_5290MHz_RadarType3_Trial0




Signal Calibration_802.11ax(HEW80)_2A_5290MHz_RadarType4_Trial0




Signal Calibration_802.11ax(HEW80)_2A_5290MHz_RadarType5_Trial0




Signal Calibration_802.11ax(HEW80)_2A_5290MHz_RadarType6_Trial0




Signal Calibration_802.11ax(HEW20)_2A_5320MHz_RadarType0_Trial0




Signal Calibration_802.11ax(HEW20)_2A_5320MHz_RadarType1_Trial0




Signal Calibration_802.11ax(HEW20)_2A_5320MHz_RadarType2_Trial0




Signal Calibration_802.11ax(HEW20)_2A_5320MHz_RadarType3_Trial0




Signal Calibration_802.11ax(HEW20)_2A_5320MHz_RadarType4_Trial0



Signal Calibration_802.11ax(HEW20)_2A_5320MHz_RadarType5_Trial0




Signal Calibration_802.11ax(HEW20)_2A_5320MHz_RadarType6_Trial0




6.2.2 SC


Signal Calibration_802.11ax(HEW80)_2C_5530MHz_RadarType0_Trial0




Signal Calibration_802.11ax(HEW80)_2C_5530MHz_RadarType1_Trial0




Signal Calibration_802.11ax(HEW80)_2C_5530MHz_RadarType2_Trial0




Signal Calibration_802.11ax(HEW80)_2C_5530MHz_RadarType3_Trial0




Signal Calibration_802.11ax(HEW80)_2C_5530MHz_RadarType4_Trial0




Signal Calibration_802.11ax(HEW80)_2C_5530MHz_RadarType5_Trial0




Signal Calibration_802.11ax(HEW80)_2C_5530MHz_RadarType6_Trial0




Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType0_Trial0




Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType1_Trial0




Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType2_Trial0




Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType3_Trial0




Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType4_Trial0



Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType5_Trial0



Signal Calibration_802.11ax(HEW20)_2C_5500MHz_RadarType6_Trial0





7. DFS-Channel Loading (Payload)

7.1 Test Result

7.1.1 Payload

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ax (HEW80)	80	5290	94.68	>=17	Pass
802.11ax (HEW20)	20	5320	76.35	>=17	Pass


7.1.2 Payload

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ax (HEW80)	80	5530	94.11	>=17	Pass
802.11ax (HEW20)	20	5500	77.70	>=17	Pass


7.2 Test Graph

7.2.1 Payload

Channel Loading (Payload) 802.11ax(HEW80) 2A 5290MHz




Channel Loading (Payload) 802.11ax(HEW20) 2A 5320MHz




7.2.2 Payload

Channel Loading (Payload) 802.11ax(HEW80) 2C 5530MHz



Channel Loading (Payload) 802.11ax(HEW20) 2C 5500MHz





8. DFS-Channel Move Time and Closing Transmission Time

8.1 Test Result

8.1.1 CMT_CTT

Band: 2A							
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Closing Transmission Time (ms)		Channel Move Time (s)		Verdict
			Result	Limit	Result	Limit	
802.11ax (HEW80)	80	5290	5.500	≤ 60	0.779	≤ 10	Pass
802.11ax (HEW20)	20	5320	6.000	≤ 60	0.819	≤ 10	Pass


8.1.2 CMT_CTT

Band: 2C							
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Closing Transmission Time (ms)		Channel Move Time (s)		Verdict
			Result	Limit	Result	Limit	
802.11ax (HEW80)	80	5530	5.500	≤ 60	0.786	≤ 10	Pass
802.11ax (HEW20)	20	5500	6.000	≤ 60	0.880	≤ 10	Pass


8.2 Test Graph

8.2.1 CMT_CTT

Channel Move Time and Closing Transmission Time 802.11ax(HEW80) 2A 5290MHz




Channel Move Time and Closing Transmission Time 802.11ax(HEW20) 2A 5320MHz




8.2.2 CMT_CTT

Channel Move Time and Closing Transmission Time_802.11ax(HEW80)_2C_5530MHz



Channel Move Time and Closing Transmission Time_802.11ax(HEW20)_2C_5500MHz



- End of the Report -