


Mode: 3DH5

Channel: 2402 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	36.99	39.66	2.67	74.00	34.34	150	247	PK	Vertical	PASS
2	2325.4700	39.23	42.09	2.86	74.00	31.91	150	19	PK	Vertical	PASS
3	2345.2300	39.66	42.64	2.98	74.00	31.36	150	240	PK	Vertical	PASS
4	2359.5300	39.44	42.40	2.96	74.00	31.60	150	19	PK	Vertical	PASS
5	2378.6400	39.24	42.30	3.06	74.00	31.70	150	345	PK	Vertical	PASS
6	2390.0000	38.67	41.62	2.95	74.00	32.38	150	9	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 3DH5

Channel: 2402 MHz

Test Graph


★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0000	38.13	40.80	2.67	74.00	33.20	150	165	PK	Horizontal	PASS
2	2324.5600	38.87	41.72	2.85	74.00	32.28	150	182	PK	Horizontal	PASS
3	2343.1500	38.97	41.88	2.91	74.00	32.12	150	249	PK	Horizontal	PASS
4	2367.8500	39.62	42.62	3.00	74.00	31.38	150	177	PK	Horizontal	PASS
5	2378.1200	39.77	42.85	3.08	74.00	31.15	150	337	PK	Horizontal	PASS
6	2390.0000	37.84	40.79	2.95	74.00	33.21	150	147	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 3DH5

Channel: 2480 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	38.48	41.94	3.46	74.00	32.06	150	0	PK	Vertical	PASS
2	2487.8500	38.90	42.37	3.47	74.00	31.63	150	188	PK	Vertical	PASS
3	2492.1500	39.01	42.57	3.56	74.00	31.43	150	26	PK	Vertical	PASS
4	2495.8000	39.76	43.32	3.56	74.00	30.68	150	30	PK	Vertical	PASS
5	2496.8500	39.12	42.71	3.59	74.00	31.29	150	184	PK	Vertical	PASS
6	2500.0000	38.13	41.63	3.50	74.00	32.37	150	42	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 3DH5

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2483.5000	37.98	41.44	3.46	74.00	32.56	150	225	PK	Horizontal	PASS
2	2487.0000	38.95	42.49	3.54	74.00	31.51	150	62	PK	Horizontal	PASS
3	2491.1000	39.52	43.07	3.55	74.00	30.93	150	271	PK	Horizontal	PASS
4	2495.0500	40.18	43.74	3.56	74.00	30.26	150	279	PK	Horizontal	PASS
5	2497.0000	39.76	43.35	3.59	74.00	30.65	150	275	PK	Horizontal	PASS
6	2500.0000	39.09	42.59	3.50	74.00	31.41	150	258	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Appendix L: Radiated emissions

Test Result


Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (DH5-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.



Suspected Data List									
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	36.0146	35.68	-16.16	40.00	4.32	150	243	Vertical	PASS
2	50.8571	34.88	-16.21	40.00	5.12	150	184	Vertical	PASS
3	143.986	32.61	-16.26	43.50	10.89	150	113	Vertical	PASS
4	186.185	30.10	-18.07	43.50	13.40	150	141	Vertical	PASS
5	432.105	31.64	-12.52	46.00	14.36	150	100	Vertical	PASS
6	722.261	39.56	-7.24	46.00	6.44	150	47	Vertical	PASS




● QP Detector ★ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	32.4252	31.24	-16.51	40.00	8.76	150	356	Horizontal	PASS
2	44.2604	34.49	-15.91	40.00	5.51	150	356	Horizontal	PASS
3	107.995	32.13	-18.96	43.50	11.37	150	116	Horizontal	PASS
4	143.986	33.76	-16.26	43.50	9.74	150	85	Horizontal	PASS
5	240.026	28.76	-18.28	46.00	17.24	150	223	Horizontal	PASS
6	433.463	33.86	-12.52	46.00	12.14	150	101	Horizontal	PASS

Mode: DH5

Channel: 2402 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1161.8000	42.95	42.66	-0.29	74.00	31.34	150	97	PK	Vertical	PASS
2	1997.2000	41.01	42.68	1.67	74.00	31.32	150	22	PK	Vertical	PASS
3	3320.0000	58.41	38.25	-20.16	74.00	35.75	150	111	PK	Vertical	PASS
4	4801.0000	55.39	40.70	-14.69	74.00	33.30	150	60	PK	Vertical	PASS
5	7789.5000	51.70	43.38	-8.32	74.00	30.62	150	305	PK	Vertical	PASS
6	10725.000	50.57	46.73	-3.84	74.00	27.27	150	236	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1304.0000	38.49	38.09	-0.40	74.00	35.91	150	281	PK	Horizontal	PASS
2	2011.8000	38.70	40.55	1.85	74.00	33.45	150	24	PK	Horizontal	PASS
3	4801.0000	54.61	39.92	-14.69	74.00	34.08	150	106	PK	Horizontal	PASS
4	7101.5000	52.05	42.31	-9.74	74.00	31.69	150	37	PK	Horizontal	PASS
5	9602.0000	54.53	49.44	-5.09	74.00	24.56	150	285	PK	Horizontal	PASS
6	12903.000	48.75	48.78	0.03	74.00	25.22	150	183	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: DH5

Channel: 2441 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1164.6000	41.36	41.14	-0.22	74.00	32.86	150	66	PK	Vertical	PASS
2	1830.6000	39.79	41.02	1.23	74.00	32.98	150	16	PK	Vertical	PASS
3	3320.0000	59.42	39.26	-20.16	74.00	34.74	150	99	PK	Vertical	PASS
4	4879.0000	57.39	43.29	-14.10	74.00	30.71	150	68	PK	Vertical	PASS
5	7088.5000	51.95	42.50	-9.45	74.00	31.50	150	316	PK	Vertical	PASS
6	9758.0000	51.69	47.09	-4.60	74.00	26.91	150	354	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: DH5

Channel: 2441 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1132.6000	38.56	38.18	-0.38	74.00	35.82	150	267	PK	Horizontal	PASS
2	1841.4000	38.86	40.19	1.33	74.00	33.81	150	182	PK	Horizontal	PASS
3	3602.5000	56.09	36.75	-19.34	74.00	37.25	150	29	PK	Horizontal	PASS
4	4878.5000	55.40	41.29	-14.11	74.00	32.71	150	97	PK	Horizontal	PASS
5	6261.5000	53.34	42.87	-10.47	74.00	31.13	150	66	PK	Horizontal	PASS
6	9757.5000	54.63	50.02	-4.61	74.00	23.98	150	4	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: DH5

Channel: 2480 MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1162.6000	43.56	43.29	-0.27	74.00	30.71	150	98	PK	Vertical	PASS
2	1998.6000	39.79	41.43	1.64	74.00	32.57	150	18	PK	Vertical	PASS
3	4292.5000	54.25	38.10	-16.15	74.00	35.90	150	200	PK	Vertical	PASS
4	6990.5000	52.29	42.90	-9.39	74.00	31.10	150	254	PK	Vertical	PASS
5	9826.5000	50.99	46.73	-4.26	74.00	27.27	150	135	PK	Vertical	PASS
6	13350.000	47.33	47.59	0.26	74.00	26.41	150	90	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: DH5

Channel: 2480 MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1161.0000	39.06	38.75	-0.31	74.00	35.25	150	132	PK	Horizontal	PASS
2	1989.2000	38.87	40.71	1.84	74.00	33.29	150	44	PK	Horizontal	PASS
3	4226.5000	54.18	36.98	-17.20	74.00	37.02	150	161	PK	Horizontal	PASS
4	6378.0000	52.61	42.46	-10.15	74.00	31.54	150	328	PK	Horizontal	PASS
5	8197.0000	51.41	43.90	-7.51	74.00	30.10	150	175	PK	Horizontal	PASS
6	9914.0000	52.15	47.81	-4.34	74.00	26.19	150	270	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2DH5

Channel: 2402 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1163.6000	43.40	43.15	-0.25	74.00	30.85	150	90	PK	Vertical	PASS
2	1710.8000	39.11	39.82	0.71	74.00	34.18	150	214	PK	Vertical	PASS
3	3988.5000	54.54	37.04	-17.50	74.00	36.96	150	89	PK	Vertical	PASS
4	6287.0000	52.99	42.04	-10.95	74.00	31.96	150	65	PK	Vertical	PASS
5	9602.0000	53.03	47.94	-5.09	74.00	26.06	150	29	PK	Vertical	PASS
6	11005.000	49.46	46.56	-2.90	74.00	27.44	150	4	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2DH5

Channel: 2402 MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1119.6000	38.64	38.23	-0.41	74.00	35.77	150	312	PK	Horizontal	PASS
2	1726.2000	39.20	39.84	0.64	74.00	34.16	150	294	PK	Horizontal	PASS
3	3588.0000	55.20	35.98	-19.22	74.00	38.02	150	296	PK	Horizontal	PASS
4	4801.0000	55.18	40.49	-14.69	74.00	33.51	150	94	PK	Horizontal	PASS
5	6460.5000	52.49	42.56	-9.93	74.00	31.44	150	327	PK	Horizontal	PASS
6	9601.5000	54.75	49.66	-5.09	74.00	24.34	150	360	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2DH5

Channel: 2441 MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1162.6000	45.21	44.94	-0.27	74.00	29.06	150	90	PK	Vertical	PASS
2	1993.0000	38.72	40.49	1.77	74.00	33.51	150	241	PK	Vertical	PASS
3	4879.0000	57.03	42.93	-14.10	74.00	31.07	150	66	PK	Vertical	PASS
4	6244.5000	52.92	42.57	-10.35	74.00	31.43	150	343	PK	Vertical	PASS
5	8417.5000	52.38	45.11	-7.27	74.00	28.89	150	331	PK	Vertical	PASS
6	11549.500	49.16	47.00	-2.16	74.00	27.00	150	54	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2DH5

Channel: 2441 MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1330.0000	38.79	38.18	-0.61	74.00	35.82	150	159	PK	Horizontal	PASS
2	1894.2000	39.06	40.53	1.47	74.00	33.47	150	121	PK	Horizontal	PASS
3	4879.0000	55.28	41.18	-14.10	74.00	32.82	150	103	PK	Horizontal	PASS
4	6979.5000	52.53	42.70	-9.83	74.00	31.30	150	34	PK	Horizontal	PASS
5	9758.0000	53.43	48.83	-4.60	74.00	25.17	150	292	PK	Horizontal	PASS
6	14279.000	48.28	49.77	1.49	74.00	24.23	150	109	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2DH5

Channel: 2480 MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1164.2000	41.08	40.85	-0.23	74.00	33.15	150	114	PK	Vertical	PASS
2	2008.0000	39.40	41.20	1.80	74.00	32.80	150	121	PK	Vertical	PASS
3	3414.0000	56.85	37.01	-19.84	74.00	36.99	150	195	PK	Vertical	PASS
4	5684.5000	53.77	41.10	-12.67	74.00	32.90	150	132	PK	Vertical	PASS
5	8432.5000	51.21	44.17	-7.04	74.00	29.83	150	328	PK	Vertical	PASS
6	13653.000	47.88	49.02	1.14	74.00	24.98	150	64	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 2DH5

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1201.4000	38.68	38.41	-0.27	74.00	35.59	150	196	PK	Horizontal	PASS
2	2012.8000	38.68	40.52	1.84	74.00	33.48	150	137	PK	Horizontal	PASS
3	3267.0000	57.24	37.42	-19.82	74.00	36.58	150	329	PK	Horizontal	PASS
4	4957.0000	55.83	41.29	-14.54	74.00	32.71	150	172	PK	Horizontal	PASS
5	7036.0000	52.35	42.71	-9.64	74.00	31.29	150	42	PK	Horizontal	PASS
6	9914.0000	51.90	47.56	-4.34	74.00	26.44	150	360	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 3DH5

Channel: 2402 MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1165.0000	43.89	43.69	-0.20	74.00	30.31	150	85	PK	Vertical	PASS
2	1995.0000	41.04	42.76	1.72	74.00	31.24	150	92	PK	Vertical	PASS
3	3321.0000	59.87	39.66	-20.21	74.00	34.34	150	101	PK	Vertical	PASS
4	4907.5000	54.45	41.23	-13.22	74.00	32.77	150	41	PK	Vertical	PASS
5	6699.0000	53.80	43.55	-10.25	74.00	30.45	150	242	PK	Vertical	PASS
6	11459.500	49.57	47.21	-2.36	74.00	26.79	150	23	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 3DH5

Channel: 2402 MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1165.4000	39.76	39.57	-0.19	74.00	34.43	150	142	PK	Horizontal	PASS
2	1867.6000	41.08	42.46	1.38	74.00	31.54	150	277	PK	Horizontal	PASS
3	3648.5000	56.37	37.17	-19.20	74.00	36.83	150	129	PK	Horizontal	PASS
4	4904.0000	55.11	41.75	-13.36	74.00	32.25	150	338	PK	Horizontal	PASS
5	7970.5000	52.42	44.79	-7.63	74.00	29.21	150	129	PK	Horizontal	PASS
6	9601.5000	54.72	49.63	-5.09	74.00	24.37	150	294	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 3DH5

Channel: 2441 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1163.6000	45.50	45.25	-0.25	74.00	28.75	150	86	PK	Vertical	PASS
2	1665.6000	39.75	40.15	0.40	74.00	33.85	150	50	PK	Vertical	PASS
3	3396.5000	58.44	38.71	-19.73	74.00	35.29	150	120	PK	Vertical	PASS
4	4878.5000	57.88	43.77	-14.11	74.00	30.23	150	53	PK	Vertical	PASS
5	8026.5000	51.66	44.12	-7.54	74.00	29.88	150	16	PK	Vertical	PASS
6	11957.000	48.84	47.10	-1.74	74.00	26.90	150	71	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 3DH5

Channel: 2441

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1292.0000	40.47	40.05	-0.42	74.00	33.95	150	185	PK	Horizontal	PASS
2	1679.2000	39.57	40.03	0.46	74.00	33.97	150	223	PK	Horizontal	PASS
3	4879.0000	56.49	42.39	-14.10	74.00	31.61	150	97	PK	Horizontal	PASS
4	6459.5000	53.20	43.25	-9.95	74.00	30.75	150	141	PK	Horizontal	PASS
5	9757.5000	54.52	49.91	-4.61	74.00	24.09	150	354	PK	Horizontal	PASS
6	13776.500	48.59	49.48	0.89	74.00	24.52	150	336	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 3DH5

Channel: 2480 MHz

Test Graph

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1163.8000	43.07	42.83	-0.24	74.00	31.17	150	89	PK	Vertical	PASS
2	1998.0000	40.40	42.04	1.64	74.00	31.96	150	97	PK	Vertical	PASS
3	4115.0000	55.90	38.52	-17.38	74.00	35.48	150	56	PK	Vertical	PASS
4	4957.0000	57.74	43.20	-14.54	74.00	30.80	150	56	PK	Vertical	PASS
5	7579.5000	52.32	43.52	-8.80	74.00	30.48	150	115	PK	Vertical	PASS
6	11161.500	51.17	48.40	-2.77	74.00	25.60	150	95	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: 3DH5

Channel: 2480 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1322.4000	39.40	39.06	-0.34	74.00	34.94	150	198	PK	Horizontal	PASS
2	2063.0000	39.34	41.21	1.87	74.00	32.79	150	112	PK	Horizontal	PASS
3	4380.0000	55.51	38.72	-16.79	74.00	35.28	150	163	PK	Horizontal	PASS
4	4956.5000	58.59	44.10	-14.49	74.00	29.90	150	188	PK	Horizontal	PASS
5	7434.0000	53.42	44.22	-9.20	74.00	29.78	150	359	PK	Horizontal	PASS
6	9914.0000	52.68	48.34	-4.34	74.00	25.66	150	302	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Appendix K: Conducted emission AC power port

Test Result



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.222	10.34	34.38	62.74	28.36	23.71	52.74	29.03	L1	PASS
2	0.552	10.25	31.93	56.00	24.07	22.30	46.00	23.70	L1	PASS
3	1.212	10.34	33.51	56.00	22.49	20.77	46.00	25.23	L1	PASS
4	2.928	10.29	33.73	56.00	22.27	23.14	46.00	22.86	L1	PASS
5	5.577	10.36	35.99	60.00	24.01	22.63	50.00	27.37	L1	PASS
6	11.311	10.47	35.49	60.00	24.51	22.84	50.00	27.16	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.189	10.35	36.54	64.08	27.54	23.18	54.08	30.90	N	PASS
2	0.327	10.31	34.64	59.53	24.89	21.78	49.53	27.75	N	PASS
3	0.888	10.26	35.13	56.00	20.87	22.23	46.00	23.77	N	PASS
4	1.98	10.38	34.07	56.00	21.93	21.62	46.00	24.38	N	PASS
5	3.852	10.40	36.08	56.00	19.92	23.40	46.00	22.60	N	PASS
6	11.419	10.50	36.68	60.00	23.32	22.09	50.00	27.91	N	PASS