




REPORT No.: SZ24100003W08






REPORT No.: SZ24100003W08





B12 / 1.4MHz / Low CH / QPSK / 1 RB



B12 / 1.4MHz / Low CH / QPSK / FULL RB



B12 / 1.4MHz / High CH / QPSK / 1 RB




B12 / 1.4MHz / High CH / QPSK / FULL RB



B12 / 3MHz / Low CH / QPSK / 1 RB




B12 / 3MHz / Low CH / QPSK / FULL RB



B12 / 3MHz / High CH / QPSK / 1 RB



B12 / 3MHz / High CH / QPSK / FULL RB



B12 / 5MHz / Low CH / QPSK / 1 RB



B12 / 5MHz / Low CH / QPSK / FULL RB



B12 / 5MHz / High CH / QPSK / 1 RB




B12 / 5MHz / High CH / QPSK / FULL RB



B12 / 10MHz / Low CH / QPSK / 1 RB



B12 / 10MHz / Low CH / QPSK / FULL RB



B12 / 10MHz / High CH / QPSK / 1 RB



B12 / 10MHz / High CH / QPSK / FULL RB




B13 / 5MHz / Low CH / QPSK / 1 RB




B13 / 5MHz / Low CH / QPSK / FULL RB



B13 / 5MHz / High CH / QPSK / 1 RB




B13 / 5MHz / High CH / QPSK / FULL RB




B13 / 10MHz / Low CH / QPSK / 1 RB



B13 / 10MHz / Low CH / QPSK / FULL RB



B13 / 10MHz / High CH / QPSK / 1 RB




B13 / 10MHz / High CH / QPSK / FULL RB



B17 / 5MHz / Low CH / QPSK / 1 RB




B17 / 5MHz / Low CH / QPSK / FULL RB



B17 / 5MHz / High CH / QPSK / 1 RB




B17 / 5MHz / High CH / QPSK / FULL RB



B17 / 10MHz / Low CH / QPSK / 1 RB



B17 / 10MHz / Low CH / QPSK / FULL RB



B17 / 10MHz / High CH / QPSK / 1 RB



B17 / 10MHz / High CH / QPSK / FULL RB



B19 / 5MHz / Low CH / QPSK / 1 RB



B19 / 5MHz / Low CH / QPSK / FULL RB



B19 / 5MHz / High CH / QPSK / 1 RB




B19 / 5MHz / High CH / QPSK / FULL RB



B19 / 10MHz / Low CH / QPSK / 1 RB




B19 / 10MHz / Low CH / QPSK / FULL RB



B19 / 10MHz / High CH / QPSK / 1 RB



B19 / 10MHz / High CH / QPSK / FULL RB



B19 / 15MHz / Low CH / QPSK / 1 RB



B19 / 15MHz / Low CH / QPSK / FULL RB





B25 / 1.4MHz / Low CH / QPSK / 1 RB



B25 / 1.4MHz / Low CH / QPSK / FULL RB



B25 / 1.4MHz / High CH / QPSK / 1 RB



B25 / 1.4MHz / High CH / QPSK / FULL RB



B25 / 3MHz / Low CH / QPSK / 1 RB




B25 / 3MHz / Low CH / QPSK / FULL RB



B25 / 3MHz / High CH / QPSK / 1 RB



B25 / 3MHz / High CH / QPSK / FULL RB



B25 / 5MHz / Low CH / QPSK / 1 RB



B25 / 5MHz / Low CH / QPSK / FULL RB



B25 / 5MHz / High CH / QPSK / 1 RB



B25 / 5MHz / High CH / QPSK / FULL RB



B25 / 10MHz / Low CH / QPSK / 1 RB



B25 / 10MHz / Low CH / QPSK / FULL RB



B25 / 10MHz / High CH / QPSK / 1 RB




B25 / 10MHz / High CH / QPSK / FULL RB



B25 / 15MHz / Low CH / QPSK / 1 RB




B25 / 15MHz / Low CH / QPSK / FULL RB



B25 / 15MHz / High CH / QPSK / 1 RB



B25 / 15MHz / High CH / QPSK / FULL RB



B25 / 20MHz / Low CH / QPSK / 1 RB




B25 / 20MHz / Low CH / QPSK / FULL RB



B25 / 20MHz / High CH / QPSK / 1 RB



B25 / 20MHz / High CH / QPSK / FULL RB



B26 / 1.4MHz / Low CH / QPSK / 1 RB




B26 / 1.4MHz / Low CH / QPSK / FULL RB



B26 / 1.4MHz / High CH / QPSK / 1 RB




B26 / 1.4MHz / High CH / QPSK / FULL RB



B26 / 3MHz / Low CH / QPSK / 1 RB




B26 / 3MHz / Low CH / QPSK / FULL RB



B26 / 3MHz / High CH / QPSK / 1 RB



B26 / 3MHz / High CH / QPSK / FULL RB




B26 / 5MHz / Low CH / QPSK / 1 RB




B26 / 5MHz / Low CH / QPSK / FULL RB



B26 / 5MHz / High CH / QPSK / 1 RB




B26 / 5MHz / High CH / QPSK / FULL RB



B26 / 10MHz / Low CH / QPSK / 1 RB




B26 / 10MHz / Low CH / QPSK / FULL RB



B26 / 10MHz / High CH / QPSK / 1 RB



B26 / 10MHz / High CH / QPSK / FULL RB



B26 / 15MHz / Low CH / QPSK / 1 RB



B26 / 15MHz / Low CH / QPSK / FULL RB






B38 / 5MHz / Low CH / QPSK / 1 RB




B38 / 5MHz / Low CH / QPSK / FULL RB



B38 / 5MHz / High CH / QPSK / 1 RB



B38 / 5MHz / High CH / QPSK / FULL RB



B38 / 10MHz / Low CH / QPSK / 1 RB



B38 / 10MHz / Low CH / QPSK / FULL RB



B38 / 10MHz / High CH / QPSK / 1 RB




B38 / 10MHz / High CH / QPSK / FULL RB



B38 / 15MHz / Low CH / QPSK / 1 RB




B38 / 15MHz / Low CH / QPSK / FULL RB



B38 / 15MHz / High CH / QPSK / 1 RB



B38 / 15MHz / High CH / QPSK / FULL RB




B38 / 20MHz / Low CH / QPSK / 1 RB



B38 / 20MHz / Low CH / QPSK / FULL RB



B38 / 20MHz / High CH / QPSK / 1 RB




B38 / 20MHz / High CH / QPSK / FULL RB




B40-1 / 5MHz / Low CH / QPSK / 1 RB



B40-1 / 5MHz / Low CH / QPSK / FULL RB



B40-1 / 5MHz / High CH / QPSK / 1 RB




B40-1 / 5MHz / High CH / QPSK / FULL RB




B40-1 / 10MHz / Low CH / QPSK / 1 RB




B40-1 / 10MHz / Low CH / QPSK / FULL RB



B40-1 / 10MHz / High CH / QPSK / 1 RB



B40-1 / 10MHz / High CH / QPSK / FULL RB



B40-2 / 5MHz / Low CH / QPSK / 1 RB




B40-2 / 5MHz / Low CH / QPSK / FULL RB



B40-2 / 5MHz / High CH / QPSK / 1 RB



B40-2 / 5MHz / High CH / QPSK / FULL RB



B40-2 / 10MHz / Low CH / QPSK / 1 RB



B40-2 / 10MHz / Low CH / QPSK / FULL RB



B40-2 / 10MHz / High CH / QPSK / 1 RB




B40-2 / 10MHz / High CH / QPSK / FULL RB



B41 / 5MHz / Low CH / QPSK / 1 RB




B41 / 5MHz / Low CH / QPSK / FULL RB



B41 / 5MHz / High CH / QPSK / 1 RB



B41 / 5MHz / High CH / QPSK / FULL RB



B41 / 10MHz / Low CH / QPSK / 1 RB



B41 / 10MHz / Low CH / QPSK / FULL RB




B41 / 10MHz / High CH / QPSK / 1 RB



B41 / 10MHz / High CH / QPSK / FULL RB



B41 / 15MHz / Low CH / QPSK / 1 RB



B41 / 15MHz / Low CH / QPSK / FULL RB



B41 / 15MHz / High CH / QPSK / 1 RB



B41 / 15MHz / High CH / QPSK / FULL RB



B41 / 20MHz / Low CH / QPSK / 1 RB




B41 / 20MHz / Low CH / QPSK / FULL RB



B41 / 20MHz / High CH / QPSK / 1 RB



B41 / 20MHz / High CH / QPSK / FULL RB



B66 / 1.4MHz / Low CH / QPSK / 1 RB




B66 / 1.4MHz / Low CH / QPSK / FULL RB



B66 / 1.4MHz / High CH / QPSK / 1 RB




B66 / 1.4MHz / High CH / QPSK / FULL RB



B66 / 3MHz / Low CH / QPSK / 1 RB




B66 / 3MHz / Low CH / QPSK / FULL RB



B66 / 3MHz / High CH / QPSK / 1 RB




B66 / 3MHz / High CH / QPSK / FULL RB



B66 / 5MHz / Low CH / QPSK / 1 RB



B66 / 5MHz / Low CH / QPSK / FULL RB



B66 / 5MHz / High CH / QPSK / 1 RB




B66 / 5MHz / High CH / QPSK / FULL RB



B66 / 10MHz / Low CH / QPSK / 1 RB




B66 / 10MHz / Low CH / QPSK / FULL RB



B66 / 10MHz / High CH / QPSK / 1 RB



B66 / 10MHz / High CH / QPSK / FULL RB



B66 / 15MHz / Low CH / QPSK / 1 RB




B66 / 15MHz / Low CH / QPSK / FULL RB



B66 / 15MHz / High CH / QPSK / 1 RB



B66 / 15MHz / High CH / QPSK / FULL RB



B66 / 20MHz / Low CH / QPSK / 1 RB




B66 / 20MHz / Low CH / QPSK / FULL RB



B66 / 20MHz / High CH / QPSK / 1 RB




B66 / 20MHz / High CH / QPSK / FULL RB



B71 / 5MHz / Low CH / QPSK / 1 RB




B71 / 5MHz / Low CH / QPSK / FULL RB



B71 / 5MHz / High CH / QPSK / 1 RB




B71 / 5MHz / High CH / QPSK / FULL RB



B71 / 10MHz / Low CH / QPSK / 1 RB



B71 / 10MHz / Low CH / QPSK / FULL RB



B71 / 10MHz / High CH / QPSK / 1 RB



B71 / 10MHz / High CH / QPSK / FULL RB



B71 / 15MHz / Low CH / QPSK / 1 RB



B71 / 15MHz / Low CH / QPSK / FULL RB



B71 / 15MHz / High CH / QPSK / 1 RB



B71 / 15MHz / High CH / QPSK / FULL RB





2.7. Radiated Spurious Emissions

2.7.1. Requirement

According to FCC section 2.1051, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. This calculated to be -13dBm.

Additional requirement for LTE Band 7, 41

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $55 + 10 \log(P)$ dB. This calculated to be -25dBm.


Additional requirement for Band 13

For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (E.I.R.P.) for wideband signals, and -80 dBW E.I.R.P. for discrete emissions of less than 700 Hz bandwidth. This calculated to be -40dBm.


Additional requirement for LTE Band 30

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $70 + 10 \log(P)$ dB. This calculated to be -40dBm.

2.7.2. Test Description



(For the test frequency from 30MHz to 1GHz)



(For the test frequency above 1GHz)

The EUT is located in a 3m Full-Anechoic Chamber, the cable loss, air loss and so on of the site as factors are pre-calibrated using the "Substitution" method, and calculated to correct the reading.

A call is established between the EUT and the SS via a Common Antenna. The EUT is commanded by the SS to operate at the maximum and minimum output power, and only the test result of the maximum output power was recorded.

In the frequency range above 30MHz, Bi-Log Test Antenna (30MHz to 1GHz) and Horn Test



Antenna (above 1GHz) are used. Test Antenna is 3m away from the EUT. Test Antenna height is varied from 1m to 4m above the ground and the Turn Table is actuated to turn from 0° to 360° to determine the maximum value of the radiated power. The emission levels at both horizontal and vertical polarizations should be tested. The Filters consists of Notch Filters and High Pass Filter.

Note: When doing measurements above 1GHz, the EUT has been within the 3dB cone width of the horn antenna during horizontal antenna.

2.7.3. Test Procedure

KDB 971168 D01v03 Section 5.8 and ANSI/TIA-603-E-2016.

For measurements below 1 GHz the resolution bandwidth is set to 100 kHz for peak detection measurements.

For measurements above 1GHz (exclude 1559-1610 MHz) the resolution bandwidth is set to 1MHz, the video band width is set to 3MHz for peak measurements.



2.7.4. Test Result

The measurement frequency range is from 30MHz to the 10th harmonic of the fundamental frequency. The Turn Table is actuated to turn from 0° to 360°, and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. The lowest, middle and highest channels are tested to verify the out of band emissions.

The substitution corrections are obtained as described below:

$$A_{\text{SUBST}} = P_{\text{SUBST_TX}} - P_{\text{SUBST_RX}} - L_{\text{SUBST_CABLES}} + G_{\text{SUBST_TX_ANT}}$$

$$A_{\text{TOT}} = L_{\text{CABLES}} + A_{\text{SUBST}}$$

Where A_{SUBST} is the final substitution correction including receive antenna gain.

$P_{\text{SUBST_TX}}$ is signal generator level,

$P_{\text{SUBST_RX}}$ is receiver level,

$L_{\text{SUBST_CABLES}}$ is cable losses including TX cable,

$G_{\text{SUBST_TX_ANT}}$ is substitution antenna gain.

A_{TOT} is total correction factor including cable loss and substitution correction

During the test, the data of A_{TOT} was added in the test spectrum analyze, so spectrum analyze reading is the final values which contain the data of A_{TOT} .

Note1: The power of the EUT transmitting frequency should be ignored.

Note2: All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.


Note3: All bandwidth and modulation were considered and evaluated respectively by performing full test for each band, only the worst cases (Max Bandwidth and QPSK mode) were recorded in this test report.

Note4: N/A means the frequency is the basic frequency or the base station frequency, they are no need to verdict.


Note5: The amplitude of emissions(18GHz to 10th harmonics) which are attenuated more than 20 dB below the limit are not be reported.

LTE Band 2

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
33.1527	-50.68	-65.90	-15.2	-13.0	52.9	Horizontal	PK	PASS
195.0052	-50.67	-69.36	-18.7	-13.0	56.4	Horizontal	PK	PASS
1841.7684	-29.23	-24.99	4.2	-13.0	12.0	Horizontal	PK	PASS
1935.7872	-52.44	-48.40	4.0	-	-	Horizontal	PK	NA
10484.765	-66.89	-47.09	19.8	-13.0	34.1	Horizontal	PK	PASS
17931.091	-69.79	-39.38	30.4	-13.0	26.4	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
47.3639	-52.19	-71.65	-19.5	-13.0	58.7	Vertical	PK	PASS
304.7662	-55.96	-72.08	-16.1	-13.0	59.1	Vertical	PK	PASS
1841.3683	-38.96	-34.42	4.5	-13.0	21.4	Vertical	PK	PASS
1940.188	-44.28	-40.35	3.9	-	-	Vertical	PK	NA
11103.534	-67.14	-44.78	22.4	-13.0	31.8	Vertical	PK	PASS
17369.980	-69.73	-38.83	30.9	-13.0	25.8	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
33.4922	-54.57	-69.79	-15.2	-13.0	56.8	Horizontal	PK	PASS
194.3262	-50.69	-69.49	-18.8	-13.0	56.5	Horizontal	PK	PASS
1837.7676	-40.32	-36.11	4.2	-13.0	23.1	Horizontal	PK	PASS
1888.5777	-41.83	-36.88	5.0	-	-	Horizontal	PK	NA
1955.3911	-52.11	-47.65	4.5	-	-	Horizontal	PK	NA
17902.028	-69.69	-38.92	30.8	-13.0	25.9	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
55.0758	-56.07	-73.06	-17.0	-13.0	60.1	Vertical	PK	PASS
304.8147	-55.95	-72.07	-16.1	-13.0	59.1	Vertical	PK	PASS
1839.768	-48.88	-44.30	4.6	-13.0	31.3	Vertical	PK	PASS
1876.5753	-51.13	-46.14	5.0	-	-	Vertical	PK	NA
1967.3935	-46.78	-42.34	4.4	-	-	Vertical	PK	NA
17889.371	-69.97	-39.18	30.8	-13.0	26.2	Vertical	PK	PASS

Plot for High Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
33.1527	-54.59	-69.81	-15.2	-13.0	56.8	Horizontal	PK	PASS
194.2292	-50.19	-69.02	-18.8	-13.0	56.0	Horizontal	PK	PASS
1840.9682	-42.46	-38.23	4.2	-13.0	25.2	Horizontal	PK	PASS
1892.1784	-36.74	-31.93	4.8	-	-	Horizontal	PK	NA
1972.5945	-53.50	-48.91	4.6	-	-	Horizontal	PK	NA
17987.343	-68.79	-39.08	29.7	-13.0	26.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
80.0545	-47.13	-70.37	-23.2	-13.0	57.4	Vertical	PK	PASS
299.1885	-55.44	-71.87	-16.4	-13.0	58.9	Vertical	PK	PASS
1840.5681	-51.30	-46.74	4.6	-13.0	33.7	Vertical	PK	PASS
1906.9814	-45.80	-40.81	5.0	-	-	Vertical	PK	NA
1974.1948	-44.86	-40.21	4.7	-	-	Vertical	PK	NA
17164.192	-69.06	-38.54	30.5	-13.0	25.5	Vertical	PK	PASS

LTE Band 4

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
33.4437	-54.86	-70.10	-15.2	-13.0	57.1	Horizontal	PK	PASS
193.5502	-50.28	-69.19	-18.9	-13.0	56.2	Horizontal	PK	PASS
1696.1392	-29.80	-26.71	3.1	-13.0	13.7	Horizontal	PK	PASS
2982.3965	-54.73	-40.85	13.9	-13.0	27.9	Horizontal	PK	PASS
11597.612	-67.36	-46.52	20.8	-13.0	33.5	Horizontal	PK	PASS
17894.528	-68.66	-37.90	30.8	-13.0	24.9	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
32.0371	-36.90	-61.46	-24.6	-13.0	48.5	Vertical	PK	PASS
300.304	-54.94	-71.31	-16.4	-13.0	58.3	Vertical	PK	PASS
1696.1392	-42.23	-38.95	3.3	-13.0	26.0	Vertical	PK	PASS
2115.4231	-47.82	-42.15	5.7	-	-	Vertical	PK	NA
11125.566	-66.96	-44.91	22.1	-13.0	31.9	Vertical	PK	PASS
17676.083	-70.26	-38.56	31.7	-13.0	25.6	Vertical	PK	PASS



Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
33.4437	-56.65	-71.89	-15.2	-13.0	58.9	Horizontal	PK	PASS
204.8997	-52.75	-69.74	-17.0	-13.0	56.7	Horizontal	PK	PASS
1699.7399	-39.32	-36.00	3.3	-13.0	23.0	Horizontal	PK	PASS
2950.7902	-54.69	-40.74	14.0	-13.0	27.7	Horizontal	PK	PASS
11135.879	-66.87	-46.89	20.0	-13.0	33.9	Horizontal	PK	PASS
17866.870	-69.74	-39.19	30.6	-13.0	26.2	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
55.1728	-55.47	-72.45	-17.0	-13.0	59.5	Vertical	PK	PASS
304.8147	-55.84	-71.95	-16.1	-13.0	59.0	Vertical	PK	PASS
1730.146	-50.80	-47.39	3.4	-	-	Vertical	PK	NA
2127.0254	-47.38	-41.41	6.0	-	-	Vertical	PK	NA
11089.471	-67.79	-45.42	22.4	-13.0	32.4	Vertical	PK	PASS
17308.103	-69.46	-39.03	30.4	-13.0	26.0	Vertical	PK	PASS

Plot for High Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
33.2012	-53.14	-68.37	-15.2	-13.0	55.4	Horizontal	PK	PASS
194.1807	-50.69	-69.49	-18.8	-13.0	56.5	Horizontal	PK	PASS
1702.1404	-42.09	-38.72	3.4	-13.0	25.7	Horizontal	PK	PASS
1744.1488	-38.86	-35.89	3.0	-	-	Horizontal	PK	NA
10620.706	-65.55	-46.19	19.4	-13.0	33.2	Horizontal	PK	PASS
17918.435	-69.83	-39.26	30.6	-13.0	26.3	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.434	-49.27	-71.53	-22.3	-13.0	58.5	Vertical	PK	PASS
303.2142	-56.08	-72.28	-16.2	-13.0	59.3	Vertical	PK	PASS
1743.3487	-51.77	-48.32	3.5	-	-	Vertical	PK	NA
2141.0282	-48.10	-42.22	5.9	-	-	Vertical	PK	NA
11109.628	-67.65	-45.38	22.3	-13.0	32.4	Vertical	PK	PASS
17316.072	-69.60	-39.10	30.5	-13.0	26.1	Vertical	PK	PASS

**LTE Band 5**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
33.2012	-54.67	-69.86	-15.2	-13.0	56.9	Horizontal	PK	PASS
194.3262	-48.63	-67.21	-18.6	-13.0	54.2	Horizontal	PK	PASS
829.611	-47.01	-52.73	-5.7	-	-	Horizontal	PK	NA
876.9978	-56.18	-60.96	-4.8	-	-	Horizontal	PK	NA
2991.9984	-55.36	-40.47	14.9	-13.0	27.5	Horizontal	PK	PASS
12511.600	-69.97	-46.57	23.4	-13.0	33.6	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
54.2027	-54.43	-71.56	-17.1	-13.0	58.6	Vertical	PK	PASS
303.9902	-54.60	-70.55	-16.0	-13.0	57.6	Vertical	PK	PASS
824.7122	-57.27	-63.17	-5.9	-	-	Vertical	PK	NA
876.6098	-45.25	-49.85	-4.6	-	-	Vertical	PK	NA
2997.5995	-55.79	-38.79	17.0	-13.0	25.8	Vertical	PK	PASS
11081.204	-67.64	-45.31	22.3	-13.0	32.3	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
33.1527	-53.87	-69.06	-15.2	-13.0	56.1	Horizontal	PK	PASS
194.7142	-48.88	-67.40	-18.5	-13.0	54.4	Horizontal	PK	PASS
840.3785	-46.04	-51.46	-5.4	-	-	Horizontal	PK	NA
884.7097	-55.01	-59.73	-4.7	-	-	Horizontal	PK	NA
2993.1986	-55.63	-40.72	14.9	-13.0	27.7	Horizontal	PK	PASS
12585.704	-69.59	-46.34	23.3	-13.0	33.3	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
55.7548	-54.60	-71.67	-17.1	-13.0	58.7	Vertical	PK	PASS
305.7363	-54.73	-70.61	-15.9	-13.0	57.6	Vertical	PK	PASS
839.7965	-55.85	-61.59	-5.7	-	-	Vertical	PK	NA
885.7768	-43.55	-48.00	-4.5	-	-	Vertical	PK	NA
2997.9996	-55.34	-38.30	17.0	-13.0	25.3	Vertical	PK	PASS
11063.653	-67.64	-45.38	22.3	-13.0	32.4	Vertical	PK	PASS

Plot for High Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
32.9586	-54.94	-70.12	-15.2	-13.0	57.1	Horizontal	PK	PASS
194.1322	-48.61	-67.24	-18.6	-13.0	54.2	Horizontal	PK	PASS
840.233	-45.51	-50.94	-5.4	-	-	Horizontal	PK	NA
893.1492	-54.56	-59.24	-4.7	-	-	Horizontal	PK	NA
2971.1942	-55.23	-40.36	14.9	-13.0	27.4	Horizontal	PK	PASS
12526.713	-69.25	-45.88	23.4	-13.0	32.9	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
48.0914	-51.30	-70.43	-19.1	-13.0	57.4	Vertical	PK	PASS
306.8033	-54.60	-70.48	-15.9	-13.0	57.5	Vertical	PK	PASS
840.233	-55.82	-61.55	-5.7	-	-	Vertical	PK	NA
892.8581	-42.23	-46.66	-4.4	-	-	Vertical	PK	NA
2998.7998	-55.81	-38.68	17.1	-13.0	25.7	Vertical	PK	PASS
11133.369	-66.99	-45.05	21.9	-13.0	32.1	Vertical	PK	PASS

**LTE Band 7**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
33.4437	-54.01	-69.17	-15.2	-25.0	44.2	Horizontal	PK	PASS
194.3747	-50.41	-69.15	-18.7	-25.0	44.2	Horizontal	PK	PASS
1959.792	-55.29	-50.72	4.6	-25.0	25.7	Horizontal	PK	PASS
2487.4975	-45.28	-35.32	10.0	-25.0	10.3	Horizontal	PK	PASS
10986.812	-67.38	-46.41	21.0	-25.0	21.4	Horizontal	PK	PASS
17324.510	-69.55	-39.43	30.1	-25.0	14.4	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
54.1542	-55.62	-72.81	-17.2	-25.0	47.8	Vertical	PK	PASS
295.8418	-55.84	-72.37	-16.5	-25.0	47.4	Vertical	PK	PASS
1890.178	-55.63	-50.54	5.1	-25.0	25.5	Vertical	PK	PASS
2486.2973	-49.90	-39.79	10.1	-25.0	14.8	Vertical	PK	PASS
11579.799	-66.96	-45.38	21.6	-25.0	20.4	Vertical	PK	PASS
17385.449	-69.97	-38.95	31.0	-25.0	14.0	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
32.9101	-54.38	-69.53	-15.2	-25.0	44.5	Horizontal	PK	PASS
194.4717	-50.66	-69.38	-18.7	-25.0	44.4	Horizontal	PK	PASS
1872.9746	-56.00	-50.79	5.2	-25.0	25.8	Horizontal	PK	PASS
2538.3077	-50.60	-39.27	11.3	-	-	Horizontal	PK	NA
10545.235	-66.57	-46.86	19.7	-25.0	21.9	Horizontal	PK	PASS
17991.562	-68.55	-38.89	29.7	-25.0	13.9	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.531	-50.44	-72.64	-22.2	-25.0	47.6	Vertical	PK	PASS
304.1357	-56.03	-72.10	-16.1	-25.0	47.1	Vertical	PK	PASS
1886.5773	-56.02	-50.88	5.1	-25.0	25.9	Vertical	PK	PASS
3000	-54.79	-38.40	16.4	-25.0	13.4	Vertical	PK	PASS
10618.363	-65.22	-45.15	20.1	-25.0	20.2	Vertical	PK	PASS
17914.684	-70.15	-39.42	30.7	-25.0	14.4	Vertical	PK	PASS

Plot for High Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
32.6191	-54.39	-69.54	-15.2	-25.0	44.5	Horizontal	PK	PASS
190.64	-49.99	-69.38	-19.4	-25.0	44.4	Horizontal	PK	PASS
1876.5753	-56.61	-51.25	5.4	-25.0	26.3	Horizontal	PK	PASS
2563.9128	-51.70	-40.26	11.4	-	-	Horizontal	PK	NA
11570.424	-67.05	-46.55	20.5	-25.0	21.6	Horizontal	PK	PASS
17287.946	-68.82	-39.06	29.8	-25.0	14.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
94.6052	-49.62	-71.47	-21.9	-25.0	46.5	Vertical	PK	PASS
302.7291	-55.36	-71.51	-16.2	-25.0	46.5	Vertical	PK	PASS
2557.9116	-54.16	-41.61	12.6	-	-	Vertical	PK	NA
2999.5999	-55.99	-39.64	16.4	-25.0	14.6	Vertical	PK	PASS
11104.940	-67.71	-45.36	22.4	-25.0	20.4	Vertical	PK	PASS
17885.621	-69.67	-38.93	30.7	-25.0	13.9	Vertical	PK	PASS

LTE Band 12

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
205.9668	-50.64	-66.96	-16.3	-13.0	54.0	Horizontal	PK	PASS
702.5346	-25.91	-33.86	-8.0	-	-	Horizontal	PK	NA
1865.7732	-55.99	-50.65	5.3	-13.0	37.7	Horizontal	PK	PASS
2941.1882	-54.40	-40.19	14.2	-13.0	27.2	Horizontal	PK	PASS
7083.9917	-61.62	-49.56	12.1	-13.0	36.6	Horizontal	PK	PASS
10975.411	-66.48	-45.51	21.0	-13.0	32.5	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
295.9873	-54.26	-70.45	-16.2	-13.0	57.5	Vertical	PK	PASS
707.7244	-40.20	-48.16	-8.0	-	-	Vertical	PK	NA
1990.9982	-55.07	-49.29	5.8	-13.0	36.3	Vertical	PK	PASS
2999.5999	-55.98	-38.30	17.7	-13.0	25.3	Vertical	PK	PASS
7914.2457	-63.10	-50.56	12.5	-13.0	37.6	Vertical	PK	PASS
11090.954	-67.91	-45.53	22.4	-13.0	32.5	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
206.7428	-51.12	-67.38	-16.3	-13.0	54.4	Horizontal	PK	PASS
705.3478	-24.50	-32.44	-7.9	-	-	Horizontal	PK	NA
2051.4103	-54.69	-48.63	6.1	-13.0	35.6	Horizontal	PK	PASS
2998.7998	-54.81	-39.34	15.5	-13.0	26.3	Horizontal	PK	PASS
7558.3529	-62.44	-50.41	12.0	-13.0	37.4	Horizontal	PK	PASS
12497.949	-69.57	-46.19	23.4	-13.0	33.2	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
35.5293	-41.36	-64.57	-23.2	-13.0	51.6	Vertical	PK	PASS
711.5076	-41.13	-48.91	-7.8	-	-	Vertical	PK	NA
1720.5441	-55.14	-51.59	3.6	-13.0	38.6	Vertical	PK	PASS
2999.1998	-55.97	-38.34	17.6	-13.0	25.3	Vertical	PK	PASS
8066.3533	-63.33	-50.32	13.0	-13.0	37.3	Vertical	PK	PASS
11120.206	-66.95	-44.82	22.1	-13.0	31.8	Vertical	PK	PASS

Plot for High Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
206.5003	-51.51	-67.79	-16.3	-13.0	54.8	Horizontal	PK	PASS
710.683	-25.16	-32.83	-7.7	-	-	Horizontal	PK	NA
1880.9762	-56.44	-50.64	5.8	-13.0	37.6	Horizontal	PK	PASS
2989.1978	-55.89	-40.74	15.2	-13.0	27.7	Horizontal	PK	PASS
8035.1518	-63.59	-50.13	13.5	-13.0	37.1	Horizontal	PK	PASS
12566.203	-69.50	-46.20	23.3	-13.0	33.2	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
55.2698	-54.51	-71.33	-16.8	-13.0	58.3	Vertical	PK	PASS
712.2836	-39.95	-47.69	-7.7	-	-	Vertical	PK	NA
1871.7744	-56.19	-50.80	5.4	-13.0	37.8	Vertical	PK	PASS
3000	-55.81	-38.08	17.7	-13.0	25.1	Vertical	PK	PASS
8039.5395	-63.50	-50.49	13.0	-13.0	37.5	Vertical	PK	PASS
11115.818	-66.53	-44.34	22.2	-13.0	31.3	Vertical	PK	PASS

LTE Band 13

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
207.3249	-52.04	-68.26	-16.2	-13.0	55.3	Horizontal	PK	PASS
780.7205	-27.17	-34.43	-7.3	-	-	Horizontal	PK	NA
1864.1728	-55.74	-50.45	5.3	-13.0	37.5	Horizontal	PK	PASS
2984.797	-54.68	-39.68	15.0	-13.0	26.7	Horizontal	PK	PASS
8003.9502	-63.85	-50.44	13.4	-13.0	37.4	Horizontal	PK	PASS
12606.180	-69.30	-46.14	23.2	-13.0	33.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
81.9461	-48.94	-71.86	-22.9	-13.0	58.9	Vertical	PK	PASS
781.6421	-35.61	-42.69	-7.1	-	-	Vertical	PK	NA
2065.4131	-55.18	-48.84	6.3	-13.0	35.8	Vertical	PK	PASS
2992.3985	-55.39	-38.61	16.8	-13.0	25.6	Vertical	PK	PASS
8047.8274	-63.71	-50.70	13.0	-13.0	37.7	Vertical	PK	PASS
11117.768	-67.40	-45.24	22.2	-13.0	32.2	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
189.282	-48.28	-67.42	-19.1	-13.0	54.4	Horizontal	PK	PASS
782.6606	-27.81	-35.05	-7.2	-	-	Horizontal	PK	NA
1877.3755	-56.29	-50.54	5.8	-13.0	37.5	Horizontal	PK	PASS
2982.3965	-55.31	-40.40	14.9	-13.0	27.4	Horizontal	PK	PASS
7941.0596	-63.66	-50.46	13.2	-13.0	37.5	Horizontal	PK	PASS
11155.307	-65.59	-45.63	20.0	-13.0	32.6	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
35.8203	-47.81	-70.92	-23.1	-13.0	57.9	Vertical	PK	PASS
780.187	-37.42	-44.54	-7.1	-	-	Vertical	PK	NA
1977.3955	-55.40	-49.40	6.0	-13.0	36.4	Vertical	PK	PASS
2998.3997	-56.06	-38.54	17.5	-13.0	25.5	Vertical	PK	PASS
7464.2607	-62.82	-50.90	11.9	-13.0	37.9	Vertical	PK	PASS
11079.254	-67.55	-45.23	22.3	-13.0	32.2	Vertical	PK	PASS

Plot for High Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
34.1712	-47.96	-63.02	-15.1	-13.0	50.0	Horizontal	PK	PASS
782.8546	-27.34	-34.58	-7.2	-	-	Horizontal	PK	NA
2026.2052	-55.21	-48.96	6.3	-13.0	36.0	Horizontal	PK	PASS
2965.9932	-54.75	-39.78	15.0	-13.0	26.8	Horizontal	PK	PASS
8492.9371	-63.02	-49.25	13.8	-13.0	36.3	Horizontal	PK	PASS
12562.303	-69.16	-45.86	23.3	-13.0	32.9	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
301.5651	-54.64	-70.50	-15.9	-13.0	57.5	Vertical	PK	PASS
782.4666	-37.54	-44.60	-7.1	-	-	Vertical	PK	NA
1856.9714	-55.32	-50.40	4.9	-13.0	37.4	Vertical	PK	PASS
2996.3993	-55.57	-38.29	17.3	-13.0	25.3	Vertical	PK	PASS
7974.2112	-62.80	-49.92	12.9	-13.0	36.9	Vertical	PK	PASS
11090.954	-67.35	-44.97	22.4	-13.0	32.0	Vertical	PK	PASS



Plot for 1559MHz-1610MHz




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1559.7399	-58.56	-56.07	2.5	-40.0	16.1	Horizontal	PK	PASS
1570.8124	-58.06	-55.55	2.5	-40.0	15.6	Horizontal	PK	PASS
1577.8029	-58.81	-56.28	2.5	-40.0	16.3	Horizontal	PK	PASS
1587.6253	-58.72	-56.20	2.5	-40.0	16.2	Horizontal	PK	PASS
1593.1871	-58.12	-55.60	2.5	-40.0	15.6	Horizontal	PK	PASS
1602.2441	-57.59	-55.08	2.5	-40.0	15.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1565.2506	-58.69	-56.11	2.6	-40.0	16.1	Vertical	PK	PASS
1574.6393	-58.30	-55.88	2.4	-40.0	15.9	Vertical	PK	PASS
1581.6553	-58.60	-56.25	2.4	-40.0	16.3	Vertical	PK	PASS
1590.3297	-58.05	-55.58	2.5	-40.0	15.6	Vertical	PK	PASS
1599.5143	-58.18	-55.59	2.6	-40.0	15.6	Vertical	PK	PASS
1608.1631	-58.15	-55.46	2.7	-40.0	15.5	Vertical	PK	PASS

**LTE Band 17**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
193.0652	-46.69	-65.15	-18.5	-13.0	52.2	Horizontal	PK	PASS
711.8956	-26.08	-33.68	-7.6	-	-	Horizontal	PK	NA
1868.5737	-55.65	-50.21	5.4	-13.0	37.2	Horizontal	PK	PASS
2983.1966	-55.16	-40.22	14.9	-13.0	27.2	Horizontal	PK	PASS
8082.4416	-63.28	-49.75	13.5	-13.0	36.8	Horizontal	PK	PASS
12504.287	-69.56	-46.14	23.4	-13.0	33.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
55.2698	-51.67	-68.49	-16.8	-13.0	55.5	Vertical	PK	PASS
712.1866	-39.56	-47.31	-7.8	-	-	Vertical	PK	NA
1882.1764	-56.46	-50.81	5.7	-13.0	37.8	Vertical	PK	PASS
2998.3997	-56.09	-38.57	17.5	-13.0	25.6	Vertical	PK	PASS
7417.4584	-62.48	-50.72	11.8	-13.0	37.7	Vertical	PK	PASS
11094.367	-67.78	-45.40	22.4	-13.0	32.4	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
192.6286	-45.97	-64.50	-18.5	-13.0	51.5	Horizontal	PK	PASS
712.0896	-26.54	-34.13	-7.6	-	-	Horizontal	PK	NA
1963.3927	-55.13	-49.57	5.6	-13.0	36.6	Horizontal	PK	PASS
2924.3849	-53.64	-40.13	13.5	-13.0	27.1	Horizontal	PK	PASS
7061.5656	-62.15	-50.21	11.9	-13.0	37.2	Horizontal	PK	PASS
12528.176	-69.68	-46.31	23.4	-13.0	33.3	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
55.9488	-52.01	-69.01	-17.0	-13.0	56.0	Vertical	PK	PASS
713.9327	-40.08	-47.75	-7.7	-	-	Vertical	PK	NA
1871.3743	-56.18	-50.80	5.4	-13.0	37.8	Vertical	PK	PASS
2996.7994	-56.21	-38.88	17.3	-13.0	25.9	Vertical	PK	PASS
7945.4473	-62.81	-50.09	12.7	-13.0	37.1	Vertical	PK	PASS
11111.918	-67.36	-45.12	22.2	-13.0	32.1	Vertical	PK	PASS

Plot for High Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
192.5801	-45.86	-64.40	-18.5	-13.0	51.4	Horizontal	PK	PASS
708.0639	-25.95	-33.76	-7.8	-	-	Horizontal	PK	NA
1974.995	-55.07	-49.25	5.8	-13.0	36.3	Horizontal	PK	PASS
2970.3941	-54.67	-39.74	14.9	-13.0	26.7	Horizontal	PK	PASS
8025.4013	-64.10	-50.66	13.4	-13.0	37.7	Horizontal	PK	PASS
12537.926	-69.88	-46.53	23.4	-13.0	33.5	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
55.2698	-52.40	-69.22	-16.8	-13.0	56.2	Vertical	PK	PASS
710.295	-38.61	-46.45	-7.8	-	-	Vertical	PK	NA
1871.3743	-54.99	-49.61	5.4	-13.0	36.6	Vertical	PK	PASS
2988.7978	-54.61	-38.29	16.3	-13.0	25.3	Vertical	PK	PASS
7565.6658	-62.49	-51.05	11.4	-13.0	38.1	Vertical	PK	PASS
11100.705	-67.75	-45.35	22.4	-13.0	32.4	Vertical	PK	PASS

**LTE Band 19**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
192.4346	-46.35	-65.26	-18.9	-13.0	52.3	Horizontal	PK	PASS
839.0205	-47.81	-53.27	-5.5	-	-	Horizontal	PK	NA
884.0792	-57.20	-61.92	-4.7	-	-	Horizontal	PK	NA
2944.3889	-54.96	-40.38	14.6	-13.0	27.4	Horizontal	PK	PASS
7924.9712	-63.14	-50.00	13.1	-13.0	37.0	Horizontal	PK	PASS
10997.349	-67.32	-46.35	21.0	-13.0	33.4	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
54.2512	-53.31	-70.42	-17.1	-13.0	57.4	Vertical	PK	PASS
838.7779	-58.05	-63.82	-5.8	-	-	Vertical	PK	NA
882.1391	-44.15	-48.62	-4.5	-	-	Vertical	PK	NA
2999.1998	-55.76	-38.59	17.2	-13.0	25.6	Vertical	PK	PASS
7480.8365	-62.51	-50.53	12.0	-13.0	37.5	Vertical	PK	PASS
11086.566	-66.89	-44.54	22.4	-13.0	31.5	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
192.3861	-45.46	-64.37	-18.9	-13.0	51.4	Horizontal	PK	PASS
840.233	-47.52	-52.95	-5.4	-	-	Horizontal	PK	NA
885.2433	-57.85	-62.57	-4.7	-	-	Horizontal	PK	NA
2951.5903	-55.31	-40.34	15.0	-13.0	27.3	Horizontal	PK	PASS
7525.6888	-61.73	-49.47	12.3	-13.0	36.5	Horizontal	PK	PASS
12479.424	-69.15	-46.20	23.0	-13.0	33.2	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
53.9602	-53.82	-71.04	-17.2	-13.0	58.0	Vertical	PK	PASS
839.3115	-57.43	-63.19	-5.8	-	-	Vertical	PK	NA
885.8253	-43.53	-47.98	-4.5	-	-	Vertical	PK	NA
2992.3985	-55.35	-38.93	16.4	-13.0	25.9	Vertical	PK	PASS
7297.0399	-62.75	-50.64	12.1	-13.0	37.6	Vertical	PK	PASS
11044.152	-67.45	-45.27	22.2	-13.0	32.3	Vertical	PK	PASS

Plot for High Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
192.3861	-47.14	-66.05	-18.9	-13.0	53.1	Horizontal	PK	PASS
839.748	-47.99	-53.43	-5.4	-	-	Horizontal	PK	NA
887.8139	-55.79	-60.50	-4.7	-	-	Horizontal	PK	NA
2952.7906	-55.95	-40.91	15.0	-13.0	27.9	Horizontal	PK	PASS
8005.9003	-63.68	-50.27	13.4	-13.0	37.3	Horizontal	PK	PASS
12554.015	-69.95	-46.64	23.3	-13.0	33.6	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
54.1542	-52.99	-70.14	-17.2	-13.0	57.1	Vertical	PK	PASS
839.5055	-56.78	-62.53	-5.8	-	-	Vertical	PK	NA
889.075	-42.36	-46.81	-4.5	-	-	Vertical	PK	NA
2997.1994	-55.52	-38.57	17.0	-13.0	25.6	Vertical	PK	PASS
7526.1763	-62.43	-50.62	11.8	-13.0	37.6	Vertical	PK	PASS
11106.555	-67.45	-45.13	22.3	-13.0	32.1	Vertical	PK	PASS

LTE Band 25

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
32.9101	-53.30	-68.51	-15.2	-13.0	55.5	Horizontal	PK	PASS
192.4831	-47.29	-66.42	-19.1	-13.0	53.4	Horizontal	PK	PASS
1840.168	-32.48	-28.25	4.2	-13.0	15.3	Horizontal	PK	PASS
1937.3875	-52.04	-47.97	4.1	-	-	Horizontal	PK	NA
10545.704	-66.94	-47.23	19.7	-13.0	34.2	Horizontal	PK	PASS
17606.237	-70.77	-39.25	31.5	-13.0	26.3	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
53.9602	-54.13	-71.44	-17.3	-13.0	58.4	Vertical	PK	PASS
831.9391	-58.24	-65.63	-7.4	-13.0	52.6	Vertical	PK	PASS
1839.768	-39.97	-35.39	4.6	-13.0	22.4	Vertical	PK	PASS
1934.5869	-43.39	-39.50	3.9	-	-	Vertical	PK	NA
11136.348	-67.70	-45.80	21.9	-13.0	32.8	Vertical	PK	PASS
17958.748	-68.84	-38.61	30.2	-13.0	25.6	Vertical	PK	PASS



Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
192.6771	-47.98	-67.08	-19.1	-13.0	54.1	Horizontal	PK	PASS
1838.5677	-42.99	-38.77	4.2	-13.0	25.8	Horizontal	PK	PASS
1889.778	-42.07	-37.17	4.9	-	-	Horizontal	PK	NA
1956.5913	-52.41	-47.94	4.5	-	-	Horizontal	PK	NA
11024.782	-67.58	-46.85	20.7	-13.0	33.9	Horizontal	PK	PASS
17936.716	-69.28	-38.94	30.3	-13.0	25.9	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
53.8147	-54.08	-71.43	-17.4	-13.0	58.4	Vertical	PK	PASS
1839.768	-50.99	-46.41	4.6	-13.0	33.4	Vertical	PK	PASS
1890.5781	-52.44	-47.34	5.1	-	-	Vertical	PK	NA
1969.794	-46.40	-41.89	4.5	-	-	Vertical	PK	NA
11091.346	-68.08	-45.70	22.4	-13.0	32.7	Vertical	PK	PASS
17350.761	-69.63	-38.87	30.8	-13.0	25.9	Vertical	PK	PASS

Plot for High Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
32.7646	-54.22	-69.44	-15.2	-13.0	56.4	Horizontal	PK	PASS
192.5316	-47.98	-67.10	-19.1	-13.0	54.1	Horizontal	PK	PASS
1836.5673	-48.29	-44.08	4.2	-13.0	31.1	Horizontal	PK	PASS
1906.1812	-37.37	-33.08	4.3	-	-	Horizontal	PK	NA
10526.016	-66.22	-46.43	19.8	-13.0	33.4	Horizontal	PK	PASS
17960.155	-69.10	-39.05	30.1	-13.0	26.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
53.9602	-53.89	-71.20	-17.3	-13.0	58.2	Vertical	PK	PASS
336.8263	-56.07	-72.12	-16.1	-13.0	59.1	Vertical	PK	PASS
1905.7812	-48.55	-43.50	5.1	-	-	Vertical	PK	NA
1983.3967	-44.14	-39.45	4.7	-	-	Vertical	PK	NA
11124.160	-67.36	-45.29	22.1	-13.0	32.3	Vertical	PK	PASS
17894.059	-70.15	-39.32	30.8	-13.0	26.3	Vertical	PK	PASS

LTE Band 26

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
192.5316	-46.82	-65.71	-18.9	-13.0	52.7	Horizontal	PK	PASS
822.9661	-45.80	-51.62	-5.8	-	-	Horizontal	PK	NA
890.8695	-60.08	-64.77	-4.7	-13.0	51.8	Horizontal	PK	PASS
2953.1906	-55.31	-40.24	15.1	-13.0	27.2	Horizontal	PK	PASS
7282.4141	-62.81	-50.18	12.6	-13.0	37.2	Horizontal	PK	PASS
12503.800	-70.09	-46.67	23.4	-13.0	33.7	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
54.8817	-52.81	-69.73	-16.9	-13.0	56.7	Vertical	PK	PASS
822.9176	-57.79	-63.66	-5.9	-	-	Vertical	PK	NA
868.1219	-52.08	-56.99	-4.9	-	-	Vertical	PK	NA
2999.1998	-55.65	-38.48	17.2	-13.0	25.5	Vertical	PK	PASS
7304.3527	-62.45	-50.34	12.1	-13.0	37.3	Vertical	PK	PASS
11112.893	-67.42	-45.19	22.2	-13.0	32.2	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
192.5316	-46.09	-64.98	-18.9	-13.0	52.0	Horizontal	PK	PASS
829.1745	-47.57	-53.29	-5.7	-	-	Horizontal	PK	NA
874.2332	-58.46	-63.27	-4.8	-	-	Horizontal	PK	NA
2945.189	-54.75	-40.13	14.6	-13.0	27.1	Horizontal	PK	PASS
7037.6769	-61.90	-50.07	11.8	-13.0	37.1	Horizontal	PK	PASS
12643.232	-69.11	-46.27	22.8	-13.0	33.3	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
54.7847	-52.15	-69.10	-17.0	-13.0	56.1	Vertical	PK	PASS
830.872	-57.47	-63.43	-6.0	-	-	Vertical	PK	NA
877.2404	-44.34	-48.92	-4.6	-	-	Vertical	PK	NA
3000	-56.10	-38.84	17.3	-13.0	25.8	Vertical	PK	PASS
7038.6519	-61.78	-50.64	11.1	-13.0	37.6	Vertical	PK	PASS
11119.231	-67.27	-45.14	22.1	-13.0	32.1	Vertical	PK	PASS

Plot for High Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
192.3861	-47.58	-66.49	-18.9	-13.0	53.5	Horizontal	PK	PASS
848.3329	-47.46	-52.66	-5.2	-	-	Horizontal	PK	NA
893.2947	-54.37	-59.04	-4.7	-	-	Horizontal	PK	NA
2962.7926	-55.14	-40.11	15.0	-13.0	27.1	Horizontal	PK	PASS
7414.5332	-62.75	-50.26	12.5	-13.0	37.3	Horizontal	PK	PASS
12578.391	-69.68	-46.41	23.3	-13.0	33.4	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
55.1243	-52.00	-68.90	-16.9	-13.0	55.9	Vertical	PK	PASS
839.942	-57.19	-62.93	-5.7	-	-	Vertical	PK	NA
892.7611	-42.94	-47.37	-4.4	-	-	Vertical	PK	NA
2996.7994	-55.85	-38.94	16.9	-13.0	25.9	Vertical	PK	PASS
7292.6521	-62.94	-50.87	12.1	-13.0	37.9	Vertical	PK	PASS
11133.369	-67.05	-45.11	21.9	-13.0	32.1	Vertical	PK	PASS

**LTE Band 38**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
192.6771	-46.47	-65.51	-19.0	-25.0	40.5	Horizontal	PK	PASS
2479.4959	-46.95	-36.90	10.1	-25.0	11.9	Horizontal	PK	PASS
2579.5159	-49.91	-38.08	11.8	-	-	Horizontal	PK	NA
2707.5415	-51.94	-38.56	13.4	-25.0	13.6	Horizontal	PK	PASS
10988.687	-66.85	-45.88	21.0	-25.0	20.9	Horizontal	PK	PASS
17886.090	-69.53	-38.84	30.7	-25.0	13.8	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
55.7548	-52.18	-69.29	-17.1	-25.0	44.3	Vertical	PK	PASS
337.1174	-56.89	-72.90	-16.0	-25.0	47.9	Vertical	PK	PASS
2484.6969	-52.35	-42.21	10.1	-25.0	17.2	Vertical	PK	PASS
2997.9996	-55.50	-39.35	16.2	-25.0	14.4	Vertical	PK	PASS
7279.8212	-61.65	-49.68	12.0	-25.0	24.7	Vertical	PK	PASS
17994.843	-68.43	-38.61	29.8	-25.0	13.6	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
192.6286	-47.31	-66.35	-19.0	-25.0	41.4	Horizontal	PK	PASS
2484.2969	-46.35	-36.35	10.0	-25.0	11.4	Horizontal	PK	PASS
2597.5195	-49.45	-36.95	12.5	-	-	Horizontal	PK	NA
2708.7417	-51.66	-38.31	13.4	-25.0	13.3	Horizontal	PK	PASS
11087.596	-67.00	-46.88	20.1	-25.0	21.9	Horizontal	PK	PASS
17337.635	-69.71	-39.42	30.3	-25.0	14.4	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
55.9003	-52.88	-70.01	-17.1	-25.0	45.0	Vertical	PK	PASS
337.1174	-56.30	-72.31	-16.0	-25.0	47.3	Vertical	PK	PASS
2485.8972	-51.51	-41.39	10.1	-25.0	16.4	Vertical	PK	PASS
2998.7998	-56.23	-39.98	16.3	-25.0	15.0	Vertical	PK	PASS
11099.784	-67.83	-45.42	22.4	-25.0	20.4	Vertical	PK	PASS
16854.339	-70.41	-38.94	31.5	-25.0	13.9	Vertical	PK	PASS

Plot for High Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
192.5801	-48.84	-67.89	-19.1	-25.0	42.9	Horizontal	PK	PASS
2478.2957	-47.13	-37.09	10.0	-25.0	12.1	Horizontal	PK	PASS
2613.5227	-46.39	-33.82	12.6	-	-	Horizontal	PK	NA
2709.942	-50.58	-37.28	13.3	-25.0	12.3	Horizontal	PK	PASS
10947.904	-67.53	-46.56	21.0	-25.0	21.6	Horizontal	PK	PASS
17892.184	-70.09	-39.35	30.7	-25.0	14.4	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
55.2213	-52.22	-69.19	-17.0	-25.0	44.2	Vertical	PK	PASS
337.0204	-56.97	-72.98	-16.0	-25.0	48.0	Vertical	PK	PASS
1902.9806	-56.13	-51.22	4.9	-25.0	26.2	Vertical	PK	PASS
3000	-56.15	-39.76	16.4	-25.0	14.8	Vertical	PK	PASS
11158.379	-67.14	-45.55	21.6	-25.0	20.6	Vertical	PK	PASS
17933.904	-69.35	-38.83	30.5	-25.0	13.8	Vertical	PK	PASS

**LTE Band 40 Block A**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
192.5801	-49.35	-68.43	-19.1	-40.0	28.4	Horizontal	PK	PASS
2291.4583	-31.99	-24.17	7.8	-40.0	-15.8	Horizontal	PK	NA
2291.4583	-61.87	-54.05	7.8	-40.00	14.05	Horizontal	AV	PASS
2410.6821	-46.07	-37.34	8.7	-40.0	-2.7	Horizontal	PK	NA
2410.6821	-70.61	-61.88	8.7	-40.00	21.88	Horizontal	AV	PASS
2953.9908	-59.37	-45.49	13.9	-40.0	5.5	Horizontal	PK	PASS
8075.5865	-63.60	-50.09	13.5	-40.0	10.1	Horizontal	PK	PASS
17384.974	-69.78	-45.09	24.7	-40.0	5.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
81.9946	-47.96	-70.98	-23.0	-40.0	31.0	Vertical	PK	PASS
2292.6585	-41.74	-34.64	7.1	-40.0	-5.4	Vertical	PK	NA
2292.6585	-67.94	-60.84	7.1	-40.00	20.84	Vertical	AV	PASS
2415.8832	-50.12	-40.48	9.6	-40.0	0.5	Vertical	PK	NA
2415.8832	-70.55	-60.91	9.6	-40.00	20.91	Vertical	AV	PASS
2997.5995	-60.31	-44.16	16.2	-40.0	4.2	Vertical	PK	PASS
8063.086	-63.59	-50.60	13.0	-40.0	10.6	Vertical	PK	PASS
16598.941	-70.58	-44.64	25.9	-40.0	4.6	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
191.8526	-49.09	-68.30	-19.2	-40.0	28.3	Horizontal	PK	PASS
2291.4583	-34.54	-26.72	7.8	-40.0	-13.3	Horizontal	PK	NA
2291.4583	-62.41	-54.59	7.8	-40.00	14.59	Horizontal	AV	PASS
2411.4823	-43.89	-35.16	8.7	-40.0	-4.8	Horizontal	PK	NA
2411.4823	-70.66	-61.93	8.7	-40.00	21.93	Horizontal	AV	PASS
2996.3993	-59.63	-45.52	14.1	-40.0	5.5	Horizontal	PK	PASS
8956.6232	-64.23	-49.18	15.1	-40.0	9.2	Horizontal	PK	PASS
17947.997	-68.71	-44.55	24.2	-40.0	4.6	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
55.3668	-53.24	-70.26	-17.0	-40.0	30.3	Vertical	PK	PASS
2292.6585	-42.24	-35.14	7.1	-40.0	-4.9	Vertical	PK	NA
2292.6585	-67.78	-60.68	7.1	-40.00	20.68	Vertical	AV	PASS
2416.6833	-50.27	-40.57	9.7	-40.0	0.6	Vertical	PK	NA
2416.6833	-70.66	-60.96	9.7	-40.00	20.96	Vertical	AV	PASS
2998.7998	-60.32	-44.03	16.3	-40.0	4.0	Vertical	PK	PASS
7167.0486	-62.00	-50.88	11.1	-40.0	10.9	Vertical	PK	PASS
16601.441	-70.74	-44.80	25.9	-40.0	4.8	Vertical	PK	PASS

Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
192.1436	-48.35	-67.50	-19.2	-40.0	27.5	Horizontal	PK	PASS
2289.858	-32.59	-24.82	7.8	-40.0	-15.2	Horizontal	PK	NA
2289.858	-68.01	-60.24	7.8	-40.00	20.24	Horizontal	AV	PASS
2414.6829	-46.42	-37.67	8.8	-40.0	-2.3	Horizontal	PK	NA
2414.6829	-70.63	-61.88	8.8	-40.00	21.88	Horizontal	AV	PASS
2963.5927	-59.27	-45.44	13.8	-40.0	5.4	Horizontal	PK	PASS
7904.5794	-62.90	-49.92	13.0	-40.0	9.9	Horizontal	PK	PASS
17905.496	-69.47	-45.01	24.5	-40.0	5.0	Horizontal	PK	PASS






Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
56.0458	-54.13	-71.32	-17.2	-40.0	31.3	Vertical	PK	PASS
2287.8576	-42.16	-35.25	6.9	-40.0	-4.8	Vertical	PK	NA
2287.8576	-70.62	-63.71	6.9	-40.00	23.71	Vertical	AV	PASS
2419.4839	-49.89	-40.02	9.9	-40.0	0.0	Vertical	PK	NA
2419.4839	-70.66	-60.79	9.9	-40.00	20.79	Vertical	AV	PASS
3000	-60.39	-43.95	16.4	-40.0	4.0	Vertical	PK	PASS
11119.213	-67.19	-45.34	21.9	-40.0	5.3	Vertical	PK	PASS
17705.487	-70.85	-44.69	26.2	-40.0	4.7	Vertical	PK	PASS

**LTE Band 40 Block B**

Plot for Low Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
192.6286	-48.80	-67.86	-19.1	-40.0	27.9	Horizontal	PK	PASS
2291.4583	-45.14	-37.32	7.8	-40.0	-2.7	Horizontal	PK	NA
2291.4583	-70.66	-62.84	7.8	-40.00	22.84	Horizontal	AV	PASS
2351.8704	-46.63	-38.53	8.1	-	-	Horizontal	PK	NA
2413.4827	-40.54	-31.79	8.8	-40.0	-8.2	Horizontal	PK	NA
2413.4827	-70.65	-61.90	8.8	-40.00	21.90	Horizontal	AV	PASS
2961.1922	-59.77	-45.91	13.9	-40.0	5.9	Horizontal	PK	PASS
17935.497	-68.90	-44.65	24.3	-40.0	4.7	Horizontal	PK	PASS

