

## RF EXPOSURE REPORT



**Applicant:** JP Morgan Chase Bank N.A  
70 Fargo st., Boston, Massachusetts, United States, 02210

**Manufacturer:** JP Morgan Chase Bank N.A  
70 Fargo st., Boston, Massachusetts, United States, 02210

**Product Name:** POS Terminal


**Brand Name:** CHASE 

**Model No.:** STICK\_401\_GEN1

**FCC ID** 2BHPX-STICK401GEN1

**Date of EUT Received:** Sep. 16, 2025

**Issue Date:** Jan. 23, 2026



Approved By

John Yeh

**We hereby certify that:**

The above equipment was evaluated by SGS Taiwan Ltd. The evaluation in this report is in compliance with FCC Rule Part §2.1093, KDB 447498 D01 v06.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

## Revision History

| Report Number    | Revision | Description                   | Issue Date    | Revised By  | Remark |
|------------------|----------|-------------------------------|---------------|-------------|--------|
| TESA2512001002ES | 00       | Original                      | Dec. 29, 2025 | Kimmy Chiou |        |
| TESA2512001002ES | 01       | Add simultaneous transmission | Jan. 23, 2026 | Kimmy Chiou | *      |
|                  |          |                               |               |             |        |
|                  |          |                               |               |             |        |
|                  |          |                               |               |             |        |
|                  |          |                               |               |             |        |
|                  |          |                               |               |             |        |
|                  |          |                               |               |             |        |

**Note:**

- 1、The remark "\*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

## Table of Contents

|          |                                                       |          |
|----------|-------------------------------------------------------|----------|
| <b>1</b> | <b>DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)</b>      | <b>4</b> |
| 1.1      | Product Description                                   | 4        |
| 1.2      | Evaluation site                                       | 4        |
| <b>2</b> | <b>rf EXPOSURE EVALUATION FOR PORTABLE CONDITIONS</b> | <b>5</b> |
| 2.1      | FCC Standard Applicable:                              | 5        |
| 2.2      | Estimated SAR for simultaneous transmission           | 6        |
| <b>3</b> | <b>Simultaneous Transmission Scenarios:</b>           | <b>7</b> |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group



## 1 DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)

### 1.1 Product Description

|               |                                                                                                |
|---------------|------------------------------------------------------------------------------------------------|
| Product Name: | POS Terminal                                                                                   |
| Brand Name:   | <b>CHASE</b>  |
| Model No.:    | STICK_401_GEN1                                                                                 |

### 1.2 Evaluation site

| Laboratory                                            | Site Address                        |                                                                                                   | FCC Designation number/<br>Registration Number | ISED Company Number | CAB Identifier |
|-------------------------------------------------------|-------------------------------------|---------------------------------------------------------------------------------------------------|------------------------------------------------|---------------------|----------------|
| SGS Taiwan Ltd.<br>Central RF Lab.<br>(TAF code 3702) | <input type="checkbox"/>            | No. 134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, 24803, Taiwan. | TW0027/<br>891563                              | 4620A               | TW3702         |
|                                                       | <input type="checkbox"/>            | No. 2, Keji 1st Rd., Guishan Township, Taoyuan County, 333 Taiwan.                                | TW0028/<br>200037                              | 4620E               |                |
|                                                       | <input checked="" type="checkbox"/> | 1F, No. 8, Alley 15, Lane 120, Sec. 1, Nei Hu Road, Neihu District, Taipei City, 222 Taiwan.      | TW0029/<br>150169                              | 23862               |                |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

## 2 RF EXPOSURE EVALUATION FOR PORTABLE CONDITIONS

### 2.1 FCC Standard Applicable:

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensure that the public is not exposed to radio frequency energy level in excess of the Commission's guideline.

#### 2.1.1 As per KDB 447498 D01 4.3.1,

**Step a:** For 100 MHz to 6 GHz and test separation distances  $\leq 50$  mm, the 1-g and 10-g SAR test exclusion thresholds are determined by the following:

$[(\text{max. power of channel, including tune-up tolerance, mW})/(\text{min. test separation distance, mm})] \cdot \sqrt{f(\text{GHz})} \leq 3.0$  for 1-g Head & Body SAR and  $\leq 7.5$  for 10-g extremity Hand SAR, where

- $f(\text{GHz})$  is the RF channel transmit frequency in GHz
- Power and distance are rounded to the nearest mW and mm before calculation
- The result is rounded to one decimal place for comparison
- The values 3.0 and 7.5 are referred to as numeric thresholds in **step b)** below

**Step b:** For 100 MHz to 6 GHz and test separation distances  $> 50$  mm, the 1-g and 10-g SAR test exclusion thresholds are determined by the following (also illustrated in Appendix B):

- 1)  $\{[\text{Power allowed at numeric threshold for 50 mm in step a)}] + [(\text{test separation distance} - 50 \text{ mm}) \cdot (f(\text{MHz})/150)]\}$  mW, for 100 MHz to 1500 MHz
- 2)  $\{[\text{Power allowed at numeric threshold for 50 mm in step a)}] + [(\text{test separation distance} - 50 \text{ mm}) \cdot 10]\}$  mW, for  $> 1500$  MHz and  $\leq 6$  GHz

**Step c:** For frequencies below 100 MHz, the following may be considered for SAR test exclusion (also illustrated in Appendix C):

- 1) For test separation distances  $> 50$  mm and  $< 200$  mm, the power threshold at the corresponding test separation distance at 100 MHz in step b) is multiplied by  $[1 + \log(100/f(\text{MHz}))]$
- 2) For test separation distances  $\leq 50$  mm, the power threshold determined by the equation in c) 1) for 50 mm and 100 MHz is multiplied by  $\frac{1}{2}$
- 3) SAR measurement procedures are not established below 100 MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### 2.1.2 As per KDB447498D01v06 4.3.1 c)

SAR test exclusion threshold for NFC (13.56MHz) shall be evaluated as below,

- a) For *test separation distances*  $\leq 50$  mm, the power threshold determined by the equation in 4.3.1 c)
    - 1) for 50 mm and 100 MHz is multiplied by  $\frac{1}{2}$
  - b) The power threshold at 50mm/100 MHz in 4.3.1 b) is multiplied by  $[1 + \log(100/f(\text{MHz}))]$  where  $f$  is 13.56MHz
  - c) The power threshold in 4.3.1 b) is  $[\text{Power allowed at numeric threshold for 50 mm in 4.3.1 a)} + [(\text{test separation distance} - 50 \text{ mm}) \cdot (f(\text{MHz})/150)] \text{ mW}$ , for 100 MHz to 1500 MHz where test separation distance is 50mm, frequency is 100MHz.
  - d) Power allowed at numeric threshold for 50 mm in 4.3.1 a) is  $[3/\sqrt{f(\text{GHz})}] \cdot (\text{test separation distance})$
- Hence, SAR test exclusion threshold is calculated in reverse sequence:
- d) :  $[3/\sqrt{0.1}] \cdot 50 = 474.3416\text{mW}$
  - c) :  $474.3416 + (50-50) \cdot (100/150) = 474.3416\text{mW}$
  - b) :  $474.3416 \cdot [1 + \log(100/13.56)] = 885.9469\text{mW}$
  - a) :  $885.9469 \cdot 0.5 = 442.973\text{mW}$

Step c:

| Frequency (MHz) | E-FIELD dBuV/m | Test Distance (m) | EIRP (dBm) | EIRP (mW)    | Threshold (mW) |
|-----------------|----------------|-------------------|------------|--------------|----------------|
| 13.56           | 11.9           | 3                 | -83.25757  | 0.0000000047 | 442.973        |

Note:

$$\text{EIRP (dBm)} = (\text{E-FIELD(dBuV/m)} + 20\log(d(\text{m})) - 104.7$$

$$\text{EIRP(mW)} = (10^{(\text{EIRP(dBm)}/10)})$$

## 2.2 Estimated SAR for simultaneous transmission

**Estimated SAR for NFC:** Based on KDB447498D01v06 4.3.2 b), when an antenna qualifies for the standalone SAR test exclusion of 4.3.1 and also transmits simultaneously with other antennas, the standalone SAR value must be estimated according to the following to determine the simultaneous transmission SAR test exclusion criteria:

1)  $[(\text{max. power of channel, including tune-up tolerance, mW}) / (\text{min. test separation distance, mm})] \cdot [(f(\text{GHz})/x)^{(1/2)}] \text{ W/kg}$ , for test separation distances  $\leq 50$  mm, where  $x = 7.5$  for 1-g SAR and  $x = 18.75$  for 10-g SAR.

Using the most conservative test separation distance 5mm, so the estimated 1g-SAR for NFC would be 0.000.

$$[0.0000017/5] \cdot [\sqrt{0.01356/7.5}] = 0.00000000528860 \text{ W/kg}$$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group

### 3 SIMULTANEOUS TRANSMISSION SCENARIOS:

| Simultaneous Transmission configurations |
|------------------------------------------|
| WWAN + WLAN 2.4GHz + NFC                 |
| WWAN + WLAN 5GHz + BT + NFC              |

#### Simultaneous Transmission Combination\*

|                | Exposure Position |   | Reported SAR             |                                 |                               |                                    |                         | Scenario 1              | Scenario 2              |
|----------------|-------------------|---|--------------------------|---------------------------------|-------------------------------|------------------------------------|-------------------------|-------------------------|-------------------------|
|                |                   |   | 1                        | 2                               | 3                             | 4                                  | 5                       | 1+2+5                   | 1+3+4+5                 |
|                |                   |   | WWAN<br>1g SAR<br>(W/kg) | 2.4GHz WLAN<br>1g SAR<br>(W/kg) | 5GHz WLAN<br>1g SAR<br>(W/kg) | Bluetooth WLAN<br>1g SAR<br>(W/kg) | NFC<br>1g SAR<br>(W/kg) | Summed<br>1g SAR (W/kg) | Summed<br>1g SAR (W/kg) |
| LTE<br>Band 2  | Front Surface     | 5 | 0.232                    | 0.015                           | 0.120                         | 0.021                              | 0.000                   | 0.247                   | 0.352                   |
|                | Back Surface      | 5 | 0.548                    | 0.012                           | 0.074                         | 0.014                              | 0.000                   | 0.560                   | 0.622                   |
|                | Top Edge          | 5 | 0.089                    |                                 |                               |                                    | 0.000                   | 0.089                   | 0.089                   |
|                | Left Edge         | 5 |                          | 0.032                           | 0.387                         | 0.036                              | 0.000                   | 0.032                   | 0.387                   |
|                | Right Edge        | 5 | 1.157                    |                                 |                               |                                    | 0.000                   | 1.157                   | 1.157                   |
| LTE<br>Band 4  | Front Surface     | 5 | 0.198                    | 0.015                           | 0.120                         | 0.021                              | 0.000                   | 0.213                   | 0.318                   |
|                | Back Surface      | 5 | 0.433                    | 0.012                           | 0.074                         | 0.014                              | 0.000                   | 0.445                   | 0.507                   |
|                | Top Edge          | 5 | 0.045                    |                                 |                               |                                    | 0.000                   | 0.045                   | 0.045                   |
|                | Left Edge         | 5 |                          | 0.032                           | 0.387                         | 0.036                              | 0.000                   | 0.032                   | 0.387                   |
|                | Right Edge        | 5 | 1.015                    |                                 |                               |                                    | 0.000                   | 1.015                   | 1.015                   |
| LTE<br>Band 5  | Front Surface     | 5 | 0.377                    | 0.015                           | 0.120                         | 0.021                              | 0.000                   | 0.392                   | 0.497                   |
|                | Back Surface      | 5 | 0.553                    | 0.012                           | 0.074                         | 0.014                              | 0.000                   | 0.565                   | 0.627                   |
|                | Top Edge          | 5 | 0.158                    |                                 |                               |                                    | 0.000                   | 0.158                   | 0.158                   |
|                | Left Edge         | 5 |                          | 0.032                           | 0.387                         | 0.036                              | 0.000                   | 0.032                   | 0.387                   |
|                | Right Edge        | 5 | 0.301                    |                                 |                               |                                    | 0.000                   | 0.301                   | 0.301                   |
| LTE<br>Band 7  | Front Surface     | 5 | 0.103                    | 0.015                           | 0.120                         | 0.021                              | 0.000                   | 0.118                   | 0.223                   |
|                | Back Surface      | 5 | 0.142                    | 0.012                           | 0.074                         | 0.014                              | 0.000                   | 0.154                   | 0.216                   |
|                | Top Edge          | 5 | 0.093                    |                                 |                               |                                    | 0.000                   | 0.093                   | 0.093                   |
|                | Left Edge         | 5 |                          | 0.032                           | 0.387                         | 0.036                              | 0.000                   | 0.032                   | 0.387                   |
|                | Right Edge        | 5 | 0.859                    |                                 |                               |                                    | 0.000                   | 0.859                   | 0.859                   |
| LTE<br>Band 12 | Front Surface     | 5 | 0.658                    | 0.015                           | 0.120                         | 0.021                              | 0.000                   | 0.673                   | 0.778                   |
|                | Back Surface      | 5 | 1.005                    | 0.012                           | 0.074                         | 0.014                              | 0.000                   | 1.017                   | 1.079                   |
|                | Top Edge          | 5 | 0.272                    |                                 |                               |                                    | 0.000                   | 0.272                   | 0.272                   |
|                | Left Edge         | 5 |                          | 0.032                           | 0.387                         | 0.036                              | 0.000                   | 0.032                   | 0.387                   |
|                | Right Edge        | 5 | 0.559                    |                                 |                               |                                    | 0.000                   | 0.559                   | 0.559                   |
| LTE<br>Band 13 | Front Surface     | 5 | 0.600                    | 0.015                           | 0.120                         | 0.021                              | 0.000                   | 0.615                   | 0.720                   |
|                | Back Surface      | 5 | 0.836                    | 0.012                           | 0.074                         | 0.014                              | 0.000                   | 0.848                   | 0.910                   |
|                | Top Edge          | 5 | 0.205                    |                                 |                               |                                    | 0.000                   | 0.205                   | 0.205                   |
|                | Left Edge         | 5 |                          | 0.032                           | 0.387                         | 0.036                              | 0.000                   | 0.032                   | 0.387                   |
|                | Right Edge        | 5 | 0.542                    |                                 |                               |                                    | 0.000                   | 0.542                   | 0.542                   |
| LTE<br>Band 25 | Front Surface     | 5 | 0.189                    | 0.015                           | 0.120                         | 0.021                              | 0.000                   | 0.204                   | 0.309                   |
|                | Back Surface      | 5 | 0.362                    | 0.012                           | 0.074                         | 0.014                              | 0.000                   | 0.374                   | 0.436                   |
|                | Top Edge          | 5 | 0.063                    |                                 |                               |                                    | 0.000                   | 0.063                   | 0.063                   |
|                | Left Edge         | 5 |                          | 0.032                           | 0.387                         | 0.036                              | 0.000                   | 0.032                   | 0.387                   |
|                | Right Edge        | 5 | 1.073                    |                                 |                               |                                    | 0.000                   | 1.073                   | 1.073                   |
| LTE<br>Band 66 | Front Surface     | 5 | 0.251                    | 0.015                           | 0.120                         | 0.021                              | 0.000                   | 0.266                   | 0.371                   |
|                | Back Surface      | 5 | 0.600                    | 0.012                           | 0.074                         | 0.014                              | 0.000                   | 0.612                   | 0.674                   |
|                | Top Edge          | 5 | 0.052                    |                                 |                               |                                    | 0.000                   | 0.052                   | 0.052                   |
|                | Left Edge         | 5 |                          | 0.032                           | 0.387                         | 0.036                              | 0.000                   | 0.032                   | 0.387                   |
|                | Right Edge        | 5 | 1.157                    |                                 |                               |                                    | 0.000                   | 1.157                   | 1.157                   |

\*- The SAR test results are cited from report TESA2507000546ES(FCC ID: 2BB64CQS290NA).

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

[www.sgs.com.tw](http://www.sgs.com.tw)

Member of SGS Group