




Band2_20MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_1_0_NTNV



Band2_20MHz_16QAM_HCH_1900MHz_RB_1_0_NTNV




Band2_20MHz_16QAM_HCH_1900MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.018	-44.71	-13	Pass
1911	1930	1	CHP	2	1911.500	-42.09	-13	Pass

Band2_20MHz_16QAM_HCH_1900MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.198	CHP	/	/	/	/	/
1910	1911	0.198	CHP	1	1910.040	-36.47	-13	Pass
1911	1930	1	CHP	2	1911.640	-30.72	-13	Pass

7. Form731

7.1 Test Result

7.1.1 Form731_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
2	1.4	1850.7	1909.3	0.2951	0.0064	ppm	1M12G7D	24E	24.70
2	1.4	1850.7	1909.3	0.2415	0.0083	ppm	1M12W7D	24E	23.83
2	3	1851.5	1908.5	0.2104	0.0079	ppm	2M73G7D	24E	23.23
2	3	1851.5	1908.5	0.1849	0.0065	ppm	2M73W7D	24E	22.67
2	5	1852.5	1907.5	0.2193	0.0065	ppm	4M56G7D	24E	23.41
2	5	1852.5	1907.5	0.1782	0.0063	ppm	4M57W7D	24E	22.51
2	10	1855	1905	0.2128	0.0051	ppm	9M05G7D	24E	23.28
2	10	1855	1905	0.1718	0.0042	ppm	9M07W7D	24E	22.35
2	15	1857.5	1902.5	0.2070	0.0034	ppm	13M6G7D	24E	23.16
2	15	1857.5	1902.5	0.1799	0.0028	ppm	13M7W7D	24E	22.55
2	20	1860	1900	0.2089	0.0048	ppm	18M1G7D	24E	23.20
2	20	1860	1900	0.1770	0.0038	ppm	18M2W7D	24E	22.48

7.1.2 Form731_EIRP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
2	1.4	1850.7	1909.3	0.4178	0.0064	ppm	1M12G7D	24E	26.21
2	1.4	1850.7	1909.3	0.3420	0.0083	ppm	1M12W7D	24E	25.34
2	3	1851.5	1908.5	0.2979	0.0079	ppm	2M73G7D	24E	24.74
2	3	1851.5	1908.5	0.2618	0.0065	ppm	2M73W7D	24E	24.18
2	5	1852.5	1907.5	0.3105	0.0065	ppm	4M56G7D	24E	24.92
2	5	1852.5	1907.5	0.2523	0.0063	ppm	4M57W7D	24E	24.02
2	10	1855	1905	0.3013	0.0051	ppm	9M05G7D	24E	24.79
2	10	1855	1905	0.2432	0.0042	ppm	9M07W7D	24E	23.86
2	15	1857.5	1902.5	0.2931	0.0034	ppm	13M6G7D	24E	24.67
2	15	1857.5	1902.5	0.2547	0.0028	ppm	13M7W7D	24E	24.06
2	20	1860	1900	0.2958	0.0048	ppm	18M1G7D	24E	24.71
2	20	1860	1900	0.2506	0.0038	ppm	18M2W7D	24E	23.99

***** End of Report *****