

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B7_5MHz_EIRP

Band: 7 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2502.5	1	0	22.25	1.78	24.03	<=33.01	Pass
			13	22.20	1.78	23.98	<=33.01	Pass
			24	21.88	1.78	23.66	<=33.01	Pass
		12	0	21.30	1.78	23.08	<=33.01	Pass
			6	21.28	1.78	23.06	<=33.01	Pass
			13	21.34	1.78	23.12	<=33.01	Pass
		25	0	21.30	1.78	23.08	<=33.01	Pass
	2535	1	0	22.21	1.78	23.99	<=33.01	Pass
			13	22.22	1.78	24.00	<=33.01	Pass
			24	22.24	1.78	24.02	<=33.01	Pass
		12	0	21.43	1.78	23.21	<=33.01	Pass
			6	21.42	1.78	23.20	<=33.01	Pass
			13	21.44	1.78	23.22	<=33.01	Pass
		25	0	21.50	1.78	23.28	<=33.01	Pass
	2567.5	1	0	22.12	1.78	23.90	<=33.01	Pass
			13	22.12	1.78	23.90	<=33.01	Pass
			24	22.14	1.78	23.92	<=33.01	Pass
		12	0	21.62	1.78	23.40	<=33.01	Pass
			6	21.62	1.78	23.40	<=33.01	Pass
			13	21.60	1.78	23.38	<=33.01	Pass
		25	0	21.61	1.78	23.39	<=33.01	Pass
16QAM	2502.5	1	0	21.06	1.78	22.84	<=33.01	Pass
			13	21.06	1.78	22.84	<=33.01	Pass
			24	21.08	1.78	22.86	<=33.01	Pass
		12	0	20.27	1.78	22.05	<=33.01	Pass
			6	20.30	1.78	22.08	<=33.01	Pass
			13	20.36	1.78	22.14	<=33.01	Pass
		25	0	20.30	1.78	22.08	<=33.01	Pass
	2535	1	0	20.88	1.78	22.66	<=33.01	Pass
			13	20.88	1.78	22.66	<=33.01	Pass
			24	20.90	1.78	22.68	<=33.01	Pass
		12	0	20.52	1.78	22.30	<=33.01	Pass
			6	20.52	1.78	22.30	<=33.01	Pass
			13	20.51	1.78	22.29	<=33.01	Pass
		25	0	20.56	1.78	22.34	<=33.01	Pass
	2567.5	1	0	21.16	1.78	22.94	<=33.01	Pass
			13	21.16	1.78	22.94	<=33.01	Pass
			24	21.20	1.78	22.98	<=33.01	Pass
		12	0	20.62	1.78	22.40	<=33.01	Pass
			6	20.59	1.78	22.37	<=33.01	Pass
			13	20.60	1.78	22.38	<=33.01	Pass
		25	0	20.66	1.78	22.44	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

Band: 7 / Bandwidth: 10MHz / NTNV

Note1: EIRP=Conducted Power+Antenna Gain

Band: 7 / Bandwidth: 15MHz / NTN-V

Band: 7 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2507.5	1	0	21.57	1.78	23.35	<=33.01	Pass
			38	21.69	1.78	23.47	<=33.01	Pass
			74	21.73	1.78	23.51	<=33.01	Pass
		36	0	21.18	1.78	22.96	<=33.01	Pass

16QAM	2535	75	18	21.28	1.78	23.06	<=33.01	Pass
			39	21.29	1.78	23.07	<=33.01	Pass
			0	21.22	1.78	23.00	<=33.01	Pass
		1	0	21.77	1.78	23.55	<=33.01	Pass
			38	21.95	1.78	23.73	<=33.01	Pass
			74	21.85	1.78	23.63	<=33.01	Pass
		36	0	21.38	1.78	23.16	<=33.01	Pass
			18	21.45	1.78	23.23	<=33.01	Pass
			39	21.47	1.78	23.25	<=33.01	Pass
		75	0	21.46	1.78	23.24	<=33.01	Pass
	2562.5	1	0	21.91	1.78	23.69	<=33.01	Pass
			38	22.09	1.78	23.87	<=33.01	Pass
			74	22.12	1.78	23.90	<=33.01	Pass
		36	0	21.53	1.78	23.31	<=33.01	Pass
			18	21.58	1.78	23.36	<=33.01	Pass
			39	21.62	1.78	23.40	<=33.01	Pass
		75	0	21.64	1.78	23.42	<=33.01	Pass
	2507.5	1	0	21.08	1.78	22.86	<=33.01	Pass
			38	21.19	1.78	22.97	<=33.01	Pass
			74	21.15	1.78	22.93	<=33.01	Pass
		36	0	20.16	1.78	21.94	<=33.01	Pass
			18	20.25	1.78	22.03	<=33.01	Pass
			39	20.26	1.78	22.04	<=33.01	Pass
		75	0	20.23	1.78	22.01	<=33.01	Pass
	2535	1	0	20.99	1.78	22.77	<=33.01	Pass
			38	21.18	1.78	22.96	<=33.01	Pass
			74	21.14	1.78	22.92	<=33.01	Pass
		36	0	20.40	1.78	22.18	<=33.01	Pass
			18	20.46	1.78	22.24	<=33.01	Pass
			39	20.51	1.78	22.29	<=33.01	Pass
		75	0	20.46	1.78	22.24	<=33.01	Pass
	2562.5	1	0	21.42	1.78	23.20	<=33.01	Pass
			38	21.60	1.78	23.38	<=33.01	Pass
			74	21.56	1.78	23.34	<=33.01	Pass
		36	0	20.59	1.78	22.37	<=33.01	Pass
			18	20.61	1.78	22.39	<=33.01	Pass
			39	20.68	1.78	22.46	<=33.01	Pass
		75	0	20.63	1.78	22.41	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B7_20MHz_EIRP

Band: 7 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2510	1	0	21.61	1.78	23.39	<=33.01	Pass
			50	21.76	1.78	23.54	<=33.01	Pass
			99	21.79	1.78	23.57	<=33.01	Pass
		50	0	21.14	1.78	22.92	<=33.01	Pass
			25	21.35	1.78	23.13	<=33.01	Pass
			50	21.30	1.78	23.08	<=33.01	Pass
	2535	100	0	21.19	1.78	22.97	<=33.01	Pass
		1	0	21.72	1.78	23.50	<=33.01	Pass
			50	21.92	1.78	23.70	<=33.01	Pass
			99	21.82	1.78	23.60	<=33.01	Pass
		50	0	21.43	1.78	23.21	<=33.01	Pass
			25	21.56	1.78	23.34	<=33.01	Pass

			50	21.62	1.78	23.40	<=33.01	Pass	
		100	0	21.49	1.78	23.27	<=33.01	Pass	
	2560	1	0	21.82	1.78	23.60	<=33.01	Pass	
			50	22.05	1.78	23.83	<=33.01	Pass	
			99	22.00	1.78	23.78	<=33.01	Pass	
		50	0	21.66	1.78	23.44	<=33.01	Pass	
			25	21.60	1.78	23.38	<=33.01	Pass	
			50	21.62	1.78	23.40	<=33.01	Pass	
		100	0	21.63	1.78	23.41	<=33.01	Pass	
16QAM	2510	1	0	21.22	1.78	23.00	<=33.01	Pass	
			50	21.39	1.78	23.17	<=33.01	Pass	
			99	21.40	1.78	23.18	<=33.01	Pass	
		50	0	20.08	1.78	21.86	<=33.01	Pass	
			25	20.31	1.78	22.09	<=33.01	Pass	
			50	20.27	1.78	22.05	<=33.01	Pass	
		100	0	20.18	1.78	21.96	<=33.01	Pass	
	2535	1	0	20.96	1.78	22.74	<=33.01	Pass	
			50	21.19	1.78	22.97	<=33.01	Pass	
			99	21.14	1.78	22.92	<=33.01	Pass	
		50	0	20.43	1.78	22.21	<=33.01	Pass	
			25	20.52	1.78	22.30	<=33.01	Pass	
			50	20.59	1.78	22.37	<=33.01	Pass	
		100	0	20.49	1.78	22.27	<=33.01	Pass	
	2560	1	0	21.12	1.78	22.90	<=33.01	Pass	
			50	21.34	1.78	23.12	<=33.01	Pass	
			99	21.33	1.78	23.11	<=33.01	Pass	
		50	0	20.65	1.78	22.43	<=33.01	Pass	
			25	20.58	1.78	22.36	<=33.01	Pass	
			50	20.60	1.78	22.38	<=33.01	Pass	
		100	0	20.62	1.78	22.40	<=33.01	Pass	
	Note1: EIRP=Conducted Power+Antenna Gain								

2. Frequency Stability

2.1 Test Result

2.1.1 B7_5MHz

Band: 7 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2502.5	25	0	20	3.27	-9.098	-0.0036	-2.5 to 2.5	Pass
					3.85	-5.407	-0.0022	-2.5 to 2.5	Pass
					4.43	-5.221	-0.0021	-2.5 to 2.5	Pass
				-30	3.85	1.988	0.0008	-2.5 to 2.5	Pass
					3.85	4.778	0.0019	-2.5 to 2.5	Pass
					3.85	1.416	0.0006	-2.5 to 2.5	Pass
				0	3.85	-3.390	-0.0014	-2.5 to 2.5	Pass
					3.85	-4.964	-0.0020	-2.5 to 2.5	Pass
					3.85	-0.029	0.0000	-2.5 to 2.5	Pass
				40	3.85	6.652	0.0027	-2.5 to 2.5	Pass
					3.85	-5.522	-0.0022	-2.5 to 2.5	Pass
					3.85	-3.862	-0.0015	-2.5 to 2.5	Pass
	2535	25	0	20	3.85	-4.778	-0.0019	-2.5 to 2.5	Pass
					4.43	-8.969	-0.0035	-2.5 to 2.5	Pass

				-30	3.85	-12.016	-0.0047	-2.5 to 2.5	Pass
				-20	3.85	-2.675	-0.0011	-2.5 to 2.5	Pass
				-10	3.85	-9.642	-0.0038	-2.5 to 2.5	Pass
				0	3.85	-5.980	-0.0024	-2.5 to 2.5	Pass
				10	3.85	-9.341	-0.0037	-2.5 to 2.5	Pass
				30	3.85	-3.848	-0.0015	-2.5 to 2.5	Pass
				40	3.85	-4.892	-0.0019	-2.5 to 2.5	Pass
				50	3.85	-5.407	-0.0021	-2.5 to 2.5	Pass
	2567.5	25	0	20	3.27	-2.961	-0.0012	-2.5 to 2.5	Pass
					3.85	-4.406	-0.0017	-2.5 to 2.5	Pass
					4.43	-4.134	-0.0016	-2.5 to 2.5	Pass
				-30	3.85	-10.257	-0.0040	-2.5 to 2.5	Pass
				-20	3.85	0.601	0.0002	-2.5 to 2.5	Pass
				-10	3.85	-10.800	-0.0042	-2.5 to 2.5	Pass
				0	3.85	-0.343	-0.0001	-2.5 to 2.5	Pass
				10	3.85	-5.178	-0.0020	-2.5 to 2.5	Pass
				30	3.85	-6.022	-0.0023	-2.5 to 2.5	Pass
				40	3.85	-2.704	-0.0011	-2.5 to 2.5	Pass
				50	3.85	-4.835	-0.0019	-2.5 to 2.5	Pass
16QAM	2502.5	25	0	20	3.27	-1.216	-0.0005	-2.5 to 2.5	Pass
					3.85	-2.775	-0.0011	-2.5 to 2.5	Pass
					4.43	-9.198	-0.0037	-2.5 to 2.5	Pass
				-30	3.85	-2.975	-0.0012	-2.5 to 2.5	Pass
				-20	3.85	-5.121	-0.0020	-2.5 to 2.5	Pass
				-10	3.85	5.579	0.0022	-2.5 to 2.5	Pass
				0	3.85	-7.539	-0.0030	-2.5 to 2.5	Pass
				10	3.85	3.648	0.0015	-2.5 to 2.5	Pass
				30	3.85	1.001	0.0004	-2.5 to 2.5	Pass
				40	3.85	0.958	0.0004	-2.5 to 2.5	Pass
				50	3.85	-4.306	-0.0017	-2.5 to 2.5	Pass
	2535	25	0	20	3.27	-3.290	-0.0013	-2.5 to 2.5	Pass
					3.85	-5.221	-0.0021	-2.5 to 2.5	Pass
					4.43	-3.347	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	-1.888	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	1.774	0.0007	-2.5 to 2.5	Pass
				-10	3.85	0.229	0.0001	-2.5 to 2.5	Pass
				0	3.85	-7.052	-0.0028	-2.5 to 2.5	Pass
				10	3.85	-6.638	-0.0026	-2.5 to 2.5	Pass
				30	3.85	-3.963	-0.0016	-2.5 to 2.5	Pass
				40	3.85	-2.332	-0.0009	-2.5 to 2.5	Pass
				50	3.85	2.217	0.0009	-2.5 to 2.5	Pass
	2567.5	25	0	20	3.27	-5.822	-0.0023	-2.5 to 2.5	Pass
					3.85	-11.659	-0.0045	-2.5 to 2.5	Pass
					4.43	-0.529	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	5.021	0.0020	-2.5 to 2.5	Pass
				-20	3.85	-4.907	-0.0019	-2.5 to 2.5	Pass
				-10	3.85	1.388	0.0005	-2.5 to 2.5	Pass
				0	3.85	-5.794	-0.0023	-2.5 to 2.5	Pass
				10	3.85	1.087	0.0004	-2.5 to 2.5	Pass
				30	3.85	-3.448	-0.0013	-2.5 to 2.5	Pass
				40	3.85	5.493	0.0021	-2.5 to 2.5	Pass
				50	3.85	-8.554	-0.0033	-2.5 to 2.5	Pass

2.1.2 B7_10MHz

Band: 7 / Bandwidth: 10MHz							
Modulation	Frequency	RB Allocation	Temp.	Voltage	Freq. Error	Freq. vs. Rated (ppm)	Verdict

	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	
QPSK	2505	50	0	20	3.27	-6.580	-0.0026	-2.5 to 2.5	Pass
					3.85	-7.410	-0.0030	-2.5 to 2.5	Pass
					4.43	-1.960	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	1.373	0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.443	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	-6.967	-0.0028	-2.5 to 2.5	Pass
				0	3.85	1.345	0.0005	-2.5 to 2.5	Pass
				10	3.85	-1.802	-0.0007	-2.5 to 2.5	Pass
				30	3.85	-3.891	-0.0016	-2.5 to 2.5	Pass
				40	3.85	-2.089	-0.0008	-2.5 to 2.5	Pass
				50	3.85	-3.734	-0.0015	-2.5 to 2.5	Pass
	2535	50	0	20	3.27	-7.739	-0.0031	-2.5 to 2.5	Pass
					3.85	-6.022	-0.0024	-2.5 to 2.5	Pass
					4.43	-1.545	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	-7.825	-0.0031	-2.5 to 2.5	Pass
				-20	3.85	-4.950	-0.0020	-2.5 to 2.5	Pass
				-10	3.85	-3.777	-0.0015	-2.5 to 2.5	Pass
				0	3.85	-6.580	-0.0026	-2.5 to 2.5	Pass
				10	3.85	0.715	0.0003	-2.5 to 2.5	Pass
				30	3.85	-7.739	-0.0031	-2.5 to 2.5	Pass
				40	3.85	-3.448	-0.0014	-2.5 to 2.5	Pass
				50	3.85	-4.621	-0.0018	-2.5 to 2.5	Pass
	2565	50	0	20	3.27	-0.744	-0.0003	-2.5 to 2.5	Pass
					3.85	-1.645	-0.0006	-2.5 to 2.5	Pass
					4.43	-1.988	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	-0.486	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	2.403	0.0009	-2.5 to 2.5	Pass
				-10	3.85	0.758	0.0003	-2.5 to 2.5	Pass
				0	3.85	1.888	0.0007	-2.5 to 2.5	Pass
				10	3.85	-5.150	-0.0020	-2.5 to 2.5	Pass
				30	3.85	1.187	0.0005	-2.5 to 2.5	Pass
				40	3.85	-7.153	-0.0028	-2.5 to 2.5	Pass
				50	3.85	-0.772	-0.0003	-2.5 to 2.5	Pass
16QAM	2505	50	0	20	3.27	-1.302	-0.0005	-2.5 to 2.5	Pass
					3.85	-5.593	-0.0022	-2.5 to 2.5	Pass
					4.43	-3.147	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	-0.987	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-3.033	-0.0012	-2.5 to 2.5	Pass
				-10	3.85	-5.622	-0.0022	-2.5 to 2.5	Pass
				0	3.85	1.302	0.0005	-2.5 to 2.5	Pass
				10	3.85	-6.008	-0.0024	-2.5 to 2.5	Pass
				30	3.85	-2.632	-0.0011	-2.5 to 2.5	Pass
				40	3.85	-6.337	-0.0025	-2.5 to 2.5	Pass
				50	3.85	-0.916	-0.0004	-2.5 to 2.5	Pass
	2535	50	0	20	3.27	-2.117	-0.0008	-2.5 to 2.5	Pass
					3.85	-5.336	-0.0021	-2.5 to 2.5	Pass
					4.43	-1.788	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	-2.732	-0.0011	-2.5 to 2.5	Pass
				-20	3.85	1.502	0.0006	-2.5 to 2.5	Pass
				-10	3.85	-2.518	-0.0010	-2.5 to 2.5	Pass
				0	3.85	-1.216	-0.0005	-2.5 to 2.5	Pass
				10	3.85	-3.877	-0.0015	-2.5 to 2.5	Pass
				30	3.85	0.615	0.0002	-2.5 to 2.5	Pass
				40	3.85	-0.873	-0.0003	-2.5 to 2.5	Pass
				50	3.85	-4.334	-0.0017	-2.5 to 2.5	Pass
	2565	50	0	20	3.27	-3.276	-0.0013	-2.5 to 2.5	Pass
					3.85	-1.702	-0.0007	-2.5 to 2.5	Pass

					4.43	1.688	0.0007	-2.5 to 2.5	Pass
				-30	3.85	0.300	0.0001	-2.5 to 2.5	Pass
				-20	3.85	3.605	0.0014	-2.5 to 2.5	Pass
				-10	3.85	2.589	0.0010	-2.5 to 2.5	Pass
				0	3.85	-0.873	-0.0003	-2.5 to 2.5	Pass
				10	3.85	-0.415	-0.0002	-2.5 to 2.5	Pass
				30	3.85	-2.561	-0.0010	-2.5 to 2.5	Pass
				40	3.85	2.003	0.0008	-2.5 to 2.5	Pass
				50	3.85	-0.286	-0.0001	-2.5 to 2.5	Pass

2.1.3 B7_15MHz

Band: 7 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2507.5	75	0	20	3.27	-1.273	-0.0005	-2.5 to 2.5	Pass
					3.85	-1.760	-0.0007	-2.5 to 2.5	Pass
					4.43	-0.916	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	-0.215	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	-0.744	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-4.220	-0.0017	-2.5 to 2.5	Pass
				0	3.85	-0.615	-0.0002	-2.5 to 2.5	Pass
				10	3.85	-6.180	-0.0025	-2.5 to 2.5	Pass
				30	3.85	-6.480	-0.0026	-2.5 to 2.5	Pass
				40	3.85	1.616	0.0006	-2.5 to 2.5	Pass
				50	3.85	-2.918	-0.0012	-2.5 to 2.5	Pass
	2535	75	0	20	3.27	-2.890	-0.0011	-2.5 to 2.5	Pass
					3.85	-1.373	-0.0005	-2.5 to 2.5	Pass
					4.43	-2.303	-0.0009	-2.5 to 2.5	Pass
				-30	3.85	-1.931	-0.0008	-2.5 to 2.5	Pass
				-20	3.85	-5.550	-0.0022	-2.5 to 2.5	Pass
				-10	3.85	-1.974	-0.0008	-2.5 to 2.5	Pass
				0	3.85	-1.044	-0.0004	-2.5 to 2.5	Pass
				10	3.85	-3.519	-0.0014	-2.5 to 2.5	Pass
				30	3.85	-1.774	-0.0007	-2.5 to 2.5	Pass
				40	3.85	-3.920	-0.0015	-2.5 to 2.5	Pass
				50	3.85	-0.916	-0.0004	-2.5 to 2.5	Pass
	2562.5	75	0	20	3.27	-3.119	-0.0012	-2.5 to 2.5	Pass
					3.85	-3.448	-0.0013	-2.5 to 2.5	Pass
					4.43	-3.262	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	-4.721	-0.0018	-2.5 to 2.5	Pass
				-20	3.85	-2.990	-0.0012	-2.5 to 2.5	Pass
				-10	3.85	-7.381	-0.0029	-2.5 to 2.5	Pass
				0	3.85	0.229	0.0001	-2.5 to 2.5	Pass
				10	3.85	2.131	0.0008	-2.5 to 2.5	Pass
				30	3.85	-4.749	-0.0019	-2.5 to 2.5	Pass
				40	3.85	-5.622	-0.0022	-2.5 to 2.5	Pass
				50	3.85	3.233	0.0013	-2.5 to 2.5	Pass
16QAM	2507.5	75	0	20	3.27	-3.076	-0.0012	-2.5 to 2.5	Pass
					3.85	-0.114	0.0000	-2.5 to 2.5	Pass
					4.43	-2.432	-0.0010	-2.5 to 2.5	Pass
				-30	3.85	-0.958	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	-9.699	-0.0039	-2.5 to 2.5	Pass
				-10	3.85	-1.216	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-1.287	-0.0005	-2.5 to 2.5	Pass
				10	3.85	-0.458	-0.0002	-2.5 to 2.5	Pass
				30	3.85	-0.472	-0.0002	-2.5 to 2.5	Pass

	2535	75	0	40	3.85	0.057	0.0000	-2.5 to 2.5	Pass
				50	3.85	-3.004	-0.0012	-2.5 to 2.5	Pass
				20	3.27	-3.376	-0.0013	-2.5 to 2.5	Pass
					3.85	-3.934	-0.0016	-2.5 to 2.5	Pass
					4.43	-1.717	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	-4.678	-0.0018	-2.5 to 2.5	Pass
				-20	3.85	-0.544	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	0.601	0.0002	-2.5 to 2.5	Pass
				0	3.85	0.415	0.0002	-2.5 to 2.5	Pass
				10	3.85	-3.676	-0.0015	-2.5 to 2.5	Pass
				30	3.85	3.490	0.0014	-2.5 to 2.5	Pass
				40	3.85	-2.475	-0.0010	-2.5 to 2.5	Pass
				50	3.85	-1.273	-0.0005	-2.5 to 2.5	Pass
	2562.5	75	0	20	3.27	-3.161	-0.0012	-2.5 to 2.5	Pass
					3.85	3.705	0.0014	-2.5 to 2.5	Pass
					4.43	1.445	0.0006	-2.5 to 2.5	Pass
				-30	3.85	-3.891	-0.0015	-2.5 to 2.5	Pass
				-20	3.85	3.977	0.0016	-2.5 to 2.5	Pass
				-10	3.85	-0.372	-0.0001	-2.5 to 2.5	Pass
				0	3.85	3.920	0.0015	-2.5 to 2.5	Pass
				10	3.85	-1.388	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-10.571	-0.0041	-2.5 to 2.5	Pass
				40	3.85	-4.435	-0.0017	-2.5 to 2.5	Pass
				50	3.85	-4.721	-0.0018	-2.5 to 2.5	Pass

2.1.4 B7_20MHz

Band: 7 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2510	100	0	20	3.27	-0.286	-0.0001	-2.5 to 2.5	Pass
					3.85	-0.744	-0.0003	-2.5 to 2.5	Pass
					4.43	0.730	0.0003	-2.5 to 2.5	Pass
				-30	3.85	-0.944	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	0.257	0.0001	-2.5 to 2.5	Pass
				-10	3.85	1.016	0.0004	-2.5 to 2.5	Pass
				0	3.85	-0.072	0.0000	-2.5 to 2.5	Pass
				10	3.85	2.303	0.0009	-2.5 to 2.5	Pass
				30	3.85	-2.146	-0.0009	-2.5 to 2.5	Pass
				40	3.85	3.819	0.0015	-2.5 to 2.5	Pass
				50	3.85	4.148	0.0017	-2.5 to 2.5	Pass
	2535	100	0	20	3.27	0.286	0.0001	-2.5 to 2.5	Pass
					3.85	-4.406	-0.0017	-2.5 to 2.5	Pass
					4.43	0.501	0.0002	-2.5 to 2.5	Pass
				-30	3.85	0.215	0.0001	-2.5 to 2.5	Pass
				-20	3.85	3.648	0.0014	-2.5 to 2.5	Pass
				-10	3.85	0.043	0.0000	-2.5 to 2.5	Pass
				0	3.85	1.001	0.0004	-2.5 to 2.5	Pass
				10	3.85	1.287	0.0005	-2.5 to 2.5	Pass
				30	3.85	-3.147	-0.0012	-2.5 to 2.5	Pass
				40	3.85	0.958	0.0004	-2.5 to 2.5	Pass
				50	3.85	-1.230	-0.0005	-2.5 to 2.5	Pass
	2560	100	0	20	3.27	-3.405	-0.0013	-2.5 to 2.5	Pass
					3.85	-4.520	-0.0018	-2.5 to 2.5	Pass
					4.43	-2.189	-0.0009	-2.5 to 2.5	Pass
				-30	3.85	-4.907	-0.0019	-2.5 to 2.5	Pass
				-20	3.85	-2.189	-0.0009	-2.5 to 2.5	Pass

16QAM	2510	100	0	-10	3.85	0.601	0.0002	-2.5 to 2.5	Pass
				0	3.85	-4.563	-0.0018	-2.5 to 2.5	Pass
				10	3.85	-2.704	-0.0011	-2.5 to 2.5	Pass
				30	3.85	-2.289	-0.0009	-2.5 to 2.5	Pass
				40	3.85	4.792	0.0019	-2.5 to 2.5	Pass
				50	3.85	2.174	0.0008	-2.5 to 2.5	Pass
	2535	100	0	20	3.27	3.576	0.0014	-2.5 to 2.5	Pass
					3.85	1.230	0.0005	-2.5 to 2.5	Pass
					4.43	2.189	0.0009	-2.5 to 2.5	Pass
				-30	3.85	2.289	0.0009	-2.5 to 2.5	Pass
				-20	3.85	2.646	0.0011	-2.5 to 2.5	Pass
				-10	3.85	-1.245	-0.0005	-2.5 to 2.5	Pass
				0	3.85	2.260	0.0009	-2.5 to 2.5	Pass
				10	3.85	1.674	0.0007	-2.5 to 2.5	Pass
				30	3.85	-0.415	-0.0002	-2.5 to 2.5	Pass
				40	3.85	-3.748	-0.0015	-2.5 to 2.5	Pass
				50	3.85	-0.315	-0.0001	-2.5 to 2.5	Pass
				20	3.27	-0.429	-0.0002	-2.5 to 2.5	Pass
					3.85	-1.016	-0.0004	-2.5 to 2.5	Pass
					4.43	-5.150	-0.0020	-2.5 to 2.5	Pass
	2560	100	0	-30	3.85	-4.177	-0.0016	-2.5 to 2.5	Pass
				-20	3.85	-0.157	-0.0001	-2.5 to 2.5	Pass
				-10	3.85	-1.073	-0.0004	-2.5 to 2.5	Pass
				0	3.85	0.472	0.0002	-2.5 to 2.5	Pass
				10	3.85	-1.574	-0.0006	-2.5 to 2.5	Pass
				30	3.85	-3.734	-0.0015	-2.5 to 2.5	Pass
				40	3.85	0.587	0.0002	-2.5 to 2.5	Pass
				50	3.85	0.243	0.0001	-2.5 to 2.5	Pass
				20	3.27	-4.764	-0.0019	-2.5 to 2.5	Pass
					3.85	1.516	0.0006	-2.5 to 2.5	Pass
					4.43	-1.674	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	-0.958	-0.0004	-2.5 to 2.5	Pass
				-20	3.85	1.388	0.0005	-2.5 to 2.5	Pass
				-10	3.85	6.652	0.0026	-2.5 to 2.5	Pass
				0	3.85	0.315	0.0001	-2.5 to 2.5	Pass
				10	3.85	4.106	0.0016	-2.5 to 2.5	Pass
				30	3.85	-1.802	-0.0007	-2.5 to 2.5	Pass
				40	3.85	3.333	0.0013	-2.5 to 2.5	Pass
				50	3.85	3.562	0.0014	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B7_5MHz

Band: 7 / Bandwidth: 5MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics	
		Size	Offset	Result	Limit
QPSK	2535	25	0	Refer To Test Graph	
16QAM	2535	25	0	Refer To Test Graph	

3.1.2 B7_10MHz

Band: 7 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2535	50	0	Refer To Test Graph		Pass
16QAM	2535	50	0	Refer To Test Graph		Pass

3.1.3 B7_15MHz


Band: 7 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2535	75	0	Refer To Test Graph		Pass
16QAM	2535	75	0	Refer To Test Graph		Pass

3.1.4 B7_20MHz


Band: 7 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2535	100	0	Refer To Test Graph		Pass
16QAM	2535	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B7_5MHz




3.2.2 B7_10MHz



3.2.3 B7_15MHz



3.2.4 B7_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band7_OBW

Band: 7 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2502.5	25	0	4.550	/	Pass
		2535	25	0	4.540	/	Pass
		2567.5	25	0	4.557	/	Pass
	16QAM	2502.5	25	0	4.548	/	Pass
		2535	25	0	4.569	/	Pass
		2567.5	25	0	4.541	/	Pass
10	QPSK	2505	50	0	9.080	/	Pass
		2535	50	0	9.052	/	Pass
		2565	50	0	9.064	/	Pass
	16QAM	2505	50	0	9.056	/	Pass
		2535	50	0	9.063	/	Pass
		2565	50	0	9.087	/	Pass
15	QPSK	2507.5	75	0	13.585	/	Pass
		2535	75	0	13.577	/	Pass
		2562.5	75	0	13.613	/	Pass
	16QAM	2507.5	75	0	13.579	/	Pass
		2535	75	0	13.618	/	Pass
		2562.5	75	0	13.603	/	Pass
20	QPSK	2510	100	0	18.080	/	Pass
		2535	100	0	18.153	/	Pass
		2560	100	0	18.083	/	Pass
	16QAM	2510	100	0	18.049	/	Pass
		2535	100	0	18.147	/	Pass
		2560	100	0	18.113	/	Pass


4.1.2 Band7_XDB

Band: 7 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2502.5	25	0	5.045	/	Pass
		2535	25	0	5.077	/	Pass
		2567.5	25	0	5.028	/	Pass
	16QAM	2502.5	25	0	5.059	/	Pass
		2535	25	0	5.063	/	Pass
		2567.5	25	0	5.076	/	Pass
10	QPSK	2505	50	0	9.922	/	Pass
		2535	50	0	10.031	/	Pass
		2565	50	0	10.082	/	Pass
	16QAM	2505	50	0	9.980	/	Pass
		2535	50	0	9.957	/	Pass
		2565	50	0	9.969	/	Pass
15	QPSK	2507.5	75	0	14.832	/	Pass
		2535	75	0	14.874	/	Pass


	16QAM	2562.5	75	0	14.976	/	Pass
		2507.5	75	0	15.018	/	Pass
		2535	75	0	14.983	/	Pass
		2562.5	75	0	14.915	/	Pass
20	QPSK	2510	100	0	19.692	/	Pass
		2535	100	0	19.976	/	Pass
		2560	100	0	19.653	/	Pass
	16QAM	2510	100	0	19.758	/	Pass
		2535	100	0	19.657	/	Pass
		2560	100	0	19.905	/	Pass

4.2 Test Graph


4.2.1 Band7_OBW




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_MCH_2535MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_HCH_2567.5MHz_RB_25_0_NTNV




Band7_10MHz_QPSK_LCH_2505MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_HCH_2565MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_LCH_2505MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_HCH_2565MHz_RB_50_0_NTNV




Band7_15MHz_QPSK_LCH_2507.5MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_LCH_2507.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_HCH_2562.5MHz_RB_75_0_NTNV




Band7_20MHz_QPSK_LCH_2510MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_MCH_2535MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_HCH_2560MHz_RB_100_0_NTNV




Band7_20MHz_16QAM_LCH_2510MHz_RB_100_0_NTNV



Band7_20MHz_16QAM_MCH_2535MHz_RB_100_0_NTNV




Band7_20MHz_16QAM_HCH_2560MHz_RB_100_0_NTNV




4.2.2 Band7_XDB


Band7_5MHz_QPSK_LCH_2502.5MHz_RB_25_0_NTNV




Band7_5MHz_QPSK_MCH_2535MHz_RB_25_0_NTNV




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_MCH_2535MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_HCH_2567.5MHz_RB_25_0_NTNV




Band7_10MHz_QPSK_LCH_2505MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_HCH_2565MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_LCH_2505MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_HCH_2565MHz_RB_50_0_NTNV




Band7_15MHz_QPSK_LCH_2507.5MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_LCH_2507.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_HCH_2562.5MHz_RB_75_0_NTNV




Band7_20MHz_QPSK_LCH_2510MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_MCH_2535MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_HCH_2560MHz_RB_100_0_NTNV




Band7_20MHz_16QAM_LCH_2510MHz_RB_100_0_NTNV



Band7 20MHz 16QAM MCH 2535MHz RB 100 0 NTN



Band7 20MHz 16QAM HCH 2560MHz RB 100 0 NTN



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B7_5MHz

Band: 7 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2502.5	25	0	5.37	<=13	Pass
	2535	25	0	4.94	<=13	Pass
	2567.5	25	0	5.19	<=13	Pass
16QAM	2502.5	25	0	6.11	<=13	Pass
	2535	25	0	5.72	<=13	Pass
	2567.5	25	0	5.93	<=13	Pass

5.1.2 B7_10MHz

Band: 7 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2505	50	0	5.29	<=13	Pass
	2535	50	0	4.88	<=13	Pass
	2565	50	0	5.28	<=13	Pass
16QAM	2505	50	0	6.11	<=13	Pass
	2535	50	0	5.70	<=13	Pass
	2565	50	0	6.05	<=13	Pass

5.1.3 B7_15MHz

Band: 7 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2507.5	75	0	5.07	<=13	Pass
	2535	75	0	4.99	<=13	Pass
	2562.5	75	0	5.18	<=13	Pass
16QAM	2507.5	75	0	6.12	<=13	Pass
	2535	75	0	5.93	<=13	Pass
	2562.5	75	0	6.11	<=13	Pass


5.1.4 B7_20MHz

Band: 7 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2510	100	0	5.61	<=13	Pass
	2535	100	0	5.69	<=13	Pass
	2560	100	0	5.65	<=13	Pass
16QAM	2510	100	0	6.59	<=13	Pass
	2535	100	0	6.56	<=13	Pass
	2560	100	0	6.65	<=13	Pass




5.2 Test Graph


5.2.1 B7_5MHz




Band7_5MHz_QPSK_HCH_2567.5MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_LCH_2502.5MHz_RB_25_0_NTNV



Band7_5MHz_16QAM_MCH_2535MHz_RB_25_0_NTNV




Band7_5MHz_16QAM_HCH_2567.5MHz_RB_25_0_NTNV




5.2.2 B7_10MHz


Band7_10MHz_QPSK_LCH_2505MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_QPSK_HCH_2565MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_LCH_2505MHz_RB_50_0_NTNV



Band7_10MHz_16QAM_MCH_2535MHz_RB_50_0_NTNV




Band7_10MHz_16QAM_HCH_2565MHz_RB_50_0_NTNV




5.2.3 B7_15MHz


Band7_15MHz_QPSK_LCH_2507.5MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_QPSK_HCH_2562.5MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_LCH_2507.5MHz_RB_75_0_NTNV



Band7_15MHz_16QAM_MCH_2535MHz_RB_75_0_NTNV




Band7_15MHz_16QAM_HCH_2562.5MHz_RB_75_0_NTNV




5.2.4 B7_20MHz


Band7_20MHz_QPSK_LCH_2510MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_MCH_2535MHz_RB_100_0_NTNV




Band7_20MHz_QPSK_HCH_2560MHz_RB_100_0_NTNV




Band7_20MHz_16QAM_LCH_2510MHz_RB_100_0_NTNV



Band7 20MHz 16QAM MCH 2535MHz RB 100 0 NTNV



Band7 20MHz 16QAM HCH 2560MHz RB 100 0 NTNV



6. Spurious Emission

6.1 Test Result

6.1.1 B7_5MHz

Band: 7 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2502.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2567.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	2502.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2567.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

6.1.2 B7_10MHz

Band: 7 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2505	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2565	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	2505	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2565	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.1.3 B7_15MHz

Band: 7 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2507.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	2535	1	0	Refer To Test Graph		Pass
	2562.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	2507.5	1	0	Refer To Test Graph		Pass

		75	0	Refer To Test Graph	Pass
	2535	1	0	Refer To Test Graph	Pass
	2562.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

6.1.4 B7_20MHz

Band: 7 / Bandwidth: 20MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	2510	1	0	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
	2535	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
16QAM	2510	1	0	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass
	2535	1	0	Refer To Test Graph	Pass
		1	0	Refer To Test Graph	Pass
			99	Refer To Test Graph	Pass
		100	0	Refer To Test Graph	Pass