

VLG TECHNOLOGY

ShenZhen VLG Wireless TECHNOLOGY CO.,LTD

Shenzhen Weiligu Wireless Technology Co., Ltd.

Acknowledgement

Client/Project Name	Anviz/UI2109-20	Frequency band	WIFI		
VLGPart Number	V1931-022-A-01	Version	R:A		
Radio Frequency	He Junsen	quality	Yu Hong	confirm	
structure	Shao Bing	PM	Zhang Huaijuan		
date	2024-7-10				
Customer Project Name	Customer project name: UI2109-20				
Part Number	Customer Project Part Number:				
Customer confirmation					
VLG Communication Technology					
R&D project customer satisfaction survey (customers please rate our R&D orPMA review of the management staff's work to urge us to serve better Serve you)					
RFTechnical Staff	☐ Satisfied	☐ Basically satisfied	☐ Dissatisfied		
Structural technicians	☐ Satisfied	☐ Basically satisfied	☐ Dissatisfied		
project management(PMManagement staff)	☐ Satisfied	☐ Basically satisfied	☐ Dissatisfied		
Description of the suggestion:					
Antenna picture:					

www.vlg.com.cn

VLG has possession of proprietary information provided in this report and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of VLG Communication Technology.

Search **lead**

1,Specification.....4

2, Electrical performance.....4

 2.1Specifications.....4

 2.2Antenna matching circuit.....4

 2.3antennaVSWR4

 2.4Passive test data.....4

 2.5Antenna pattern.....5

3, Suggestions and Conclusion.....5

4,product2Dpicture..... 6

5, Sample size test report..... 7

www.vlg.com.cn

VLG Communication has possession of proprietary information provided in this report and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of VLG Communication Technology.

1,Specification:The report mainly provides the test status of various electrical performance parameters of UI2109-20 WIFI-1 antenna.

2400~2500MHz frequency band.

2, Electrical performance

2.1Specifications

The working frequency of WIFI antenna is 2400~2500MHz frequency band, the following table is the passive performance test indicators of the antenna.

2.2Antenna matching circuit:

No tuning match added

2.3antennaVSWR

2.3.1Test setup

VSWRThe connections of the test device are as follows:8714ET Network Analyzer → 50Ohm's CoaxialCable → Test fixture.


Test fixture processing: antenna50A cable is used to lead out the ohm test pointSMACconnect the joint to the copper tube with the choke, and then

Connect other devices one by one.

www.vlg.com.cn

VLG Communication has possession of proprietary information provided in this report and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of VLG Communication Technology.

2.3.2antennaVSWR:



2.4Passive test data:


Frequency	Efficiency	Efficiency . dB	Gain . dB
2400	60%	-2.2	4.9
2410	62%	-2.1	5.0
2420	64%	-2.0	5.1
2430	65%	-1.8	5.1
2440	66%	-1.8	5.1
2450	64%	-2.0	5.1
2460	66%	-1.8	5.2
2470	65%	-1.9	5.1
2480	65%	-1.8	5.1
2490	66%	-1.8	5.1
2500	63%	-2.0	5.0

www.vlg.com.cn


VLG Communication has possession of proprietary information provided in this report and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of VLG Communication Technology.

2.5 Antenna pattern:


2450MHz




Hnoodle



E1noodle



E2noodle



3, Suggestions and Conclusion


This report is based on the electrical performance of the final version of the UI2109-20 WIFI-1 antenna provided by the customer. From the above test data, we can see that this antenna provides good electrical performance.

Weilligu R&D looks forward to your confirmation, thank you for your cooperation!

www.vlg.com.cn

VLG Communication has possession of proprietary information provided in this report and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of VLG Communication Technology.

4product2Dpicture:



Shenzhen Weiligu Wireless Technology Co., Ltd.

ShenZhen VLG Wireless Technology Co.,Ltd

Sample size inspection report (FAI)

Customer Name	Anviz	Product Name	UI2109-20	Product type	WIFI DAYS Wire
---------------	-------	--------------	-----------	--------------	----------------

www.vlg.com.cn

VLG Communication has possession of proprietary information provided in this report and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of VLG Communication Technology.

Supplier Name		/		Product Number		V1931-022-A-01		Inspector member		Yu Hong		
Drawing version		A		unit		mm		Inspection day Expect		04/19		
sequence Number	Detection items Order	Testing standards		Actual measurement size					Judgement	Detection instrument	hole	
				1	2	3	4	5	Certainly	fruit	Number	Preparation
1	Appearance	See the appearance of bad phenomenon Description		OK	OK	OK	OK	OK	OK	Order Test		
picture Paper ruler inch	★	90.00	±	2.0	90.90	90.87	90.88	90.91	90.99	OK	PM	
	★	22.21	±	0.20	22.25	22.29	22.28	22.20	22.22	OK	PM	
	★	44.81	±	0.20	44.81	44.83	44.81	44.74	44.73	OK	PM	
The following blank												
Final Verdict: OK ☒ NG ☐												

Abbreviations of testing instruments: PG—plug (round hole) gauge, RG—R gauge, SG—block gauge, LG—ring gauge
 — Digital Caliper PM — 2D Coordinate Projector
 Version:A.0
 Form No.:VLG/QRF8.2-28/A.0
 Inspection: Jiang Tao Audit: Approved by: Yu Hong

www.vlg.com.cn

VLG Communication has possession of proprietary information provided in this report and this proprietary information shall be kept in strict confidence and not disclosed to any person or firm without the prior written consent of VLG Communication Technology.