

GRC-GH1 receiver instructions

Used with game controllers:

Forced pairing of receiver

If you find that the receiver cannot connect to the controller normally during use, please use the following method to force pairing.

1. Plug the receiver into the USB port of the connected device.
2. Long press the [pairing button] on the controller until the [Home button] light flashes dark blue quickly, then release it, and bring the controller close to the receiver, waiting for the controller to pair with the receiver.
3. After the connection is successful, the [Home button] light of the controller will match the protocol and stay on.

Connect to PC via USB receiver

1. Adjust the [mode switch button] gear to "2.4G", and plug the receiver directly into the USB port of the PC.

The receiver has been paired with the controller at the factory. After plugging in the receiver, click the controller to turn on to connect.

2. When the controller is turned off, short press the [Home button] to turn it on.

The [Home button] light flashes slowly and enters the reconnection state, waiting for the controller to connect with the receiver.

3. After the connection is successful, the [Home button] light will be on.
4. If the receiver and the handle cannot be connected, please refer to "Receiver

pairing" for operation.

5. Press and hold the [View button] + [Menu button] in combination to switch between the three modes of Xinput, Dinput, and Switch Pro. Some connected devices may not support it. When the switch is successful, the [Home button] light will be on in the corresponding color.

FCC Caution:

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This device and its antenna(s) must not be co-located or operating in conjunction with any other antenna or transmitter.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance between 20cm the radiator your body:

Use only the supplied antenna.