




Test Graphs







2DH5_Ant1_2402



2DH5_Ant1_2441



2DH5_Ant1_2480




Appendix J: Emissions in Restricted Bands


Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-60.57	2.00	1.10	37.73	≤54	PASS
				AV	2366.150	-58.76	2.00	1.10	39.54	≤54	PASS
				AV	2390.000	-59.3	2.00	1.10	39.00	≤54	PASS
				Peak	2310.000	-51.81	2.00	0.00	45.39	≤74	PASS
				Peak	2342.105	-48.14	2.00	0.00	49.06	≤74	PASS
				Peak	2390.000	-50.71	2.00	0.00	46.49	≤74	PASS
		High	2480	AV	2483.500	-59.06	2.00	1.10	39.24	≤54	PASS
				AV	2483.680	-58.22	2.00	1.10	40.08	≤54	PASS
				AV	2500.000	-59.1	2.00	1.10	39.20	≤54	PASS
				Peak	2483.500	-49.92	2.00	0.00	47.28	≤74	PASS
				Peak	2484.560	-48.64	2.00	0.00	48.56	≤74	PASS
				Peak	2500.000	-51.17	2.00	0.00	46.03	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-60.18	2.00	1.10	38.12	≤54	PASS
				AV	2374.655	-58.77	2.00	1.10	39.53	≤54	PASS
				AV	2390.000	-59.66	2.00	1.10	38.64	≤54	PASS
				Peak	2310.000	-52.87	2.00	0.00	44.33	≤74	PASS
				Peak	2385.050	-48.2	2.00	0.00	49.00	≤74	PASS
				Peak	2390.000	-51.72	2.00	0.00	45.48	≤74	PASS
		High	2480	AV	2483.500	-59.16	2.00	1.09	39.13	≤54	PASS
				AV	2484.000	-58.49	2.00	1.09	39.80	≤54	PASS
				AV	2500.000	-58.99	2.00	1.09	39.30	≤54	PASS
				Peak	2483.500	-49.39	2.00	0.00	47.81	≤74	PASS
				Peak	2499.360	-48.8	2.00	0.00	48.40	≤74	PASS
				Peak	2500.000	-51.58	2.00	0.00	45.62	≤74	PASS


Note: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV



2DH5_Ant1_Low_2402_Peak



2DH5_Ant1_High_2480_AV



2DH5_Ant1_High_2480_Peak

