

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED



DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

PRODUCT SPECIFICATION

Shenzhen Xinlang Electronics Co.,LTD

CUSTOMER: _____

DXQ022. 022. 0231

CUST P/N: _____

J30-000715-001

K C P/N: _____

18*32*0.06*180P*12TS*11MM

D E S E : _____

2025.6.19

D A T E : _____

A.0

VERSION : _____

ACCEPTANCE STAMP

PREPARED BY	MERCHANDISER	ENGINEER CHECKED BY	APPROVED BY
Laolao Hu			

Address: No. 138, Gaolong West Road, Gaobu Town, Dongguan City

Tel: 86-076986018114 Fax: 86-076986015646

[Http://www.jzcoil.com](http://www.jzcoil.com)

FilNo: KC-JZ-09-008

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

Version Change History	CUST P/N :	DXQ022. 022. 0231
	KC DESE:	18*32*0. 06*180P*12TS*11MM

[illegible]

PREPARED BY	ENGINEER CHECKED BY
Laolao Hu	Jin Li

Address: No. 138, Gaolong West Road, Gaobu Town, Dongguan City
Tel: 86-076986018114 Fax: 86-076986015646

[Http://www.jzcoil.com](http://www.jzcoil.com)

FilNo: KC-JZ-09-008

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

Specification


CUST P/N :

DXQ022.022.0231

KC DESE:

18*32*0.06*180P*12TS*11MM

1. OVERALL DIMENSIONS OF PRODUCTS:



(Unit):(mm)

A	B	C	D	E	F	G	H
5.3±0.5	18±0.5	32±1	35±1	3±1.5	11±1	2.2±0.1	3.9 MAX

PS:1. (F) External lead length of the magnetic chip; 2. (H) Includes incoming material, excludes release paper.

Turns	Wire Dia.	Wdg. Type Spred/Close	Wdg. Direction	Intersect Yes/Not	Coil Positive/Anti Paste
12TS	0.06*180P (Silk-Covered Wire)	Close	@	Yes	Straight patch

All materials must meet the ROHS standard requirements

PREPARED BY	ENGINEER CHECKED BY
Laolao Hu	Jin Li

Address: No. 138, Gaolong West Road, Gaobu Town, Dongguan City
 Tel: 86-076986018114 Fax: 86-076986015646

[Http://www.jzcoil.com](http://www.jzcoil.com)

FilNo: KC-JZ-09-008

DONGGUAN KIMCHEN INDUSTRY INTL LIMITED

Specification

CUST P/N :

DXQ022.022.0231

KC DESE:

18*32*0.06*180P*12TS*11MM

2. ELECTRICAL CHARACTERISTICS:

TEMPERATURE: $25 \pm 10^{\circ}\text{C}$, RELATIVE HUMIDITY: $65 \pm 10\%$

NO.	ITEM	TERMINAL	SPECIFICATION	TEST FREQUENCY	TEST EQUIPMENTS
1	IND	S-F	Coil+Ferrite: $6.7\mu\text{H} \pm 10\%$	100kHz/1V	LCZ METER 1062

3. BILL OF MATERIALS:

NO.	Material name	Description	Material Code	Vendor code
1	Wire	0.06*180PSilk-Covered Wir	/	/
2	Ferrite	Round ferrite 35 * 5.3 * 1.0H with holes and single-sided black film	GCP-T-00352	LX
4	Double-sided tape	Circular double-sided tape 33.5 * 6 * 0.12H with holes and hand tear 3M9448A	SMJ-3M-00141	MYS
6	Adhesive tape	5mm	Adhesive tape 5MM	JRM
7	Glue	JS-E7202 glue	E7202W	HZY
8	Tin bar	Tin bar	/	XC

PREPARED BY

ENGINEER CHECKED BY

Laolao Hu

Jin Li

Address: No. 138, Gaolong West Road, Gaobu Town, Dongguan City

Tel: 86-076986018114 Fax: 86-076986015646

Http://www.jzcoil.com

FilNo: KC-JZ-09-008