







Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: [webmaster@lcs-cert.com](mailto:webmaster@lcs-cert.com) | Web: [www.lcs-cert.com](http://www.lcs-cert.com)

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: [webmaster@lcs-cert.com](mailto:webmaster@lcs-cert.com) | Web: [www.lcs-cert.com](http://www.lcs-cert.com)

Scan code to check authenticity



## G.4 Restrict Band

| Condition | Mode | Frequency (MHz) | Antenna | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | Duty Factor (dB) | EIRP Power (dBm) | Detector | Limit (dBm) | Verdict |
|-----------|------|-----------------|---------|-----------------|-------------|------------|------------------|------------------|----------|-------------|---------|
| NVNT      | a    | 5745            | Ant2    | 5650            | -48.54      | 3.39       | -                | -45.27           | Peak     | -27         | Pass    |
| NVNT      | a    | 5745            | Ant2    | 5650            | -57.44      | 3.39       | 0.24             | -53.93           | Average  | -27         | Pass    |
| NVNT      | a    | 5745            | Ant2    | 5700            | -48.02      | 3.39       | -                | -44.75           | Peak     | 10          | Pass    |
| NVNT      | a    | 5745            | Ant2    | 5700            | -55         | 3.39       | 0.24             | -51.49           | Average  | 10          | Pass    |
| NVNT      | a    | 5745            | Ant2    | 5720            | -36.38      | 3.39       | -                | -33.11           | Peak     | 15.6        | Pass    |
| NVNT      | a    | 5745            | Ant2    | 5720            | -50.21      | 3.39       | 0.24             | -46.70           | Average  | 15.6        | Pass    |
| NVNT      | a    | 5745            | Ant2    | 5725            | -29.91      | 3.39       | -                | -26.64           | Peak     | 27          | Pass    |
| NVNT      | a    | 5745            | Ant2    | 5725            | -44.27      | 3.39       | 0.24             | -40.76           | Average  | 27          | Pass    |
| NVNT      | a    | 5825            | Ant2    | 5850            | -35.14      | 3.39       | -                | -31.87           | Peak     | 27          | Pass    |
| NVNT      | a    | 5825            | Ant2    | 5850            | -51.56      | 3.39       | 0.24             | -48.05           | Average  | 27          | Pass    |
| NVNT      | a    | 5825            | Ant2    | 5855            | -39.9       | 3.39       | -                | -36.63           | Peak     | 15.6        | Pass    |
| NVNT      | a    | 5825            | Ant2    | 5855            | -53.34      | 3.39       | 0.24             | -49.83           | Average  | 15.6        | Pass    |
| NVNT      | a    | 5825            | Ant2    | 5875            | -47.33      | 3.39       | -                | -44.06           | Peak     | 10          | Pass    |
| NVNT      | a    | 5825            | Ant2    | 5875            | -55.83      | 3.39       | 0.24             | -52.32           | Average  | 10          | Pass    |
| NVNT      | a    | 5825            | Ant2    | 5925            | -48.96      | 3.39       | -                | -45.69           | Peak     | -27         | Pass    |
| NVNT      | a    | 5825            | Ant2    | 5925            | -56.41      | 3.39       | 0.24             | -52.90           | Average  | -27         | Pass    |
| NVNT      | n20  | 5745            | Ant2    | 5650            | -48.82      | 3.39       | -                | -45.55           | Peak     | -27         | Pass    |
| NVNT      | n20  | 5745            | Ant2    | 5650            | -57.1       | 3.39       | 0.28             | -53.55           | Average  | -27         | Pass    |
| NVNT      | n20  | 5745            | Ant2    | 5700            | -46.93      | 3.39       | -                | -43.66           | Peak     | 10          | Pass    |
| NVNT      | n20  | 5745            | Ant2    | 5700            | -55.52      | 3.39       | 0.28             | -51.97           | Average  | 10          | Pass    |
| NVNT      | n20  | 5745            | Ant2    | 5720            | -34.27      | 3.39       | -                | -31.00           | Peak     | 15.6        | Pass    |
| NVNT      | n20  | 5745            | Ant2    | 5720            | -46.55      | 3.39       | 0.28             | -43.00           | Average  | 15.6        | Pass    |
| NVNT      | n20  | 5745            | Ant2    | 5725            | -26.21      | 3.39       | -                | -22.94           | Peak     | 27          | Pass    |
| NVNT      | n20  | 5745            | Ant2    | 5725            | -41.95      | 3.39       | 0.28             | -38.40           | Average  | 27          | Pass    |
| NVNT      | n20  | 5825            | Ant2    | 5850            | -36.36      | 3.39       | -                | -33.09           | Peak     | 27          | Pass    |
| NVNT      | n20  | 5825            | Ant2    | 5850            | -48.12      | 3.39       | 0.28             | -44.57           | Average  | 27          | Pass    |
| NVNT      | n20  | 5825            | Ant2    | 5855            | -38.47      | 3.39       | -                | -35.2            | Peak     | 15.6        | Pass    |
| NVNT      | n20  | 5825            | Ant2    | 5855            | -52.03      | 3.39       | 0.28             | -48.48           | Average  | 15.6        | Pass    |
| NVNT      | n20  | 5825            | Ant2    | 5875            | -48.2       | 3.39       | -                | -44.93           | Peak     | 10          | Pass    |
| NVNT      | n20  | 5825            | Ant2    | 5875            | -56         | 3.39       | 0.28             | -52.45           | Average  | 10          | Pass    |
| NVNT      | n20  | 5825            | Ant2    | 5925            | -49.16      | 3.39       | -                | -45.89           | Peak     | -27         | Pass    |
| NVNT      | n20  | 5825            | Ant2    | 5925            | -55.69      | 3.39       | 0.28             | -52.14           | Average  | -27         | Pass    |
| NVNT      | n40  | 5755            | Ant2    | 5650            | -48.66      | 3.39       | -                | -45.39           | Peak     | -27         | Pass    |
| NVNT      | n40  | 5755            | Ant2    | 5650            | -57.14      | 3.39       | 0.55             | -53.32           | Average  | -27         | Pass    |
| NVNT      | n40  | 5755            | Ant2    | 5700            | -44.68      | 3.39       | -                | -41.41           | Peak     | 10          | Pass    |
| NVNT      | n40  | 5755            | Ant2    | 5700            | -53.7       | 3.39       | 0.55             | -49.88           | Average  | 10          | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |      |        |      |      |        |         |      |      |
|------|------|------|------|------|--------|------|------|--------|---------|------|------|
| NVNT | n40  | 5755 | Ant2 | 5720 | -31.53 | 3.39 | -    | -28.26 | Peak    | 15.6 | Pass |
| NVNT | n40  | 5755 | Ant2 | 5720 | -45.13 | 3.39 | 0.55 | -41.31 | Average | 15.6 | Pass |
| NVNT | n40  | 5755 | Ant2 | 5725 | -27.33 | 3.39 | -    | -24.06 | Peak    | 27   | Pass |
| NVNT | n40  | 5755 | Ant2 | 5725 | -43.14 | 3.39 | 0.55 | -39.32 | Average | 27   | Pass |
| NVNT | n40  | 5795 | Ant2 | 5850 | -48.52 | 3.39 | -    | -45.25 | Peak    | 27   | Pass |
| NVNT | n40  | 5795 | Ant2 | 5850 | -57.03 | 3.39 | 0.55 | -53.21 | Average | 27   | Pass |
| NVNT | n40  | 5795 | Ant2 | 5855 | -47.63 | 3.39 | -    | -44.36 | Peak    | 15.6 | Pass |
| NVNT | n40  | 5795 | Ant2 | 5855 | -56.44 | 3.39 | 0.55 | -52.62 | Average | 15.6 | Pass |
| NVNT | n40  | 5795 | Ant2 | 5875 | -49    | 3.39 | -    | -45.73 | Peak    | 10   | Pass |
| NVNT | n40  | 5795 | Ant2 | 5875 | -57.92 | 3.39 | 0.55 | -54.10 | Average | 10   | Pass |
| NVNT | n40  | 5795 | Ant2 | 5925 | -49.09 | 3.39 | -    | -45.82 | Peak    | -27  | Pass |
| NVNT | n40  | 5795 | Ant2 | 5925 | -57.17 | 3.39 | 0.55 | -53.35 | Average | -27  | Pass |
| NVNT | ac20 | 5745 | Ant2 | 5650 | -49.44 | 3.39 | -    | -46.17 | Peak    | -27  | Pass |
| NVNT | ac20 | 5745 | Ant2 | 5650 | -57.24 | 3.39 | 0.28 | -53.69 | Average | -27  | Pass |
| NVNT | ac20 | 5745 | Ant2 | 5700 | -45.7  | 3.39 | -    | -42.43 | Peak    | 10   | Pass |
| NVNT | ac20 | 5745 | Ant2 | 5700 | -56.06 | 3.39 | 0.28 | -52.51 | Average | 10   | Pass |
| NVNT | ac20 | 5745 | Ant2 | 5720 | -31.79 | 3.39 | -    | -28.52 | Peak    | 15.6 | Pass |
| NVNT | ac20 | 5745 | Ant2 | 5720 | -48.28 | 3.39 | 0.28 | -44.73 | Average | 15.6 | Pass |
| NVNT | ac20 | 5745 | Ant2 | 5725 | -24.87 | 3.39 | -    | -21.60 | Peak    | 27   | Pass |
| NVNT | ac20 | 5745 | Ant2 | 5725 | -43.93 | 3.39 | 0.28 | -40.38 | Average | 27   | Pass |
| NVNT | ac20 | 5825 | Ant2 | 5850 | -35.6  | 3.39 | -    | -32.33 | Peak    | 27   | Pass |
| NVNT | ac20 | 5825 | Ant2 | 5850 | -48.41 | 3.39 | 0.28 | -44.86 | Average | 27   | Pass |
| NVNT | ac20 | 5825 | Ant2 | 5855 | -37.71 | 3.39 | -    | -34.44 | Peak    | 15.6 | Pass |
| NVNT | ac20 | 5825 | Ant2 | 5855 | -52.62 | 3.39 | 0.28 | -49.07 | Average | 15.6 | Pass |
| NVNT | ac20 | 5825 | Ant2 | 5875 | -46.18 | 3.39 | -    | -42.91 | Peak    | 10   | Pass |
| NVNT | ac20 | 5825 | Ant2 | 5875 | -55.35 | 3.39 | 0.28 | -51.8  | Average | 10   | Pass |
| NVNT | ac20 | 5825 | Ant2 | 5925 | -46.33 | 3.39 | -    | -43.06 | Peak    | -27  | Pass |
| NVNT | ac20 | 5825 | Ant2 | 5925 | -56.29 | 3.39 | 0.28 | -52.74 | Average | -27  | Pass |
| NVNT | ac40 | 5755 | Ant2 | 5650 | -47.46 | 3.39 | -    | -44.19 | Peak    | -27  | Pass |
| NVNT | ac40 | 5755 | Ant2 | 5650 | -57.54 | 3.39 | 0.53 | -53.74 | Average | -27  | Pass |
| NVNT | ac40 | 5755 | Ant2 | 5700 | -47.99 | 3.39 | -    | -44.72 | Peak    | 10   | Pass |
| NVNT | ac40 | 5755 | Ant2 | 5700 | -55.66 | 3.39 | 0.53 | -51.86 | Average | 10   | Pass |
| NVNT | ac40 | 5755 | Ant2 | 5720 | -24.97 | 3.39 | -    | -21.7  | Peak    | 15.6 | Pass |
| NVNT | ac40 | 5755 | Ant2 | 5720 | -43.04 | 3.39 | 0.53 | -39.24 | Average | 15.6 | Pass |
| NVNT | ac40 | 5755 | Ant2 | 5725 | -26.6  | 3.39 | -    | -23.33 | Peak    | 27   | Pass |
| NVNT | ac40 | 5755 | Ant2 | 5725 | -44.42 | 3.39 | 0.53 | -40.62 | Average | 27   | Pass |
| NVNT | ac40 | 5795 | Ant2 | 5850 | -47.25 | 3.39 | -    | -43.98 | Peak    | 27   | Pass |
| NVNT | ac40 | 5795 | Ant2 | 5850 | -56.07 | 3.39 | 0.52 | -52.28 | Average | 27   | Pass |
| NVNT | ac40 | 5795 | Ant2 | 5855 | -48.26 | 3.39 | -    | -44.99 | Peak    | 15.6 | Pass |
| NVNT | ac40 | 5795 | Ant2 | 5855 | -56.88 | 3.39 | 0.52 | -53.09 | Average | 15.6 | Pass |
| NVNT | ac40 | 5795 | Ant2 | 5875 | -50.15 | 3.39 | -    | -46.88 | Peak    | 10   | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |      |        |      |      |        |         |      |      |
|------|------|------|------|------|--------|------|------|--------|---------|------|------|
| NVNT | ac40 | 5795 | Ant2 | 5875 | -58.09 | 3.39 | 0.52 | -54.30 | Average | 10   | Pass |
| NVNT | ac40 | 5795 | Ant2 | 5925 | -47.57 | 3.39 | -    | -44.30 | Peak    | -27  | Pass |
| NVNT | ac40 | 5795 | Ant2 | 5925 | -57.22 | 3.39 | 0.52 | -53.43 | Average | -27  | Pass |
| NVNT | ac80 | 5775 | Ant2 | 5850 | -45.74 | 3.39 | -    | -42.47 | Peak    | 27   | Pass |
| NVNT | ac80 | 5775 | Ant2 | 5850 | -54.23 | 3.39 | 0.99 | -49.97 | Average | 27   | Pass |
| NVNT | ac80 | 5775 | Ant2 | 5855 | -45.51 | 3.39 | -    | -42.24 | Peak    | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant2 | 5855 | -53.96 | 3.39 | 0.99 | -49.70 | Average | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant2 | 5875 | -47.69 | 3.39 | -    | -44.42 | Peak    | 10   | Pass |
| NVNT | ac80 | 5775 | Ant2 | 5875 | -55.96 | 3.39 | 0.99 | -51.70 | Average | 10   | Pass |
| NVNT | ac80 | 5775 | Ant2 | 5925 | -49.08 | 3.39 | -    | -45.81 | Peak    | -27  | Pass |
| NVNT | ac80 | 5775 | Ant2 | 5925 | -56.95 | 3.39 | 0.99 | -52.69 | Average | -27  | Pass |
| NVNT | ac80 | 5775 | Ant2 | 5650 | -48.39 | 3.39 | -    | -45.12 | Peak    | -27  | Pass |
| NVNT | ac80 | 5775 | Ant2 | 5650 | -56.43 | 3.39 | 0.99 | -52.17 | Average | -27  | Pass |
| NVNT | ac80 | 5775 | Ant2 | 5700 | -40.37 | 3.39 | -    | -37.1  | Peak    | 10   | Pass |
| NVNT | ac80 | 5775 | Ant2 | 5700 | -53.01 | 3.39 | 0.99 | -48.75 | Average | 10   | Pass |
| NVNT | ac80 | 5775 | Ant2 | 5720 | -33.11 | 3.39 | -    | -29.84 | Peak    | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant2 | 5720 | -48.94 | 3.39 | 0.99 | -44.68 | Average | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant2 | 5725 | -32.96 | 3.39 | -    | -29.69 | Peak    | 27   | Pass |
| NVNT | ac80 | 5775 | Ant2 | 5725 | -47.27 | 3.39 | 0.99 | -43.01 | Average | 27   | Pass |
| NVNT | ax20 | 5745 | Ant2 | 5650 | -48.93 | 3.39 | -    | -45.66 | Peak    | -27  | Pass |
| NVNT | ax20 | 5745 | Ant2 | 5650 | -56.8  | 3.39 | 0.28 | -53.25 | Average | -27  | Pass |
| NVNT | ax20 | 5745 | Ant2 | 5700 | -46.7  | 3.39 | -    | -43.43 | Peak    | 10   | Pass |
| NVNT | ax20 | 5745 | Ant2 | 5700 | -54.72 | 3.39 | 0.28 | -51.17 | Average | 10   | Pass |
| NVNT | ax20 | 5745 | Ant2 | 5720 | -30.44 | 3.39 | -    | -27.17 | Peak    | 15.6 | Pass |
| NVNT | ax20 | 5745 | Ant2 | 5720 | -46.44 | 3.39 | 0.28 | -42.89 | Average | 15.6 | Pass |
| NVNT | ax20 | 5745 | Ant2 | 5725 | -24.19 | 3.39 | -    | -20.92 | Peak    | 27   | Pass |
| NVNT | ax20 | 5745 | Ant2 | 5725 | -39.54 | 3.39 | 0.28 | -35.99 | Average | 27   | Pass |
| NVNT | ax20 | 5825 | Ant2 | 5850 | -32.32 | 3.39 | -    | -29.05 | Peak    | 27   | Pass |
| NVNT | ax20 | 5825 | Ant2 | 5850 | -46.98 | 3.39 | 0.28 | -43.43 | Average | 27   | Pass |
| NVNT | ax20 | 5825 | Ant2 | 5855 | -37.23 | 3.39 | -    | -33.96 | Peak    | 15.6 | Pass |
| NVNT | ax20 | 5825 | Ant2 | 5855 | -50.83 | 3.39 | 0.28 | -47.28 | Average | 15.6 | Pass |
| NVNT | ax20 | 5825 | Ant2 | 5875 | -47.56 | 3.39 | -    | -44.29 | Peak    | 10   | Pass |
| NVNT | ax20 | 5825 | Ant2 | 5875 | -55.85 | 3.39 | 0.28 | -52.30 | Average | 10   | Pass |
| NVNT | ax20 | 5825 | Ant2 | 5925 | -47.38 | 3.39 | -    | -44.11 | Peak    | -27  | Pass |
| NVNT | ax20 | 5825 | Ant2 | 5925 | -55.88 | 3.39 | 0.28 | -52.33 | Average | -27  | Pass |
| NVNT | ax40 | 5755 | Ant2 | 5650 | -49.28 | 3.39 | -    | -46.01 | Peak    | -27  | Pass |
| NVNT | ax40 | 5755 | Ant2 | 5650 | -57.18 | 3.39 | 0.53 | -53.38 | Average | -27  | Pass |
| NVNT | ax40 | 5755 | Ant2 | 5700 | -46.24 | 3.39 | -    | -42.97 | Peak    | 10   | Pass |
| NVNT | ax40 | 5755 | Ant2 | 5700 | -55.01 | 3.39 | 0.53 | -51.21 | Average | 10   | Pass |
| NVNT | ax40 | 5755 | Ant2 | 5720 | -30.58 | 3.39 | -    | -27.31 | Peak    | 15.6 | Pass |
| NVNT | ax40 | 5755 | Ant2 | 5720 | -44.37 | 3.39 | 0.53 | -40.57 | Average | 15.6 | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |      |        |      |      |        |         |      |      |
|------|------|------|------|------|--------|------|------|--------|---------|------|------|
| NVNT | ax40 | 5755 | Ant2 | 5725 | -26.75 | 3.39 | -    | -23.48 | Peak    | 27   | Pass |
| NVNT | ax40 | 5755 | Ant2 | 5725 | -42.36 | 3.39 | 0.53 | -38.56 | Average | 27   | Pass |
| NVNT | ax40 | 5795 | Ant2 | 5850 | -48.16 | 3.39 | -    | -44.89 | Peak    | 27   | Pass |
| NVNT | ax40 | 5795 | Ant2 | 5850 | -56    | 3.39 | 0.53 | -52.20 | Average | 27   | Pass |
| NVNT | ax40 | 5795 | Ant2 | 5855 | -47.01 | 3.39 | -    | -43.74 | Peak    | 15.6 | Pass |
| NVNT | ax40 | 5795 | Ant2 | 5855 | -56.39 | 3.39 | 0.53 | -52.59 | Average | 15.6 | Pass |
| NVNT | ax40 | 5795 | Ant2 | 5875 | -49.54 | 3.39 | -    | -46.27 | Peak    | 10   | Pass |
| NVNT | ax40 | 5795 | Ant2 | 5875 | -57.84 | 3.39 | 0.53 | -54.04 | Average | 10   | Pass |
| NVNT | ax40 | 5795 | Ant2 | 5925 | -49.65 | 3.39 | -    | -46.38 | Peak    | -27  | Pass |
| NVNT | ax40 | 5795 | Ant2 | 5925 | -57.19 | 3.39 | 0.53 | -53.39 | Average | -27  | Pass |
| NVNT | ax80 | 5775 | Ant2 | 5850 | -47.37 | 3.39 | -    | -44.10 | Peak    | 27   | Pass |
| NVNT | ax80 | 5775 | Ant2 | 5850 | -55.2  | 3.39 | 0.99 | -50.94 | Average | 27   | Pass |
| NVNT | ax80 | 5775 | Ant2 | 5855 | -46.97 | 3.39 | -    | -43.70 | Peak    | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant2 | 5855 | -55.84 | 3.39 | 0.99 | -51.58 | Average | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant2 | 5875 | -49.26 | 3.39 | -    | -45.99 | Peak    | 10   | Pass |
| NVNT | ax80 | 5775 | Ant2 | 5875 | -57.31 | 3.39 | 0.99 | -53.05 | Average | 10   | Pass |
| NVNT | ax80 | 5775 | Ant2 | 5925 | -49.43 | 3.39 | -    | -46.16 | Peak    | -27  | Pass |
| NVNT | ax80 | 5775 | Ant2 | 5925 | -57.12 | 3.39 | 0.99 | -52.86 | Average | -27  | Pass |
| NVNT | ax80 | 5775 | Ant2 | 5650 | -49.53 | 3.39 | -    | -46.26 | Peak    | -27  | Pass |
| NVNT | ax80 | 5775 | Ant2 | 5650 | -56.9  | 3.39 | 0.99 | -52.64 | Average | -27  | Pass |
| NVNT | ax80 | 5775 | Ant2 | 5700 | -46.5  | 3.39 | -    | -43.23 | Peak    | 10   | Pass |
| NVNT | ax80 | 5775 | Ant2 | 5700 | -54.76 | 3.39 | 0.99 | -50.50 | Average | 10   | Pass |
| NVNT | ax80 | 5775 | Ant2 | 5720 | -38.05 | 3.39 | -    | -34.78 | Peak    | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant2 | 5720 | -50.26 | 3.39 | 0.99 | -46.00 | Average | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant2 | 5725 | -30.21 | 3.39 | -    | -26.94 | Peak    | 27   | Pass |
| NVNT | ax80 | 5775 | Ant2 | 5725 | -49.33 | 3.39 | 0.99 | -45.07 | Average | 27   | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

## Restrict Band NVNT a 5745MHz Ant2 Peak



## Restrict Band NVNT a 5745MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT a 5825MHz Ant2 Peak



## Restrict Band NVNT a 5825MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5745MHz Ant2 Peak



## Restrict Band NVNT n20 5745MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5825MHz Ant2 Peak



## Restrict Band NVNT n20 5825MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5755MHz Ant2 Peak



## Restrict Band NVNT n40 5755MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5795MHz Ant2 Peak



## Restrict Band NVNT n40 5795MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac20 5745MHz Ant2 Peak



## Restrict Band NVNT ac20 5745MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac20 5825MHz Ant2 Peak



## Restrict Band NVNT ac20 5825MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5755MHz Ant2 Peak



## Restrict Band NVNT ac40 5755MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5795MHz Ant2 Peak



## Restrict Band NVNT ac40 5795MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac80 5775MHz Ant2 Peak



## Restrict Band NVNT ac80 5775MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac80 5775MHz Ant2 Peak



## Restrict Band NVNT ac80 5775MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax20 5745MHz Ant2 Peak



## Restrict Band NVNT ax20 5745MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax20 5825MHz Ant2 Peak



## Restrict Band NVNT ax20 5825MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax40 5755MHz Ant2 Peak



## Restrict Band NVNT ax40 5755MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax40 5795MHz Ant2 Peak



## Restrict Band NVNT ax40 5795MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax80 5775MHz Ant2 Peak



## Restrict Band NVNT ax80 5775MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax80 5775MHz Ant2 Peak



## Restrict Band NVNT ax80 5775MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



| Condition | Mode | Frequency<br>(MHz) | Antenna | Spur Freq<br>(MHz) | Power<br>(dBm) | Gain<br>(dBi) | Duty<br>Factor<br>(dB) | EIRP<br>Power<br>(dBm) | Detector | Limit<br>(dBm) | Verdict |
|-----------|------|--------------------|---------|--------------------|----------------|---------------|------------------------|------------------------|----------|----------------|---------|
| NVNT      | a    | 5745               | Ant3    | 5650               | -47.08         | 3.39          | -                      | -43.69                 | Peak     | -27            | Pass    |
| NVNT      | a    | 5745               | Ant3    | 5650               | -57.45         | 3.39          | 0.24                   | -53.82                 | Average  | -27            | Pass    |
| NVNT      | a    | 5745               | Ant3    | 5700               | -46.61         | 3.39          | -                      | -43.22                 | Peak     | 10             | Pass    |
| NVNT      | a    | 5745               | Ant3    | 5700               | -55.71         | 3.39          | 0.24                   | -52.08                 | Average  | 10             | Pass    |
| NVNT      | a    | 5745               | Ant3    | 5720               | -35.65         | 3.39          | -                      | -32.26                 | Peak     | 15.6           | Pass    |
| NVNT      | a    | 5745               | Ant3    | 5720               | -49.95         | 3.39          | 0.24                   | -46.32                 | Average  | 15.6           | Pass    |
| NVNT      | a    | 5745               | Ant3    | 5725               | -29.83         | 3.39          | -                      | -26.44                 | Peak     | 27             | Pass    |
| NVNT      | a    | 5745               | Ant3    | 5725               | -46.5          | 3.39          | 0.24                   | -42.87                 | Average  | 27             | Pass    |
| NVNT      | a    | 5825               | Ant3    | 5850               | -33.81         | 3.39          | -                      | -30.42                 | Peak     | 27             | Pass    |
| NVNT      | a    | 5825               | Ant3    | 5850               | -51.6          | 3.39          | 0.24                   | -47.97                 | Average  | 27             | Pass    |
| NVNT      | a    | 5825               | Ant3    | 5855               | -41.81         | 3.39          | -                      | -38.42                 | Peak     | 15.6           | Pass    |
| NVNT      | a    | 5825               | Ant3    | 5855               | -53.29         | 3.39          | 0.24                   | -49.66                 | Average  | 15.6           | Pass    |
| NVNT      | a    | 5825               | Ant3    | 5875               | -48.2          | 3.39          | -                      | -44.81                 | Peak     | 10             | Pass    |
| NVNT      | a    | 5825               | Ant3    | 5875               | -55.25         | 3.39          | 0.24                   | -51.62                 | Average  | 10             | Pass    |
| NVNT      | a    | 5825               | Ant3    | 5925               | -47.8          | 3.39          | -                      | -44.41                 | Peak     | -27            | Pass    |
| NVNT      | a    | 5825               | Ant3    | 5925               | -56.48         | 3.39          | 0.24                   | -52.85                 | Average  | -27            | Pass    |
| NVNT      | n20  | 5745               | Ant3    | 5650               | -47.45         | 3.39          | -                      | -44.06                 | Peak     | -27            | Pass    |
| NVNT      | n20  | 5745               | Ant3    | 5650               | -57.33         | 3.39          | 0.28                   | -53.66                 | Average  | -27            | Pass    |
| NVNT      | n20  | 5745               | Ant3    | 5700               | -47.89         | 3.39          | -                      | -44.5                  | Peak     | 10             | Pass    |
| NVNT      | n20  | 5745               | Ant3    | 5700               | -55.45         | 3.39          | 0.28                   | -51.78                 | Average  | 10             | Pass    |
| NVNT      | n20  | 5745               | Ant3    | 5720               | -32.77         | 3.39          | -                      | -29.38                 | Peak     | 15.6           | Pass    |
| NVNT      | n20  | 5745               | Ant3    | 5720               | -48.15         | 3.39          | 0.28                   | -44.48                 | Average  | 15.6           | Pass    |
| NVNT      | n20  | 5745               | Ant3    | 5725               | -27            | 3.39          | -                      | -23.61                 | Peak     | 27             | Pass    |
| NVNT      | n20  | 5745               | Ant3    | 5725               | -41.32         | 3.39          | 0.28                   | -37.65                 | Average  | 27             | Pass    |
| NVNT      | n20  | 5825               | Ant3    | 5850               | -35.17         | 3.39          | -                      | -31.78                 | Peak     | 27             | Pass    |
| NVNT      | n20  | 5825               | Ant3    | 5850               | -50.88         | 3.39          | 0.28                   | -47.21                 | Average  | 27             | Pass    |
| NVNT      | n20  | 5825               | Ant3    | 5855               | -43.34         | 3.39          | -                      | -39.95                 | Peak     | 15.6           | Pass    |
| NVNT      | n20  | 5825               | Ant3    | 5855               | -54.38         | 3.39          | 0.28                   | -50.71                 | Average  | 15.6           | Pass    |
| NVNT      | n20  | 5825               | Ant3    | 5875               | -46.32         | 3.39          | -                      | -42.93                 | Peak     | 10             | Pass    |
| NVNT      | n20  | 5825               | Ant3    | 5875               | -56.04         | 3.39          | 0.28                   | -52.37                 | Average  | 10             | Pass    |
| NVNT      | n20  | 5825               | Ant3    | 5925               | -47.59         | 3.39          | -                      | -44.20                 | Peak     | -27            | Pass    |
| NVNT      | n20  | 5825               | Ant3    | 5925               | -56.26         | 3.39          | 0.28                   | -52.59                 | Average  | -27            | Pass    |
| NVNT      | n40  | 5755               | Ant3    | 5650               | -48.66         | 3.39          | -                      | -45.27                 | Peak     | -27            | Pass    |
| NVNT      | n40  | 5755               | Ant3    | 5650               | -56.98         | 3.39          | 0.55                   | -53.04                 | Average  | -27            | Pass    |
| NVNT      | n40  | 5755               | Ant3    | 5700               | -46.45         | 3.39          | -                      | -43.06                 | Peak     | 10             | Pass    |
| NVNT      | n40  | 5755               | Ant3    | 5700               | -54.72         | 3.39          | 0.55                   | -50.78                 | Average  | 10             | Pass    |
| NVNT      | n40  | 5755               | Ant3    | 5720               | -29.83         | 3.39          | -                      | -26.44                 | Peak     | 15.6           | Pass    |
| NVNT      | n40  | 5755               | Ant3    | 5720               | -46.46         | 3.39          | 0.55                   | -42.52                 | Average  | 15.6           | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |      |        |      |      |        |         |      |      |
|------|------|------|------|------|--------|------|------|--------|---------|------|------|
| NVNT | n40  | 5755 | Ant3 | 5725 | -26.49 | 3.39 | -    | -23.10 | Peak    | 27   | Pass |
| NVNT | n40  | 5755 | Ant3 | 5725 | -44.17 | 3.39 | 0.55 | -40.23 | Average | 27   | Pass |
| NVNT | n40  | 5795 | Ant3 | 5850 | -47.36 | 3.39 | -    | -43.97 | Peak    | 27   | Pass |
| NVNT | n40  | 5795 | Ant3 | 5850 | -56.4  | 3.39 | 0.54 | -52.47 | Average | 27   | Pass |
| NVNT | n40  | 5795 | Ant3 | 5855 | -46.87 | 3.39 | -    | -43.48 | Peak    | 15.6 | Pass |
| NVNT | n40  | 5795 | Ant3 | 5855 | -55.89 | 3.39 | 0.54 | -51.96 | Average | 15.6 | Pass |
| NVNT | n40  | 5795 | Ant3 | 5875 | -46.41 | 3.39 | -    | -43.02 | Peak    | 10   | Pass |
| NVNT | n40  | 5795 | Ant3 | 5875 | -57.8  | 3.39 | 0.54 | -53.87 | Average | 10   | Pass |
| NVNT | n40  | 5795 | Ant3 | 5925 | -48.08 | 3.39 | -    | -44.69 | Peak    | -27  | Pass |
| NVNT | n40  | 5795 | Ant3 | 5925 | -57.35 | 3.39 | 0.54 | -53.42 | Average | -27  | Pass |
| NVNT | ac20 | 5745 | Ant3 | 5650 | -49.41 | 3.39 | -    | -46.02 | Peak    | -27  | Pass |
| NVNT | ac20 | 5745 | Ant3 | 5650 | -56.73 | 3.39 | 0.28 | -53.06 | Average | -27  | Pass |
| NVNT | ac20 | 5745 | Ant3 | 5700 | -47.53 | 3.39 | -    | -44.14 | Peak    | 10   | Pass |
| NVNT | ac20 | 5745 | Ant3 | 5700 | -55.97 | 3.39 | 0.28 | -52.30 | Average | 10   | Pass |
| NVNT | ac20 | 5745 | Ant3 | 5720 | -29.12 | 3.39 | -    | -25.73 | Peak    | 15.6 | Pass |
| NVNT | ac20 | 5745 | Ant3 | 5720 | -47.12 | 3.39 | 0.28 | -43.45 | Average | 15.6 | Pass |
| NVNT | ac20 | 5745 | Ant3 | 5725 | -26.44 | 3.39 | -    | -23.05 | Peak    | 27   | Pass |
| NVNT | ac20 | 5745 | Ant3 | 5725 | -42.67 | 3.39 | 0.28 | -39.00 | Average | 27   | Pass |
| NVNT | ac20 | 5825 | Ant3 | 5850 | -32.93 | 3.39 | -    | -29.54 | Peak    | 27   | Pass |
| NVNT | ac20 | 5825 | Ant3 | 5850 | -47.29 | 3.39 | 0.28 | -43.62 | Average | 27   | Pass |
| NVNT | ac20 | 5825 | Ant3 | 5855 | -38.8  | 3.39 | -    | -35.41 | Peak    | 15.6 | Pass |
| NVNT | ac20 | 5825 | Ant3 | 5855 | -52.68 | 3.39 | 0.28 | -49.01 | Average | 15.6 | Pass |
| NVNT | ac20 | 5825 | Ant3 | 5875 | -48.75 | 3.39 | -    | -45.36 | Peak    | 10   | Pass |
| NVNT | ac20 | 5825 | Ant3 | 5875 | -56.33 | 3.39 | 0.28 | -52.66 | Average | 10   | Pass |
| NVNT | ac20 | 5825 | Ant3 | 5925 | -48.94 | 3.39 | -    | -45.55 | Peak    | -27  | Pass |
| NVNT | ac20 | 5825 | Ant3 | 5925 | -56.08 | 3.39 | 0.28 | -52.41 | Average | -27  | Pass |
| NVNT | ac40 | 5755 | Ant3 | 5650 | -48.92 | 3.39 | -    | -45.53 | Peak    | -27  | Pass |
| NVNT | ac40 | 5755 | Ant3 | 5650 | -57.03 | 3.39 | 0.53 | -53.11 | Average | -27  | Pass |
| NVNT | ac40 | 5755 | Ant3 | 5700 | -45.66 | 3.39 | -    | -42.27 | Peak    | 10   | Pass |
| NVNT | ac40 | 5755 | Ant3 | 5700 | -54.64 | 3.39 | 0.53 | -50.72 | Average | 10   | Pass |
| NVNT | ac40 | 5755 | Ant3 | 5720 | -31.97 | 3.39 | -    | -28.58 | Peak    | 15.6 | Pass |
| NVNT | ac40 | 5755 | Ant3 | 5720 | -43.5  | 3.39 | 0.53 | -39.58 | Average | 15.6 | Pass |
| NVNT | ac40 | 5755 | Ant3 | 5725 | -25.12 | 3.39 | -    | -21.73 | Peak    | 27   | Pass |
| NVNT | ac40 | 5755 | Ant3 | 5725 | -40.86 | 3.39 | 0.53 | -36.94 | Average | 27   | Pass |
| NVNT | ac40 | 5795 | Ant3 | 5850 | -48.35 | 3.39 | -    | -44.96 | Peak    | 27   | Pass |
| NVNT | ac40 | 5795 | Ant3 | 5850 | -56.45 | 3.39 | 0.53 | -52.53 | Average | 27   | Pass |
| NVNT | ac40 | 5795 | Ant3 | 5855 | -48.48 | 3.39 | -    | -45.09 | Peak    | 15.6 | Pass |
| NVNT | ac40 | 5795 | Ant3 | 5855 | -56.94 | 3.39 | 0.53 | -53.02 | Average | 15.6 | Pass |
| NVNT | ac40 | 5795 | Ant3 | 5875 | -48.99 | 3.39 | -    | -45.60 | Peak    | 10   | Pass |
| NVNT | ac40 | 5795 | Ant3 | 5875 | -57.67 | 3.39 | 0.53 | -53.75 | Average | 10   | Pass |
| NVNT | ac40 | 5795 | Ant3 | 5925 | -49.83 | 3.39 | -    | -46.44 | Peak    | -27  | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |      |        |      |      |        |         |      |      |
|------|------|------|------|------|--------|------|------|--------|---------|------|------|
| NVNT | ac40 | 5795 | Ant3 | 5925 | -57.33 | 3.39 | 0.53 | -53.41 | Average | -27  | Pass |
| NVNT | ac80 | 5775 | Ant3 | 5850 | -48.57 | 3.39 | -    | -45.18 | Peak    | 27   | Pass |
| NVNT | ac80 | 5775 | Ant3 | 5850 | -55.78 | 3.39 | 0.99 | -51.40 | Average | 27   | Pass |
| NVNT | ac80 | 5775 | Ant3 | 5855 | -46.82 | 3.39 | -    | -43.43 | Peak    | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant3 | 5855 | -56.84 | 3.39 | 0.99 | -52.46 | Average | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant3 | 5875 | -46.79 | 3.39 | -    | -43.40 | Peak    | 10   | Pass |
| NVNT | ac80 | 5775 | Ant3 | 5875 | -57.25 | 3.39 | 0.99 | -52.87 | Average | 10   | Pass |
| NVNT | ac80 | 5775 | Ant3 | 5925 | -50.04 | 3.39 | -    | -46.65 | Peak    | -27  | Pass |
| NVNT | ac80 | 5775 | Ant3 | 5925 | -57.5  | 3.39 | 0.99 | -53.12 | Average | -27  | Pass |
| NVNT | ac80 | 5775 | Ant3 | 5650 | -48.85 | 3.39 | -    | -45.46 | Peak    | -27  | Pass |
| NVNT | ac80 | 5775 | Ant3 | 5650 | -57.2  | 3.39 | 0.99 | -52.82 | Average | -27  | Pass |
| NVNT | ac80 | 5775 | Ant3 | 5700 | -46.83 | 3.39 | -    | -43.44 | Peak    | 10   | Pass |
| NVNT | ac80 | 5775 | Ant3 | 5700 | -55.12 | 3.39 | 0.99 | -50.74 | Average | 10   | Pass |
| NVNT | ac80 | 5775 | Ant3 | 5720 | -35.8  | 3.39 | -    | -32.41 | Peak    | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant3 | 5720 | -51.67 | 3.39 | 0.99 | -47.29 | Average | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant3 | 5725 | -32.55 | 3.39 | -    | -29.16 | Peak    | 27   | Pass |
| NVNT | ac80 | 5775 | Ant3 | 5725 | -48.23 | 3.39 | 0.99 | -43.85 | Average | 27   | Pass |
| NVNT | ax20 | 5745 | Ant3 | 5650 | -48.99 | 3.39 | -    | -45.60 | Peak    | -27  | Pass |
| NVNT | ax20 | 5745 | Ant3 | 5650 | -57.02 | 3.39 | 0.28 | -53.35 | Average | -27  | Pass |
| NVNT | ax20 | 5745 | Ant3 | 5700 | -44.86 | 3.39 | -    | -41.47 | Peak    | 10   | Pass |
| NVNT | ax20 | 5745 | Ant3 | 5700 | -54.54 | 3.39 | 0.28 | -50.87 | Average | 10   | Pass |
| NVNT | ax20 | 5745 | Ant3 | 5720 | -30.85 | 3.39 | -    | -27.46 | Peak    | 15.6 | Pass |
| NVNT | ax20 | 5745 | Ant3 | 5720 | -45.88 | 3.39 | 0.28 | -42.21 | Average | 15.6 | Pass |
| NVNT | ax20 | 5745 | Ant3 | 5725 | -25.99 | 3.39 | -    | -22.60 | Peak    | 27   | Pass |
| NVNT | ax20 | 5745 | Ant3 | 5725 | -44.25 | 3.39 | 0.28 | -40.58 | Average | 27   | Pass |
| NVNT | ax20 | 5825 | Ant3 | 5850 | -32.26 | 3.39 | -    | -28.87 | Peak    | 27   | Pass |
| NVNT | ax20 | 5825 | Ant3 | 5850 | -47.17 | 3.39 | 0.28 | -43.50 | Average | 27   | Pass |
| NVNT | ax20 | 5825 | Ant3 | 5855 | -35.78 | 3.39 | -    | -32.39 | Peak    | 15.6 | Pass |
| NVNT | ax20 | 5825 | Ant3 | 5855 | -51.32 | 3.39 | 0.28 | -47.93 | Average | 15.6 | Pass |
| NVNT | ax20 | 5825 | Ant3 | 5875 | -48.05 | 3.39 | -    | -44.66 | Peak    | 10   | Pass |
| NVNT | ax20 | 5825 | Ant3 | 5875 | -55.89 | 3.39 | 0.28 | -52.50 | Average | 10   | Pass |
| NVNT | ax20 | 5825 | Ant3 | 5925 | -46.95 | 3.39 | -    | -43.56 | Peak    | -27  | Pass |
| NVNT | ax20 | 5825 | Ant3 | 5925 | -55.89 | 3.39 | 0.28 | -52.5  | Average | -27  | Pass |
| NVNT | ax40 | 5755 | Ant3 | 5650 | -48.31 | 3.39 | -    | -44.92 | Peak    | -27  | Pass |
| NVNT | ax40 | 5755 | Ant3 | 5650 | -57.19 | 3.39 | 0.53 | -53.8  | Average | -27  | Pass |
| NVNT | ax40 | 5755 | Ant3 | 5700 | -47.06 | 3.39 | -    | -43.67 | Peak    | 10   | Pass |
| NVNT | ax40 | 5755 | Ant3 | 5700 | -55.76 | 3.39 | 0.53 | -52.37 | Average | 10   | Pass |
| NVNT | ax40 | 5755 | Ant3 | 5720 | -32.62 | 3.39 | -    | -29.23 | Peak    | 15.6 | Pass |
| NVNT | ax40 | 5755 | Ant3 | 5720 | -47.97 | 3.39 | 0.53 | -44.58 | Average | 15.6 | Pass |
| NVNT | ax40 | 5755 | Ant3 | 5725 | -28.23 | 3.39 | -    | -24.84 | Peak    | 27   | Pass |
| NVNT | ax40 | 5755 | Ant3 | 5725 | -43.58 | 3.39 | 0.53 | -40.19 | Average | 27   | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |      |        |      |      |        |         |      |      |
|------|------|------|------|------|--------|------|------|--------|---------|------|------|
| NVNT | ax40 | 5795 | Ant3 | 5850 | -48.21 | 3.39 | -    | -44.82 | Peak    | 27   | Pass |
| NVNT | ax40 | 5795 | Ant3 | 5850 | -56.82 | 3.39 | 0.53 | -53.43 | Average | 27   | Pass |
| NVNT | ax40 | 5795 | Ant3 | 5855 | -50    | 3.39 | -    | -46.61 | Peak    | 15.6 | Pass |
| NVNT | ax40 | 5795 | Ant3 | 5855 | -56.98 | 3.39 | 0.53 | -53.59 | Average | 15.6 | Pass |
| NVNT | ax40 | 5795 | Ant3 | 5875 | -50.7  | 3.39 | -    | -47.31 | Peak    | 10   | Pass |
| NVNT | ax40 | 5795 | Ant3 | 5875 | -57.81 | 3.39 | 0.53 | -54.42 | Average | 10   | Pass |
| NVNT | ax40 | 5795 | Ant3 | 5925 | -50.81 | 3.39 | -    | -47.42 | Peak    | -27  | Pass |
| NVNT | ax40 | 5795 | Ant3 | 5925 | -57.35 | 3.39 | 0.53 | -53.96 | Average | -27  | Pass |
| NVNT | ax80 | 5775 | Ant3 | 5850 | -45.59 | 3.39 | -    | -42.20 | Peak    | 27   | Pass |
| NVNT | ax80 | 5775 | Ant3 | 5850 | -55.89 | 3.39 | 0.99 | -52.50 | Average | 27   | Pass |
| NVNT | ax80 | 5775 | Ant3 | 5855 | -45.79 | 3.39 | -    | -42.40 | Peak    | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant3 | 5855 | -56.09 | 3.39 | 0.99 | -52.70 | Average | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant3 | 5875 | -48.81 | 3.39 | -    | -45.42 | Peak    | 10   | Pass |
| NVNT | ax80 | 5775 | Ant3 | 5875 | -56.72 | 3.39 | 0.99 | -53.33 | Average | 10   | Pass |
| NVNT | ax80 | 5775 | Ant3 | 5925 | -49.26 | 3.39 | -    | -45.87 | Peak    | -27  | Pass |
| NVNT | ax80 | 5775 | Ant3 | 5925 | -56.99 | 3.39 | 0.99 | -53.60 | Average | -27  | Pass |
| NVNT | ax80 | 5775 | Ant3 | 5650 | -48.09 | 3.39 | -    | -44.70 | Peak    | -27  | Pass |
| NVNT | ax80 | 5775 | Ant3 | 5650 | -57    | 3.39 | 0.99 | -53.61 | Average | -27  | Pass |
| NVNT | ax80 | 5775 | Ant3 | 5700 | -45.98 | 3.39 | -    | -42.59 | Peak    | 10   | Pass |
| NVNT | ax80 | 5775 | Ant3 | 5700 | -54.97 | 3.39 | 0.99 | -51.58 | Average | 10   | Pass |
| NVNT | ax80 | 5775 | Ant3 | 5720 | -41.1  | 3.39 | -    | -37.71 | Peak    | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant3 | 5720 | -51.6  | 3.39 | 0.99 | -48.21 | Average | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant3 | 5725 | -32.44 | 3.39 | -    | -29.05 | Peak    | 27   | Pass |
| NVNT | ax80 | 5775 | Ant3 | 5725 | -50.67 | 3.39 | 0.99 | -47.28 | Average | 27   | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

## Restrict Band NVNT a 5745MHz Ant3 Peak



## Restrict Band NVNT a 5745MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT a 5825MHz Ant3 Peak



## Restrict Band NVNT a 5825MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5745MHz Ant3 Peak



## Restrict Band NVNT n20 5745MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5825MHz Ant3 Peak



## Restrict Band NVNT n20 5825MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5755MHz Ant3 Peak



## Restrict Band NVNT n40 5755MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5795MHz Ant3 Peak



## Restrict Band NVNT n40 5795MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac20 5745MHz Ant3 Peak



## Restrict Band NVNT ac20 5745MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac20 5825MHz Ant3 Peak



## Restrict Band NVNT ac20 5825MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5755MHz Ant3 Peak



## Restrict Band NVNT ac40 5755MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5795MHz Ant3 Peak



## Restrict Band NVNT ac40 5795MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac80 5775MHz Ant3 Peak



## Restrict Band NVNT ac80 5775MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac80 5775MHz Ant3 Peak



## Restrict Band NVNT ac80 5775MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax20 5745MHz Ant3 Peak



## Restrict Band NVNT ax20 5745MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax20 5825MHz Ant3 Peak



## Restrict Band NVNT ax20 5825MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax40 5755MHz Ant3 Peak



## Restrict Band NVNT ax40 5755MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax40 5795MHz Ant3 Peak



## Restrict Band NVNT ax40 5795MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax80 5775MHz Ant3 Peak



## Restrict Band NVNT ax80 5775MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax80 5775MHz Ant3 Peak



## Restrict Band NVNT ax80 5775MHz Ant3 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



| Condition | Mode | Frequency<br>(MHz) | Antenna | Spur Freq<br>(MHz) | Power<br>(dBm) | Gain<br>(dBi) | Duty<br>Factor<br>(dB) | EIRP<br>Power<br>(dBm) | Detector | Limit<br>(dBm) | Verdict |
|-----------|------|--------------------|---------|--------------------|----------------|---------------|------------------------|------------------------|----------|----------------|---------|
| NVNT      | a    | 5745               | Ant5    | 5650               | -49.12         | 3.93          | -                      | -45.19                 | Peak     | -27            | Pass    |
| NVNT      | a    | 5745               | Ant5    | 5650               | -56.75         | 3.93          | 0.19                   | -52.63                 | Average  | -27            | Pass    |
| NVNT      | a    | 5745               | Ant5    | 5700               | -47.18         | 3.93          | -                      | -43.25                 | Peak     | 10             | Pass    |
| NVNT      | a    | 5745               | Ant5    | 5700               | -54.7          | 3.93          | 0.19                   | -50.58                 | Average  | 10             | Pass    |
| NVNT      | a    | 5745               | Ant5    | 5720               | -33.26         | 3.93          | -                      | -29.33                 | Peak     | 15.6           | Pass    |
| NVNT      | a    | 5745               | Ant5    | 5720               | -47            | 3.93          | 0.19                   | -42.88                 | Average  | 15.6           | Pass    |
| NVNT      | a    | 5745               | Ant5    | 5725               | -31.62         | 3.93          | -                      | -27.69                 | Peak     | 27             | Pass    |
| NVNT      | a    | 5745               | Ant5    | 5725               | -44.19         | 3.93          | 0.19                   | -40.07                 | Average  | 27             | Pass    |
| NVNT      | a    | 5825               | Ant5    | 5850               | -36.12         | 3.93          | -                      | -32.19                 | Peak     | 27             | Pass    |
| NVNT      | a    | 5825               | Ant5    | 5850               | -49.47         | 3.93          | 0.19                   | -45.35                 | Average  | 27             | Pass    |
| NVNT      | a    | 5825               | Ant5    | 5855               | -40.91         | 3.93          | -                      | -36.98                 | Peak     | 15.6           | Pass    |
| NVNT      | a    | 5825               | Ant5    | 5855               | -52.83         | 3.93          | 0.19                   | -48.71                 | Average  | 15.6           | Pass    |
| NVNT      | a    | 5825               | Ant5    | 5875               | -47.2          | 3.93          | -                      | -43.27                 | Peak     | 10             | Pass    |
| NVNT      | a    | 5825               | Ant5    | 5875               | -55.34         | 3.93          | 0.19                   | -51.22                 | Average  | 10             | Pass    |
| NVNT      | a    | 5825               | Ant5    | 5925               | -46.99         | 3.93          | -                      | -43.06                 | Peak     | -27            | Pass    |
| NVNT      | a    | 5825               | Ant5    | 5925               | -55.55         | 3.93          | 0.19                   | -51.43                 | Average  | -27            | Pass    |
| NVNT      | n20  | 5745               | Ant5    | 5650               | -48.12         | 3.93          | -                      | -44.19                 | Peak     | -27            | Pass    |
| NVNT      | n20  | 5745               | Ant5    | 5650               | -56.81         | 3.93          | 0.23                   | -52.65                 | Average  | -27            | Pass    |
| NVNT      | n20  | 5745               | Ant5    | 5700               | -46.74         | 3.93          | -                      | -42.81                 | Peak     | 10             | Pass    |
| NVNT      | n20  | 5745               | Ant5    | 5700               | -55.07         | 3.93          | 0.23                   | -50.91                 | Average  | 10             | Pass    |
| NVNT      | n20  | 5745               | Ant5    | 5720               | -28.94         | 3.93          | -                      | -25.01                 | Peak     | 15.6           | Pass    |
| NVNT      | n20  | 5745               | Ant5    | 5720               | -47.55         | 3.93          | 0.23                   | -43.39                 | Average  | 15.6           | Pass    |
| NVNT      | n20  | 5745               | Ant5    | 5725               | -24.7          | 3.93          | -                      | -20.77                 | Peak     | 27             | Pass    |
| NVNT      | n20  | 5745               | Ant5    | 5725               | -39.58         | 3.93          | 0.23                   | -35.42                 | Average  | 27             | Pass    |
| NVNT      | n20  | 5825               | Ant5    | 5850               | -32.7          | 3.93          | -                      | -28.77                 | Peak     | 27             | Pass    |
| NVNT      | n20  | 5825               | Ant5    | 5850               | -45.76         | 3.93          | 0.23                   | -41.60                 | Average  | 27             | Pass    |
| NVNT      | n20  | 5825               | Ant5    | 5855               | -36.17         | 3.93          | -                      | -32.24                 | Peak     | 15.6           | Pass    |
| NVNT      | n20  | 5825               | Ant5    | 5855               | -50.78         | 3.93          | 0.23                   | -46.62                 | Average  | 15.6           | Pass    |
| NVNT      | n20  | 5825               | Ant5    | 5875               | -47.38         | 3.93          | -                      | -43.45                 | Peak     | 10             | Pass    |
| NVNT      | n20  | 5825               | Ant5    | 5875               | -55.29         | 3.93          | 0.23                   | -51.13                 | Average  | 10             | Pass    |
| NVNT      | n20  | 5825               | Ant5    | 5925               | -48.67         | 3.93          | -                      | -44.74                 | Peak     | -27            | Pass    |
| NVNT      | n20  | 5825               | Ant5    | 5925               | -56.07         | 3.93          | 0.23                   | -51.91                 | Average  | -27            | Pass    |
| NVNT      | n40  | 5755               | Ant5    | 5650               | -48.23         | 3.93          | -                      | -44.30                 | Peak     | -27            | Pass    |
| NVNT      | n40  | 5755               | Ant5    | 5650               | -57.16         | 3.93          | 0.43                   | -52.80                 | Average  | -27            | Pass    |
| NVNT      | n40  | 5755               | Ant5    | 5700               | -47.48         | 3.93          | -                      | -43.55                 | Peak     | 10             | Pass    |
| NVNT      | n40  | 5755               | Ant5    | 5700               | -55.85         | 3.93          | 0.43                   | -51.49                 | Average  | 10             | Pass    |
| NVNT      | n40  | 5755               | Ant5    | 5720               | -32.83         | 3.93          | -                      | -28.90                 | Peak     | 15.6           | Pass    |
| NVNT      | n40  | 5755               | Ant5    | 5720               | -47.75         | 3.93          | 0.43                   | -43.39                 | Average  | 15.6           | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |      |        |      |      |        |         |      |      |
|------|------|------|------|------|--------|------|------|--------|---------|------|------|
| NVNT | n40  | 5755 | Ant5 | 5725 | -24.87 | 3.93 | -    | -20.94 | Peak    | 27   | Pass |
| NVNT | n40  | 5755 | Ant5 | 5725 | -44.23 | 3.93 | 0.43 | -39.87 | Average | 27   | Pass |
| NVNT | n40  | 5795 | Ant5 | 5850 | -50.04 | 3.93 | -    | -46.11 | Peak    | 27   | Pass |
| NVNT | n40  | 5795 | Ant5 | 5850 | -56.98 | 3.93 | 0.44 | -52.61 | Average | 27   | Pass |
| NVNT | n40  | 5795 | Ant5 | 5855 | -50.21 | 3.93 | -    | -46.28 | Peak    | 15.6 | Pass |
| NVNT | n40  | 5795 | Ant5 | 5855 | -57.41 | 3.93 | 0.44 | -53.04 | Average | 15.6 | Pass |
| NVNT | n40  | 5795 | Ant5 | 5875 | -48.55 | 3.93 | -    | -44.62 | Peak    | 10   | Pass |
| NVNT | n40  | 5795 | Ant5 | 5875 | -57.44 | 3.93 | 0.44 | -53.07 | Average | 10   | Pass |
| NVNT | n40  | 5795 | Ant5 | 5925 | -49.9  | 3.93 | -    | -45.97 | Peak    | -27  | Pass |
| NVNT | n40  | 5795 | Ant5 | 5925 | -56.85 | 3.93 | 0.44 | -52.48 | Average | -27  | Pass |
| NVNT | ac20 | 5745 | Ant5 | 5650 | -48.65 | 3.93 | -    | -44.72 | Peak    | -27  | Pass |
| NVNT | ac20 | 5745 | Ant5 | 5650 | -56.58 | 3.93 | 0.22 | -52.43 | Average | -27  | Pass |
| NVNT | ac20 | 5745 | Ant5 | 5700 | -46.8  | 3.93 | -    | -42.87 | Peak    | 10   | Pass |
| NVNT | ac20 | 5745 | Ant5 | 5700 | -54.58 | 3.93 | 0.22 | -50.43 | Average | 10   | Pass |
| NVNT | ac20 | 5745 | Ant5 | 5720 | -32.04 | 3.93 | -    | -28.11 | Peak    | 15.6 | Pass |
| NVNT | ac20 | 5745 | Ant5 | 5720 | -45.43 | 3.93 | 0.22 | -41.28 | Average | 15.6 | Pass |
| NVNT | ac20 | 5745 | Ant5 | 5725 | -24.17 | 3.93 | -    | -20.24 | Peak    | 27   | Pass |
| NVNT | ac20 | 5745 | Ant5 | 5725 | -37.72 | 3.93 | 0.22 | -33.57 | Average | 27   | Pass |
| NVNT | ac20 | 5825 | Ant5 | 5850 | -31.27 | 3.93 | -    | -27.34 | Peak    | 27   | Pass |
| NVNT | ac20 | 5825 | Ant5 | 5850 | -44.96 | 3.93 | 0.22 | -40.81 | Average | 27   | Pass |
| NVNT | ac20 | 5825 | Ant5 | 5855 | -36.91 | 3.93 | -    | -32.98 | Peak    | 15.6 | Pass |
| NVNT | ac20 | 5825 | Ant5 | 5855 | -51.3  | 3.93 | 0.22 | -47.15 | Average | 15.6 | Pass |
| NVNT | ac20 | 5825 | Ant5 | 5875 | -47.42 | 3.93 | -    | -43.49 | Peak    | 10   | Pass |
| NVNT | ac20 | 5825 | Ant5 | 5875 | -55.56 | 3.93 | 0.22 | -51.41 | Average | 10   | Pass |
| NVNT | ac20 | 5825 | Ant5 | 5925 | -47.17 | 3.93 | -    | -43.24 | Peak    | -27  | Pass |
| NVNT | ac20 | 5825 | Ant5 | 5925 | -55.93 | 3.93 | 0.22 | -51.78 | Average | -27  | Pass |
| NVNT | ac40 | 5755 | Ant5 | 5650 | -50.23 | 3.93 | -    | -46.30 | Peak    | -27  | Pass |
| NVNT | ac40 | 5755 | Ant5 | 5650 | -57.55 | 3.93 | 0.44 | -53.18 | Average | -27  | Pass |
| NVNT | ac40 | 5755 | Ant5 | 5700 | -47.72 | 3.93 | -    | -43.79 | Peak    | 10   | Pass |
| NVNT | ac40 | 5755 | Ant5 | 5700 | -55.63 | 3.93 | 0.44 | -51.26 | Average | 10   | Pass |
| NVNT | ac40 | 5755 | Ant5 | 5720 | -32.92 | 3.93 | -    | -28.99 | Peak    | 15.6 | Pass |
| NVNT | ac40 | 5755 | Ant5 | 5720 | -46.65 | 3.93 | 0.44 | -42.28 | Average | 15.6 | Pass |
| NVNT | ac40 | 5755 | Ant5 | 5725 | -29.53 | 3.93 | -    | -25.60 | Peak    | 27   | Pass |
| NVNT | ac40 | 5755 | Ant5 | 5725 | -45.54 | 3.93 | 0.44 | -41.17 | Average | 27   | Pass |
| NVNT | ac40 | 5795 | Ant5 | 5850 | -48.74 | 3.93 | -    | -44.81 | Peak    | 27   | Pass |
| NVNT | ac40 | 5795 | Ant5 | 5850 | -57.94 | 3.93 | 0.44 | -53.57 | Average | 27   | Pass |
| NVNT | ac40 | 5795 | Ant5 | 5855 | -48.35 | 3.93 | -    | -44.42 | Peak    | 15.6 | Pass |
| NVNT | ac40 | 5795 | Ant5 | 5855 | -57.02 | 3.93 | 0.44 | -52.65 | Average | 15.6 | Pass |
| NVNT | ac40 | 5795 | Ant5 | 5875 | -49.14 | 3.93 | -    | -45.21 | Peak    | 10   | Pass |
| NVNT | ac40 | 5795 | Ant5 | 5875 | -57.82 | 3.93 | 0.44 | -53.45 | Average | 10   | Pass |
| NVNT | ac40 | 5795 | Ant5 | 5925 | -48.48 | 3.93 | -    | -44.55 | Peak    | -27  | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |      |        |      |      |        |         |      |      |
|------|------|------|------|------|--------|------|------|--------|---------|------|------|
| NVNT | ac40 | 5795 | Ant5 | 5925 | -57.28 | 3.93 | 0.44 | -52.91 | Average | -27  | Pass |
| NVNT | ac80 | 5775 | Ant5 | 5850 | -46.76 | 3.93 | -    | -42.83 | Peak    | 27   | Pass |
| NVNT | ac80 | 5775 | Ant5 | 5850 | -55.37 | 3.93 | 0.83 | -50.61 | Average | 27   | Pass |
| NVNT | ac80 | 5775 | Ant5 | 5855 | -46.12 | 3.93 | -    | -42.19 | Peak    | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant5 | 5855 | -55.7  | 3.93 | 0.83 | -50.94 | Average | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant5 | 5875 | -48.4  | 3.93 | -    | -44.47 | Peak    | 10   | Pass |
| NVNT | ac80 | 5775 | Ant5 | 5875 | -57.03 | 3.93 | 0.83 | -52.27 | Average | 10   | Pass |
| NVNT | ac80 | 5775 | Ant5 | 5925 | -49.59 | 3.93 | -    | -45.66 | Peak    | -27  | Pass |
| NVNT | ac80 | 5775 | Ant5 | 5925 | -56.99 | 3.93 | 0.83 | -52.23 | Average | -27  | Pass |
| NVNT | ac80 | 5775 | Ant5 | 5650 | -48.21 | 3.93 | -    | -44.28 | Peak    | -27  | Pass |
| NVNT | ac80 | 5775 | Ant5 | 5650 | -57.09 | 3.93 | 0.83 | -52.33 | Average | -27  | Pass |
| NVNT | ac80 | 5775 | Ant5 | 5700 | -46.51 | 3.93 | -    | -42.58 | Peak    | 10   | Pass |
| NVNT | ac80 | 5775 | Ant5 | 5700 | -54    | 3.93 | 0.83 | -49.24 | Average | 10   | Pass |
| NVNT | ac80 | 5775 | Ant5 | 5720 | -30.52 | 3.93 | -    | -26.59 | Peak    | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant5 | 5720 | -50.72 | 3.93 | 0.83 | -45.96 | Average | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant5 | 5725 | -31.6  | 3.93 | -    | -27.67 | Peak    | 27   | Pass |
| NVNT | ac80 | 5775 | Ant5 | 5725 | -48.94 | 3.93 | 0.83 | -44.18 | Average | 27   | Pass |
| NVNT | ax20 | 5745 | Ant5 | 5650 | -46.95 | 3.93 | -    | -43.02 | Peak    | -27  | Pass |
| NVNT | ax20 | 5745 | Ant5 | 5650 | -57.29 | 3.93 | 0.22 | -53.14 | Average | -27  | Pass |
| NVNT | ax20 | 5745 | Ant5 | 5700 | -48.22 | 3.93 | -    | -44.29 | Peak    | 10   | Pass |
| NVNT | ax20 | 5745 | Ant5 | 5700 | -55.78 | 3.93 | 0.22 | -51.63 | Average | 10   | Pass |
| NVNT | ax20 | 5745 | Ant5 | 5720 | -34.48 | 3.93 | -    | -30.55 | Peak    | 15.6 | Pass |
| NVNT | ax20 | 5745 | Ant5 | 5720 | -49.41 | 3.93 | 0.22 | -45.26 | Average | 15.6 | Pass |
| NVNT | ax20 | 5745 | Ant5 | 5725 | -21.28 | 3.93 | -    | -17.35 | Peak    | 27   | Pass |
| NVNT | ax20 | 5745 | Ant5 | 5725 | -42.36 | 3.93 | 0.22 | -38.21 | Average | 27   | Pass |
| NVNT | ax20 | 5825 | Ant5 | 5850 | -35.31 | 3.93 | -    | -31.38 | Peak    | 27   | Pass |
| NVNT | ax20 | 5825 | Ant5 | 5850 | -49.06 | 3.93 | 0.22 | -44.91 | Average | 27   | Pass |
| NVNT | ax20 | 5825 | Ant5 | 5855 | -41.92 | 3.93 | -    | -37.99 | Peak    | 15.6 | Pass |
| NVNT | ax20 | 5825 | Ant5 | 5855 | -52.96 | 3.93 | 0.22 | -49.03 | Average | 15.6 | Pass |
| NVNT | ax20 | 5825 | Ant5 | 5875 | -48.52 | 3.93 | -    | -44.59 | Peak    | 10   | Pass |
| NVNT | ax20 | 5825 | Ant5 | 5875 | -55.97 | 3.93 | 0.22 | -52.04 | Average | 10   | Pass |
| NVNT | ax20 | 5825 | Ant5 | 5925 | -48.41 | 3.93 | -    | -44.48 | Peak    | -27  | Pass |
| NVNT | ax20 | 5825 | Ant5 | 5925 | -56.7  | 3.93 | 0.22 | -52.77 | Average | -27  | Pass |
| NVNT | ax40 | 5755 | Ant5 | 5650 | -47.92 | 3.93 | -    | -43.99 | Peak    | -27  | Pass |
| NVNT | ax40 | 5755 | Ant5 | 5650 | -57.08 | 3.93 | 0.43 | -53.15 | Average | -27  | Pass |
| NVNT | ax40 | 5755 | Ant5 | 5700 | -47.35 | 3.93 | -    | -43.42 | Peak    | 10   | Pass |
| NVNT | ax40 | 5755 | Ant5 | 5700 | -55.96 | 3.93 | 0.43 | -52.03 | Average | 10   | Pass |
| NVNT | ax40 | 5755 | Ant5 | 5720 | -33.62 | 3.93 | -    | -29.69 | Peak    | 15.6 | Pass |
| NVNT | ax40 | 5755 | Ant5 | 5720 | -47.61 | 3.93 | 0.43 | -43.68 | Average | 15.6 | Pass |
| NVNT | ax40 | 5755 | Ant5 | 5725 | -27.54 | 3.93 | -    | -23.61 | Peak    | 27   | Pass |
| NVNT | ax40 | 5755 | Ant5 | 5725 | -44.08 | 3.93 | 0.43 | -40.15 | Average | 27   | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |      |        |      |      |        |         |      |      |
|------|------|------|------|------|--------|------|------|--------|---------|------|------|
| NVNT | ax40 | 5795 | Ant5 | 5850 | -47.85 | 3.93 | -    | -43.92 | Peak    | 27   | Pass |
| NVNT | ax40 | 5795 | Ant5 | 5850 | -56.93 | 3.93 | 0.43 | -53.00 | Average | 27   | Pass |
| NVNT | ax40 | 5795 | Ant5 | 5855 | -49.7  | 3.93 | -    | -45.77 | Peak    | 15.6 | Pass |
| NVNT | ax40 | 5795 | Ant5 | 5855 | -56.95 | 3.93 | 0.43 | -53.02 | Average | 15.6 | Pass |
| NVNT | ax40 | 5795 | Ant5 | 5875 | -48.61 | 3.93 | -    | -44.68 | Peak    | 10   | Pass |
| NVNT | ax40 | 5795 | Ant5 | 5875 | -57.68 | 3.93 | 0.43 | -53.75 | Average | 10   | Pass |
| NVNT | ax40 | 5795 | Ant5 | 5925 | -48.36 | 3.93 | -    | -44.43 | Peak    | -27  | Pass |
| NVNT | ax40 | 5795 | Ant5 | 5925 | -57.11 | 3.93 | 0.43 | -53.18 | Average | -27  | Pass |
| NVNT | ax80 | 5775 | Ant5 | 5850 | -48.84 | 3.93 | -    | -44.91 | Peak    | 27   | Pass |
| NVNT | ax80 | 5775 | Ant5 | 5850 | -55.39 | 3.93 | 0.83 | -51.46 | Average | 27   | Pass |
| NVNT | ax80 | 5775 | Ant5 | 5855 | -47.79 | 3.93 | -    | -43.86 | Peak    | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant5 | 5855 | -55.99 | 3.93 | 0.83 | -52.06 | Average | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant5 | 5875 | -48.92 | 3.93 | -    | -44.99 | Peak    | 10   | Pass |
| NVNT | ax80 | 5775 | Ant5 | 5875 | -56.28 | 3.93 | 0.83 | -52.35 | Average | 10   | Pass |
| NVNT | ax80 | 5775 | Ant5 | 5925 | -49.91 | 3.93 | -    | -45.98 | Peak    | -27  | Pass |
| NVNT | ax80 | 5775 | Ant5 | 5925 | -56.78 | 3.93 | 0.83 | -52.85 | Average | -27  | Pass |
| NVNT | ax80 | 5775 | Ant5 | 5650 | -50.25 | 3.93 | -    | -46.32 | Peak    | -27  | Pass |
| NVNT | ax80 | 5775 | Ant5 | 5650 | -56.86 | 3.93 | 0.83 | -52.93 | Average | -27  | Pass |
| NVNT | ax80 | 5775 | Ant5 | 5700 | -44.85 | 3.93 | -    | -40.92 | Peak    | 10   | Pass |
| NVNT | ax80 | 5775 | Ant5 | 5700 | -54.12 | 3.93 | 0.83 | -50.19 | Average | 10   | Pass |
| NVNT | ax80 | 5775 | Ant5 | 5720 | -37.44 | 3.93 | -    | -33.51 | Peak    | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant5 | 5720 | -50.62 | 3.93 | 0.83 | -46.69 | Average | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant5 | 5725 | -30.91 | 3.93 | -    | -26.98 | Peak    | 27   | Pass |
| NVNT | ax80 | 5775 | Ant5 | 5725 | -48.7  | 3.93 | 0.83 | -44.77 | Average | 27   | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

## Restrict Band NVNT a 5745MHz Ant5 Peak



## Restrict Band NVNT a 5745MHz Ant5 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT a 5825MHz Ant5 Peak



## Restrict Band NVNT a 5825MHz Ant5 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5745MHz Ant5 Peak



## Restrict Band NVNT n20 5745MHz Ant5 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5825MHz Ant5 Peak



## Restrict Band NVNT n20 5825MHz Ant5 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5755MHz Ant5 Peak



## Restrict Band NVNT n40 5755MHz Ant5 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5795MHz Ant5 Peak



## Restrict Band NVNT n40 5795MHz Ant5 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac20 5745MHz Ant5 Peak



## Restrict Band NVNT ac20 5745MHz Ant5 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac20 5825MHz Ant5 Peak



## Restrict Band NVNT ac20 5825MHz Ant5 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5755MHz Ant5 Peak



## Restrict Band NVNT ac40 5755MHz Ant5 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac40 5795MHz Ant5 Peak



## Restrict Band NVNT ac40 5795MHz Ant5 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac80 5775MHz Ant5 Peak



## Restrict Band NVNT ac80 5775MHz Ant5 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ac80 5775MHz Ant5 Peak



## Restrict Band NVNT ac80 5775MHz Ant5 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax20 5745MHz Ant5 Peak



## Restrict Band NVNT ax20 5745MHz Ant5 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax20 5825MHz Ant5 Peak



## Restrict Band NVNT ax20 5825MHz Ant5 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax40 5755MHz Ant5 Peak



## Restrict Band NVNT ax40 5755MHz Ant5 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax40 5795MHz Ant5 Peak



## Restrict Band NVNT ax40 5795MHz Ant5 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax80 5775MHz Ant5 Peak



## Restrict Band NVNT ax80 5775MHz Ant5 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT ax80 5775MHz Ant5 Peak



## Restrict Band NVNT ax80 5775MHz Ant5 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



| Condition | Mode | Frequency<br>(MHz) | Antenna | Spur Freq<br>(MHz) | Power<br>(dBm) | Gain<br>(dBi) | Duty<br>Factor<br>(dB) | EIRP<br>Power<br>(dBm) | Detector | Limit<br>(dBm) | Verdict |
|-----------|------|--------------------|---------|--------------------|----------------|---------------|------------------------|------------------------|----------|----------------|---------|
| NVNT      | a    | 5745               | Ant6    | 5650               | -49.45         | 3.87          | -                      | -45.58                 | Peak     | -27            | Pass    |
| NVNT      | a    | 5745               | Ant6    | 5650               | -57.28         | 3.87          | 0.19                   | -53.22                 | Average  | -27            | Pass    |
| NVNT      | a    | 5745               | Ant6    | 5700               | -47.27         | 3.87          | -                      | -43.40                 | Peak     | 10             | Pass    |
| NVNT      | a    | 5745               | Ant6    | 5700               | -55.75         | 3.87          | 0.19                   | -51.69                 | Average  | 10             | Pass    |
| NVNT      | a    | 5745               | Ant6    | 5720               | -35.62         | 3.87          | -                      | -31.75                 | Peak     | 15.6           | Pass    |
| NVNT      | a    | 5745               | Ant6    | 5720               | -50.63         | 3.87          | 0.19                   | -46.57                 | Average  | 15.6           | Pass    |
| NVNT      | a    | 5745               | Ant6    | 5725               | -24.78         | 3.87          | -                      | -20.91                 | Peak     | 27             | Pass    |
| NVNT      | a    | 5745               | Ant6    | 5725               | -45.1          | 3.87          | 0.19                   | -41.04                 | Average  | 27             | Pass    |
| NVNT      | a    | 5825               | Ant6    | 5850               | -37.07         | 3.87          | -                      | -33.20                 | Peak     | 27             | Pass    |
| NVNT      | a    | 5825               | Ant6    | 5850               | -51.78         | 3.87          | 0.19                   | -47.72                 | Average  | 27             | Pass    |
| NVNT      | a    | 5825               | Ant6    | 5855               | -42.61         | 3.87          | -                      | -38.74                 | Peak     | 15.6           | Pass    |
| NVNT      | a    | 5825               | Ant6    | 5855               | -54.42         | 3.87          | 0.19                   | -50.36                 | Average  | 15.6           | Pass    |
| NVNT      | a    | 5825               | Ant6    | 5875               | -46.34         | 3.87          | -                      | -42.47                 | Peak     | 10             | Pass    |
| NVNT      | a    | 5825               | Ant6    | 5875               | -55.55         | 3.87          | 0.19                   | -51.49                 | Average  | 10             | Pass    |
| NVNT      | a    | 5825               | Ant6    | 5925               | -48.82         | 3.87          | -                      | -44.95                 | Peak     | -27            | Pass    |
| NVNT      | a    | 5825               | Ant6    | 5925               | -56.47         | 3.87          | 0.19                   | -52.41                 | Average  | -27            | Pass    |
| NVNT      | n20  | 5745               | Ant6    | 5650               | -49.14         | 3.87          | -                      | -45.27                 | Peak     | -27            | Pass    |
| NVNT      | n20  | 5745               | Ant6    | 5650               | -57.53         | 3.87          | 0.19                   | -53.47                 | Average  | -27            | Pass    |
| NVNT      | n20  | 5745               | Ant6    | 5700               | -46.47         | 3.87          | -                      | -42.60                 | Peak     | 10             | Pass    |
| NVNT      | n20  | 5745               | Ant6    | 5700               | -55.78         | 3.87          | 0.19                   | -51.72                 | Average  | 10             | Pass    |
| NVNT      | n20  | 5745               | Ant6    | 5720               | -35.71         | 3.87          | -                      | -31.84                 | Peak     | 15.6           | Pass    |
| NVNT      | n20  | 5745               | Ant6    | 5720               | -51.3          | 3.87          | 0.19                   | -47.24                 | Average  | 15.6           | Pass    |
| NVNT      | n20  | 5745               | Ant6    | 5725               | -28.69         | 3.87          | -                      | -24.82                 | Peak     | 27             | Pass    |
| NVNT      | n20  | 5745               | Ant6    | 5725               | -46.44         | 3.87          | 0.19                   | -42.38                 | Average  | 27             | Pass    |
| NVNT      | n20  | 5825               | Ant6    | 5850               | -37.83         | 3.87          | -                      | -33.96                 | Peak     | 27             | Pass    |
| NVNT      | n20  | 5825               | Ant6    | 5850               | -51.52         | 3.87          | 0.19                   | -47.46                 | Average  | 27             | Pass    |
| NVNT      | n20  | 5825               | Ant6    | 5855               | -44.04         | 3.87          | -                      | -40.17                 | Peak     | 15.6           | Pass    |
| NVNT      | n20  | 5825               | Ant6    | 5855               | -53.95         | 3.87          | 0.19                   | -49.89                 | Average  | 15.6           | Pass    |
| NVNT      | n20  | 5825               | Ant6    | 5875               | -48.39         | 3.87          | -                      | -44.52                 | Peak     | 10             | Pass    |
| NVNT      | n20  | 5825               | Ant6    | 5875               | -55.89         | 3.87          | 0.19                   | -51.83                 | Average  | 10             | Pass    |
| NVNT      | n20  | 5825               | Ant6    | 5925               | -48.13         | 3.87          | -                      | -44.26                 | Peak     | -27            | Pass    |
| NVNT      | n20  | 5825               | Ant6    | 5925               | -56.3          | 3.87          | 0.19                   | -52.24                 | Average  | -27            | Pass    |
| NVNT      | n40  | 5755               | Ant6    | 5650               | -49.78         | 3.87          | -                      | -45.91                 | Peak     | -27            | Pass    |
| NVNT      | n40  | 5755               | Ant6    | 5650               | -56.98         | 3.87          | 0.44                   | -52.67                 | Average  | -27            | Pass    |
| NVNT      | n40  | 5755               | Ant6    | 5700               | -48.66         | 3.87          | -                      | -44.79                 | Peak     | 10             | Pass    |
| NVNT      | n40  | 5755               | Ant6    | 5700               | -56.52         | 3.87          | 0.44                   | -52.21                 | Average  | 10             | Pass    |
| NVNT      | n40  | 5755               | Ant6    | 5720               | -32.03         | 3.87          | -                      | -28.16                 | Peak     | 15.6           | Pass    |
| NVNT      | n40  | 5755               | Ant6    | 5720               | -48.56         | 3.87          | 0.44                   | -44.25                 | Average  | 15.6           | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |      |        |      |      |        |         |      |      |
|------|------|------|------|------|--------|------|------|--------|---------|------|------|
| NVNT | n40  | 5755 | Ant6 | 5725 | -28.13 | 3.87 | -    | -24.26 | Peak    | 27   | Pass |
| NVNT | n40  | 5755 | Ant6 | 5725 | -42.85 | 3.87 | 0.44 | -38.54 | Average | 27   | Pass |
| NVNT | n40  | 5795 | Ant6 | 5850 | -49.31 | 3.87 | -    | -45.44 | Peak    | 27   | Pass |
| NVNT | n40  | 5795 | Ant6 | 5850 | -56.45 | 3.87 | 0.44 | -52.14 | Average | 27   | Pass |
| NVNT | n40  | 5795 | Ant6 | 5855 | -49.3  | 3.87 | -    | -45.43 | Peak    | 15.6 | Pass |
| NVNT | n40  | 5795 | Ant6 | 5855 | -56.75 | 3.87 | 0.44 | -52.44 | Average | 15.6 | Pass |
| NVNT | n40  | 5795 | Ant6 | 5875 | -48.71 | 3.87 | -    | -44.84 | Peak    | 10   | Pass |
| NVNT | n40  | 5795 | Ant6 | 5875 | -58.09 | 3.87 | 0.44 | -53.78 | Average | 10   | Pass |
| NVNT | n40  | 5795 | Ant6 | 5925 | -50.27 | 3.87 | -    | -46.40 | Peak    | -27  | Pass |
| NVNT | n40  | 5795 | Ant6 | 5925 | -57.27 | 3.87 | 0.44 | -52.96 | Average | -27  | Pass |
| NVNT | ac20 | 5745 | Ant6 | 5650 | -48.94 | 3.87 | -    | -45.07 | Peak    | -27  | Pass |
| NVNT | ac20 | 5745 | Ant6 | 5650 | -56.4  | 3.87 | 0.22 | -52.31 | Average | -27  | Pass |
| NVNT | ac20 | 5745 | Ant6 | 5700 | -46.94 | 3.87 | -    | -43.07 | Peak    | 10   | Pass |
| NVNT | ac20 | 5745 | Ant6 | 5700 | -56.1  | 3.87 | 0.22 | -52.01 | Average | 10   | Pass |
| NVNT | ac20 | 5745 | Ant6 | 5720 | -34.9  | 3.87 | -    | -31.03 | Peak    | 15.6 | Pass |
| NVNT | ac20 | 5745 | Ant6 | 5720 | -48.82 | 3.87 | 0.22 | -44.73 | Average | 15.6 | Pass |
| NVNT | ac20 | 5745 | Ant6 | 5725 | -26.73 | 3.87 | -    | -22.86 | Peak    | 27   | Pass |
| NVNT | ac20 | 5745 | Ant6 | 5725 | -43.3  | 3.87 | 0.22 | -39.21 | Average | 27   | Pass |
| NVNT | ac20 | 5825 | Ant6 | 5850 | -34.69 | 3.87 | -    | -30.82 | Peak    | 27   | Pass |
| NVNT | ac20 | 5825 | Ant6 | 5850 | -47.25 | 3.87 | 0.22 | -43.16 | Average | 27   | Pass |
| NVNT | ac20 | 5825 | Ant6 | 5855 | -39.74 | 3.87 | -    | -35.87 | Peak    | 15.6 | Pass |
| NVNT | ac20 | 5825 | Ant6 | 5855 | -51.53 | 3.87 | 0.22 | -47.44 | Average | 15.6 | Pass |
| NVNT | ac20 | 5825 | Ant6 | 5875 | -46.94 | 3.87 | -    | -43.07 | Peak    | 10   | Pass |
| NVNT | ac20 | 5825 | Ant6 | 5875 | -56.33 | 3.87 | 0.22 | -52.24 | Average | 10   | Pass |
| NVNT | ac20 | 5825 | Ant6 | 5925 | -47.47 | 3.87 | -    | -43.60 | Peak    | -27  | Pass |
| NVNT | ac20 | 5825 | Ant6 | 5925 | -55.9  | 3.87 | 0.22 | -51.81 | Average | -27  | Pass |
| NVNT | ac40 | 5755 | Ant6 | 5650 | -48.36 | 3.87 | -    | -44.49 | Peak    | -27  | Pass |
| NVNT | ac40 | 5755 | Ant6 | 5650 | -57.05 | 3.87 | 0.43 | -52.75 | Average | -27  | Pass |
| NVNT | ac40 | 5755 | Ant6 | 5700 | -46.48 | 3.87 | -    | -42.61 | Peak    | 10   | Pass |
| NVNT | ac40 | 5755 | Ant6 | 5700 | -54.72 | 3.87 | 0.43 | -50.42 | Average | 10   | Pass |
| NVNT | ac40 | 5755 | Ant6 | 5720 | -31.62 | 3.87 | -    | -27.75 | Peak    | 15.6 | Pass |
| NVNT | ac40 | 5755 | Ant6 | 5720 | -42.41 | 3.87 | 0.43 | -38.11 | Average | 15.6 | Pass |
| NVNT | ac40 | 5755 | Ant6 | 5725 | -28.43 | 3.87 | -    | -24.56 | Peak    | 27   | Pass |
| NVNT | ac40 | 5755 | Ant6 | 5725 | -41.85 | 3.87 | 0.43 | -37.55 | Average | 27   | Pass |
| NVNT | ac40 | 5795 | Ant6 | 5850 | -49.46 | 3.87 | -    | -45.59 | Peak    | 27   | Pass |
| NVNT | ac40 | 5795 | Ant6 | 5850 | -56.51 | 3.87 | 0.43 | -52.21 | Average | 27   | Pass |
| NVNT | ac40 | 5795 | Ant6 | 5855 | -49.65 | 3.87 | -    | -45.78 | Peak    | 15.6 | Pass |
| NVNT | ac40 | 5795 | Ant6 | 5855 | -56.6  | 3.87 | 0.43 | -52.30 | Average | 15.6 | Pass |
| NVNT | ac40 | 5795 | Ant6 | 5875 | -49.87 | 3.87 | -    | -46.00 | Peak    | 10   | Pass |
| NVNT | ac40 | 5795 | Ant6 | 5875 | -57.28 | 3.87 | 0.43 | -52.98 | Average | 10   | Pass |
| NVNT | ac40 | 5795 | Ant6 | 5925 | -49.34 | 3.87 | -    | -45.47 | Peak    | -27  | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |      |        |      |      |        |         |      |      |
|------|------|------|------|------|--------|------|------|--------|---------|------|------|
| NVNT | ac40 | 5795 | Ant6 | 5925 | -56.84 | 3.87 | 0.43 | -52.54 | Average | -27  | Pass |
| NVNT | ac80 | 5775 | Ant6 | 5850 | -42.14 | 3.87 | -    | -38.27 | Peak    | 27   | Pass |
| NVNT | ac80 | 5775 | Ant6 | 5850 | -54.26 | 3.87 | 0.83 | -49.56 | Average | 27   | Pass |
| NVNT | ac80 | 5775 | Ant6 | 5855 | -42.62 | 3.87 | -    | -38.75 | Peak    | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant6 | 5855 | -53.47 | 3.87 | 0.83 | -48.77 | Average | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant6 | 5875 | -46.65 | 3.87 | -    | -42.78 | Peak    | 10   | Pass |
| NVNT | ac80 | 5775 | Ant6 | 5875 | -56.12 | 3.87 | 0.83 | -51.42 | Average | 10   | Pass |
| NVNT | ac80 | 5775 | Ant6 | 5925 | -48.34 | 3.87 | -    | -44.47 | Peak    | -27  | Pass |
| NVNT | ac80 | 5775 | Ant6 | 5925 | -56.81 | 3.87 | 0.83 | -52.11 | Average | -27  | Pass |
| NVNT | ac80 | 5775 | Ant6 | 5650 | -48.98 | 3.87 | -    | -45.11 | Peak    | -27  | Pass |
| NVNT | ac80 | 5775 | Ant6 | 5650 | -56.6  | 3.87 | 0.83 | -51.90 | Average | -27  | Pass |
| NVNT | ac80 | 5775 | Ant6 | 5700 | -45.1  | 3.87 | -    | -41.23 | Peak    | 10   | Pass |
| NVNT | ac80 | 5775 | Ant6 | 5700 | -53.94 | 3.87 | 0.83 | -49.24 | Average | 10   | Pass |
| NVNT | ac80 | 5775 | Ant6 | 5720 | -28.33 | 3.87 | -    | -24.46 | Peak    | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant6 | 5720 | -50.22 | 3.87 | 0.83 | -45.52 | Average | 15.6 | Pass |
| NVNT | ac80 | 5775 | Ant6 | 5725 | -29.92 | 3.87 | -    | -26.05 | Peak    | 27   | Pass |
| NVNT | ac80 | 5775 | Ant6 | 5725 | -47.38 | 3.87 | 0.83 | -42.68 | Average | 27   | Pass |
| NVNT | ax20 | 5745 | Ant6 | 5650 | -49.78 | 3.87 | -    | -45.91 | Peak    | -27  | Pass |
| NVNT | ax20 | 5745 | Ant6 | 5650 | -57.6  | 3.87 | 0.23 | -53.50 | Average | -27  | Pass |
| NVNT | ax20 | 5745 | Ant6 | 5700 | -47.69 | 3.87 | -    | -43.82 | Peak    | 10   | Pass |
| NVNT | ax20 | 5745 | Ant6 | 5700 | -55.48 | 3.87 | 0.23 | -51.38 | Average | 10   | Pass |
| NVNT | ax20 | 5745 | Ant6 | 5720 | -33.63 | 3.87 | -    | -29.76 | Peak    | 15.6 | Pass |
| NVNT | ax20 | 5745 | Ant6 | 5720 | -47.92 | 3.87 | 0.23 | -43.82 | Average | 15.6 | Pass |
| NVNT | ax20 | 5745 | Ant6 | 5725 | -26.52 | 3.87 | -    | -22.65 | Peak    | 27   | Pass |
| NVNT | ax20 | 5745 | Ant6 | 5725 | -43.04 | 3.87 | 0.23 | -38.94 | Average | 27   | Pass |
| NVNT | ax20 | 5825 | Ant6 | 5850 | -33.01 | 3.87 | -    | -29.14 | Peak    | 27   | Pass |
| NVNT | ax20 | 5825 | Ant6 | 5850 | -48.39 | 3.87 | 0.22 | -44.30 | Average | 27   | Pass |
| NVNT | ax20 | 5825 | Ant6 | 5855 | -40.13 | 3.87 | -    | -36.26 | Peak    | 15.6 | Pass |
| NVNT | ax20 | 5825 | Ant6 | 5855 | -52.21 | 3.87 | 0.22 | -48.34 | Average | 15.6 | Pass |
| NVNT | ax20 | 5825 | Ant6 | 5875 | -48.62 | 3.87 | -    | -44.75 | Peak    | 10   | Pass |
| NVNT | ax20 | 5825 | Ant6 | 5875 | -55.53 | 3.87 | 0.22 | -51.66 | Average | 10   | Pass |
| NVNT | ax20 | 5825 | Ant6 | 5925 | -48.56 | 3.87 | -    | -44.69 | Peak    | -27  | Pass |
| NVNT | ax20 | 5825 | Ant6 | 5925 | -55.84 | 3.87 | 0.22 | -51.97 | Average | -27  | Pass |
| NVNT | ax40 | 5755 | Ant6 | 5650 | -50.36 | 3.87 | -    | -46.49 | Peak    | -27  | Pass |
| NVNT | ax40 | 5755 | Ant6 | 5650 | -57.02 | 3.87 | 0.43 | -53.15 | Average | -27  | Pass |
| NVNT | ax40 | 5755 | Ant6 | 5700 | -47.73 | 3.87 | -    | -43.86 | Peak    | 10   | Pass |
| NVNT | ax40 | 5755 | Ant6 | 5700 | -55.63 | 3.87 | 0.43 | -51.76 | Average | 10   | Pass |
| NVNT | ax40 | 5755 | Ant6 | 5720 | -32.35 | 3.87 | -    | -28.48 | Peak    | 15.6 | Pass |
| NVNT | ax40 | 5755 | Ant6 | 5720 | -46.43 | 3.87 | 0.43 | -42.56 | Average | 15.6 | Pass |
| NVNT | ax40 | 5755 | Ant6 | 5725 | -28.65 | 3.87 | -    | -24.78 | Peak    | 27   | Pass |
| NVNT | ax40 | 5755 | Ant6 | 5725 | -43.4  | 3.87 | 0.43 | -39.53 | Average | 27   | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |      |        |      |      |        |         |      |      |
|------|------|------|------|------|--------|------|------|--------|---------|------|------|
| NVNT | ax40 | 5795 | Ant6 | 5850 | -49.95 | 3.87 | -    | -46.08 | Peak    | 27   | Pass |
| NVNT | ax40 | 5795 | Ant6 | 5850 | -56.5  | 3.87 | 0.43 | -52.63 | Average | 27   | Pass |
| NVNT | ax40 | 5795 | Ant6 | 5855 | -49.68 | 3.87 | -    | -45.81 | Peak    | 15.6 | Pass |
| NVNT | ax40 | 5795 | Ant6 | 5855 | -56.82 | 3.87 | 0.43 | -52.95 | Average | 15.6 | Pass |
| NVNT | ax40 | 5795 | Ant6 | 5875 | -50.49 | 3.87 | -    | -46.62 | Peak    | 10   | Pass |
| NVNT | ax40 | 5795 | Ant6 | 5875 | -57.51 | 3.87 | 0.43 | -53.64 | Average | 10   | Pass |
| NVNT | ax40 | 5795 | Ant6 | 5925 | -49.36 | 3.87 | -    | -45.49 | Peak    | -27  | Pass |
| NVNT | ax40 | 5795 | Ant6 | 5925 | -57.06 | 3.87 | 0.43 | -53.19 | Average | -27  | Pass |
| NVNT | ax80 | 5775 | Ant6 | 5850 | -42.27 | 3.87 | -    | -38.40 | Peak    | 27   | Pass |
| NVNT | ax80 | 5775 | Ant6 | 5850 | -53.64 | 3.87 | 0.83 | -49.77 | Average | 27   | Pass |
| NVNT | ax80 | 5775 | Ant6 | 5855 | -44.05 | 3.87 | -    | -40.18 | Peak    | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant6 | 5855 | -53.41 | 3.87 | 0.83 | -49.54 | Average | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant6 | 5875 | -47.06 | 3.87 | -    | -43.19 | Peak    | 10   | Pass |
| NVNT | ax80 | 5775 | Ant6 | 5875 | -56.11 | 3.87 | 0.83 | -52.24 | Average | 10   | Pass |
| NVNT | ax80 | 5775 | Ant6 | 5925 | -49.65 | 3.87 | -    | -45.78 | Peak    | -27  | Pass |
| NVNT | ax80 | 5775 | Ant6 | 5925 | -57.16 | 3.87 | 0.83 | -53.29 | Average | -27  | Pass |
| NVNT | ax80 | 5775 | Ant6 | 5650 | -48.97 | 3.87 | -    | -45.10 | Peak    | -27  | Pass |
| NVNT | ax80 | 5775 | Ant6 | 5650 | -56.9  | 3.87 | 0.83 | -53.03 | Average | -27  | Pass |
| NVNT | ax80 | 5775 | Ant6 | 5700 | -44.96 | 3.87 | -    | -41.09 | Peak    | 10   | Pass |
| NVNT | ax80 | 5775 | Ant6 | 5700 | -54.81 | 3.87 | 0.83 | -50.94 | Average | 10   | Pass |
| NVNT | ax80 | 5775 | Ant6 | 5720 | -31.76 | 3.87 | -    | -27.89 | Peak    | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant6 | 5720 | -49.92 | 3.87 | 0.83 | -46.05 | Average | 15.6 | Pass |
| NVNT | ax80 | 5775 | Ant6 | 5725 | -33.05 | 3.87 | -    | -29.18 | Peak    | 27   | Pass |
| NVNT | ax80 | 5775 | Ant6 | 5725 | -46.99 | 3.87 | 0.83 | -43.12 | Average | 27   | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

## Restrict Band NVNT a 5745MHz Ant6 Peak



## Restrict Band NVNT a 5745MHz Ant6 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT a 5825MHz Ant6 Peak



## Restrict Band NVNT a 5825MHz Ant6 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5745MHz Ant6 Peak



## Restrict Band NVNT n20 5745MHz Ant6 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5825MHz Ant6 Peak



## Restrict Band NVNT n20 5825MHz Ant6 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity