

























2. Bandwidth

2.1 Test Result

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	16.297	/	Pass
		5200	1	16.243	/	Pass
		5240	1	16.215	/	Pass
		5260	1	16.222	/	Pass
		5300	1	16.241	/	Pass
		5320	1	16.278	/	Pass
		5500	1	16.353	/	Pass
		5580	1	16.223	/	Pass
		5700	1	16.290	/	Pass
		5745	1	16.250	/	Pass
		5785	1	16.316	/	Pass
		5825	1	16.353	/	Pass
802.11n (HT20)	SISO	5180	1	17.423	/	Pass
		5200	1	17.408	/	Pass
		5240	1	17.429	/	Pass
		5260	1	17.392	/	Pass
		5300	1	17.390	/	Pass
		5320	1	17.396	/	Pass
		5500	1	17.359	/	Pass
		5580	1	17.358	/	Pass
		5700	1	17.458	/	Pass
		5745	1	17.442	/	Pass
		5785	1	17.358	/	Pass
		5825	1	17.501	/	Pass
802.11n (HT40)	SISO	5190	1	35.251	/	Pass
		5230	1	35.307	/	Pass
		5270	1	35.320	/	Pass
		5310	1	35.486	/	Pass
		5510	1	35.292	/	Pass
		5550	1	35.445	/	Pass
		5670	1	35.148	/	Pass
		5755	1	35.416	/	Pass
		5795	1	35.415	/	Pass

2.1.2 26dB BW

Mode	TX Type	Frequency (MHz)	ANT	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	18.423	/	Pass
		5200	1	18.277	/	Pass
		5240	1	19.100	/	Pass
		5260	1	19.324	/	Pass
		5300	1	18.724	/	Pass
		5320	1	18.542	/	Pass

		5500	1	19.191	/	Pass
		5580	1	18.801	/	Pass
		5700	1	18.579	/	Pass
802.11n (HT20)	SISO	5180	1	19.823	/	Pass
		5200	1	19.768	/	Pass
		5240	1	19.401	/	Pass
		5260	1	20.588	/	Pass
		5300	1	19.384	/	Pass
		5320	1	19.847	/	Pass
		5500	1	19.780	/	Pass
		5580	1	19.859	/	Pass
		5700	1	19.240	/	Pass
		5190	1	38.584	/	Pass
802.11n (HT40)	SISO	5230	1	38.570	/	Pass
		5270	1	38.675	/	Pass
		5310	1	38.869	/	Pass
		5510	1	38.171	/	Pass
		5550	1	38.647	/	Pass
		5670	1	38.554	/	Pass

2.1.3 6dB BW

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5745	1	15.711	≥ 0.5	Pass
		5785	1	8.187	≥ 0.5	Pass
		5825	1	14.289	≥ 0.5	Pass
802.11n (HT20)	SISO	5745	1	11.942	≥ 0.5	Pass
		5785	1	14.458	≥ 0.5	Pass
		5825	1	14.827	≥ 0.5	Pass
802.11n (HT40)	SISO	5755	1	17.435	≥ 0.5	Pass
		5795	1	35.086	≥ 0.5	Pass

2.2 Test Graph

2.2.1 OBW

