


|               |                          |                |           |
|---------------|--------------------------|----------------|-----------|
| Test_Mode     | 802.11 b<br>Transmitting | Test_Frequency | 2412MHz   |
| Tset_Engineer | \                        | Test_Date      | 2026/8/16 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2111.0074   | 15.07       | 36.69          | 51.76          | 74.00          | 22.24       | PASS   | Vertical | PK     |
| 2              | 2885.8591   | 17.53       | 36.87          | 54.40          | 74.00          | 19.60       | PASS   | Vertical | PK     |
| 3              | 4824.1216   | -8.55       | 62.61          | 54.06          | 74.00          | 19.94       | PASS   | Vertical | PK     |
| 4              | 6432.2288   | -4.29       | 54.27          | 49.98          | 74.00          | 24.02       | PASS   | Vertical | PK     |
| 5              | 12564.6376  | 4.41        | 52.03          | 56.44          | 74.00          | 17.56       | PASS   | Vertical | PK     |
| 6              | 16836.9225  | 12.73       | 47.89          | 60.62          | 74.00          | 13.38       | PASS   | Vertical | PK     |
| 7              | 2888.7926   | 17.58       | 17.84          | 35.42          | 54.00          | 18.58       | PASS   | Vertical | AV     |
| 8              | 4825.1217   | -8.53       | 59.21          | 50.68          | 54.00          | 3.32        | PASS   | Vertical | AV     |
| 9              | 12562.6375  | 4.39        | 41.10          | 45.49          | 54.00          | 8.51        | PASS   | Vertical | AV     |
| 10             | 16807.9205  | 11.55       | 37.37          | 48.92          | 54.00          | 5.08        | PASS   | Vertical | AV     |

|               |                          |                |           |
|---------------|--------------------------|----------------|-----------|
| Test_Mode     | 802.11 b<br>Transmitting | Test_Frequency | 2412MHz   |
| Tset_Engineer | \                        | Test_Date      | 2026/8/16 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBµV] | Level [dBµV/m] | Limit [dBµV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 18558.9824  | -26.69      | 63.16          | 36.47          | 74.00          | 37.53       | PASS   | Horizontal | PK     |
| 2              | 19424.997   | -25.62      | 61.39          | 35.77          | 74.00          | 38.23       | PASS   | Horizontal | PK     |
| 3              | 20806.1322  | -25.66      | 60.89          | 35.23          | 74.00          | 38.77       | PASS   | Horizontal | PK     |
| 4              | 22625.885   | -25.00      | 59.60          | 34.60          | 74.00          | 39.40       | PASS   | Horizontal | PK     |
| 5              | 23897.5359  | -22.14      | 58.18          | 36.04          | 74.00          | 37.96       | PASS   | Horizontal | PK     |
| 6              | 25784.6114  | -20.81      | 55.99          | 35.18          | 74.00          | 38.82       | PASS   | Horizontal | PK     |

|               |                          |                |           |
|---------------|--------------------------|----------------|-----------|
| Test_Mode     | 802.11 b<br>Transmitting | Test_Frequency | 2412MHz   |
| Tset_Engineer | \                        | Test_Date      | 2026/8/16 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 18734.4294  | -26.42      | 64.46          | 38.04          | 74.00          | 35.96       | PASS   | Vertical | PK     |
| 2              | 20038.0415  | -24.79      | 60.49          | 35.70          | 74.00          | 38.30       | PASS   | Vertical | PK     |
| 3              | 21213.8086  | -25.76      | 61.37          | 35.61          | 74.00          | 38.39       | PASS   | Vertical | PK     |
| 4              | 21872.7549  | -25.64      | 60.89          | 35.25          | 74.00          | 38.75       | PASS   | Vertical | PK     |
| 5              | 23896.5159  | -22.14      | 58.22          | 36.08          | 74.00          | 37.92       | PASS   | Vertical | PK     |
| 6              | 25758.7704  | -20.80      | 56.71          | 35.91          | 74.00          | 38.09       | PASS   | Vertical | PK     |

|               |                          |                |           |
|---------------|--------------------------|----------------|-----------|
| Test_Mode     | 802.11 b<br>Transmitting | Test_Frequency | 2437MHz   |
| Tset_Engineer | \                        | Test_Date      | 2026/8/16 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2170.478    | 15.45       | 35.47          | 50.92          | 74.00          | 23.08       | PASS   | Horizontal | PK     |
| 2              | 2971.4648   | 17.93       | 36.38          | 54.31          | 74.00          | 19.69       | PASS   | Horizontal | PK     |
| 3              | 3831.0554   | -12.21      | 58.05          | 45.84          | 74.00          | 28.16       | PASS   | Horizontal | PK     |
| 4              | 4874.1249   | -8.39       | 63.66          | 55.27          | 74.00          | 18.73       | PASS   | Horizontal | PK     |
| 5              | 6498.2332   | -4.50       | 55.51          | 51.01          | 74.00          | 22.99       | PASS   | Horizontal | PK     |
| 6              | 12997.6665  | 5.52        | 53.03          | 58.55          | 74.00          | 15.45       | PASS   | Horizontal | PK     |
| 7              | 2968.7979   | 17.92       | 17.92          | 35.84          | 54.00          | 18.16       | PASS   | Horizontal | AV     |
| 8              | 4875.125    | -8.37       | 57.43          | 49.06          | 54.00          | 4.94        | PASS   | Horizontal | AV     |
| 9              | 12998.6666  | 5.53        | 45.08          | 50.61          | 54.00          | 3.39        | PASS   | Horizontal | AV     |

|               |                          |                |           |
|---------------|--------------------------|----------------|-----------|
| Test_Mode     | 802.11 b<br>Transmitting | Test_Frequency | 2437MHz   |
| Tset_Engineer | \                        | Test_Date      | 2026/8/16 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2164.611    | 15.29       | 36.64          | 51.93          | 74.00          | 22.07       | PASS   | Vertical | PK     |
| 2              | 2928.7953   | 17.73       | 36.17          | 53.90          | 74.00          | 20.10       | PASS   | Vertical | PK     |
| 3              | 4874.1249   | -8.39       | 64.58          | 56.19          | 74.00          | 17.81       | PASS   | Vertical | PK     |
| 4              | 6498.2332   | -4.50       | 56.65          | 52.15          | 74.00          | 21.85       | PASS   | Vertical | PK     |
| 5              | 12997.6665  | 5.52        | 53.92          | 59.44          | 74.00          | 14.56       | PASS   | Vertical | PK     |
| 6              | 17748.9833  | 16.86       | 44.94          | 61.80          | 74.00          | 12.20       | PASS   | Vertical | PK     |
| 7              | 4875.125    | -8.37       | 58.27          | 49.90          | 54.00          | 4.10        | PASS   | Vertical | AV     |
| 8              | 12998.6666  | 5.53        | 45.27          | 50.80          | 54.00          | 3.20        | PASS   | Vertical | AV     |
| 9              | 17775.9851  | 16.32       | 31.30          | 47.62          | 54.00          | 6.38        | PASS   | Vertical | AV     |

|               |                          |                |           |
|---------------|--------------------------|----------------|-----------|
| Test_Mode     | 802.11 b<br>Transmitting | Test_Frequency | 2437MHz   |
| Tset_Engineer | \                        | Test_Date      | 2026/8/16 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 18649.766   | -26.59      | 63.43          | 36.84          | 74.00          | 37.16       | PASS   | Horizontal | PK     |
| 2              | 20027.5011  | -24.74      | 61.21          | 36.47          | 74.00          | 37.53       | PASS   | Horizontal | PK     |
| 3              | 21302.8921  | -25.82      | 62.24          | 36.42          | 74.00          | 37.58       | PASS   | Horizontal | PK     |
| 4              | 22861.1744  | -25.24      | 59.58          | 34.34          | 74.00          | 39.66       | PASS   | Horizontal | PK     |
| 5              | 23964.1786  | -22.01      | 58.45          | 36.44          | 74.00          | 37.56       | PASS   | Horizontal | PK     |
| 6              | 25667.9867  | -20.75      | 56.83          | 36.08          | 74.00          | 37.92       | PASS   | Horizontal | PK     |

|               |                          |                |           |
|---------------|--------------------------|----------------|-----------|
| Test_Mode     | 802.11 b<br>Transmitting | Test_Frequency | 2437MHz   |
| Tset_Engineer | \                        | Test_Date      | 2026/8/16 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 18946.9379  | -26.28      | 62.32          | 36.04          | 74.00          | 37.96       | PASS   | Vertical | PK     |
| 2              | 19557.2623  | -25.60      | 61.72          | 36.12          | 74.00          | 37.88       | PASS   | Vertical | PK     |
| 3              | 20894.5358  | -25.82      | 62.40          | 36.58          | 74.00          | 37.42       | PASS   | Vertical | PK     |
| 4              | 21860.1744  | -25.62      | 60.69          | 35.07          | 74.00          | 38.93       | PASS   | Vertical | PK     |
| 5              | 23883.2553  | -22.17      | 58.11          | 35.94          | 74.00          | 38.06       | PASS   | Vertical | PK     |
| 6              | 25743.1297  | -20.79      | 58.84          | 38.05          | 74.00          | 35.95       | PASS   | Vertical | PK     |

|               |                          |                |           |
|---------------|--------------------------|----------------|-----------|
| Test_Mode     | 802.11 b<br>Transmitting | Test_Frequency | 2462MHz   |
| Tset_Engineer | \                        | Test_Date      | 2026/8/16 |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 1868.8579   | 14.52       | 37.33          | 51.85          | 74.00          | 22.15       | PASS   | Horizontal | PK     |
| 2              | 2603.4402   | 16.60       | 37.07          | 53.67          | 74.00          | 20.33       | PASS   | Horizontal | PK     |
| 3              | 3118.0079   | -14.68      | 58.89          | 44.21          | 74.00          | 29.79       | PASS   | Horizontal | PK     |
| 4              | 4158.0772   | -10.96      | 58.06          | 47.10          | 74.00          | 26.90       | PASS   | Horizontal | PK     |
| 5              | 6565.2377   | -3.93       | 55.38          | 51.45          | 74.00          | 22.55       | PASS   | Horizontal | PK     |
| 6              | 13130.6754  | 6.30        | 52.31          | 58.61          | 74.00          | 15.39       | PASS   | Horizontal | PK     |
| 7              | 13131.6754  | 6.31        | 44.44          | 50.75          | 54.00          | 3.25        | PASS   | Horizontal | AV     |

|               |                          |                |           |
|---------------|--------------------------|----------------|-----------|
| Test_Mode     | 802.11 b<br>Transmitting | Test_Frequency | 2462MHz   |
| Tset_Engineer | \                        | Test_Date      | 2026/8/16 |

Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2097.8065   | 15.07       | 37.33          | 52.40          | 74.00          | 21.60       | PASS   | Vertical | PK     |
| 2              | 2704.247    | 17.08       | 37.28          | 54.36          | 74.00          | 19.64       | PASS   | Vertical | PK     |
| 3              | 3187.0125   | -14.50      | 61.76          | 47.26          | 74.00          | 26.74       | PASS   | Vertical | PK     |
| 4              | 4158.0772   | -10.96      | 57.88          | 46.92          | 74.00          | 27.08       | PASS   | Vertical | PK     |
| 5              | 6565.2377   | -3.93       | 56.30          | 52.37          | 74.00          | 21.63       | PASS   | Vertical | PK     |
| 6              | 13130.6754  | 6.30        | 54.78          | 61.08          | 74.00          | 12.92       | PASS   | Vertical | PK     |
| 7              | 2700.2467   | 17.05       | 18.21          | 35.26          | 54.00          | 18.74       | PASS   | Vertical | AV     |
| 8              | 13131.6754  | 6.31        | 44.25          | 50.56          | 54.00          | 3.44        | PASS   | Vertical | AV     |