


Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18325.733	-26.80	64.17	37.37	74.00	36.63	PASS	Horizontal	PK
2	19621.8649	-25.56	62.30	36.74	74.00	37.26	PASS	Horizontal	PK
3	21524.921	-25.80	62.11	36.31	74.00	37.69	PASS	Horizontal	PK
4	23307.2723	-23.89	59.08	35.19	74.00	38.81	PASS	Horizontal	PK
5	24395.3158	-21.70	57.39	35.69	74.00	38.31	PASS	Horizontal	PK
6	25793.4517	-20.82	57.17	36.35	74.00	37.65	PASS	Horizontal	PK

Test_Mode	802.11 b Transmitting	Test_Frequency	2462MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18767.7507	-26.35	62.79	36.44	74.00	37.56	PASS	Vertical	PK
2	19617.1047	-25.56	61.68	36.12	74.00	37.88	PASS	Vertical	PK
3	20459.6584	-25.66	61.39	35.73	74.00	38.27	PASS	Vertical	PK
4	22520.4808	-25.04	60.07	35.03	74.00	38.97	PASS	Vertical	PK
5	24241.6297	-22.44	57.85	35.41	74.00	38.59	PASS	Vertical	PK
6	25740.7496	-20.79	56.42	35.63	74.00	38.37	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1510.1673	13.29	34.85	48.14	74.00	25.86	PASS	Horizontal	PK
2	1880.7254	14.42	37.57	51.99	74.00	22.01	PASS	Horizontal	PK
3	2710.9141	17.11	36.05	53.16	74.00	20.84	PASS	Horizontal	PK
4	4158.0772	-10.96	56.80	45.84	74.00	28.16	PASS	Horizontal	PK
5	4845.123	-8.48	59.15	50.67	74.00	23.33	PASS	Horizontal	PK
6	6458.2305	-4.29	55.30	51.01	74.00	22.99	PASS	Horizontal	PK
7	12917.6612	5.02	52.01	57.03	74.00	16.97	PASS	Horizontal	PK
8	12918.6612	5.02	43.94	48.96	54.00	5.04	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2113.4076	15.08	37.99	53.07	74.00	20.93	PASS	Vertical	PK
2	2674.7783	17.11	36.70	53.81	74.00	20.19	PASS	Vertical	PK
3	4158.0772	-10.96	58.65	47.69	74.00	26.31	PASS	Vertical	PK
4	4841.1227	-8.50	60.17	51.67	74.00	22.33	PASS	Vertical	PK
5	6459.2306	-4.30	57.00	52.70	74.00	21.30	PASS	Vertical	PK
6	12917.6612	5.02	53.38	58.40	74.00	15.60	PASS	Vertical	PK
7	12918.6612	5.02	45.53	50.55	54.00	3.45	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18350.214	-26.77	63.39	36.62	74.00	37.38	PASS	Horizontal	PK
2	19667.7667	-25.47	60.97	35.50	74.00	38.50	PASS	Horizontal	PK
3	20396.7559	-25.48	61.54	36.06	74.00	37.94	PASS	Horizontal	PK
4	21797.6119	-25.53	61.27	35.74	74.00	38.26	PASS	Horizontal	PK
5	23805.3922	-22.32	57.48	35.16	74.00	38.84	PASS	Horizontal	PK
6	25806.7123	-20.82	57.33	36.51	74.00	37.49	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2422MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18380.4752	-26.73	63.15	36.42	74.00	37.58	PASS	Vertical	PK
2	19739.5096	-25.34	61.24	35.90	74.00	38.10	PASS	Vertical	PK
3	21076.7831	-25.90	61.45	35.55	74.00	38.45	PASS	Vertical	PK
4	21779.9312	-25.55	60.75	35.20	74.00	38.80	PASS	Vertical	PK
5	23902.2961	-22.13	57.75	35.62	74.00	38.38	PASS	Vertical	PK
6	25905.9962	-20.86	56.81	35.95	74.00	38.05	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1991.9328	14.65	37.04	51.69	74.00	22.31	PASS	Horizontal	PK
2	2977.7318	17.88	36.88	54.76	74.00	19.24	PASS	Horizontal	PK
3	4158.0772	-10.96	57.08	46.12	74.00	27.88	PASS	Horizontal	PK
4	4873.1249	-8.39	60.75	52.36	74.00	21.64	PASS	Horizontal	PK
5	6498.2332	-4.50	55.09	50.59	74.00	23.41	PASS	Horizontal	PK
6	12996.6664	5.51	51.13	56.64	74.00	17.36	PASS	Horizontal	PK
7	2967.3312	17.89	18.20	36.09	54.00	17.91	PASS	Horizontal	AV
8	12998.6666	5.53	44.67	50.20	54.00	3.80	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2294.8863	15.73	37.23	52.96	74.00	21.04	PASS	Vertical	PK
2	2863.0575	17.38	36.33	53.71	74.00	20.29	PASS	Vertical	PK
3	4158.0772	-10.96	58.29	47.33	74.00	26.67	PASS	Vertical	PK
4	4878.1252	-8.37	60.98	52.61	74.00	21.39	PASS	Vertical	PK
5	6498.2332	-4.50	56.63	52.13	74.00	21.87	PASS	Vertical	PK
6	12997.6665	5.52	53.75	59.27	74.00	14.73	PASS	Vertical	PK
7	12998.6666	5.53	45.10	50.63	54.00	3.37	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	2437MHz
Tset_Engineer	\	Test_Date	2026/8/16

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18878.5951	-26.28	62.41	36.13	74.00	37.87	PASS	Horizontal	PK
2	19676.9471	-25.45	61.13	35.68	74.00	38.32	PASS	Horizontal	PK
3	20468.4987	-25.68	61.57	35.89	74.00	38.11	PASS	Horizontal	PK
4	22154.2862	-25.50	61.14	35.64	74.00	38.36	PASS	Horizontal	PK
5	23592.8837	-23.07	58.43	35.36	74.00	38.64	PASS	Horizontal	PK
6	25780.8712	-20.81	56.82	36.01	74.00	37.99	PASS	Horizontal	PK