


Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	3397.4359	19.21	33.02	52.23	68.20	15.97	PASS	Vertical	PK
2	5029.0212	25.27	33.06	58.33	74.00	15.67	PASS	Vertical	PK
3	6919.9968	-3.15	53.98	50.83	68.20	17.37	PASS	Vertical	PK
4	10377.0351	1.87	56.74	58.61	68.20	9.59	PASS	Vertical	PK
5	13777.4911	7.12	50.73	57.85	68.20	10.35	PASS	Vertical	PK
6	17100.204	12.25	50.76	63.01	68.20	5.19	PASS	Vertical	PK
7	5010.5404	25.19	10.50	35.69	54.00	18.31	PASS	Vertical	AV
8	6920.4568	-3.14	47.96	44.82	54.00	9.18	PASS	Vertical	AV
9	10382.5553	1.86	45.95	47.81	54.00	6.19	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18767.3907	-26.36	61.66	35.30	74.00	38.70	PASS	Horizontal	PK
2	20759.7904	-25.73	60.43	34.70	74.00	39.30	PASS	Horizontal	PK
3	24023.841	-22.02	57.24	35.22	68.20	32.98	PASS	Horizontal	PK
4	28006.8803	-21.21	56.98	35.77	68.20	32.43	PASS	Horizontal	PK
5	32436.0974	-18.20	52.08	33.88	68.20	34.32	PASS	Horizontal	PK
6	38808.4323	-13.22	45.83	32.61	68.20	35.59	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5190MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18881.7953	-26.28	60.27	33.99	74.00	40.01	PASS	Vertical	PK
2	20760.6704	-25.73	61.68	35.95	74.00	38.05	PASS	Vertical	PK
3	23581.1832	-23.11	57.91	34.80	68.20	33.40	PASS	Vertical	PK
4	27917.9967	-21.14	56.39	35.25	68.20	32.95	PASS	Vertical	PK
5	32328.7331	-18.49	54.05	35.56	68.20	32.64	PASS	Vertical	PK
6	38957.1583	-12.94	45.40	32.46	68.20	35.74	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2039.7616	14.83	33.50	48.33	68.20	19.87	PASS	Horizontal	PK
2	5034.0814	25.34	34.05	59.39	74.00	14.61	PASS	Horizontal	PK
3	6475.139	28.47	32.20	60.67	68.20	7.53	PASS	Horizontal	PK
4	6973.3589	-3.07	54.80	51.73	68.20	16.47	PASS	Horizontal	PK
5	10457.5383	2.15	58.49	60.64	68.20	7.56	PASS	Horizontal	PK
6	13946.3179	7.62	50.56	58.18	68.20	10.02	PASS	Horizontal	PK
7	5034.3014	25.34	10.02	35.36	54.00	18.64	PASS	Horizontal	AV
8	6973.819	-3.08	47.55	44.47	54.00	9.53	PASS	Horizontal	AV
9	10462.5985	2.14	47.41	49.55	54.00	4.45	PASS	Horizontal	AV
10	13947.2379	7.61	43.08	50.69	54.00	3.31	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2277.5911	15.85	32.94	48.79	74.00	25.21	PASS	Vertical	PK
2	5010.7604	25.19	32.49	57.68	74.00	16.32	PASS	Vertical	PK
3	6490.5396	28.60	32.76	61.36	68.20	6.84	PASS	Vertical	PK
4	6973.3589	-3.07	56.51	53.44	68.20	14.76	PASS	Vertical	PK
5	10460.7584	2.14	55.77	57.91	68.20	10.29	PASS	Vertical	PK
6	13726.8891	7.23	51.31	58.54	68.20	9.66	PASS	Vertical	PK
7	2280.2312	15.84	18.85	34.69	54.00	19.31	PASS	Vertical	AV
8	5000.86	25.00	10.68	35.68	54.00	18.32	PASS	Vertical	AV
9	6973.819	-3.08	49.84	46.76	54.00	7.24	PASS	Vertical	AV
10	10463.0585	2.14	43.74	45.88	54.00	8.12	PASS	Vertical	AV
11	13725.049	7.23	38.66	45.89	54.00	8.11	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19148.4459	-26.11	60.71	34.60	74.00	39.40	PASS	Horizontal	PK
2	20919.0768	-25.86	60.30	34.44	74.00	39.56	PASS	Horizontal	PK
3	23856.6343	-22.22	56.26	34.04	74.00	39.96	PASS	Horizontal	PK
4	25833.1933	-20.83	55.78	34.95	68.20	33.25	PASS	Horizontal	PK
5	30361.8545	-20.52	55.27	34.75	68.20	33.45	PASS	Horizontal	PK
6	33600.384	-17.32	51.13	33.81	68.20	34.39	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5230MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19524.221	-25.61	60.96	35.35	74.00	38.65	PASS	Vertical	PK
2	20909.3964	-25.84	60.59	34.75	74.00	39.25	PASS	Vertical	PK
3	25781.2713	-20.81	55.53	34.72	68.20	33.48	PASS	Vertical	PK
4	28007.7603	-21.21	56.49	35.28	68.20	32.92	PASS	Vertical	PK
5	32708.0283	-18.83	52.97	34.14	68.20	34.06	PASS	Vertical	PK
6	38754.7502	-13.41	45.48	32.07	68.20	36.13	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5260MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2030.9612	14.68	33.28	47.96	68.20	20.24	PASS	Horizontal	PK
2	4993.8198	24.67	32.30	56.97	74.00	17.03	PASS	Horizontal	PK
3	6435.9774	28.20	32.06	60.26	68.20	7.94	PASS	Horizontal	PK
4	9645.1458	1.17	53.55	54.72	68.20	13.48	PASS	Horizontal	PK
5	10521.0208	2.00	60.61	62.61	68.20	5.59	PASS	Horizontal	PK
6	15782.2513	9.43	58.69	68.12	74.00	5.88	PASS	Horizontal	PK
7	5003.2801	24.78	10.36	35.14	54.00	18.86	PASS	Horizontal	AV
8	9665.8466	1.16	41.22	42.38	54.00	11.62	PASS	Horizontal	AV
9	10521.9409	1.99	47.82	49.81	54.00	4.19	PASS	Horizontal	AV
10	15782.7113	9.41	42.43	51.84	54.00	2.16	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5260MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2277.8111	16.17	33.15	49.32	74.00	24.68	PASS	Vertical	PK
2	5015.3806	24.86	33.56	58.42	74.00	15.58	PASS	Vertical	PK
3	6392.8557	28.18	32.47	60.65	68.20	7.55	PASS	Vertical	PK
4	7013.3805	-3.38	62.82	59.44	68.20	8.76	PASS	Vertical	PK
5	10516.8807	2.02	55.13	57.15	68.20	11.05	PASS	Vertical	PK
6	14385.6354	9.12	49.36	58.48	68.20	9.72	PASS	Vertical	PK
7	2280.2312	16.16	16.96	33.12	54.00	20.88	PASS	Vertical	AV
8	5005.9202	24.83	10.30	35.13	54.00	18.87	PASS	Vertical	AV
9	7013.8406	-3.38	54.22	50.84	54.00	3.16	PASS	Vertical	AV
10	10517.3407	2.02	43.28	45.30	54.00	8.70	PASS	Vertical	AV
11	14309.2724	8.51	38.18	46.69	54.00	7.31	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5260MHz
Tset_Engineer	\	Test_Date	2026/8/16

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19371.9749	-25.69	61.32	35.63	74.00	38.37	PASS	Horizontal	PK
2	21022.0409	-25.98	61.39	35.41	74.00	38.59	PASS	Horizontal	PK
3	26428.0971	-21.17	57.09	35.92	68.20	32.28	PASS	Horizontal	PK
4	28301.6921	-21.40	57.45	36.05	68.20	32.15	PASS	Horizontal	PK
5	32352.4941	-18.34	53.98	35.64	68.20	32.56	PASS	Horizontal	PK
6	35416.7767	-16.10	50.14	34.04	68.20	34.16	PASS	Horizontal	PK