


Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5270MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2280.4512	16.16	33.48	49.64	74.00	24.36	PASS	Vertical	PK
2	5000.42	24.71	32.60	57.31	74.00	16.69	PASS	Vertical	PK
3	6432.4573	28.19	31.31	59.50	68.20	8.70	PASS	Vertical	PK
4	7026.7211	-3.34	63.08	59.74	68.20	8.46	PASS	Vertical	PK
5	13165.2066	6.18	50.89	57.07	68.20	11.13	PASS	Vertical	PK
6	17039.9416	12.42	51.33	63.75	68.20	4.45	PASS	Vertical	PK
7	2280.0112	16.17	17.45	33.62	54.00	20.38	PASS	Vertical	AV
8	5009.0004	24.91	10.21	35.12	54.00	18.88	PASS	Vertical	AV
9	7027.1811	-3.34	54.14	50.80	54.00	3.20	PASS	Vertical	AV
10	13165.6666	6.19	39.94	46.13	54.00	7.87	PASS	Vertical	AV
11	17031.2012	12.47	39.23	51.70	54.00	2.30	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5270MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18208.5683	-26.96	62.83	35.87	74.00	38.13	PASS	Horizontal	PK
2	21079.2432	-25.90	60.25	34.35	74.00	39.65	PASS	Horizontal	PK
3	24136.4855	-22.42	56.90	34.48	68.20	33.72	PASS	Horizontal	PK
4	26540.7416	-21.13	55.92	34.79	68.20	33.41	PASS	Horizontal	PK
5	28895.7158	-21.40	55.54	34.14	68.20	34.06	PASS	Horizontal	PK
6	32426.4171	-18.15	52.45	34.30	68.20	33.90	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5270MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18123.2049	-27.37	62.53	35.16	74.00	38.84	PASS	Vertical	PK
2	21066.9227	-25.92	60.75	34.83	74.00	39.17	PASS	Vertical	PK
3	21870.3948	-25.63	59.46	33.83	68.20	34.37	PASS	Vertical	PK
4	26282.0113	-21.28	56.19	34.91	68.20	33.29	PASS	Vertical	PK
5	28107.2043	-21.25	56.04	34.79	68.20	33.41	PASS	Vertical	PK
6	33598.6239	-17.32	51.16	33.84	68.20	34.36	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2039.9816	14.77	33.05	47.82	68.20	20.38	PASS	Horizontal	PK
2	5009.2204	24.91	32.94	57.85	74.00	16.15	PASS	Horizontal	PK
3	6490.9796	28.67	31.65	60.32	68.20	7.88	PASS	Horizontal	PK
4	7080.0832	-3.05	56.96	53.91	68.20	14.29	PASS	Horizontal	PK
5	10617.6247	2.28	55.15	57.43	74.00	16.57	PASS	Horizontal	PK
6	15935.8974	9.93	55.15	65.08	74.00	8.92	PASS	Horizontal	PK
7	5031.2212	24.95	10.11	35.06	54.00	18.94	PASS	Horizontal	AV
8	7080.5432	-3.05	51.97	48.92	54.00	5.08	PASS	Horizontal	AV
9	10617.6247	2.28	44.25	46.53	54.00	7.47	PASS	Horizontal	AV
10	15936.3575	9.93	42.40	52.33	54.00	1.67	PASS	Horizontal	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	1783.6713	14.28	32.84	47.12	68.20	21.08	PASS	Vertical	PK
2	5002.1801	24.75	33.00	57.75	74.00	16.25	PASS	Vertical	PK
3	6469.1988	28.21	32.47	60.68	68.20	7.52	PASS	Vertical	PK
4	7080.0832	-3.05	62.54	59.49	68.20	8.71	PASS	Vertical	PK
5	13715.8486	7.25	51.67	58.92	68.20	9.28	PASS	Vertical	PK
6	17023.841	12.52	50.92	63.44	68.20	4.76	PASS	Vertical	PK
7	5014.2806	24.88	10.37	35.25	54.00	18.75	PASS	Vertical	AV
8	7080.5432	-3.05	54.55	51.50	54.00	2.50	PASS	Vertical	AV
9	13717.2287	7.24	39.61	46.85	54.00	7.15	PASS	Vertical	AV
10	17039.0216	12.42	39.25	51.67	54.00	2.33	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18485.7794	-26.70	62.00	35.30	74.00	38.70	PASS	Horizontal	PK
2	21607.2643	-25.73	60.07	34.34	68.20	33.86	PASS	Horizontal	PK
3	23450.938	-23.43	56.98	33.55	68.20	34.65	PASS	Horizontal	PK
4	26505.5402	-21.13	56.07	34.94	68.20	33.26	PASS	Horizontal	PK
5	30918.9168	-19.45	53.51	34.06	68.20	34.14	PASS	Horizontal	PK
6	33610.0644	-17.34	50.50	33.16	68.20	35.04	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5310MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18312.4125	-26.82	62.02	35.20	74.00	38.80	PASS	Vertical	PK
2	21227.9691	-25.76	60.07	34.31	74.00	39.69	PASS	Vertical	PK
3	25781.2713	-20.81	55.85	35.04	68.20	33.16	PASS	Vertical	PK
4	28319.2928	-21.42	56.37	34.95	68.20	33.25	PASS	Vertical	PK
5	31013.0805	-19.37	53.40	34.03	68.20	34.17	PASS	Vertical	PK
6	33456.9383	-17.90	49.63	31.73	68.20	36.47	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5500MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2033.1613	15.35	34.02	49.37	68.20	18.83	PASS	Horizontal	PK
2	5027.4811	26.29	32.14	58.43	74.00	15.57	PASS	Horizontal	PK
3	6456.6583	29.68	31.41	61.09	68.20	7.11	PASS	Horizontal	PK
4	7333.0933	-2.70	55.11	52.41	74.00	21.59	PASS	Horizontal	PK
5	10998.98	2.24	56.93	59.17	74.00	14.83	PASS	Horizontal	PK
6	16503.5601	10.73	54.39	65.12	68.20	3.08	PASS	Horizontal	PK
7	5016.7007	26.22	10.33	36.55	54.00	17.45	PASS	Horizontal	AV
8	7333.5533	-2.71	49.32	46.61	54.00	7.39	PASS	Horizontal	AV
9	11002.2001	2.25	44.81	47.06	54.00	6.94	PASS	Horizontal	AV
10	16502.6401	10.72	39.90	50.62	54.00	3.38	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5500MHz
Tset_Engineer	\	Test_Date	2026/8/16


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2929.9172	18.63	33.98	52.61	68.20	15.59	PASS	Vertical	PK
2	4982.5993	26.07	32.23	58.30	74.00	15.70	PASS	Vertical	PK
3	6500	29.76	33.19	62.95	68.20	5.25	PASS	Vertical	PK
4	7333.5533	-2.71	57.91	55.20	74.00	18.80	PASS	Vertical	PK
5	10998.98	2.24	53.34	55.58	74.00	18.42	PASS	Vertical	PK
6	17106.6443	12.29	50.60	62.89	68.20	5.31	PASS	Vertical	PK
7	5010.3204	26.23	10.47	36.70	54.00	17.30	PASS	Vertical	AV
8	7333.5533	-2.71	52.55	49.84	54.00	4.16	PASS	Vertical	AV
9	11000.36	2.25	41.28	43.53	54.00	10.47	PASS	Vertical	AV
10	17023.841	12.52	38.87	51.39	54.00	2.61	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5500MHz
Tset_Engineer	\	Test_Date	2026/8/16

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19444.1378	-25.61	58.74	33.13	74.00	40.87	PASS	Horizontal	PK
2	22140.5656	-25.53	59.27	33.74	74.00	40.26	PASS	Horizontal	PK
3	25821.7529	-20.83	55.54	34.71	68.20	33.49	PASS	Horizontal	PK
4	28026.241	-21.21	56.31	35.10	68.20	33.10	PASS	Horizontal	PK
5	31622.9449	-19.66	53.29	33.63	74.00	40.37	PASS	Horizontal	PK
6	34603.6241	-16.09	47.88	31.79	68.20	36.41	PASS	Horizontal	PK