External Photos of the EUT

Fig. 1

Fig. 2

Press and hold the "AC" button to turn on/off the AC Output.
Press and hold the "DC" button to turn on/off 12V DC Output/USB/Wireless Charger.
Press and hold "DC" and "AC" and the same time to reset WiFi and enter into pairing mode.
When you want to store the power station, please discharge battery capacity to 30% and then recharge it to 60% every three months to preserve the battery life.
Please follow the instructions about solar charging, solar panel/array with Voc (open circuit voltage) greater than 95V will damage the unit.

Fig. 3

Fig. 4

Fig. 5

Fig. 6

Fig. 7

Fig. 8


Press and hold the "AC" button to turn on/off the AC Output.
Press and hold the "DC" button to turn on/off 12V DC Output/USB/Wireless Charger.
Press and hold "DC" and "AC" and the same time to reset WIFI and enter into paring mode.
When you want to store the power station, please discharge battery capacity to 30% and then recharge it to 60% every three months to preserve the battery life.
Please follow the instructions about solar charging, solar panel/array with Voc (open circuit voltage) greater than 95V will damage the unit.

Fig. 9

pecron E1500 LFP
Portable Power Station
Model: E1500 LFP
Battery Capacity: 1536Wh (51.2V 30Ah)
AC Output(×3): 100-120V~50/60Hz 2200W Max
USB-A(×4)Output: 5V⎓3A,9V⎓2A,12V⎓1.5A,18W Max
USB-C(×1)Output: 5V⎓3A,9V⎓2A,12V⎓1.5A,18W Max
USB-C(×1)Output: 5V⎓3A,9V⎓2A,12V⎓1.5A,
20V⎓5A Max 100W Max
DC Output(×3): 13.6V⎓30A Max
Wireless Charging: 5-12V⎓15W Max
AC Input Wattage: 1400W Max
AC Input Voltage: 100V-120V, 50Hz/60Hz
UPS Power: 1800W(120V) Max
DC Charging: 12-18V,100W Max
32-95V,700W Max
www.pecron.com
Huizhou pecron technology co.,LTD
MADE IN CHINA
MY241200859

Fig. 10

DC OUTPUT
12V-30A(MAX)
LOCK POINT
12V-5A
12V-10A
12V
USB
100W
18W
18W
18W
18W
18W

Fig. 11

AC OUTPUT-2200W
pecron

Fig. 12

Fig. 13

Fig. 14

Fig. 15