

3. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	16.59	0.79	17.38	24	Pass
NVNT	ANT1	802.11a	5200.00	16.80	1.14	17.94	24	Pass
NVNT	ANT1	802.11a	5240.00	16.88	1.14	18.02	24	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	16.47	0.19	16.66	24	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	16.75	0.13	16.88	24	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	16.64	0.20	16.84	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	15.91	0.00	15.91	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	16.25	0.25	16.50	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	16.55	0.37	16.92	24	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	15.29	1.14	16.43	24	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	15.20	1.14	16.34	24	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	15.52	1.14	16.66	24	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	16.15	0.26	16.41	24	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	15.62	0.39	16.01	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	14.16	0.00	14.16	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	14.67	0.67	15.34	24	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	14.12	0.00	14.12	24	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	14.57	1.05	15.62	24	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	14.41	1.25	15.66	24	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	14.85	1.14	15.99	24	Pass

4. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/MHz)	Duty factor(dB)	Total PSD(dBm/MHz)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	-5.56	0.79	-4.77	11	Pass
NVNT	ANT1	802.11a	5200.00	-4.77	1.14	-3.63	11	Pass
NVNT	ANT1	802.11a	5240.00	-6.43	1.14	-5.29	11	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	1.75	0.19	1.94	11	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	2.52	0.13	2.65	11	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	2.78	0.20	2.98	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	0.76	0.37	1.13	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	1.58	0.25	1.83	11	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	-0.73	0.37	-0.36	11	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	-6.64	1.14	-5.50	11	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	-6.41	1.14	-5.27	11	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	-4.61	1.14	-3.47	11	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	-1.76	0.26	-1.50	11	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	-1.85	0.39	-1.46	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	-5.99	0.71	-5.28	11	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	-5.37	0.67	-4.70	11	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	-10.26	1.14	-9.12	11	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	-10.08	1.05	-9.03	11	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	-13.46	1.25	-12.21	11	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	-11.50	1.14	-10.36	11	Pass

Power_Spectral_Density_NVNT_ANT1_802_11a_5180



Power_Spectral_Density_NVNT_ANT1_802_11a_5200



Power_Spectral_Density_NVNT_ANT1_802_11a_5240



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5180



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5200



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5240



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5180



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5200



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5240



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5180



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5200



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5240



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5190



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5230



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5190




Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5230



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE40)_5190



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE40)_5230



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT80)_5210



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE80)_5210



5. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	5147.40	-31.44	-27	Pass
NVNT	ANT1	802.11a	5240.00	5368.00	-40.49	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	5149.60	-33.73	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	5367.40	-40.39	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	5148.20	-32.67	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	5356.60	-40.18	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	5149.60	-33.99	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	5365.20	-40.24	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	5146.37	-27.32	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	5410.76	-39.67	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	5146.58	-30.76	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	5370.65	-40.68	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	5147.00	-29.96	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	5353.85	-40.61	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	5148.26	-29.71	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	5410.34	-40.68	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	5149.10	-28.88	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	5406.14	-40.39	-27	Pass


Bandedge_NVNT_ANT1_802_11a_5180




Bandedge_NVNT_ANT1_802_11a_5240



Bandedge_NVNT_ANT1_802_11n(HT20)_5180



Bandedge_NVNT_ANT1_802_11n(HT20)_5240



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5180



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5240



Bandedge_NVNT_ANT1_802_11ax(HE20)_5180



Bandedge_NVNT_ANT1_802_11ax(HE20)_5240




Bandedge_NVNT_ANT1_802_11n(HT40)_5190



Bandedge_NVNT_ANT1_802_11n(HT40)_5230



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5190



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5230



Bandedge_NVNT_ANT1_802_11ax(HE40)_5190



Bandedge_NVNT_ANT1_802_11ax(HE40)_5230



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5210




Bandedge_NVNT_ANT1_802_11ax(HE80)_5210




6. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	24991.21	-37.27	-27	Pass
NVNT	ANT1	802.11a	5200.00	25070.62	-37.04	-27	Pass
NVNT	ANT1	802.11a	5240.00	25017.68	-37.54	-27	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	25070.62	-37.23	-27	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	25044.15	-36.84	-27	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	25070.62	-37.16	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	24964.74	-37.28	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	25070.62	-37.08	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	10485.65	-41.67	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	25017.68	-37.32	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	25070.62	-36.76	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	25070.62	-37.31	-27	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	25017.68	-37.67	-27	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	25097.09	-37.58	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	24991.21	-37.33	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	25070.62	-37.60	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	25070.62	-36.89	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	25097.09	-36.87	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	25017.68	-37.15	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5210.00	25017.68	-36.42	-27	Pass


Spurious_Emission_NVNT_ANT1_802_11a_5180_20M




Spurious_Emission_NVNT_ANT1_802_11a_5200_20M



Spurious_Emission_NVNT_ANT1_802_11a_5240_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5180_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5200_20M




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5240_20M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5180_20M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5200_20M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5240_20M




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5180_20M




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5200_20M




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5240_20M



Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5190_40M




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5230_40M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5190_40M




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5230_40M




Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5190_40M




Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5230_40M



Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5210_80M



Spurious_Emission_NVNT_ANT1_802_11ax(HE80)_5210_80M



7. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&&3.80V	ANT1	802.11a	5180.00	5179.966	5171.596	5188.336	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11a	5180.00	5179.950	5171.732	5188.168	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11a	5180.00	5179.970	5171.820	5188.120	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11a	5180.00	5179.956	5171.888	5188.024	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11a	5180.00	5179.956	5171.944	5187.968	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11a	5180.00	5179.966	5172.004	5187.928	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11a	5180.00	5179.948	5172.056	5187.840	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11a	5180.00	5179.956	5172.108	5187.804	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11a	5180.00	5179.966	5172.168	5187.764	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5180.00	5179.936	5172.212	5187.660	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5180.00	5179.972	5172.264	5187.680	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5180.00	5179.932	5172.316	5187.548	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11a	5200.00	5199.986	5191.612	5208.360	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11a	5200.00	5199.988	5191.752	5208.224	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11a	5200.00	5199.990	5191.844	5208.136	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11a	5200.00	5199.990	5191.916	5208.064	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11a	5200.00	5199.986	5191.968	5208.004	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11a	5200.00	5199.988	5192.028	5207.948	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11a	5200.00	5199.992	5192.072	5207.912	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11a	5200.00	5199.988	5192.120	5207.856	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11a	5200.00	5199.978	5192.168	5207.788	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5200.00	5199.986	5192.216	5207.756	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5200.00	5199.984	5192.284	5207.684	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5200.00	5200.034	5192.344	5207.724	5150~5250	Pass
50degrees C&&3.80V	ANT1	802.11a	5240.00	5239.958	5231.584	5248.332	5150~5250	Pass
40degrees C&&3.80V	ANT1	802.11a	5240.00	5239.952	5231.720	5248.184	5150~5250	Pass
30degrees C&&3.80V	ANT1	802.11a	5240.00	5239.952	5231.804	5248.100	5150~5250	Pass
20degrees C&&3.80V	ANT1	802.11a	5240.00	5239.956	5231.872	5248.040	5150~5250	Pass
10degrees C&&3.80V	ANT1	802.11a	5240.00	5239.948	5231.936	5247.960	5150~5250	Pass
0degrees C&&3.80V	ANT1	802.11a	5240.00	5239.946	5231.984	5247.908	5150~5250	Pass
-10degrees C&&3.80V	ANT1	802.11a	5240.00	5239.952	5232.032	5247.872	5150~5250	Pass
-20degrees C&&3.80V	ANT1	802.11a	5240.00	5239.940	5232.076	5247.804	5150~5250	Pass
-30degrees C&&3.80V	ANT1	802.11a	5240.00	5239.934	5232.128	5247.740	5150~5250	Pass
25degrees C&&4.37V	ANT1	802.11a	5240.00	5239.926	5232.184	5247.668	5150~5250	Pass
25degrees C&&3.80V	ANT1	802.11a	5240.00	5239.924	5232.236	5247.612	5150~5250	Pass
25degrees C&&3.23V	ANT1	802.11a	5240.00	5239.944	5232.292	5247.596	5150~5250	Pass

Appendix-5.8G

HT260831014-WIFI Moudule-FCC-5.8GWIFI

FCC_5.8G_WIFI (Part15.407) Test Data


1. -6dB Emission Bandwidth

Condition	Antenna	Mode	Frequency(MHz)	-6dB_Emission_Bandwidth(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	16.350	0.500	Pass
NVNT	ANT1	802.11a	5785.00	16.275	0.500	Pass
NVNT	ANT1	802.11a	5825.00	16.380	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	16.886	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	17.299	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	16.859	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	16.911	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	16.913	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	17.168	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	17.905	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	18.484	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	18.445	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	35.097	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	35.093	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	35.160	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	35.152	0.500	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	35.164	0.500	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	35.153	0.500	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	73.852	0.500	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	75.064	0.500	Pass

-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5745_20M





-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5785_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11a_5825_20M



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT20)_5745_20M







-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5745_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5785_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5825_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ax(HE20)_5745_20M



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ax(HE20)_5785_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ax(HE20)_5825_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT40)_5755_40M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT40)_5795_40M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT40)_5755_40M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT40)_5795_40M



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ax(HE40)_5755_40M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ax(HE40)_5795_40M



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ac(VHT80)_5775_80M



-6dB_Emission_Bandwidth_NVNT_ANT1_802_11ax(HE80)_5775_80M




2. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5745.00	18.61	16.53
NVNT	ANT1	802.11a	5785.00	23.85	16.60
NVNT	ANT1	802.11a	5825.00	24.15	16.62
NVNT	ANT1	802.11n(HT20)	5745.00	28.09	17.68
NVNT	ANT1	802.11n(HT20)	5785.00	32.88	17.81
NVNT	ANT1	802.11n(HT20)	5825.00	33.42	17.89
NVNT	ANT1	802.11ac(VHT20)	5745.00	28.62	17.66
NVNT	ANT1	802.11ac(VHT20)	5785.00	32.17	17.82
NVNT	ANT1	802.11ac(VHT20)	5825.00	32.56	17.88
NVNT	ANT1	802.11ax(HE20)	5745.00	27.89	18.99
NVNT	ANT1	802.11ax(HE20)	5785.00	29.71	19.04
NVNT	ANT1	802.11ax(HE20)	5825.00	29.71	19.05
NVNT	ANT1	802.11n(HT40)	5755.00	41.95	35.95
NVNT	ANT1	802.11n(HT40)	5795.00	52.55	36.08
NVNT	ANT1	802.11ac(VHT40)	5755.00	47.57	36.03
NVNT	ANT1	802.11ac(VHT40)	5795.00	59.87	36.16
NVNT	ANT1	802.11ax(HE40)	5755.00	42.29	37.65
NVNT	ANT1	802.11ax(HE40)	5795.00	46.58	37.80
NVNT	ANT1	802.11ac(VHT80)	5775.00	103.51	75.38
NVNT	ANT1	802.11ax(HE80)	5775.00	80.10	77.00


99%_OCB_NVNT_ANT1_802_11a_5745




-26BW_NVNT_ANT1_802_11a_5745




99%_OCB_NVNT_ANT1_802_11a_5785




-26BW_NVNT_ANT1_802_11a_5785




99%_OCB_NVNT_ANT1_802_11a_5825



-26BW_NVNT_ANT1_802_11a_5825




99%_OCB_NVNT_ANT1_802_11n(HT20)_5745



-26BW_NVNT_ANT1_802_11n(HT20)_5745



99%_OCB_NVNT_ANT1_802_11n(HT20)_5785



-26BW_NVNT_ANT1_802_11n(HT20)_5785