




99%_OCB_NVNT_ANT1_802_11n(HT20)_5825



-26BW_NVNT_ANT1_802_11n(HT20)_5825




99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5745



-26BW_NVNT_ANT1_802_11ac(VHT20)_5745




99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5785



-26BW_NVNT_ANT1_802_11ac(VHT20)_5785




99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5825



-26BW_NVNT_ANT1_802_11ac(VHT20)_5825




99%_OCB_NVNT_ANT1_802_11ax(HE20)_5745




-26BW_NVNT_ANT1_802_11ax(HE20)_5745




99%_OCB_NVNT_ANT1_802_11ax(HE20)_5785




-26BW_NVNT_ANT1_802_11ax(HE20)_5785



99%_OCB_NVNT_ANT1_802_11ax(HE20)_5825




-26BW_NVNT_ANT1_802_11ax(HE20)_5825



99%_OCB_NVNT_ANT1_802_11n(HT40)_5755




-26BW_NVNT_ANT1_802_11n(HT40)_5755



99%_OCB_NVNT_ANT1_802_11n(HT40)_5795




-26BW_NVNT_ANT1_802_11n(HT40)_5795




99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5755




-26BW_NVNT_ANT1_802_11ac(VHT40)_5755



99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5795



-26BW_NVNT_ANT1_802_11ac(VHT40)_5795




99%_OCB_NVNT_ANT1_802_11ax(HE40)_5755




-26BW_NVNT_ANT1_802_11ax(HE40)_5755



99%_OCB_NVNT_ANT1_802_11ax(HE40)_5795




-26BW_NVNT_ANT1_802_11ax(HE40)_5795




99%_OCB_NVNT_ANT1_802_11ac(VHT80)_5775




-26BW_NVNT_ANT1_802_11ac(VHT80)_5775



99%_OCB_NVNT_ANT1_802_11ax(HE80)_5775




-26BW_NVNT_ANT1_802_11ax(HE80)_5775




3. Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5745.00	83.33	0.79
NVNT	ANT1	802.11a	5785.00	75.00	1.25
NVNT	ANT1	802.11a	5825.00	76.92	1.14
NVNT	ANT1	802.11n(HT20)	5745.00	95.59	0.20
NVNT	ANT1	802.11n(HT20)	5785.00	95.59	0.20
NVNT	ANT1	802.11n(HT20)	5825.00	95.65	0.19
NVNT	ANT1	802.11ac(VHT20)	5745.00	91.89	0.37
NVNT	ANT1	802.11ac(VHT20)	5785.00	91.89	0.37
NVNT	ANT1	802.11ac(VHT20)	5825.00	91.89	0.37
NVNT	ANT1	802.11ax(HE20)	5745.00	76.92	1.14
NVNT	ANT1	802.11ax(HE20)	5785.00	76.92	1.14
NVNT	ANT1	802.11ax(HE20)	5825.00	76.92	1.14
NVNT	ANT1	802.11n(HT40)	5755.00	91.43	0.39
NVNT	ANT1	802.11n(HT40)	5795.00	91.43	0.39
NVNT	ANT1	802.11ac(VHT40)	5755.00	90.00	0.46
NVNT	ANT1	802.11ac(VHT40)	5795.00	85.71	0.67
NVNT	ANT1	802.11ax(HE40)	5755.00	76.92	1.14
NVNT	ANT1	802.11ax(HE40)	5795.00	78.57	1.05
NVNT	ANT1	802.11ac(VHT80)	5775.00	75.00	1.25
NVNT	ANT1	802.11ax(HE80)	5775.00	75.00	1.25


Duty_Cycle_NVNT_ANT1_802_11a_5745



Duty_Cycle_NVNT_ANT1_802_11a_5785



Duty_Cycle_NVNT_ANT1_802_11a_5825



4. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	16.01	0.79	16.80	30	Pass
NVNT	ANT1	802.11a	5785.00	15.64	1.25	16.89	30	Pass
NVNT	ANT1	802.11a	5825.00	15.81	1.14	16.95	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	16.74	0.00	16.74	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	16.41	0.20	16.61	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	16.61	0.19	16.80	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	16.51	0.37	16.88	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	16.13	0.37	16.50	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	16.35	0.37	16.72	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	15.02	0.00	15.02	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	15.18	1.14	16.32	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	15.25	1.14	16.39	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	15.39	0.39	15.78	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	15.16	0.39	15.55	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	15.11	0.46	15.57	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	14.91	0.67	15.58	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	14.28	1.14	15.42	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	14.06	1.05	15.11	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	15.09	1.25	16.34	30	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	14.81	1.25	16.06	30	Pass

5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA (dBm/RBW)	Duty factor(dB)	RB factor (dB)	PSD (dBm/500kHz)	limit(dBm/500kHz)	Result
NVNT	ANT1	802.11a	5745.00	-9.43	0.79	-0.09	-8.73	30	Pass
NVNT	ANT1	802.11a	5785.00	-8.21	1.25	-0.09	-7.05	30	Pass
NVNT	ANT1	802.11a	5825.00	-8.70	1.14	-0.09	-7.65	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-0.53	0.20	-0.09	-0.41	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-1.87	0.20	-0.09	-1.76	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-1.22	0.19	-0.09	-1.12	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-0.66	0.37	-0.09	-0.38	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-1.51	0.37	-0.09	-1.23	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-2.42	0.37	-0.09	-2.13	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	-9.34	1.14	-0.09	-8.28	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	-9.09	1.14	-0.09	-8.03	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	-7.86	1.14	-0.09	-6.80	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-5.97	0.39	-0.09	-5.66	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-6.05	0.39	-0.09	-5.75	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-9.58	0.46	-0.09	-9.21	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-8.88	0.67	-0.09	-8.30	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	-12.62	1.14	-0.09	-11.57	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	-12.04	1.05	-0.09	-11.07	30	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	-14.23	1.25	-0.09	-13.07	30	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	-13.51	1.25	-0.09	-12.35	30	Pass

Power_Spectral_Density_NVNT_ANT1_802_11a_5745



Power_Spectral_Density_NVNT_ANT1_802_11a_5785



Power_Spectral_Density_NVNT_ANT1_802_11a_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5745



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5785



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5745



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5785



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5745



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5785



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5795



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5795



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE40)_5795



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT80)_5775



Power_Spectral_Density_NVNT_ANT1_802_11ax(HE80)_5775




6. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5646.720	-47.88	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5665.620	-46.44	-18.27	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5717.580	-40.04	14.92	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5724.810	-25.48	26.57	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5851.905	-38.30	22.66	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5855.300	-41.75	15.52	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5906.095	-47.29	-15.57	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5969.045	-43.94	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5607.840	-47.44	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5660.580	-47.68	-22.41	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5720.000	-40.33	15.60	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5724.375	-28.51	25.58	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5853.790	-35.41	18.36	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5856.940	-40.46	15.06	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5905.375	-47.42	-14.97	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5940.740	-42.16	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5616.660	-47.25	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5664.945	-46.97	-18.82	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5719.820	-38.39	15.55	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5724.375	-29.52	25.58	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5851.345	-35.41	23.93	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5855.340	-41.58	15.50	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5912.350	-47.38	-20.71	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5993.270	-43.84	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5565-5655	5588.400	-47.45	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5655-5700	5660.535	-47.58	-22.45	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5700-5720	5719.140	-37.44	15.36	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5720-5725	5722.795	-30.15	21.97	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5850-5855	5851.215	-33.89	24.23	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5855-5875	5855.940	-40.49	15.34	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5875-5920	5912.620	-47.48	-20.93	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5920-6005	5967.090	-40.47	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5644.800	-47.41	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5676.195	-47.76	-9.57	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5718.620	-33.80	15.21	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5723.060	-32.74	22.58	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5853.810	-44.53	18.31	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5864.720	-46.58	12.88	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5916.400	-46.94	-24.04	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5929.940	-41.70	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5610.120	-46.79	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5664.540	-47.67	-19.16	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5719.740	-32.46	15.53	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5721.110	-30.49	18.13	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5853.735	-44.08	18.48	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5866.960	-46.64	12.25	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5901.505	-46.73	-11.79	Pass

NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5923.990	-43.70	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5595-5655	5616.060	-48.15	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5655-5700	5670.210	-47.72	-14.49	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5700-5720	5718.900	-32.02	15.29	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5720-5725	5720.700	-32.08	17.20	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5850-5855	5852.405	-44.41	21.52	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5855-5875	5873.160	-46.84	10.52	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5875-5920	5917.750	-47.53	-25.15	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5920-5955	5939.705	-43.31	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5650-5655	5654.010	-47.71	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5655-5700	5697.975	-35.25	8.34	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5700-5720	5711.620	-29.91	13.25	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5720-5725	5722.335	-28.17	20.92	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5850-5855	5852.785	-30.05	20.65	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5855-5875	5859.260	-30.91	14.41	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5875-5920	5882.695	-43.17	3.67	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5920-5925	5923.745	-43.36	-27.00	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5650-5655	5654.205	-47.56	-27.00	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5655-5700	5692.395	-37.85	3.75	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5700-5720	5718.260	-29.84	15.11	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5720-5725	5721.425	-29.00	18.85	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5850-5855	5852.010	-30.07	22.42	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5855-5875	5858.480	-32.34	14.63	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5875-5920	5876.305	-40.43	8.93	Pass
NVNT	ANT1	802.11ax(HE80)	MCH	5920-5925	5923.935	-43.15	-27.00	Pass


Bandedge_NVNT_ANT1_802_11a_5745



Bandedge_NVNT_ANT1_802_11a_5825




Bandedge_NVNT_ANT1_802_11n(HT20)_5745




Bandedge_NVNT_ANT1_802_11n(HT20)_5825




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5745



Bandedge_NVNT_ANT1_802_11ac(VHT20)_5825




Bandedge_NVNT_ANT1_802_11ax(HE20)_5745



Bandedge_NVNT_ANT1_802_11ax(HE20)_5825




Bandedge_NVNT_ANT1_802_11n(HT40)_5755



Bandedge_NVNT_ANT1_802_11n(HT40)_5795




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5755



Bandedge_NVNT_ANT1_802_11ac(VHT40)_5795



Bandedge_NVNT_ANT1_802_11ax(HE40)_5755



Bandedge_NVNT_ANT1_802_11ax(HE40)_5795



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_low



Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_up



Bandedge_NVNT_ANT1_802_11ax(HE80)_5775_low




Bandedge_NVNT_ANT1_802_11ax(HE80)_5775_up




7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	25012.39	-36.12	-27	Pass
NVNT	ANT1	802.11a	5785.00	25102.38	-36.82	-27	Pass
NVNT	ANT1	802.11a	5825.00	25022.97	-37.42	-27	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	25054.74	-36.94	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	24991.21	-36.73	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	25067.97	-36.59	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	25052.09	-36.75	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	25091.80	-37.56	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	24993.86	-36.75	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	24988.56	-35.55	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	25036.21	-37.35	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	25028.27	-37.04	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	24985.92	-36.34	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	25001.80	-36.93	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	24940.92	-36.38	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	25009.74	-37.00	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	25086.50	-37.56	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	25015.03	-37.54	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	25009.74	-37.25	-27	Pass
NVNT	ANT1	802.11ax(HE80)	5775.00	24469.75	-37.22	-27	Pass


Spurious_Emission_NVNT_ANT1_802_11a_5745




Spurious_Emission_NVNT_ANT1_802_11a_5785




Spurious_Emission_NVNT_ANT1_802_11a_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5745




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5785




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5825




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5745




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5785



Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5825




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5745




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5785




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5755



Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5795




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5755




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5795




Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5755



Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5795



Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5775



Spurious_Emission_NVNT_ANT1_802_11ax(HE80)_5775



8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&&3.80V	ANT1	802.11a	5745.00	5744.992	5736.572	5753.412	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5745.00	5744.986	5736.736	5753.236	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5745.00	5744.986	5736.820	5753.152	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5745.00	5744.976	5736.892	5753.060	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5745.00	5744.974	5736.956	5752.992	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5745.00	5744.982	5737.020	5752.944	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5745.00	5744.994	5737.072	5752.916	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5745.00	5744.982	5737.120	5752.844	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5745.00	5744.974	5737.160	5752.788	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5745.00	5744.952	5737.216	5752.688	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5745.00	5744.982	5737.276	5752.688	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5745.00	5744.966	5737.340	5752.592	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11a	5785.00	5785.000	5776.480	5793.520	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5785.00	5784.962	5776.668	5793.256	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5785.00	5784.956	5776.772	5793.140	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5785.00	5784.964	5776.844	5793.084	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5785.00	5784.966	5776.908	5793.024	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5785.00	5784.958	5776.960	5792.956	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5785.00	5784.956	5777.012	5792.900	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5785.00	5784.976	5777.072	5792.880	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5785.00	5784.968	5777.124	5792.812	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5785.00	5784.948	5777.172	5792.724	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5785.00	5784.960	5777.224	5792.696	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5785.00	5784.950	5777.260	5792.640	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11a	5825.00	5824.976	5816.428	5833.524	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5825.00	5824.976	5816.696	5833.256	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5825.00	5824.974	5816.796	5833.152	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5825.00	5824.964	5816.852	5833.076	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5825.00	5824.972	5816.916	5833.028	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5825.00	5824.950	5816.964	5832.936	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5825.00	5824.976	5817.008	5832.944	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5825.00	5824.948	5817.056	5832.840	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5825.00	5824.942	5817.108	5832.776	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5825.00	5824.948	5817.164	5832.732	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5825.00	5824.944	5817.196	5832.692	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5825.00	5824.916	5817.228	5832.604	5725~5850	Pass

***** End of Report *****