

Product specification

Customer name	Dongguan Aike Precision Technology Co., Ltd Room 602, Building 19, Changping Jewelry Culture Industry Center, 568 Huanchang North Road, Changping Town, Dongguan City, Guangdong Province
Product name	314.4MHzPCBAntenn
Product item	
Sample delivery date	


Manufacturer Rexense

Antenna model Rex PCB_T10.08.04-V1.0


1. Technical indicators of products

Frequency Range(MHz)	314.4
Band Width(MHz)	5
Impedance(Ω)	50
Return Loss (dB)	-15.6
Gain(dBi) MAX	1.5dBi
Polariza?on	Linear Ver?cal
Antenna Material	PCB
Opera?ng Temp ($^{\circ}\text{C}$)	-30~70
Storage Temp ($^{\circ}\text{C}$)	-40~85


2. Product picture





3. Return Loss




4. VSWR




5. Three-dimensional coordinates




About Z axis



About X axis




About Y axis



ANT db:


311MHz 0dbi
 312MHz 0dbi
 313MHz 1dbi
 314.4MHz 1.5dbi
 315MHz 1dbi
 316MHz 0dbi
 317MHz 0dbi

6. 3D gain pattern



7. E, h plan

Radiation Pattern 1



Radiation Pattern 2

