# Appendix B

## RF Test Data for 2.4GWIFI (Conducted Measurement)

**Product Name: Cat litter box**

**Test Model:CH-ICB015**

**Environmental Conditions**

| | |
|---|---|
| Temperature: | 23.8°C |
| Relative Humidity: | 52.1% |
| ATM Pressure: | 100.0 kPa |
| Test Engineer: | Jay Luo |
| Supervised by: | Nick Peng |

# B.1 -6dB Bandwidth

| Condition | Mode | Frequency (MHz) | Antenna | -6 dB Bandwidth (MHz) | Limit -6 dB Bandwidth (MHz) | Verdict |
|---|---|---|---|---|---|---|
| NVNT | b | 2412 | Ant1 | 9.021 | >=0.5 | Pass |
| NVNT | b | 2437 | Ant1 | 8.097 | >=0.5 | Pass |
| NVNT | b | 2462 | Ant1 | 8.51 | >=0.5 | Pass |
| NVNT | g | 2412 | Ant1 | 15.935 | >=0.5 | Pass |
| NVNT | g | 2437 | Ant1 | 16.301 | >=0.5 | Pass |
| NVNT | g | 2462 | Ant1 | 16.304 | >=0.5 | Pass |
| NVNT | n20 | 2412 | Ant1 | 17.381 | >=0.5 | Pass |
| NVNT | n20 | 2437 | Ant1 | 17.537 | >=0.5 | Pass |
| NVNT | n20 | 2462 | Ant1 | 17.159 | >=0.5 | Pass |

Test Graphs

-6dB Bandwidth NVNT b 2412MHz Ant1




-6dB Bandwidth NVNT b 2437MHz Ant1



-6dB Bandwidth NVNT b 2462MHz Ant1




-6dB Bandwidth NVNT g 2412MHz Ant1



-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant1



-6dB Bandwidth NVNT n20 2412MHz Ant1




-6dB Bandwidth NVNT n20 2437MHz Ant1



-6dB Bandwidth NVNT n20 2462MHz Ant1



# B.2 Maximum Peak Conducted Output Power

| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Limit (dBm) | Verdict |
|---|---|---|---|---|---|---|
| NVNT | b | 2412 | Ant1 | 15.54 | 30 | Pass |
| NVNT | b | 2437 | Ant1 | 15.67 | 30 | Pass |
| NVNT | b | 2462 | Ant1 | 15.44 | 30 | Pass |
| NVNT | g | 2412 | Ant1 | 14.29 | 30 | Pass |
| NVNT | g | 2437 | Ant1 | 14.12 | 30 | Pass |
| NVNT | g | 2462 | Ant1 | 13.92 | 30 | Pass |
| NVNT | n20 | 2412 | Ant1 | 13.84 | 30 | Pass |
| NVNT | n20 | 2437 | Ant1 | 13.6 | 30 | Pass |
| NVNT | n20 | 2462 | Ant1 | 13.48 | 30 | Pass |

# B.3 Maximum Power Spectral Density Level

| Condition | Mode | Frequency (MHz) | Antenna | Conducted PSD (dBm/3kHz) | Limit (dBm/3kHz) | Verdict |
|---|---|---|---|---|---|---|
| NVNT | b | 2412 | Ant1 | -8.25 | 8 | Pass |
| NVNT | b | 2437 | Ant1 | -7.48 | 8 | Pass |
| NVNT | b | 2462 | Ant1 | -9.16 | 8 | Pass |
| NVNT | g | 2412 | Ant1 | -16.32 | 8 | Pass |
| NVNT | g | 2437 | Ant1 | -17.14 | 8 | Pass |
| NVNT | g | 2462 | Ant1 | -16.92 | 8 | Pass |
| NVNT | n20 | 2412 | Ant1 | -16.64 | 8 | Pass |
| NVNT | n20 | 2437 | Ant1 | -16.71 | 8 | Pass |
| NVNT | n20 | 2462 | Ant1 | -16.39 | 8 | Pass |

Test Graphs

PSD NVNT b 2412MHz Ant1




PSD NVNT b 2437MHz Ant1



PSD NVNT b 2462MHz Ant1




PSD NVNT g 2412MHz Ant1



PSD NVNT g 2437MHz Ant1




PSD NVNT g 2462MHz Ant1



PSD NVNT n20 2412MHz Ant1




PSD NVNT n20 2437MHz Ant1



PSD NVNT n20 2462MHz Ant1



# B.4 Band Edge

| Condition | Mode | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|---|---|---|---|---|---|---|
| NVNT | b | 2412 | Ant1 | -47.08 | -20 | Pass |
| NVNT | b | 2462 | Ant1 | -59.48 | -20 | Pass |
| NVNT | g | 2412 | Ant1 | -31.56 | -20 | Pass |
| NVNT | g | 2462 | Ant1 | -44.38 | -20 | Pass |
| NVNT | n20 | 2412 | Ant1 | -30.63 | -20 | Pass |
| NVNT | n20 | 2462 | Ant1 | -39.33 | -20 | Pass |

Test Graphs

Band Edge NVNT b 2412MHz Ant1 Ref




Band Edge NVNT b 2412MHz Ant1 Emission



Band Edge NVNT b 2462MHz Ant1 Ref




Band Edge NVNT b 2462MHz Ant1 Emission



Band Edge NVNT g 2412MHz Ant1 Ref




Band Edge NVNT g 2412MHz Ant1 Emission



Band Edge NVNT g 2462MHz Ant1 Ref




Band Edge NVNT g 2462MHz Ant1 Emission



Band Edge NVNT n20 2412MHz Ant1 Ref




Band Edge NVNT n20 2412MHz Ant1 Emission



Band Edge NVNT n20 2462MHz Ant1 Ref




Band Edge NVNT n20 2462MHz Ant1 Emission



# B.5 Conducted RF Spurious Emission

| Condition | Mode | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|---|---|---|---|---|---|---|
| NVNT | b | 2412 | Ant1 | -51.67 | -20 | Pass |
| NVNT | b | 2437 | Ant1 | -50.98 | -20 | Pass |
| NVNT | b | 2462 | Ant1 | -51.75 | -20 | Pass |
| NVNT | g | 2412 | Ant1 | -45.26 | -20 | Pass |
| NVNT | g | 2437 | Ant1 | -44.37 | -20 | Pass |
| NVNT | g | 2462 | Ant1 | -43.86 | -20 | Pass |
| NVNT | n20 | 2412 | Ant1 | -42.93 | -20 | Pass |
| NVNT | n20 | 2437 | Ant1 | -43.25 | -20 | Pass |
| NVNT | n20 | 2462 | Ant1 | -43.72 | -20 | Pass |

Test Graphs

Tx. Spurious NVNT b 2412MHz Ant1 Ref




Tx. Spurious NVNT b 2412MHz Ant1 Emission



Tx. Spurious NVNT b 2437MHz Ant1 Ref




Tx. Spurious NVNT b 2437MHz Ant1 Emission



Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission



Tx. Spurious NVNT g 2412MHz Ant1 Ref




Tx. Spurious NVNT g 2412MHz Ant1 Emission




| MKR | MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE |
|---|---|---|---|---|---|---|---|---|
| 1 | N | | f | 2.413 2 GHz | -5.388 dBm | | | |
| 2 | N | | f | 26.176 2 GHz | -46.383 dBm | | | |
| 3 | N | | f | 4.985 2 GHz | -58.129 dBm | | | |
| 4 | N | | f | 7.410 7 GHz | -57.121 dBm | | | |
| 5 | N | | f | 9.479 8 GHz | -56.903 dBm | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |

Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission



Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission




| MKR | MODE | TRC | SCL | X | Y | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE |
|---|---|---|---|---|---|---|---|---|
| 1 | N | | f | 2.458 2 GHz | -5.763 dBm | | | |
| 2 | N | | f | 26.058 8 GHz | -45.515 dBm | | | |
| 3 | N | | f | 4.830 8 GHz | -56.708 dBm | | | |
| 4 | N | | f | 7.558 1 GHz | -56.186 dBm | | | |
| 5 | N | | f | 9.816 0 GHz | -56.307 dBm | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |

Tx. Spurious NVNT n20 2412MHz Ant1 Ref




Tx. Spurious NVNT n20 2412MHz Ant1 Emission



Tx. Spurious NVNT n20 2437MHz Ant1 Ref




Tx. Spurious NVNT n20 2437MHz Ant1 Emission



Tx. Spurious NVNT n20 2462MHz Ant1 Ref




Tx. Spurious NVNT n20 2462MHz Ant1 Emission



# B.6 Duty Cycle

| Condition | Mode | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|---|---|---|---|---|---|---|
| NVNT | b | 2412 | Ant1 | 99.16 | 0 | 0.15 |
| NVNT | b | 2437 | Ant1 | 99.16 | 0 | 0.15 |
| NVNT | b | 2462 | Ant1 | 99.13 | 0 | 0.15 |
| NVNT | g | 2412 | Ant1 | 97.68 | 0.1 | 0.37 |
| NVNT | g | 2437 | Ant1 | 97.75 | 0.1 | 0.37 |
| NVNT | g | 2462 | Ant1 | 97.68 | 0.1 | 0.37 |
| NVNT | n20 | 2412 | Ant1 | 97.33 | 0.12 | 0.44 |
| NVNT | n20 | 2437 | Ant1 | 97.33 | 0.12 | 0.44 |
| NVNT | n20 | 2462 | Ant1 | 97.25 | 0.12 | 0.44 |

Test Graphs

Duty Cycle NVNT b 2412MHz Ant1




Duty Cycle NVNT b 2437MHz Ant1



Duty Cycle NVNT b 2462MHz Ant1




Duty Cycle NVNT g 2412MHz Ant1



Duty Cycle NVNT g 2437MHz Ant1




Duty Cycle NVNT g 2462MHz Ant1



Duty Cycle NVNT n20 2412MHz Ant1




Duty Cycle NVNT n20 2437MHz Ant1



Duty Cycle NVNT n20 2462MHz Ant1



# B.7 Restrict Band

| Condition | Mode | Frequency (MHz) | Antenna | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | Duty Factor (dB) | E (dBuV/m) | Detector | Limit (dBuV/m) | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|---|
| NVNT | b | 2412 | Ant1 | 2310 | -51.24 | 2.54 | - | 46.56 | Peak | 74 | Pass |
| NVNT | b | 2412 | Ant1 | 2310 | -58.37 | 2.54 | 0 | 39.43 | Average | 54 | Pass |
| NVNT | b | 2412 | Ant1 | 2360.427 | -47.03 | 2.54 | - | 50.77 | Peak | 74 | Pass |
| NVNT | b | 2412 | Ant1 | 2389.911 | -55.53 | 2.54 | 0 | 42.27 | Average | 54 | Pass |
| NVNT | b | 2412 | Ant1 | 2390 | -47.68 | 2.54 | - | 50.12 | Peak | 74 | Pass |
| NVNT | b | 2412 | Ant1 | 2390 | -55.4 | 2.54 | 0 | 42.40 | Average | 54 | Pass |
| NVNT | b | 2462 | Ant1 | 2483.5 | -46.84 | 2.54 | - | 50.96 | Peak | 74 | Pass |
| NVNT | b | 2462 | Ant1 | 2483.5 | -53.76 | 2.54 | 0 | 44.04 | Average | 54 | Pass |
| NVNT | b | 2462 | Ant1 | 2483.57 | -45.67 | 2.54 | - | 52.13 | Peak | 74 | Pass |
| NVNT | b | 2462 | Ant1 | 2483.517 | -53.76 | 2.54 | 0 | 44.04 | Average | 54 | Pass |
| NVNT | b | 2462 | Ant1 | 2500 | -48.34 | 2.54 | - | 49.46 | Peak | 74 | Pass |
| NVNT | b | 2462 | Ant1 | 2500 | -57.62 | 2.54 | 0 | 40.18 | Average | 54 | Pass |
| NVNT | g | 2412 | Ant1 | 2310 | -51.62 | 2.54 | - | 46.18 | Peak | 74 | Pass |
| NVNT | g | 2412 | Ant1 | 2310 | -58.22 | 2.54 | 0.1 | 39.68 | Average | 54 | Pass |
| NVNT | g | 2412 | Ant1 | 2389.911 | -37.52 | 2.54 | - | 60.28 | Peak | 74 | Pass |
| NVNT | g | 2412 | Ant1 | 2389.326 | -52.58 | 2.54 | 0.1 | 45.32 | Average | 54 | Pass |
| NVNT | g | 2412 | Ant1 | 2390 | -37.96 | 2.54 | - | 59.84 | Peak | 74 | Pass |
| NVNT | g | 2412 | Ant1 | 2390 | -52.97 | 2.54 | 0.1 | 44.93 | Average | 54 | Pass |
| NVNT | g | 2462 | Ant1 | 2483.5 | -41.18 | 2.54 | - | 56.62 | Peak | 74 | Pass |
| NVNT | g | 2462 | Ant1 | 2483.5 | -55.17 | 2.54 | 0.1 | 42.73 | Average | 54 | Pass |
| NVNT | g | 2462 | Ant1 | 2484.365 | -37.98 | 2.54 | - | 59.82 | Peak | 74 | Pass |
| NVNT | g | 2462 | Ant1 | 2483.623 | -54.03 | 2.54 | 0.1 | 43.87 | Average | 54 | Pass |
| NVNT | g | 2462 | Ant1 | 2500 | -51.1 | 2.54 | - | 46.70 | Peak | 74 | Pass |
| NVNT | g | 2462 | Ant1 | 2500 | -57.98 | 2.54 | 0.1 | 39.92 | Average | 54 | Pass |
| NVNT | n20 | 2412 | Ant1 | 2310 | -50.01 | 2.54 | - | 47.79 | Peak | 74 | Pass |
| NVNT | n20 | 2412 | Ant1 | 2310 | -58.55 | 2.54 | 0.12 | 39.37 | Average | 54 | Pass |
| NVNT | n20 | 2412 | Ant1 | 2388.507 | -37.16 | 2.54 | - | 60.64 | Peak | 74 | Pass |
| NVNT | n20 | 2412 | Ant1 | 2389.677 | -51.85 | 2.54 | 0.12 | 46.07 | Average | 54 | Pass |
| NVNT | n20 | 2412 | Ant1 | 2390 | -37.43 | 2.54 | - | 60.37 | Peak | 74 | Pass |
| NVNT | n20 | 2412 | Ant1 | 2390 | -51.95 | 2.54 | 0.12 | 45.97 | Average | 54 | Pass |
| NVNT | n20 | 2462 | Ant1 | 2483.5 | -33.26 | 2.54 | - | 64.54 | Peak | 74 | Pass |
| NVNT | n20 | 2462 | Ant1 | 2483.5 | -49.2 | 2.54 | 0.12 | 48.72 | Average | 54 | Pass |
| NVNT | n20 | 2462 | Ant1 | 2483.729 | -30.9 | 2.54 | - | 66.90 | Peak | 74 | Pass |
| NVNT | n20 | 2462 | Ant1 | 2484.047 | -46.71 | 2.54 | 0.12 | 51.21 | Average | 54 | Pass |
| NVNT | n20 | 2462 | Ant1 | 2500 | -50.92 | 2.54 | - | 46.88 | Peak | 74 | Pass |
| NVNT | n20 | 2462 | Ant1 | 2500 | -57.59 | 2.54 | 0.12 | 40.33 | Average | 54 | Pass |

Test Graphs

Restrict Band NVNT b 2412MHz Ant1 Peak




Restrict Band NVNT b 2412MHz Ant1 Average



Restrict Band NVNT b 2462MHz Ant1 Peak




Restrict Band NVNT b 2462MHz Ant1 Average



Restrict Band NVNT g 2412MHz Ant1 Peak




Restrict Band NVNT g 2412MHz Ant1 Average



Restrict Band NVNT g 2462MHz Ant1 Peak




Restrict Band NVNT g 2462MHz Ant1 Average



Restrict Band NVNT n20 2412MHz Ant1 Peak




Restrict Band NVNT n20 2412MHz Ant1 Average



Restrict Band NVNT n20 2462MHz Ant1 Peak




Restrict Band NVNT n20 2462MHz Ant1 Average