

1. Duty Cycle


1.1 Test Result

1.1.1 Ant1


Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11b	SISO	2412	8.387	9.394	89.28	0.49	0.35
		2437	8.384	9.384	89.34	0.49	0.29
		2462	8.384	9.357	89.60	0.48	0.20
802.11g	SISO	2412	1.392	2.363	58.91	2.30	0.03
		2437	1.392	2.363	58.91	2.30	0.03
		2462	1.393	2.372	58.73	2.31	0.22
802.11n (HT20)	SISO	2412	1.288	2.268	56.79	2.46	0.22
		2437	1.289	2.295	56.17	2.51	2.30
		2462	1.289	2.268	56.83	2.45	0.69
802.11n (HT40)	SISO	2422	0.632	1.729	36.55	4.37	2.89
		2437	0.632	1.612	39.21	4.07	0.24
		2452	0.632	1.612	39.21	4.07	0.26

1.2 Test Graph


1.2.1 Ant1




802.11b HCH 2462MHz_Ant1 (SISO)_NTNV




802.11g LCH 2412MHz_Ant1 (SISO)_NTNV




802.11g MCH 2437MHz_Ant1 (SISO)_NTNV




802.11g HCH 2462MHz_Ant1 (SISO)_NTNV





802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV






802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



2. Bandwidth

2.1 Test Result

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	12.620	/	Pass
		2437	1	12.440	/	Pass
		2462	1	13.201	/	Pass
802.11g	SISO	2412	1	17.176	/	Pass
		2437	1	17.023	/	Pass
		2462	1	18.518	/	Pass
802.11n (HT20)	SISO	2412	1	17.940	/	Pass
		2437	1	17.783	/	Pass
		2462	1	19.552	/	Pass
802.11n (HT40)	SISO	2422	1	36.973	/	Pass
		2437	1	35.690	/	Pass
		2452	1	36.261	/	Pass


2.1.2 6dB BW

Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11b	SISO	2412	1	8.091	≥ 0.5	Pass
		2437	1	8.060	≥ 0.5	Pass
		2462	1	8.582	≥ 0.5	Pass
802.11g	SISO	2412	1	15.159	≥ 0.5	Pass
		2437	1	16.165	≥ 0.5	Pass
		2462	1	15.161	≥ 0.5	Pass
802.11n (HT20)	SISO	2412	1	15.377	≥ 0.5	Pass
		2437	1	17.521	≥ 0.5	Pass
		2462	1	15.163	≥ 0.5	Pass
802.11n (HT40)	SISO	2422	1	35.211	≥ 0.5	Pass
		2437	1	36.524	≥ 0.5	Pass
		2452	1	36.321	≥ 0.5	Pass


2.2 Test Graph

2.2.1 OBW


802.11b LCH_2412MHz_Ant1 (SISO)_NTNV




802.11b MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b HCH 2462MHz_Ant1 (SISO)_NTNV




802.11g LCH 2412MHz_Ant1 (SISO)_NTNV




802.11g MCH 2437MHz_Ant1 (SISO)_NTNV




802.11g HCH 2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV




2.2.2 6dB BW


802.11b_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11b_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11b HCH 2462MHz_Ant1 (SISO)_NTNV




802.11g LCH 2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	11.67	<=30	Pass
		2437	11.60	<=30	Pass
		2462	10.58	<=30	Pass
802.11g	SISO	2412	16.41	<=30	Pass
		2437	13.71	<=30	Pass
		2462	16.09	<=30	Pass
802.11n (HT20)	SISO	2412	15.96	<=30	Pass
		2437	14.13	<=30	Pass
		2462	15.79	<=30	Pass
802.11n (HT40)	SISO	2422	15.43	<=30	Pass
		2437	14.67	<=30	Pass
		2452	15.78	<=30	Pass

Note1: Antenna Gain: Ant1: 0.00dBi;

4. Maximum Power Spectral Density

4.1 Test Result


4.1.1 PSD

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
802.11b	SISO	2412	-12.84	<=8	Pass
		2437	-12.52	<=8	Pass
		2462	-13.85	<=8	Pass
802.11g	SISO	2412	-16.09	<=8	Pass
		2437	-13.10	<=8	Pass
		2462	-16.29	<=8	Pass
802.11n (HT20)	SISO	2412	-16.34	<=8	Pass
		2437	-12.21	<=8	Pass
		2462	-16.35	<=8	Pass
802.11n (HT40)	SISO	2422	-20.56	<=8	Pass
		2437	-17.31	<=8	Pass
		2452	-17.89	<=8	Pass


Note1: Antenna Gain: Ant1: 0.00dBi;

4.2 Test Graph


4.2.1 PSD




802.11b_HCH 2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH 2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Test Result

5.1.1 Ref

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
802.11b	SISO	2412	1	1.24
		2437	1	1.07
		2462	1	0.00
802.11g	SISO	2412	1	-1.77
		2437	1	2.12
		2462	1	-2.39
802.11n (HT20)	SISO	2412	1	-1.90
		2437	1	1.92
		2462	1	-1.90
802.11n (HT40)	SISO	2422	1	-5.88
		2437	1	-2.12
		2452	1	-2.69

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.


5.1.2 CSE

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	1	1.24	-18.76	Pass
		2437	1	1.07	-18.93	Pass
		2462	1	0.00	-20.00	Pass
802.11g	SISO	2412	1	-1.77	-21.77	Pass
		2437	1	-1.70	-21.70	Pass
		2462	1	-2.39	-22.39	Pass
802.11n (HT20)	SISO	2412	1	-1.90	-21.90	Pass
		2437	1	-1.17	-21.17	Pass
		2462	1	-1.90	-21.90	Pass
802.11n (HT40)	SISO	2422	1	-5.88	-25.88	Pass
		2437	1	-3.12	-23.12	Pass
		2452	1	-2.69	-22.69	Pass


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

5.2 Test Graph


5.2.1 Ref




802.11b_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11g_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11g_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11g_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV




5.2.2 CSE


802.11b_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11b_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11b MCH 2437MHz_Ant1 (SISO)_NTNV




802.11b HCH 2462MHz_Ant1 (SISO)_NTNV




802.11b HCH 2462MHz_Ant1 (SISO)_NTNV




802.11g LCH 2412MHz_Ant1 (SISO)_NTNV




802.11g LCH 2412MHz_Ant1 (SISO) NTN




802.11g MCH 2437MHz_Ant1 (SISO) NTN




802.11g HCH 2462MHz_Ant1 (SISO)_NTNV




802.11g HCH 2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_LCH_2412MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_MCH_2437MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT20)_HCH_2462MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_LCH_2422MHz_Ant1 (SISO)_NTNV




802.11n(HT40)_MCH_2437MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



802.11n(HT40)_HCH_2452MHz_Ant1 (SISO)_NTNV



6. Form731

6.1 Test Result

6.1.1 Form731

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
2412	2462	0.0438	16.41
2422	2452	0.0378	15.78