Appendix F

RF Test Data for 5.5GWIFI (Conducted Measurement)

Product Name: Mini PC

Test Model: MN-N1

Environmental Conditions

Temperature:	24.8° C
Relative Humidity:	53.4%
ATM Pressure:	100.0 kPa
Test Engineer:	Jose Zhu
Supervised by:	Nick Peng

F.1 -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant0	28.563	---	Pass
NVNT	a	5580	Ant0	26.205	---	Pass
NVNT	a	5700	Ant0	25.914	---	Pass
NVNT	n20	5500	Ant0	29.147	---	Pass
NVNT	n20	5580	Ant0	25.84	---	Pass
NVNT	n20	5700	Ant0	28.426	---	Pass
NVNT	n40	5510	Ant0	41.288	---	Pass
NVNT	n40	5550	Ant0	41.126	---	Pass
NVNT	n40	5670	Ant0	39.695	---	Pass
NVNT	ac20	5500	Ant0	27.34	---	Pass
NVNT	ac20	5580	Ant0	29.357	---	Pass
NVNT	ac20	5700	Ant0	28.488	---	Pass
NVNT	ac40	5510	Ant0	39.574	---	Pass
NVNT	ac40	5550	Ant0	39.831	---	Pass
NVNT	ac40	5670	Ant0	46.453	---	Pass
NVNT	ac80	5530	Ant0	78.262	---	Pass
NVNT	ac80	5610	Ant0	78.682	---	Pass
NVNT	ax20	5500	Ant0	28.255	---	Pass
NVNT	ax20	5580	Ant0	27.676	---	Pass
NVNT	ax20	5700	Ant0	28.032	---	Pass
NVNT	ax40	5510	Ant0	42.783	---	Pass
NVNT	ax40	5550	Ant0	45.232	---	Pass
NVNT	ax40	5670	Ant0	45.731	---	Pass
NVNT	ax80	5530	Ant0	78.754	---	Pass
NVNT	ax80	5610	Ant0	78.383	---	Pass

Test Graphs

-26dB Bandwidth NVNT a 5500MHz Ant0



-26dB Bandwidth NVNT a 5580MHz Ant0



-26dB Bandwidth NVNT a 5700MHz Ant0



-26dB Bandwidth NVNT n20 5500MHz Ant0



-26dB Bandwidth NVNT n20 5580MHz Ant0



-26dB Bandwidth NVNT n20 5700MHz Ant0



-26dB Bandwidth NVNT n40 5510MHz Ant0



-26dB Bandwidth NVNT n40 5550MHz Ant0



-26dB Bandwidth NVNT n40 5670MHz Ant0



-26dB Bandwidth NVNT ac20 5500MHz Ant0



-26dB Bandwidth NVNT ac20 5580MHz Ant0



-26dB Bandwidth NVNT ac20 5700MHz Ant0



-26dB Bandwidth NVNT ac40 5510MHz Ant0



-26dB Bandwidth NVNT ac40 5550MHz Ant0



-26dB Bandwidth NVNT ac40 5670MHz Ant0



-26dB Bandwidth NVNT ac80 5530MHz Ant0



-26dB Bandwidth NVNT ac80 5610MHz Ant0



-26dB Bandwidth NVNT ax20 5500MHz Ant0



-26dB Bandwidth NVNT ax20 5580MHz Ant0



-26dB Bandwidth NVNT ax20 5700MHz Ant0



-26dB Bandwidth NVNT ax40 5510MHz Ant0



-26dB Bandwidth NVNT ax40 5550MHz Ant0



-26dB Bandwidth NVNT ax40 5670MHz Ant0



-26dB Bandwidth NVNT ax80 5530MHz Ant0



-26dB Bandwidth NVNT ax80 5610MHz Ant0



Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	27.179	---	Pass
NVNT	a	5580	Ant1	25.542	---	Pass
NVNT	a	5700	Ant1	28.335	---	Pass
NVNT	n20	5500	Ant1	25.51	---	Pass
NVNT	n20	5580	Ant1	26.921	---	Pass
NVNT	n20	5700	Ant1	27.188	---	Pass
NVNT	n40	5510	Ant1	39.399	---	Pass
NVNT	n40	5550	Ant1	43.528	---	Pass
NVNT	n40	5670	Ant1	40.041	---	Pass
NVNT	ac20	5500	Ant1	26.21	---	Pass
NVNT	ac20	5580	Ant1	28.299	---	Pass
NVNT	ac20	5700	Ant1	28.03	---	Pass
NVNT	ac40	5510	Ant1	41.913	---	Pass
NVNT	ac40	5550	Ant1	41.677	---	Pass
NVNT	ac40	5670	Ant1	45.962	---	Pass
NVNT	ac80	5530	Ant1	78.121	---	Pass
NVNT	ac80	5610	Ant1	78.469	---	Pass
NVNT	ax20	5500	Ant1	28.694	---	Pass
NVNT	ax20	5580	Ant1	27.625	---	Pass
NVNT	ax20	5700	Ant1	28.706	---	Pass
NVNT	ax40	5510	Ant1	40.003	---	Pass
NVNT	ax40	5550	Ant1	41.566	---	Pass
NVNT	ax40	5670	Ant1	48.157	---	Pass
NVNT	ax80	5530	Ant1	79.779	---	Pass
NVNT	ax80	5610	Ant1	78.372	---	Pass

Test Graphs

-26dB Bandwidth NVNT a 5500MHz Ant1



-26dB Bandwidth NVNT a 5580MHz Ant1



-26dB Bandwidth NVNT a 5700MHz Ant1



-26dB Bandwidth NVNT n20 5500MHz Ant1



-26dB Bandwidth NVNT n20 5580MHz Ant1



-26dB Bandwidth NVNT n20 5700MHz Ant1



-26dB Bandwidth NVNT n40 5510MHz Ant1



-26dB Bandwidth NVNT n40 5550MHz Ant1



-26dB Bandwidth NVNT n40 5670MHz Ant1



-26dB Bandwidth NVNT ac20 5500MHz Ant1



-26dB Bandwidth NVNT ac20 5580MHz Ant1



-26dB Bandwidth NVNT ac20 5700MHz Ant1



-26dB Bandwidth NVNT ac40 5510MHz Ant1



-26dB Bandwidth NVNT ac40 5550MHz Ant1



-26dB Bandwidth NVNT ac40 5670MHz Ant1



-26dB Bandwidth NVNT ac80 5530MHz Ant1



-26dB Bandwidth NVNT ac80 5610MHz Ant1



-26dB Bandwidth NVNT ax20 5500MHz Ant1



-26dB Bandwidth NVNT ax20 5580MHz Ant1



-26dB Bandwidth NVNT ax20 5700MHz Ant1



-26dB Bandwidth NVNT ax40 5510MHz Ant1



-26dB Bandwidth NVNT ax40 5550MHz Ant1



-26dB Bandwidth NVNT ax40 5670MHz Ant1



-26dB Bandwidth NVNT ax80 5530MHz Ant1



-26dB Bandwidth NVNT ax80 5610MHz Ant1



F.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant0	12.98	0.24	13.22	24	Pass
NVNT	a	5580	Ant0	12.39	0.24	12.63	24	Pass
NVNT	a	5700	Ant0	12.29	0.24	12.53	24	Pass
NVNT	n20	5500	Ant0	11.46	0.12	11.58	24	Pass
NVNT	n20	5580	Ant0	11.86	0.12	11.98	24	Pass
NVNT	n20	5700	Ant0	11.79	0.12	11.91	24	Pass
NVNT	n40	5510	Ant0	10.25	0.12	10.37	24	Pass
NVNT	n40	5550	Ant0	10.33	0.12	10.45	24	Pass
NVNT	n40	5670	Ant0	10.56	0.12	10.68	24	Pass
NVNT	ac20	5500	Ant0	11.32	0.12	11.44	24	Pass
NVNT	ac20	5580	Ant0	11.75	0.12	11.87	24	Pass
NVNT	ac20	5700	Ant0	11.67	0.12	11.79	24	Pass
NVNT	ac40	5510	Ant0	10.28	0.12	10.4	24	Pass
NVNT	ac40	5550	Ant0	10.74	0.12	10.86	24	Pass
NVNT	ac40	5670	Ant0	10.51	0.12	10.63	24	Pass
NVNT	ac80	5530	Ant0	9.02	0.25	9.27	24	Pass
NVNT	ac80	5610	Ant0	9.41	0.25	9.66	24	Pass
NVNT	ax20	5500	Ant0	11.65	0.12	11.77	24	Pass
NVNT	ax20	5580	Ant0	10.76	0.12	10.88	24	Pass
NVNT	ax20	5700	Ant0	10.8	0.12	10.92	24	Pass
NVNT	ax40	5510	Ant0	10.63	0.12	10.75	24	Pass
NVNT	ax40	5550	Ant0	10.77	0.12	10.89	24	Pass
NVNT	ax40	5670	Ant0	10.53	0.12	10.65	24	Pass
NVNT	ax80	5530	Ant0	8.94	0.25	9.19	24	Pass
NVNT	ax80	5610	Ant0	9.31	0.25	9.56	24	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	11.15	0.24	11.39	24	Pass
NVNT	a	5580	Ant1	11.39	0.24	11.63	24	Pass
NVNT	a	5700	Ant1	11.43	0.24	11.67	24	Pass
NVNT	n20	5500	Ant1	10.95	0.12	11.07	24	Pass
NVNT	n20	5580	Ant1	10.1	0.12	10.22	24	Pass
NVNT	n20	5700	Ant1	10.09	0.12	10.21	24	Pass
NVNT	n40	5510	Ant1	9.32	0.12	9.44	24	Pass
NVNT	n40	5550	Ant1	9.64	0.12	9.76	24	Pass
NVNT	n40	5670	Ant1	9.83	0.12	9.95	24	Pass
NVNT	ac20	5500	Ant1	10.89	0.12	11.01	24	Pass
NVNT	ac20	5580	Ant1	10.09	0.12	10.21	24	Pass
NVNT	ac20	5700	Ant1	10.02	0.12	10.14	24	Pass
NVNT	ac40	5510	Ant1	9.29	0.12	9.41	24	Pass
NVNT	ac40	5550	Ant1	9.53	0.12	9.65	24	Pass
NVNT	ac40	5670	Ant1	9.84	0.12	9.96	24	Pass
NVNT	ac80	5530	Ant1	8.34	0.25	8.59	24	Pass
NVNT	ac80	5610	Ant1	8.66	0.25	8.91	24	Pass
NVNT	ax20	5500	Ant1	10.87	0.12	10.99	24	Pass
NVNT	ax20	5580	Ant1	11.1	0.12	11.22	24	Pass
NVNT	ax20	5700	Ant1	10.05	0.12	10.17	24	Pass
NVNT	ax40	5510	Ant1	9.25	0.24	9.49	24	Pass
NVNT	ax40	5550	Ant1	9.45	0.24	9.69	24	Pass
NVNT	ax40	5670	Ant1	9.77	0.24	10.01	24	Pass
NVNT	ax80	5530	Ant1	8.48	0.25	8.73	24	Pass
NVNT	ax80	5610	Ant1	8.81	0.25	9.06	24	Pass

F.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD(dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5500	Ant0	2.49	0.24	2.73	11	Pass
NVNT	a	5580	Ant0	1.77	0.24	2.01	11	Pass
NVNT	a	5700	Ant0	1.8	0.24	2.04	11	Pass
NVNT	n20	5500	Ant0	0.59	0.12	0.71	11	Pass
NVNT	n20	5580	Ant0	0.94	0.12	1.06	11	Pass
NVNT	n20	5700	Ant0	1.05	0.12	1.17	11	Pass
NVNT	n40	5510	Ant0	-3.67	0.12	-3.55	11	Pass
NVNT	n40	5550	Ant0	-3.44	0.12	-3.32	11	Pass
NVNT	n40	5670	Ant0	-3.3	0.12	-3.18	11	Pass
NVNT	ac20	5500	Ant0	0.41	0.12	0.53	11	Pass
NVNT	ac20	5580	Ant0	1.22	0.12	1.34	11	Pass
NVNT	ac20	5700	Ant0	0.76	0.12	0.88	11	Pass
NVNT	ac40	5510	Ant0	-3.28	0.12	-3.16	11	Pass
NVNT	ac40	5550	Ant0	-3.02	0.12	-2.9	11	Pass
NVNT	ac40	5670	Ant0	-3.15	0.12	-3.03	11	Pass
NVNT	ac80	5530	Ant0	-7.37	0.25	-7.12	11	Pass
NVNT	ac80	5610	Ant0	-7.01	0.25	-6.76	11	Pass
NVNT	ax20	5500	Ant0	0.84	0.12	0.96	11	Pass
NVNT	ax20	5580	Ant0	0.09	0.12	0.21	11	Pass
NVNT	ax20	5700	Ant0	0.02	0.12	0.14	11	Pass
NVNT	ax40	5510	Ant0	-3.12	0.12	-3	11	Pass
NVNT	ax40	5550	Ant0	-3.06	0.12	-2.94	11	Pass
NVNT	ax40	5670	Ant0	-3.35	0.12	-3.23	11	Pass
NVNT	ax80	5530	Ant0	-7.7	0.25	-7.45	11	Pass
NVNT	ax80	5610	Ant0	-7.17	0.25	-6.92	11	Pass

Test Graphs

PSD NVNT a 5500MHz Ant0



PSD NVNT a 5580MHz Ant0



PSD NVNT a 5700MHz Ant0



PSD NVNT n20 5500MHz Ant0



PSD NVNT n20 5580MHz Ant0



PSD NVNT n20 5700MHz Ant0



PSD NVNT n40 5510MHz Ant0



PSD NVNT n40 5550MHz Ant0



PSD NVNT n40 5670MHz Ant0



PSD NVNT ac20 5500MHz Ant0



PSD NVNT ac20 5580MHz Ant0



PSD NVNT ac20 5700MHz Ant0



PSD NVNT ac40 5510MHz Ant0



PSD NVNT ac40 5550MHz Ant0



PSD NVNT ac40 5670MHz Ant0



PSD NVNT ac80 5530MHz Ant0



PSD NVNT ac80 5610MHz Ant0



PSD NVNT ax20 5500MHz Ant0



PSD NVNT ax20 5580MHz Ant0



PSD NVNT ax20 5700MHz Ant0



PSD NVNT ax40 5510MHz Ant0



PSD NVNT ax40 5550MHz Ant0



PSD NVNT ax40 5670MHz Ant0



PSD NVNT ax80 5530MHz Ant0



PSD NVNT ax80 5610MHz Ant0



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5500	Ant1	0.71	0.24	0.95	11	Pass
NVNT	a	5580	Ant1	0.69	0.24	0.93	11	Pass
NVNT	a	5700	Ant1	0.99	0.24	1.23	11	Pass
NVNT	n20	5500	Ant1	-0.04	0.12	0.08	11	Pass
NVNT	n20	5580	Ant1	-0.6	0.12	-0.48	11	Pass
NVNT	n20	5700	Ant1	-0.63	0.12	-0.51	11	Pass
NVNT	n40	5510	Ant1	-4.54	0.12	-4.42	11	Pass
NVNT	n40	5550	Ant1	-4.06	0.12	-3.94	11	Pass
NVNT	n40	5670	Ant1	-3.83	0.12	-3.71	11	Pass
NVNT	ac20	5500	Ant1	0.24	0.12	0.36	11	Pass
NVNT	ac20	5580	Ant1	-0.94	0.12	-0.82	11	Pass
NVNT	ac20	5700	Ant1	-0.83	0.12	-0.71	11	Pass
NVNT	ac40	5510	Ant1	-4.33	0.12	-4.21	11	Pass
NVNT	ac40	5550	Ant1	-4.36	0.12	-4.24	11	Pass
NVNT	ac40	5670	Ant1	-3.73	0.12	-3.61	11	Pass
NVNT	ac80	5530	Ant1	-8.07	0.25	-7.82	11	Pass
NVNT	ac80	5610	Ant1	-7.83	0.25	-7.58	11	Pass
NVNT	ax20	5500	Ant1	0.23	0.12	0.35	11	Pass
NVNT	ax20	5580	Ant1	0.24	0.12	0.36	11	Pass
NVNT	ax20	5700	Ant1	-0.96	0.12	-0.84	11	Pass
NVNT	ax40	5510	Ant1	-4.53	0.24	-4.29	11	Pass
NVNT	ax40	5550	Ant1	-4.13	0.24	-3.89	11	Pass
NVNT	ax40	5670	Ant1	-4.18	0.24	-3.94	11	Pass
NVNT	ax80	5530	Ant1	-8.01	0.25	-7.76	11	Pass
NVNT	ax80	5610	Ant1	-7.93	0.25	-7.68	11	Pass

Test Graphs

PSD NVNT a 5500MHz Ant1



PSD NVNT a 5580MHz Ant1



PSD NVNT a 5700MHz Ant1



PSD NVNT n20 5500MHz Ant1



PSD NVNT n20 5580MHz Ant1



PSD NVNT n20 5700MHz Ant1



PSD NVNT n40 5510MHz Ant1



PSD NVNT n40 5550MHz Ant1



PSD NVNT n40 5670MHz Ant1



PSD NVNT ac20 5500MHz Ant1



PSD NVNT ac20 5580MHz Ant1



PSD NVNT ac20 5700MHz Ant1



PSD NVNT ac40 5510MHz Ant1



PSD NVNT ac40 5550MHz Ant1



PSD NVNT ac40 5670MHz Ant1



PSD NVNT ac80 5530MHz Ant1



PSD NVNT ac80 5610MHz Ant1



PSD NVNT ax20 5500MHz Ant1



PSD NVNT ax20 5580MHz Ant1



PSD NVNT ax20 5700MHz Ant1



PSD NVNT ax40 5510MHz Ant1



PSD NVNT ax40 5550MHz Ant1



PSD NVNT ax40 5670MHz Ant1



PSD NVNT ax80 5530MHz Ant1



PSD NVNT ax80 5610MHz Ant1



F.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5500	Ant0	5460	-48.22	3.45	-	50.46	Peak	68.2	Pass
NVNT	a	5500	Ant0	5460	-57.5	3.45	0.24	41.42	Average	54	Pass
NVNT	a	5500	Ant0	5469.4	-44.69	3.45	-	53.99	Peak	68.2	Pass
NVNT	a	5500	Ant0	5468.8	-55.87	3.45	0.24	43.05	Average	54	Pass
NVNT	a	5500	Ant0	5470	-47.95	3.45	-	50.73	Peak	68.2	Pass
NVNT	a	5500	Ant0	5470	-55.88	3.45	0.24	43.04	Average	54	Pass
NVNT	a	5700	Ant0	5725	-41.14	3.45	-	57.54	Peak	68.2	Pass
NVNT	a	5700	Ant0	5725	-54.38	3.45	0.24	44.54	Average	54	Pass
NVNT	a	5700	Ant0	5725.6	-39.65	3.45	-	59.03	Peak	68.2	Pass
NVNT	a	5700	Ant0	5725.6	-54.02	3.45	0.24	44.9	Average	54	Pass
NVNT	a	5700	Ant0	5735	-49.81	3.45	-	48.87	Peak	68.2	Pass
NVNT	a	5700	Ant0	5735	-57.47	3.45	0.24	41.45	Average	54	Pass
NVNT	n20	5500	Ant0	5460	-47.54	3.45	-	51.14	Peak	68.2	Pass
NVNT	n20	5500	Ant0	5460	-56.4	3.45	0.12	42.4	Average	54	Pass
NVNT	n20	5500	Ant0	5468.6	-37.17	3.45	-	61.51	Peak	68.2	Pass
NVNT	n20	5500	Ant0	5469.8	-52.35	3.45	0.12	46.45	Average	54	Pass
NVNT	n20	5500	Ant0	5470	-38.94	3.45	-	59.74	Peak	68.2	Pass
NVNT	n20	5500	Ant0	5470	-52.93	3.45	0.12	45.87	Average	54	Pass
NVNT	n20	5700	Ant0	5725	-40.9	3.45	-	57.78	Peak	68.2	Pass
NVNT	n20	5700	Ant0	5725	-54.29	3.45	0.12	44.51	Average	54	Pass
NVNT	n20	5700	Ant0	5726.6	-38.66	3.45	-	60.02	Peak	68.2	Pass
NVNT	n20	5700	Ant0	5725.8	-53.79	3.45	0.12	45.01	Average	54	Pass
NVNT	n20	5700	Ant0	5735	-49.69	3.45	-	48.99	Peak	68.2	Pass
NVNT	n20	5700	Ant0	5735	-56.94	3.45	0.12	41.86	Average	54	Pass
NVNT	n40	5510	Ant0	5460	-49.83	3.45	-	48.85	Peak	68.2	Pass
NVNT	n40	5510	Ant0	5460	-57.31	3.45	0.12	41.49	Average	54	Pass
NVNT	n40	5510	Ant0	5469.6	-40.86	3.45	-	57.82	Peak	68.2	Pass
NVNT	n40	5510	Ant0	5469.8	-53.8	3.45	0.12	45	Average	54	Pass
NVNT	n40	5510	Ant0	5470	-42.96	3.45	-	55.72	Peak	68.2	Pass
NVNT	n40	5510	Ant0	5470	-53.83	3.45	0.12	44.97	Average	54	Pass
NVNT	n40	5670	Ant0	5725	-45.56	3.45	-	53.12	Peak	68.2	Pass
NVNT	n40	5670	Ant0	5725	-55	3.45	0.12	43.8	Average	54	Pass
NVNT	n40	5670	Ant0	5729.2	-44.99	3.45	-	53.69	Peak	68.2	Pass
NVNT	n40	5670	Ant0	5726	-54.7	3.45	0.12	44.1	Average	54	Pass
NVNT	n40	5670	Ant0	5735	-47.77	3.45	-	50.91	Peak	68.2	Pass
NVNT	n40	5670	Ant0	5735	-55.9	3.45	0.12	42.9	Average	54	Pass

NVNT	ac20	5500	Ant0	5460	-47.94	3.45	-	50.74	Peak	68.2	Pass
NVNT	ac20	5500	Ant0	5460	-57.01	3.45	0.12	41.79	Average	54	Pass
NVNT	ac20	5500	Ant0	5468.4	-40.92	3.45	-	57.76	Peak	68.2	Pass
NVNT	ac20	5500	Ant0	5469.6	-53.66	3.45	0.12	45.14	Average	54	Pass
NVNT	ac20	5500	Ant0	5470	-44.25	3.45	-	54.43	Peak	68.2	Pass
NVNT	ac20	5500	Ant0	5470	-53.83	3.45	0.12	44.97	Average	54	Pass
NVNT	ac20	5700	Ant0	5725	-40.06	3.45	-	58.62	Peak	68.2	Pass
NVNT	ac20	5700	Ant0	5725	-53.5	3.45	0.12	45.3	Average	54	Pass
NVNT	ac20	5700	Ant0	5735	-47.4	3.45	-	51.28	Peak	68.2	Pass
NVNT	ac20	5700	Ant0	5735	-56.92	3.45	0.12	41.88	Average	54	Pass
NVNT	ac40	5510	Ant0	5460	-48.05	3.45	-	50.63	Peak	68.2	Pass
NVNT	ac40	5510	Ant0	5460	-57.36	3.45	0.12	41.44	Average	54	Pass
NVNT	ac40	5510	Ant0	5469.2	-37.84	3.45	-	60.84	Peak	68.2	Pass
NVNT	ac40	5510	Ant0	5469.6	-54.04	3.45	0.12	44.76	Average	54	Pass
NVNT	ac40	5510	Ant0	5470	-43.58	3.45	-	55.1	Peak	68.2	Pass
NVNT	ac40	5510	Ant0	5470	-54.31	3.45	0.12	44.49	Average	54	Pass
NVNT	ac40	5670	Ant0	5725	-45.66	3.45	-	53.02	Peak	68.2	Pass
NVNT	ac40	5670	Ant0	5725	-55.04	3.45	0.12	43.76	Average	54	Pass
NVNT	ac40	5670	Ant0	5731.6	-44.86	3.45	-	53.82	Peak	68.2	Pass
NVNT	ac40	5670	Ant0	5725.4	-54.89	3.45	0.12	43.91	Average	54	Pass
NVNT	ac40	5670	Ant0	5735	-48.68	3.45	-	50	Peak	68.2	Pass
NVNT	ac40	5670	Ant0	5735	-56.51	3.45	0.12	42.29	Average	54	Pass
NVNT	ac80	5530	Ant0	5460	-44.55	3.45	-	54.13	Peak	68.2	Pass
NVNT	ac80	5530	Ant0	5460	-54.38	3.45	0.25	44.55	Average	54	Pass
NVNT	ac80	5530	Ant0	5469.6	-39.9	3.45	-	58.78	Peak	68.2	Pass
NVNT	ac80	5530	Ant0	5469.6	-52.18	3.45	0.25	46.75	Average	54	Pass
NVNT	ac80	5530	Ant0	5470	-42.92	3.45	-	55.76	Peak	68.2	Pass
NVNT	ac80	5530	Ant0	5470	-52.83	3.45	0.25	46.1	Average	54	Pass
NVNT	ac80	5610	Ant0	5725	-49.69	3.45	-	48.99	Peak	68.2	Pass
NVNT	ac80	5610	Ant0	5725	-57.12	3.45	0.25	41.81	Average	54	Pass
NVNT	ac80	5610	Ant0	5726.185	-46.97	3.45	-	51.71	Peak	68.2	Pass
NVNT	ac80	5610	Ant0	5733.36	-56.56	3.45	0.25	42.37	Average	54	Pass
NVNT	ac80	5610	Ant0	5735	-49.21	3.45	-	49.47	Peak	68.2	Pass
NVNT	ac80	5610	Ant0	5735	-57.45	3.45	0.25	41.48	Average	54	Pass
NVNT	ax20	5500	Ant0	5460	-50.04	3.45	-	48.64	Peak	68.2	Pass
NVNT	ax20	5500	Ant0	5460	-57.34	3.45	0.12	41.46	Average	54	Pass
NVNT	ax20	5500	Ant0	5469.8	-38.54	3.45	-	60.14	Peak	68.2	Pass
NVNT	ax20	5500	Ant0	5469.6	-55.41	3.45	0.12	43.39	Average	54	Pass
NVNT	ax20	5500	Ant0	5470	-38.55	3.45	-	60.13	Peak	68.2	Pass
NVNT	ax20	5500	Ant0	5470	-55.67	3.45	0.12	43.13	Average	54	Pass
NVNT	ax20	5700	Ant0	5725	-42.54	3.45	-	56.14	Peak	68.2	Pass

NVNT	ax20	5700	Ant0	5725	-54.87	3.45	0.12	43.93	Average	54	Pass
NVNT	ax20	5700	Ant0	5726.2	-36.53	3.45	-	62.15	Peak	68.2	Pass
NVNT	ax20	5700	Ant0	5728	-53.53	3.45	0.12	45.27	Average	54	Pass
NVNT	ax20	5700	Ant0	5735	-48.1	3.45	-	50.58	Peak	68.2	Pass
NVNT	ax20	5700	Ant0	5735	-57.06	3.45	0.12	41.74	Average	54	Pass
NVNT	ax40	5510	Ant0	5460	-48.63	3.45	-	50.05	Peak	68.2	Pass
NVNT	ax40	5510	Ant0	5460	-57.83	3.45	0.12	40.97	Average	54	Pass
NVNT	ax40	5510	Ant0	5467	-39.2	3.45	-	59.48	Peak	68.2	Pass
NVNT	ax40	5510	Ant0	5470	-54.06	3.45	0.12	44.74	Average	54	Pass
NVNT	ax40	5510	Ant0	5470	-43.98	3.45	-	54.7	Peak	68.2	Pass
NVNT	ax40	5670	Ant0	5725	-46.18	3.45	-	52.5	Peak	68.2	Pass
NVNT	ax40	5670	Ant0	5725	-54.89	3.45	0.12	43.91	Average	54	Pass
NVNT	ax40	5670	Ant0	5728.2	-44.3	3.45	-	54.38	Peak	68.2	Pass
NVNT	ax40	5670	Ant0	5725.2	-54.2	3.45	0.12	44.6	Average	54	Pass
NVNT	ax40	5670	Ant0	5735	-47.27	3.45	-	51.41	Peak	68.2	Pass
NVNT	ax40	5670	Ant0	5735	-56.38	3.45	0.12	42.42	Average	54	Pass
NVNT	ax80	5530	Ant0	5460	-46.59	3.45	-	52.09	Peak	68.2	Pass
NVNT	ax80	5530	Ant0	5460	-54.46	3.45	0.25	44.47	Average	54	Pass
NVNT	ax80	5530	Ant0	5461	-41.12	3.45	-	57.56	Peak	68.2	Pass
NVNT	ax80	5530	Ant0	5469.6	-52.34	3.45	0.25	46.59	Average	54	Pass
NVNT	ax80	5530	Ant0	5470	-45.41	3.45	-	53.27	Peak	68.2	Pass
NVNT	ax80	5530	Ant0	5470	-52.43	3.45	0.25	46.5	Average	54	Pass
NVNT	ax80	5610	Ant0	5725	-49.38	3.45	-	49.3	Peak	68.2	Pass
NVNT	ax80	5610	Ant0	5725	-56.72	3.45	0.25	42.21	Average	54	Pass
NVNT	ax80	5610	Ant0	5725.57	-47.23	3.45	-	51.45	Peak	68.2	Pass
NVNT	ax80	5610	Ant0	5726.595	-56.52	3.45	0.25	42.41	Average	54	Pass
NVNT	ax80	5610	Ant0	5735	-49.18	3.45	-	49.5	Peak	68.2	Pass
NVNT	ax80	5610	Ant0	5735	-57.21	3.45	0.25	41.72	Average	54	Pass

Test Graphs

Restrict Band NVNT a 5500MHz Ant0 Peak



Restrict Band NVNT a 5500MHz Ant0 Average



Restrict Band NVNT a 5700MHz Ant0 Peak



Restrict Band NVNT a 5700MHz Ant0 Average



Restrict Band NVNT n20 5500MHz Ant0 Peak



Restrict Band NVNT n20 5500MHz Ant0 Average



Restrict Band NVNT n20 5700MHz Ant0 Peak



Restrict Band NVNT n20 5700MHz Ant0 Average



Restrict Band NVNT n40 5510MHz Ant0 Peak



Restrict Band NVNT n40 5510MHz Ant0 Average



Restrict Band NVNT n40 5670MHz Ant0 Peak



Restrict Band NVNT n40 5670MHz Ant0 Average



Restrict Band NVNT ac20 5500MHz Ant0 Peak



Restrict Band NVNT ac20 5500MHz Ant0 Average



Restrict Band NVNT ac20 5700MHz Ant0 Peak



Restrict Band NVNT ac20 5700MHz Ant0 Average



Restrict Band NVNT ac40 5510MHz Ant0 Peak



Restrict Band NVNT ac40 5510MHz Ant0 Average



Restrict Band NVNT ac40 5670MHz Ant0 Peak



Restrict Band NVNT ac40 5670MHz Ant0 Average



Restrict Band NVNT ac80 5530MHz Ant0 Peak



Restrict Band NVNT ac80 5530MHz Ant0 Average



Restrict Band NVNT ac80 5610MHz Ant0 Peak



Restrict Band NVNT ac80 5610MHz Ant0 Average



Restrict Band NVNT ax20 5500MHz Ant0 Peak



Restrict Band NVNT ax20 5500MHz Ant0 Average



Restrict Band NVNT ax20 5700MHz Ant0 Peak



Restrict Band NVNT ax20 5700MHz Ant0 Average



Restrict Band NVNT ax40 5510MHz Ant0 Peak



Restrict Band NVNT ax40 5510MHz Ant0 Average



Restrict Band NVNT ax40 5670MHz Ant0 Peak



Restrict Band NVNT ax40 5670MHz Ant0 Average



Restrict Band NVNT ax80 5530MHz Ant0 Peak



Restrict Band NVNT ax80 5530MHz Ant0 Average



Restrict Band NVNT ax80 5610MHz Ant0 Peak



Restrict Band NVNT ax80 5610MHz Ant0 Average