



规格承认书
SPECIFICATION FOR APPROVAL

编号 ; 2026081401
File No.

版本: 1.0
Revision

客户 Shenzhen Suling Communication Technology Co., Ltd.
CUSTOMER: _____

客户料号 40-00118
CUSTOMER NO: _____

品名 2.4G
PART NAME: _____

供方料号 SL373P.300001.P01
SUPPLIER NO: _____

送样日期 Date:2026.08.14 送样数量 Q'TY: 20PCS

客户确认 CUSTOMER APPROVED BY		
APPROVAL	CHIEF	SUPERVISOR

供方确认 SUPPLIER SIGNATURE		
APPROVAL	CHECK	DESIGN
	LUOYI	LUYYUEPIN






Acknowledgment Form List

NO.	内 容 (Contents)	页 数 (Number of Page)	页 码 (Page Code)
1	承认书封面 (Spec Cover)	1	1~2
2	承认书项目表 (Spec Item)	1	3
3	工程成品图 (Drawing)	1	4
4	电性测试报告 (Test Reports)	1	5
5	S参数测试 (S Parameter)	1	6
6	增益测试 (Gain Test)	1	7
7			
8			
9			
10			
11			
12			







天线规格表

Antenna Specification

Electrical Properties	
Frequency	2400-2500MHz
Impedance	50 Ohm Nominal
V.S.W.R	≤2.0
Return Loss	-10 dB Max
Radiation	Omni-directional
Gain (Peak)	2.35dBi
Efficiency	
Polarization	Linear, Vertical
Admitted Power	1 W
Connector	
Physical Properties	
Antenna Material	Brass
Cable Type	
Operating Temp.	-40 ~ +125 °C
Storage Temp.	-40 ~ +125°C
Cable Color	







S 参数测试

S Parameter Test

Agilent E5071C






增益测试


Gain Test

Freq (MHz)	Effi (%)	Gain (dBi)
2400	45.93	1.08
2410	47.64	1.22
2420	49.35	1.4
2430	50.67	1.51
2440	50.21	1.57
2450	50.1	1.76
2460	52.71	2.05
2470	54.47	2.35
2480	51.44	2.19
2490	50.76	2.1
2500	45.07	1.3


2400.000MHz




2400.000MHz H




2400.000MHz E1




2400.000MHz E2




2450.000MHz




2450.000MHz H




2450.000MHz E1




2450.000MHz E2




2500.000MHz



2500.000MHz H



2500.000MHz E1



2500.000MHz E2

