


EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS


**EUT Housing and
Board View 1**



**EUT Housing and
Board View 2**







**EUT Housing and
Board View 3**




**EUT Housing and
Board View 4**




Solder Board-Component View 1	 A photograph of a green printed circuit board (PCB) component, labeled C90A-SZ-V1.0, positioned on a blue background. The component is oriented horizontally and features a central white connector with multiple pins. It is flanked by two circular mounting holes. A metal ruler is placed vertically to the left of the component, showing measurements in millimeters (0.5mm, 1mm, 2mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm). The component's length is approximately 10mm.
Solder Board-Component View 2	 A photograph of the same green PCB component, labeled C90A-SZ-V1.0, positioned on a blue background. The component is oriented horizontally and features a central white connector with multiple pins. It is flanked by two circular mounting holes. A metal ruler is placed vertically to the left of the component, showing measurements in millimeters (0.5mm, 1mm, 2mm, 3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm). The component's length is approximately 10mm.



Solder Board-Component View 3	 A photograph showing the top view of a small green printed circuit board (PCB) component. The component is rectangular with a USB-A connector on the right side. It has several surface components, including a microcontroller and various passive components. The board is placed on a blue background next to a metal ruler for scale. The ruler has markings in millimeters (0.5mm, 1mm, 2mm, 3mm, 4mm, 5mm, 6mm) and centimeters (1, 2, 3, 4, 5, 6). The component is positioned between the 2mm and 4mm marks on the ruler.
Solder Board-Component View 4	 A photograph showing the bottom view of the same green PCB component. The component is rectangular with two circular mounting holes on the left side. It has a USB-A connector on the right side. The board is placed on a blue background next to a metal ruler for scale. The ruler has markings in millimeters (0.5mm, 1mm, 2mm, 3mm, 4mm, 5mm, 6mm) and centimeters (1, 2, 3, 4, 5, 6). The component is positioned between the 2mm and 4mm marks on the ruler. The text "C90-TYPEC-V1.0" and "2023-05-02" is visible on the board.

**Solder
Board-Component
View 5**



**Solder
Board-Component
View 6**



Solder Board-Component View 7	 A photograph of a small, rectangular, light-colored printed circuit board (PCB) component. The component is populated with several small, yellow, rectangular surface-mount components. It is placed on a blue fabric background. To the left of the component is a vertical ruler with markings from 1 to 10 mm. Below the component is a horizontal ruler with markings from 1 to 10 mm. The component is approximately 10 mm wide and 5 mm high.
Solder Board-Component View 8	 A photograph of a small, rectangular, dark-colored printed circuit board (PCB) component. The component has a complex shape with several circular cutouts and is populated with small, yellow, rectangular surface-mount components. It is placed on a blue fabric background. To the left of the component is a vertical ruler with markings from 1 to 10 mm. Below the component is a horizontal ruler with markings from 1 to 10 mm. The component is approximately 10 mm wide and 5 mm high.