


WIFI 5.2G

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	94.78	0.23	0.49
NVNT	a	5200	Ant1	92.63	0.33	0.49
NVNT	a	5240	Ant1	92.91	0.32	0.49
NVNT	n20	5180	Ant1	94.02	0.27	0.53
NVNT	n20	5200	Ant1	92.47	0.34	0.53
NVNT	n20	5240	Ant1	91.97	0.36	0.53
NVNT	n40	5190	Ant1	89.26	0.49	1.08
NVNT	n40	5230	Ant1	85	0.71	1.08
NVNT	ac20	5180	Ant1	95.07	0.22	0.53
NVNT	ac20	5200	Ant1	92.52	0.34	0.52
NVNT	ac20	5240	Ant1	92.67	0.33	0.53
NVNT	ac40	5190	Ant1	89.57	0.48	1.06
NVNT	ac40	5230	Ant1	85.59	0.68	1.08
NVNT	ax20	5180	Ant1	92.21	0.35	0.68
NVNT	ax20	5200	Ant1	90.02	0.46	0.68
NVNT	ax20	5240	Ant1	85.72	0.67	0.68
NVNT	ax40	5190	Ant1	87.06	0.6	1.32
NVNT	ax40	5230	Ant1	82.43	0.84	1.32

Test Graphs


Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1




Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1




Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1




Duty Cycle NVNT n40 5190MHz Ant1




Duty Cycle NVNT n40 5230MHz Ant1



Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1




Duty Cycle NVNT ac40 5230MHz Ant1




Duty Cycle NVNT ax20 5180MHz Ant1




Duty Cycle NVNT ax20 5200MHz Ant1




Duty Cycle NVNT ax20 5240MHz Ant1



Duty Cycle NVNT ax40 5190MHz Ant1



Duty Cycle NVNT ax40 5230MHz Ant1



Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	12.29	24	Pass
NVNT	a	5200	Ant1	12.14	24	Pass
NVNT	a	5240	Ant1	12.21	24	Pass
NVNT	n20	5180	Ant1	11.92	24	Pass
NVNT	n20	5200	Ant1	11.58	24	Pass
NVNT	n20	5240	Ant1	11.84	24	Pass
NVNT	n40	5190	Ant1	11.53	24	Pass
NVNT	n40	5230	Ant1	11.79	24	Pass
NVNT	ac20	5180	Ant1	11.63	24	Pass
NVNT	ac20	5200	Ant1	11.76	24	Pass
NVNT	ac20	5240	Ant1	12.09	24	Pass
NVNT	ac40	5190	Ant1	11.91	24	Pass
NVNT	ac40	5230	Ant1	11.88	24	Pass
NVNT	ax20	5180	Ant1	12.25	24	Pass
NVNT	ax20	5200	Ant1	11.94	24	Pass
NVNT	ax20	5240	Ant1	12.14	24	Pass
NVNT	ax40	5190	Ant1	11.84	24	Pass
NVNT	ax40	5230	Ant1	12.41	24	Pass

Note:


1. The conducted average power contains duty cycle factor.
2. Belong to Client device.

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)
NVNT	a	5180	Ant1	24.693
NVNT	a	5200	Ant1	23.835
NVNT	a	5240	Ant1	23.121
NVNT	n20	5180	Ant1	24.696
NVNT	n20	5200	Ant1	25.086
NVNT	n20	5240	Ant1	23.922
NVNT	n40	5190	Ant1	46.944
NVNT	n40	5230	Ant1	46.53
NVNT	ac20	5180	Ant1	23.472
NVNT	ac20	5200	Ant1	23.982
NVNT	ac20	5240	Ant1	24.156
NVNT	ac40	5190	Ant1	46.356
NVNT	ac40	5230	Ant1	47.118
NVNT	ax20	5180	Ant1	23.277
NVNT	ax20	5200	Ant1	23.145
NVNT	ax20	5240	Ant1	22.461
NVNT	ax40	5190	Ant1	45.21
NVNT	ax40	5230	Ant1	45.42

Test Graphs


-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1




-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1




-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1




-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant1




-26dB Bandwidth NVNT ax20 5180MHz Ant1




-26dB Bandwidth NVNT ax20 5200MHz Ant1




-26dB Bandwidth NVNT ax20 5240MHz Ant1



-26dB Bandwidth NVNT ax40 5190MHz Ant1



-26dB Bandwidth NVNT ax40 5230MHz Ant1




Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.573
NVNT	a	5200	Ant1	17.353
NVNT	a	5240	Ant1	16.681
NVNT	n20	5180	Ant1	17.917
NVNT	n20	5200	Ant1	17.8
NVNT	n20	5240	Ant1	17.881
NVNT	n40	5190	Ant1	36.518
NVNT	n40	5230	Ant1	36.566
NVNT	ac20	5180	Ant1	17.833
NVNT	ac20	5200	Ant1	18.097
NVNT	ac20	5240	Ant1	18.154
NVNT	ac40	5190	Ant1	36.518
NVNT	ac40	5230	Ant1	36.584
NVNT	ax20	5180	Ant1	19.081
NVNT	ax20	5200	Ant1	19.153
NVNT	ax20	5240	Ant1	19.069
NVNT	ax40	5190	Ant1	37.916
NVNT	ax40	5230	Ant1	37.934

Test Graphs


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1





OBW NVNT a 5240MHz Ant1




OBW NVNT n20 5180MHz Ant1









OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ax20 5180MHz Ant1




OBW NVNT ax20 5200MHz Ant1




OBW NVNT ax20 5240MHz Ant1



OBW NVNT ax40 5190MHz Ant1



OBW NVNT ax40 5230MHz Ant1




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	0.58	0.23	0.81	11	Pass
NVNT	a	5200	Ant1	0.54	0.33	0.87	11	Pass
NVNT	a	5240	Ant1	-0.79	0.32	-0.47	11	Pass
NVNT	n20	5180	Ant1	-0.25	0.27	0.02	11	Pass
NVNT	n20	5200	Ant1	-0.28	0.34	0.06	11	Pass
NVNT	n20	5240	Ant1	-1.09	0.36	-0.73	11	Pass
NVNT	n40	5190	Ant1	-3	0.49	-2.51	11	Pass
NVNT	n40	5230	Ant1	-3.99	0.71	-3.28	11	Pass
NVNT	ac20	5180	Ant1	0.05	0.22	0.27	11	Pass
NVNT	ac20	5200	Ant1	-0.37	0.34	-0.03	11	Pass
NVNT	ac20	5240	Ant1	-0.47	0.33	-0.14	11	Pass
NVNT	ac40	5190	Ant1	-2.98	0.48	-2.5	11	Pass
NVNT	ac40	5230	Ant1	-3.89	0.68	-3.21	11	Pass
NVNT	ax20	5180	Ant1	-0.07	0.35	0.28	11	Pass
NVNT	ax20	5200	Ant1	-0.16	0.46	0.3	11	Pass
NVNT	ax20	5240	Ant1	-0.75	0.67	-0.08	11	Pass
NVNT	ax40	5190	Ant1	-2.99	0.6	-2.39	11	Pass
NVNT	ax40	5230	Ant1	-3.96	0.84	-3.12	11	Pass

Test Graphs


PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1





PSD NVNT a 5240MHz Ant1





PSD NVNT n20 5180MHz Ant1



















PSD NVNT ax40 5190MHz Ant1



PSD NVNT ax40 5230MHz Ant1




Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-35.85	-27	Pass
NVNT	a	5240	Ant1	-37.37	-27	Pass
NVNT	n20	5180	Ant1	-35.57	-27	Pass
NVNT	n20	5240	Ant1	-37.53	-27	Pass
NVNT	n40	5190	Ant1	-33.55	-27	Pass
NVNT	n40	5230	Ant1	-37.9	-27	Pass
NVNT	ac20	5180	Ant1	-34.29	-27	Pass
NVNT	ac20	5240	Ant1	-37.51	-27	Pass
NVNT	ac40	5190	Ant1	-32.04	-27	Pass
NVNT	ac40	5230	Ant1	-37.27	-27	Pass
NVNT	ax20	5180	Ant1	-36.41	-27	Pass
NVNT	ax20	5240	Ant1	-38.06	-27	Pass
NVNT	ax40	5190	Ant1	-30.52	-27	Pass
NVNT	ax40	5230	Ant1	-37.63	-27	Pass

Test Graphs


Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1




Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1




Band Edge NVNT n40 5190MHz Low Ant1




Band Edge NVNT n40 5230MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1




Band Edge NVNT ac40 5190MHz Low Ant1




Band Edge NVNT ac40 5230MHz High Ant1




Band Edge NVNT ax20 5180MHz Low Ant1




Band Edge NVNT ax20 5240MHz High Ant1



Band Edge NVNT ax40 5190MHz Low Ant1



Band Edge NVNT ax40 5230MHz High Ant1




Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-29.82	-27	Pass
NVNT	a	5200	Ant1	-31.52	-27	Pass
NVNT	a	5240	Ant1	-31.5	-27	Pass
NVNT	n20	5180	Ant1	-31.63	-27	Pass
NVNT	n20	5200	Ant1	-31.41	-27	Pass
NVNT	n20	5240	Ant1	-31.53	-27	Pass
NVNT	n40	5190	Ant1	-30.98	-27	Pass
NVNT	n40	5230	Ant1	-32.05	-27	Pass
NVNT	ac20	5180	Ant1	-31.34	-27	Pass
NVNT	ac20	5200	Ant1	-32.17	-27	Pass
NVNT	ac20	5240	Ant1	-30.66	-27	Pass
NVNT	ac40	5190	Ant1	-30.94	-27	Pass
NVNT	ac40	5230	Ant1	-31.03	-27	Pass
NVNT	ax20	5180	Ant1	-30.51	-27	Pass
NVNT	ax20	5200	Ant1	-30.83	-27	Pass
NVNT	ax20	5240	Ant1	-30.58	-27	Pass
NVNT	ax40	5190	Ant1	-31.75	-27	Pass
NVNT	ax40	5230	Ant1	-31.57	-27	Pass

Test Graphs


Tx. Spurious NVNT a 5180MHz Ant1 Emission




Tx. Spurious NVNT a 5200MHz Ant1 Emission




Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission




Tx. Spurious NVNT n40 5190MHz Ant1 Emission




Tx. Spurious NVNT n40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission




Tx. Spurious NVNT ac40 5230MHz Ant1 Emission




Tx. Spurious NVNT ax20 5180MHz Ant1 Emission




Tx. Spurious NVNT ax20 5200MHz Ant1 Emission




Tx. Spurious NVNT ax20 5240MHz Ant1 Emission



Tx. Spurious NVNT ax40 5190MHz Ant1 Emission



Tx. Spurious NVNT ax40 5230MHz Ant1 Emission




WIFI 5.8G

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	92.84	0.32	0.49
NVNT	a	5785	Ant1	94.04	0.27	0.49
NVNT	a	5825	Ant1	92.6	0.33	0.49
NVNT	n20	5745	Ant1	91.59	0.38	0.53
NVNT	n20	5785	Ant1	92.84	0.32	0.53
NVNT	n20	5825	Ant1	91.79	0.37	0.53
NVNT	n40	5755	Ant1	90.42	0.44	1.08
NVNT	n40	5795	Ant1	88.94	0.51	1.08
NVNT	ac20	5745	Ant1	91.87	0.37	0.53
NVNT	ac20	5785	Ant1	92.26	0.35	0.53
NVNT	ac20	5825	Ant1	92.13	0.36	0.53
NVNT	ac40	5755	Ant1	90.29	0.44	1.06
NVNT	ac40	5795	Ant1	89.88	0.46	1.06
NVNT	ax20	5745	Ant1	90.18	0.45	0.68
NVNT	ax20	5785	Ant1	89.88	0.46	0.68
NVNT	ax20	5825	Ant1	89.6	0.48	0.68
NVNT	ax40	5755	Ant1	87.68	0.57	1.3
NVNT	ax40	5795	Ant1	82.58	0.83	1.32

Test Graphs


Duty Cycle NVNT a 5745MHz Ant1




Duty Cycle NVNT a 5785MHz Ant1




Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT n20 5745MHz Ant1




Duty Cycle NVNT n20 5785MHz Ant1




Duty Cycle NVNT n20 5825MHz Ant1




Duty Cycle NVNT n40 5755MHz Ant1




Duty Cycle NVNT n40 5795MHz Ant1




Duty Cycle NVNT ac20 5745MHz Ant1



Duty Cycle NVNT ac20 5785MHz Ant1




Duty Cycle NVNT ac20 5825MHz Ant1




Duty Cycle NVNT ac40 5755MHz Ant1




Duty Cycle NVNT ac40 5795MHz Ant1




Duty Cycle NVNT ax20 5745MHz Ant1




Duty Cycle NVNT ax20 5785MHz Ant1




Duty Cycle NVNT ax20 5825MHz Ant1



Duty Cycle NVNT ax40 5755MHz Ant1



Duty Cycle NVNT ax40 5795MHz Ant1



Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted average Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	12.4	29.92	Pass
NVNT	a	5785	Ant1	12.26	29.92	Pass
NVNT	a	5825	Ant1	12.42	29.92	Pass
NVNT	n20	5745	Ant1	12.6	29.92	Pass
NVNT	n20	5785	Ant1	12.76	29.92	Pass
NVNT	n20	5825	Ant1	12.6	29.92	Pass
NVNT	n40	5755	Ant1	12.56	29.92	Pass
NVNT	n40	5795	Ant1	12.51	29.92	Pass
NVNT	ac20	5745	Ant1	12.6	29.92	Pass
NVNT	ac20	5785	Ant1	12.51	29.92	Pass
NVNT	ac20	5825	Ant1	12.38	29.92	Pass
NVNT	ac40	5755	Ant1	12.71	29.92	Pass
NVNT	ac40	5795	Ant1	12.64	29.92	Pass
NVNT	ax20	5745	Ant1	12.57	29.92	Pass
NVNT	ax20	5785	Ant1	12.79	29.92	Pass
NVNT	ax20	5825	Ant1	12.71	29.92	Pass
NVNT	ax40	5755	Ant1	12.49	29.92	Pass
NVNT	ax40	5795	Ant1	12.58	29.92	Pass

Note:


1. The conducted average power contains duty cycle factor.
2. Antenna gain =6.08dBi>6dBi, So the limit need reduced 0.08dB.

-6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.356	0.5	Pass
NVNT	a	5785	Ant1	16.449	0.5	Pass
NVNT	a	5825	Ant1	16.359	0.5	Pass
NVNT	n20	5745	Ant1	17.604	0.5	Pass
NVNT	n20	5785	Ant1	17.589	0.5	Pass
NVNT	n20	5825	Ant1	17.592	0.5	Pass
NVNT	n40	5755	Ant1	36.318	0.5	Pass
NVNT	n40	5795	Ant1	36.324	0.5	Pass
NVNT	ac20	5745	Ant1	17.772	0.5	Pass
NVNT	ac20	5785	Ant1	17.604	0.5	Pass
NVNT	ac20	5825	Ant1	17.589	0.5	Pass
NVNT	ac40	5755	Ant1	36.312	0.5	Pass
NVNT	ac40	5795	Ant1	36.33	0.5	Pass
NVNT	ax20	5745	Ant1	18.933	0.5	Pass
NVNT	ax20	5785	Ant1	18.963	0.5	Pass
NVNT	ax20	5825	Ant1	19.02	0.5	Pass
NVNT	ax40	5755	Ant1	38.034	0.5	Pass
NVNT	ax40	5795	Ant1	38.094	0.5	Pass

Test Graphs


-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1




-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT n20 5745MHz Ant1




-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1




-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1




-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1




-6dB Bandwidth NVNT ac20 5825MHz Ant1




-6dB Bandwidth NVNT ac40 5755MHz Ant1




-6dB Bandwidth NVNT ac40 5795MHz Ant1



-6dB Bandwidth NVNT ax20 5745MHz Ant1



-6dB Bandwidth NVNT ax20 5785MHz Ant1



-6dB Bandwidth NVNT ax20 5825MHz Ant1

