

11AX20MIMO_Ant1_Low_5500



11AX20MIMO_Ant2_Low_5500



11AX20MIMO_Ant1_High_5700



Date: 22.OCT.2024 15:33:45

11AX40MIMO_Ant1_Low_5190



Date: 22.OCT.2024 15:56:04

11AX40MIMO_Ant2_Low_5190



Date: 24.OCT.2024 11:50:24

11AX40MIMO_Ant1_High_5310



Date: 22.OCT.2024 16:11:48

11AX40MIMO_Ant2_High_5310



Date: 24.OCT.2024 12:00:59

11AX40MIMO_Ant1_Low_5510



Date: 22.OCT.2024 16:26:23

11AX40MIMO_Ant2_Low_5510



11AX40MIMO_Ant1_High_5670



11AX80MIMO_Ant1_Low_5210



11AX80MIMO_Ant2_Low_5210



Date: 24.OCT.2024 12:23:40

11AX80MIMO_Ant1_High_5290

Date: 22.OCT.2024 17:11:46

11AX80MIMO_Ant2_High_5290



Date: 24.OCT.2024 12:27:23

11AX80MIMO_Ant1_Low_5530



Date: 22.OCT.2024 17:16:48

11AX80MIMO_Ant2_Low_5530



Date: 24.OCT.2024 12:31:23

11AX80MIMO_Ant1_High_5610

Date: 22.OCT.2024 17:21:51

11AX80MIMO_Ant2_High_5610



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.60832 GHz	2.23 dBm		
M2		1	5.725 GHz	-46.54 dBm		
M3		1	5.736377 GHz	-40.07 dBm		

Date: 24.OCT.2024 12:35:08

TestMode	Antenna	ChName	Freq(MHz)	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5650~5700	-45.32	≤-26.88	PASS
				5700~5720	-44.68	≤10.28	PASS
				5720~5725	-42.42	≤16.36	PASS
				5760~5650	-43.75	≤-27	PASS
	Ant2	Low	5745	5650~5700	-45.74	≤-26.88	PASS
				5700~5720	-44.57	≤10.23	PASS
				5720~5725	-41.52	≤16.36	PASS
				5760~5650	-44.68	≤-27	PASS
	Ant1	High	5825	5850~5855	-43.29	≤16.10	PASS
				5855~5875	-43.76	≤10.40	PASS
				5875~5925	-45.16	≤-26.73	PASS
				5925~5935	-44.95	≤-27	PASS
	Ant2	High	5825	5850~5855	-41.08	≤17.88	PASS
				5855~5875	-44.5	≤10.18	PASS
				5875~5925	-44.63	≤-25.86	PASS
				5925~5935	-44.42	≤-27	PASS
11N20SISO	Ant1	Low	5745	5650~5700	-45.83	≤-26.51	PASS
				5700~5720	-45.04	≤10.19	PASS
				5720~5725	-41.31	≤17.12	PASS
				5760~5650	-44.96	≤-27	PASS
	Ant2	Low	5745	5650~5700	-46.11	≤-26.63	PASS
				5700~5720	-43.73	≤10.19	PASS
				5720~5725	-41.02	≤16.36	PASS
				5760~5650	-44.05	≤-27	PASS
	Ant1	High	5825	5850~5855	-41.52	≤15.65	PASS
				5855~5875	-44.43	≤10.02	PASS
				5875~5925	-44.89	≤-26.29	PASS
				5925~5935	-44.52	≤-27	PASS
	Ant2	High	5825	5850~5855	-41.48	≤16.10	PASS
				5855~5875	-44.09	≤11.00	PASS
				5875~5925	-45.18	≤-26.73	PASS
				5925~5935	-43.52	≤-27	PASS
11N40SISO	Ant1	Low	5755	5650~5700	-46.16	≤-26.94	PASS
				5700~5720	-35.49	≤14.92	PASS
				5720~5725	-35.74	≤15.90	PASS
				5780~5650	-44.63	≤-27	PASS
	Ant2	Low	5755	5650~5700	-44.87	≤-26.94	PASS
				5700~5720	-32.73	≤15.58	PASS
				5720~5725	-32.71	≤15.90	PASS
				5780~5650	-44.58	≤-27	PASS
	Ant1	High	5795	5850~5855	-45.78	≤15.85	PASS
				5855~5875	-44.76	≤10.01	PASS
				5875~5925	-45.68	≤-26.97	PASS
				5925~5935	-45.29	≤-27	PASS
	Ant2	High	5795	5850~5855	-44.15	≤15.85	PASS
				5855~5875	-43.92	≤10.41	PASS
				5875~5925	-44.78	≤-26.79	PASS
				5925~5935	-44.3	≤-27	PASS
11AC20SISO	Ant1	Low	5745	5650~5700	-45.22	≤-26.63	PASS
				5700~5720	-44.4	≤10.75	PASS
				5720~5725	-41.72	≤17.88	PASS
				5760~5650	-43.05	≤-27	PASS
	Ant2	Low	5745	5650~5700	-44.46	≤-26.75	PASS
				5700~5720	-44.17	≤10.56	PASS
				5720~5725	-37.67	≤19.78	PASS
				5760~5650	-44.68	≤-27	PASS
	Ant1	High	5825	5850~5855	-44.09	≤16.10	PASS
				5855~5875	-44.28	≤10.46	PASS
				5875~5925	-44.71	≤-26.87	PASS
				5925~5935	-44.53	≤-27	PASS
	Ant2	High	5825	5850~5855	-41.49	≤16.99	PASS
				5855~5875	-44.52	≤10.40	PASS
				5875~5925	-44.2	≤-26.00	PASS
				5925~5935	-44.59	≤-27	PASS
11AC40	Ant1	Low	5755	5650~5700	-45.78	≤-26.36	PASS

SISO				5700~5720	-34.81	≤15.36	PASS
				5720~5725	-34.23	≤16.79	PASS
				5780~5650	-43.45	≤-27	PASS
	Ant2	Low	5755	5650~5700	-45.08	≤-26.50	PASS
				5700~5720	-33.45	≤15.53	PASS
				5720~5725	-33.36	≤16.79	PASS
				5780~5650	-43.99	≤-27	PASS
	Ant1	High	5795	5850~5855	-44.97	≤15.85	PASS
				5855~5875	-43.75	≤10.01	PASS
				5875~5925	-44.17	≤-26.26	PASS
				5925~5935	-44.34	≤-27	PASS
	Ant2	High	5795	5850~5855	-44.5	≤15.85	PASS
				5855~5875	-43.46	≤10.88	PASS
				5875~5925	-45.62	≤-26.44	PASS
				5925~5935	-44.49	≤-27	PASS
11AC80 SISO	Ant1	Low	5775	5650~5700	-45.86	≤-26.88	PASS
				5700~5720	-35.53	≤10.95	PASS
				5720~5725	-36.57	≤15.67	PASS
				5800~5650	-44.59	≤-27	PASS
		High	5775	5850~5855	-41.82	≤17.81	PASS
				5855~5875	-43.83	≤10.09	PASS
				5875~5925	-45.13	≤-26.86	PASS
				5925~5935	-44.49	≤-27	PASS
	Ant2	Low	5775	5650~5700	-45.41	≤-26.88	PASS
				5700~5720	-35.44	≤10.70	PASS
				5720~5725	-35.48	≤15.67	PASS
				5800~5650	-44.25	≤-27	PASS
		High	5775	5850~5855	-39.46	≤17.20	PASS
				5855~5875	-41.74	≤11.37	PASS
				5875~5925	-44.65	≤-26.86	PASS
				5925~5935	-43.96	≤-27	PASS
11AX20S ISO	Ant1	Low	5745	5650~5700	-45.21	≤-26.75	PASS
				5700~5720	-44.28	≤10.28	PASS
				5720~5725	-44.07	≤15.98	PASS
				5760~5650	-43.31	≤-27	PASS
	Ant2	Low	5745	5650~5700	-45.87	≤-26.88	PASS
				5700~5720	-44.22	≤10.05	PASS
				5720~5725	-41.63	≤16.36	PASS
				5760~5650	-43.99	≤-27	PASS
	Ant1	High	5825	5850~5855	-42.72	≤16.99	PASS
				5855~5875	-44.95	≤10.29	PASS
				5875~5925	-44.92	≤-26.29	PASS
				5925~5935	-44.18	≤-27	PASS
	Ant2	High	5825	5850~5855	-43.05	≤16.54	PASS
				5855~5875	-43.64	≤10.84	PASS
				5875~5925	-44.22	≤-26.15	PASS
				5925~5935	-44.02	≤-27	PASS
11AX40S ISO	Ant1	Low	5755	5650~5700	-44.38	≤-25.05	PASS
				5700~5720	-32.98	≤15.53	PASS
				5720~5725	-32.67	≤16.79	PASS
				5780~5650	-45.06	≤-27	PASS
	Ant2	Low	5755	5650~5700	-45.09	≤-26.94	PASS
				5700~5720	-35.24	≤15.14	PASS
				5720~5725	-34.43	≤16.79	PASS
				5780~5650	-44.99	≤-27	PASS
	Ant1	High	5795	5850~5855	-44.74	≤16.39	PASS
				5855~5875	-44.72	≤10.07	PASS
				5875~5925	-46.01	≤-26.97	PASS
				5925~5935	-44.97	≤-27	PASS
	Ant2	High	5795	5850~5855	-44.01	≤15.85	PASS
				5855~5875	-43.43	≤10.21	PASS
				5875~5925	-45.61	≤-26.97	PASS
				5925~5935	-44.58	≤-27	PASS
11AX80S ISO	Ant1	Low	5775	5650~5700	-44.64	≤-26.88	PASS
				5700~5720	-33.44	≤12.59	PASS
				5720~5725	-34.92	≤15.67	PASS
				5800~5650	-43.05	≤-27	PASS

		High	5775	5850~5855	-40.46	≤15.98	PASS
				5855~5875	-42.1	≤10.99	PASS
				5875~5925	-45.44	≤-26.66	PASS
				5925~5935	-44.96	≤-27	PASS
	Ant2	Low	5775	5650~5700	-45.2	≤-26.71	PASS
				5700~5720	-36.85	≤10.26	PASS
				5720~5725	-35.89	≤15.67	PASS
				5800~5650	-43.77	≤-27	PASS
		High	5775	5850~5855	-40.34	≤16.59	PASS
				5855~5875	-40.29	≤12.42	PASS
				5875~5925	-44.72	≤-26.27	PASS
				5925~5935	-44.55	≤-27	PASS

11A_Ant1_Low_5745



11A_Ant2_Low_5745



11A_Ant1_High_5825



11A_Ant2_High_5825



11N20SISO_Ant1_Low_5745



11N20SISO_Ant2_Low_5745



11N20SISO_Ant1_High_5825



11N20SISO_Ant2_High_5825



11N40SISO_Ant1_Low_5755



11N40SISO_Ant2_Low_5755



11N40SISO_Ant1_High_5795



11N40SISO_Ant2_High_5795



11AC20SISO_Ant1_Low_5745



11AC20SISO_Ant2_Low_5745



11AC20SISO_Ant1_High_5825



11AC20SISO_Ant2_High_5825



11AC40SISO_Ant1_Low_5755



11AC40SISO_Ant2_Low_5755



11AC40SISO_Ant1_High_5795



11AC40SISO_Ant2_High_5795



11AC80SISO_Ant1_Low_5775



11AC80SISO_Ant1_High_5775



11AC80SISO_Ant2_Low_5775



11AC80SISO_Ant2_High_5775



11AX20SISO_Ant1_Low_5745



11AX20SISO_Ant2_Low_5745



11AX20SISO_Ant1_High_5825



11AX20SISO_Ant2_High_5825



11AX40SISO_Ant1_Low_5755



11AX40SISO_Ant2_Low_5755



11AX40SISO_Ant1_High_5795



11AX40SISO_Ant2_High_5795



11AX80SISO_Ant1_Low_5775



11AX80SISO_Ant1_High_5775



Date: 17.DEC.2024 14:57:17

11AX80SISO_Ant2_Low_5775



Date: 17.DEC.2024 15:57:38

11AX80SISO_Ant2_High_5775



Date: 17.DEC.2024 15:58:01

ABOVE 1000 MHz

Note: All the modes have been tested and recorded worst mode in the report.

UNII-1

TX AX20 MIMO Channel 36 / 5180 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10652	H	42.97	---	9.03	52.00	---	74	54	-22.00
15525	H	39.98	---	9.87	49.85	---	74	54	-24.15
---	H	---	---	---	---	---	---	---	---
10652	V	44.41	---	9.03	53.44	---	74	54	-20.56
15542	V	39.66	---	9.88	49.54	---	74	54	-24.46
---	V	---	---	---	---	---	---	---	---
TX AX20 MIMO Channel 40 / 5200 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10669	H	44.42	---	9.09	53.51	---	74	54	-20.49
15601	H	43.92	---	9.91	53.83	---	74	54	-20.17
---	H	---	---	---	---	---	---	---	---
10668	V	44.71	---	9.09	53.80	---	74	54	-20.20
15601	V	41.82	---	9.91	51.73	---	74	54	-22.27
---	V	---	---	---	---	---	---	---	---
TX AX20 MIMO Channel 48 / 5240 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10760	H	44.25	---	9.24	53.49	---	74	54	-20.51
15725	H	43.75	---	10.01	53.76	---	74	54	-20.24
---	H	---	---	---	---	---	---	---	---
10759	V	44.60	---	9.24	53.84	---	74	54	-20.16
15725	V	43.46	---	10.01	53.47	---	74	54	-20.53
---	V	---	---	---	---	---	---	---	---

UNII-2A

TX AC20 MIMO Channel 52 / 5260 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10985	H	44.06	---	9.44	53.50	---	74	54	-20.50
15783	H	43.68	---	10.12	53.80	---	74	54	-20.20
---	H	---	---	---	---	---	---	---	---
10989	V	43.06	---	9.46	52.52	---	74	54	-21.48
15788	V	42.90	---	10.13	53.03	---	74	54	-20.97
---	V	---	---	---	---	---	---	---	---
TX AC20 MIMO Channel 56 / 5280 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11251	H	43.00	---	9.51	52.51	---	74	54	-21.49
15845	H	43.22	---	10.51	53.73	---	74	54	-20.27
---	H	---	---	---	---	---	---	---	---
11250	V	43.41	---	9.51	52.92	---	74	54	-21.08
15849	V	43.18	---	10.49	53.67	---	74	54	-20.33
---	V	---	---	---	---	---	---	---	---
TX AC20 MIMO Channel 64 / 5320 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11643	H	41.90	---	9.63	51.53	---	74	54	-22.47
15961	H	41.86	---	11.25	53.11	---	74	54	-20.89
---	H	---	---	---	---	---	---	---	---
11641	V	43.59	---	9.63	53.22	---	74	54	-20.78
15958	V	42.52	---	11.23	53.75	---	74	54	-20.25
---	V	---	---	---	---	---	---	---	---

UNII-2C

TX AC20 MIMO Channel 100 / 5500 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10658	H	43.70	---	9.15	52.85	---	74	54	-21.15
15798	H	43.05	---	10.25	53.30	---	74	54	-20.70
---	H	---	---	---	---	---	---	---	---
10759	V	42.65	---	9.99	52.64	---	74	54	-21.36
15839	V	42.37	---	10.95	53.32	---	74	54	-20.68
---	V	---	---	---	---	---	---	---	---
TX AC20 MIMO Channel 116 / 5580 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10798	H	40.39	---	10.01	50.40	---	74	54	-23.60
15905	H	41.64	---	10.79	52.43	---	74	54	-21.57
---	H	---	---	---	---	---	---	---	---
10966	V	43.27	---	10.05	53.32	---	74	54	-20.68
15995	V	40.76	---	11.93	52.69	---	74	54	-21.31
---	V	---	---	---	---	---	---	---	---
TX AC20 MIMO Channel 140 / 5700 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
10788	H	42.88	---	10.00	52.88	---	74	54	-21.12
16116	H	40.44	---	12.04	52.48	---	74	54	-21.52
---	H	---	---	---	---	---	---	---	---
10855	V	42.72	---	10.12	52.84	---	74	54	-21.16
16016	V	41.66	---	11.32	52.98	---	74	54	-21.02
---	V	---	---	---	---	---	---	---	---

UNII-3

TX AC20 MIMO Channel 149 / 5745 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11727	H	43.62	---	9.81	53.43	---	74	54	-20.57
17739	H	41.03	---	12.96	53.99	---	74	54	-20.01
---	H	---	---	---	---	---	---	---	---
11726	V	43.00	---	9.81	52.81	---	74	54	-21.19
17738	V	40.71	---	12.95	53.66	---	74	54	-20.34
---	V	---	---	---	---	---	---	---	---
TX AC20 MIMO Channel 153 / 5765 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11837	H	43.96	---	9.91	53.87	---	74	54	-20.13
18126	H	39.86	---	13.21	53.07	---	74	54	-20.93
---	H	---	---	---	---	---	---	---	---
11849	V	43.96	---	9.92	53.88	---	74	54	-20.12
18356	V	40.27	---	13.22	53.49	---	74	54	-20.51
---	V	---	---	---	---	---	---	---	---
TX AC20 MIMO Channel 165/ 5825 MHz									
Frequency	Ant.Pol. H/V	Peak reading (dBuV)	AV reading (dBuV)	Correction Factor	Emission Level		Peak Limit (dBuV/m)	AV Limit (dBuV/m)	Margin (dB)
					Peak (dBuV/m)	AV (dBuV/m)			
11906	H	43.91	---	10.01	53.92	---	74	54	-20.08
18254	H	38.88	---	14.01	52.89	---	74	54	-21.11
---	H	---	---	---	---	---	---	---	---
11932	V	43.01	---	9.98	52.99	---	74	54	-21.01
18298	V	39.32	---	13.99	53.31	---	74	54	-20.69
---	V	---	---	---	---	---	---	---	---

Notes:

1). Radiated emissions measured in frequency range from 9 KHz~10th harmonic or 40GHz (which is less) were made with an instrument using Peak detector mode.

2). Data of measurement within this frequency range shown "---" in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.

3). Measured Level = Reading Level + Factor, Margin = Measured Level – Limit

APPENDIXE -BANDWIDTH

TestMode	Antenna	Freq(MHz)	26db EBW [MHz]	FL[MHz]	FH[MHz]
11A	Ant1	5180	20.00	5170.04	5190.04
	Ant2	5180	19.68	5170.16	5189.84
	Ant1	5200	19.72	5190.12	5209.84
	Ant2	5200	19.76	5190.08	5209.84
	Ant1	5240	19.84	5230.12	5249.96
	Ant2	5240	19.84	5229.96	5249.80
	Ant1	5260	19.88	5250.16	5270.04
	Ant2	5260	19.76	5250.12	5269.88
	Ant1	5280	19.76	5270.12	5289.88
	Ant2	5280	19.72	5270.20	5289.92
	Ant1	5320	19.92	5310.08	5330.00
	Ant2	5320	19.60	5310.16	5329.76
	Ant1	5500	19.96	5489.96	5509.92
	Ant2	5500	19.92	5490.04	5509.96
	Ant1	5580	19.68	5570.16	5589.84
	Ant2	5580	19.80	5570.00	5589.80
	Ant1	5700	19.72	5690.16	5709.88
	Ant2	5700	19.88	5690.04	5709.92
	Ant1	5745	19.80	5735.04	5754.84
	Ant2	5745	19.96	5735.08	5755.04
	Ant1	5785	20.04	5774.80	5794.84
	Ant2	5785	19.72	5775.16	5794.88
	Ant1	5825	20.00	5815.04	5835.04
	Ant2	5825	19.96	5814.96	5834.92
11N20MIMO	Ant1	5180	19.96	5170.00	5189.96
	Ant2	5180	19.96	5169.92	5189.88
	Ant1	5200	19.92	5189.96	5209.88
	Ant2	5200	20.04	5189.96	5210.00
	Ant1	5240	19.80	5230.16	5249.96
	Ant2	5240	19.92	5230.04	5249.96
	Ant1	5260	20.00	5250.04	5270.04
	Ant2	5260	19.92	5250.04	5269.96
	Ant1	5300	20.00	5290.12	5310.12
	Ant2	5300	20.16	5289.96	5310.12
	Ant1	5320	19.84	5310.12	5329.96
	Ant2	5320	19.80	5310.08	5329.88
	Ant1	5500	19.84	5489.96	5509.80
	Ant2	5500	20.04	5489.88	5509.92
	Ant1	5600	19.88	5590.00	5609.88
	Ant2	5600	20.12	5589.92	5610.04
	Ant1	5700	19.96	5689.92	5709.88
	Ant2	5700	19.92	5690.00	5709.92
	Ant1	5745	20.04	5735.00	5755.04
	Ant2	5745	20.00	5735.08	5755.08
	Ant1	5785	20.08	5774.92	5795.00
	Ant2	5785	19.96	5774.96	5794.92
	Ant1	5825	20.00	5815.00	5835.00
	Ant2	5825	20.00	5815.00	5835.00
11N40MIMO	Ant1	5190	40.16	5169.92	5210.08
	Ant2	5190	40.16	5170.08	5210.24
	Ant1	5230	40.40	5209.84	5250.24
	Ant2	5230	40.16	5209.84	5250.00
	Ant1	5270	40.08	5250.08	5290.16
	Ant2	5270	40.40	5249.84	5290.24
	Ant1	5310	40.32	5289.76	5330.08
	Ant2	5310	40.16	5289.92	5330.08
	Ant1	5510	40.80	5489.52	5530.32
	Ant2	5510	40.00	5490.08	5530.08
	Ant1	5590	40.24	5569.92	5610.16
	Ant2	5590	40.32	5569.60	5609.92
	Ant1	5670	39.60	5650.16	5689.76

	Ant2	5670	40.48	5649.60	5690.08
	Ant1	5755	40.40	5734.84	5775.24
	Ant2	5755	40.72	5734.28	5775.00
	Ant1	5795	40.56	5774.76	5815.32
	Ant2	5795	40.08	5775.00	5815.08
11AC20MIMO	Ant1	5180	19.92	5170.04	5189.96
	Ant2	5180	20.08	5169.96	5190.04
	Ant1	5200	20.12	5189.88	5210.00
	Ant2	5200	19.84	5190.08	5209.92
	Ant1	5240	20.04	5230.04	5250.08
	Ant2	5240	19.88	5229.96	5249.84
	Ant1	5260	19.88	5250.04	5269.92
	Ant2	5260	20.08	5249.92	5270.00
	Ant1	5300	20.16	5289.96	5310.12
	Ant2	5300	19.92	5290.04	5309.96
	Ant1	5320	20.04	5310.04	5330.08
	Ant2	5320	20.04	5309.88	5329.92
	Ant1	5500	19.92	5489.96	5509.88
	Ant2	5500	19.84	5490.04	5509.88
	Ant1	5600	19.88	5590.04	5609.92
	Ant2	5600	19.92	5589.96	5609.88
	Ant1	5700	19.96	5690.00	5709.96
	Ant2	5700	19.80	5690.04	5709.84
	Ant1	5745	19.92	5735.08	5755.00
	Ant2	5745	20.20	5734.80	5755.00
	Ant1	5785	20.12	5774.96	5795.08
	Ant2	5785	20.12	5775.00	5795.12
	Ant1	5825	20.00	5815.00	5835.00
	Ant2	5825	20.00	5814.88	5834.88
11AC40MIMO	Ant1	5190	40.16	5170.00	5210.16
	Ant2	5190	39.84	5170.16	5210.00
	Ant1	5230	40.24	5210.00	5250.24
	Ant2	5230	40.00	5210.00	5250.00
	Ant1	5270	40.24	5249.92	5290.16
	Ant2	5270	40.24	5249.84	5290.08
	Ant1	5310	40.32	5289.68	5330.00
	Ant2	5310	40.08	5289.84	5329.92
	Ant1	5510	40.48	5489.52	5530.00
	Ant2	5510	40.08	5489.92	5530.00
	Ant1	5590	40.08	5569.60	5609.68
	Ant2	5590	40.64	5569.52	5610.16
	Ant1	5670	40.24	5649.84	5690.08
	Ant2	5670	40.00	5650.08	5690.08
	Ant1	5755	40.48	5734.76	5775.24
	Ant2	5755	40.56	5734.68	5775.24
	Ant1	5795	40.40	5774.68	5815.08
	Ant2	5795	40.08	5775.00	5815.08
11AC80MIMO	Ant1	5210	81.44	5169.20	5250.64
	Ant2	5210	80.64	5170.00	5250.64
	Ant1	5290	80.00	5250.00	5330.00
	Ant2	5290	80.48	5250.16	5330.64
	Ant1	5530	80.00	5490.16	5570.16
	Ant2	5530	80.96	5489.04	5570.00
	Ant1	5610	80.00	5569.84	5649.84
	Ant2	5610	79.84	5569.84	5649.68
	Ant1	5775	81.76	5734.20	5815.96
	Ant2	5775	80.80	5734.36	5815.16
11AX20MIMO	Ant1	5180	20.04	5170.08	5190.12
	Ant2	5180	19.84	5170.08	5189.92
	Ant1	5200	19.92	5190.08	5210.00
	Ant2	5200	20.12	5189.80	5209.92
	Ant1	5240	19.96	5229.92	5249.88
	Ant2	5240	20.08	5229.92	5250.00
	Ant1	5260	20.04	5250.08	5270.12
	Ant2	5260	19.84	5250.04	5269.88
	Ant1	5300	19.88	5289.92	5309.80
	Ant2	5300	20.04	5290.08	5310.12

	Ant1	5320	20.04	5309.92	5329.96
	Ant2	5320	20.00	5309.96	5329.96
	Ant1	5500	19.96	5490.04	5510.00
	Ant2	5500	19.96	5490.04	5510.00
	Ant1	5600	19.96	5590.00	5609.96
	Ant2	5600	20.12	5589.92	5610.04
	Ant1	5700	19.84	5690.08	5709.92
	Ant2	5700	19.84	5690.04	5709.88
	Ant1	5745	19.92	5735.16	5755.08
	Ant2	5745	20.00	5734.96	5754.96
	Ant1	5785	20.04	5774.96	5795.00
	Ant2	5785	19.84	5775.08	5794.92
	Ant1	5825	20.08	5815.00	5835.08
	Ant2	5825	19.84	5815.16	5835.00
11AX40MIMO	Ant1	5190	40.08	5170.08	5210.16
	Ant2	5190	40.16	5169.92	5210.08
	Ant1	5230	40.56	5209.68	5250.24
	Ant2	5230	39.60	5210.32	5249.92
	Ant1	5270	39.84	5250.16	5290.00
	Ant2	5270	40.80	5249.60	5290.40
	Ant1	5310	40.56	5289.52	5330.08
	Ant2	5310	39.84	5290.08	5329.92
	Ant1	5510	40.24	5489.92	5530.16
	Ant2	5510	40.32	5489.76	5530.08
	Ant1	5590	39.92	5569.84	5609.76
	Ant2	5590	40.32	5569.84	5610.16
	Ant1	5670	40.40	5649.84	5690.24
	Ant2	5670	40.24	5649.76	5690.00
	Ant1	5755	39.76	5735.08	5774.84
	Ant2	5755	40.24	5735.00	5775.24
	Ant1	5795	40.32	5774.84	5815.16
	Ant2	5795	40.00	5775.16	5815.16
11AX80MIMO	Ant1	5210	80.96	5169.20	5250.16
	Ant2	5210	80.32	5169.84	5250.16
	Ant1	5290	80.96	5249.04	5330.00
	Ant2	5290	79.84	5250.00	5329.84
	Ant1	5530	79.68	5490.00	5569.68
	Ant2	5530	80.80	5489.04	5569.84
	Ant1	5610	81.12	5568.88	5650.00
	Ant2	5610	80.80	5569.20	5650.00
	Ant1	5775	80.80	5734.36	5815.16
	Ant2	5775	81.44	5734.36	5815.80

11A_Ant1_5180



Date: 20.OCT.2024 17:29:43

11A_Ant2_5180



Date: 22.OCT.2024 17:34:11

11A_Ant1_5200



Date: 20.OCT.2024 17:35:44

11A_Ant2_5200



Date: 23.OCT.2024 09:14:26

11A_Ant1_5240



Date: 20.OCT.2024 17:40:25

11A_Ant2_5240



Date: 23.OCT.2024 09:20:14

11A_Ant1_5260