



Band2-9400-3-1000~3000MHz




Band2-9400-3-30~1000MHz




Band2-9400-3-10000~20000MHz



Band2-9400-3-3000~10000MHz




Band2-9400-3-0.15~30MHz



Band2-9400-3-0.009~0.15MHz




Band2-9400-4-0.15~30MHz




Band2-9400-4-10000~20000MHz



Band2-9400-4-3000~10000MHz




Band2-9400-4-30~1000MHz



Band2-9400-4-0.009~0.15MHz




Band2-9400-4-1000~3000MHz




Band2-9400-5-10000~20000MHz




Band2-9400-5-0.15~30MHz



Band2-9400-5-30~1000MHz



Band2-9400-5-1000~3000MHz



Band2-9400-5-3000~10000MHz




Band2-9400-5-0.009~0.15MHz




Band2-9538-1-0.009~0.15MHz




Band2-9538-1-0.15~30MHz




Band2-9538-1-30~1000MHz




Band2-9538-1-1000~3000MHz



Band2-9538-1-3000~10000MHz




Band2-9538-1-10000~20000MHz




Band2-9538-2-0.009~0.15MHz




Band2-9538-2-3000~10000MHz




Band2-9538-2-1000~3000MHz



Band2-9538-2-30~1000MHz




Band2-9538-2-0.15~30MHz



Band2-9538-2-10000~20000MHz




Band2-9538-3-1000~3000MHz




Band2-9538-3-0.009~0.15MHz




Band2-9538-3-3000~10000MHz




Band2-9538-3-10000~20000MHz



Band2-9538-3-0.15~30MHz



Band2-9538-3-30~1000MHz




Band2-9538-4-0.009~0.15MHz




Band2-9538-4-10000~20000MHz




Band2-9538-4-3000~10000MHz




Band2-9538-4-1000~3000MHz



Band2-9538-4-0.15~30MHz



Band2-9538-4-30~1000MHz




Band2-9538-5-10000~20000MHz




Band2-9538-5-0.009~0.15MHz




Band2-9538-5-0.15~30MHz




Band2-9538-5-30~1000MHz




Band2-9538-5-1000~3000MHz




Band2-9538-5-3000~10000MHz




Band5-4132-1-0.15~30MHz




Band5-4132-1-30~1000MHz




Band5-4132-1-1000~3000MHz



Band5-4132-1-3000~10000MHz




Band5-4132-1-10000~18000MHz




Band5-4132-1-0.009~0.15MHz




Band5-4132-2-1000~3000MHz




Band5-4132-2-3000~10000MHz



Band5-4132-2-30~1000MHz




Band5-4132-2-0.15~30MHz




Band5-4132-2-0.009~0.15MHz




Band5-4132-2-10000~18000MHz




Band5-4132-3-10000~18000MHz



Band5-4132-3-0.15~30MHz




Band5-4132-3-30~1000MHz




Band5-4132-3-0.009~0.15MHz



Band5-4132-3-3000~10000MHz




Band5-4132-3-1000~3000MHz




Band5-4132-4-0.009~0.15MHz




Band5-4132-4-0.15~30MHz




Band5-4132-4-30~1000MHz




Band5-4132-4-1000~3000MHz



Band5-4132-4-3000~10000MHz




Band5-4132-4-10000~18000MHz




Band5-4132-5-1000~3000MHz



Band5-4132-5-10000~18000MHz




Band5-4132-5-3000~10000MHz




Band5-4132-5-0.009~0.15MHz




Band5-4132-5-30~1000MHz



Band5-4132-5-0.15~30MHz




Band5-4183-1-0.15~30MHz




Band5-4183-1-0.009~0.15MHz




Band5-4183-1-30~1000MHz




Band5-4183-1-1000~3000MHz




Band5-4183-1-3000~10000MHz




Band5-4183-1-10000~18000MHz




Band5-4183-2-1000~3000MHz




Band5-4183-2-3000~10000MHz



Band5-4183-2-30~1000MHz




Band5-4183-2-0.15~30MHz




Band5-4183-2-0.009~0.15MHz




Band5-4183-2-10000~18000MHz




Band5-4183-3-1000~3000MHz




Band5-4183-3-10000~18000MHz



Band5-4183-3-30~1000MHz




Band5-4183-3-0.15~30MHz




Band5-4183-3-0.009~0.15MHz




Band5-4183-3-3000~10000MHz




Band5-4183-4-0.15~30MHz




Band5-4183-4-10000~18000MHz



Band5-4183-4-3000~10000MHz




Band5-4183-4-30~1000MHz




Band5-4183-4-0.009~0.15MHz




Band5-4183-4-1000~3000MHz




Band5-4183-5-10000~18000MHz



Band5-4183-5-0.15~30MHz




Band5-4183-5-30~1000MHz



Band5-4183-5-1000~3000MHz




Band5-4183-5-3000~10000MHz




Band5-4183-5-0.009~0.15MHz




Band5-4233-1-0.009~0.15MHz




Band5-4233-1-0.15~30MHz




Band5-4233-1-30~1000MHz




Band5-4233-1-1000~3000MHz



Band5-4233-1-3000~10000MHz




Band5-4233-1-10000~18000MHz




Band5-4233-2-1000~3000MHz




Band5-4233-2-10000~18000MHz




Band5-4233-2-3000~10000MHz



Band5-4233-2-30~1000MHz




Band5-4233-2-0.15~30MHz




Band5-4233-2-0.009~0.15MHz



Band5-4233-3-3000~10000MHz




Band5-4233-3-0.15~30MHz




Band5-4233-3-10000~18000MHz



Band5-4233-3-30~1000MHz




Band5-4233-3-1000~3000MHz




Band5-4233-3-0.009~0.15MHz




Band5-4233-4-0.009~0.15MHz



Band5-4233-4-10000~18000MHz




Band5-4233-4-3000~10000MHz




Band5-4233-4-1000~3000MHz




Band5-4233-4-0.15~30MHz



Band5-4233-4-30~1000MHz




Band5-4233-5-10000~18000MHz




Band5-4233-5-0.009~0.15MHz



Band5-4233-5-0.15~30MHz




Band5-4233-5-30~1000MHz



Band5-4233-5-1000~3000MHz



Band5-4233-5-3000~10000MHz



Appendix F: Frequency Stability

Test Result

RMC

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VL	NT	6.39	0.003450	within the authorized frequency block.	PASS
Band2	9262	VN	NT	5.51	0.002975		PASS
Band2	9262	VH	NT	7.30	0.003941		PASS
Band2	9400	VL	NT	0.72	0.000383		PASS
Band2	9400	VN	NT	0.54	0.000287		PASS
Band2	9400	VH	NT	0.79	0.000420		PASS
Band2	9538	VL	NT	-4.16	-0.002181		PASS
Band2	9538	VN	NT	-4.53	-0.002375		PASS
Band2	9538	VH	NT	-3.99	-0.002092		PASS
Band5	4132	VL	NT	-2.40	-0.002904	±2.5	PASS
Band5	4132	VN	NT	-2.22	-0.002686	±2.5	PASS
Band5	4132	VH	NT	-2.06	-0.002493	±2.5	PASS
Band5	4183	VL	NT	-3.87	-0.004626	±2.5	PASS
Band5	4183	VN	NT	-3.65	-0.004363	±2.5	PASS
Band5	4183	VH	NT	-3.53	-0.004219	±2.5	PASS
Band5	4233	VL	NT	-1.71	-0.002020	±2.5	PASS
Band5	4233	VN	NT	-1.80	-0.002126	±2.5	PASS
Band5	4233	VH	NT	-1.83	-0.002162	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	8.29	0.004475	within the authorized frequency block.	PASS
Band2	9262	NV	-20	8.40	0.004535		PASS
Band2	9262	NV	-10	9.06	0.004891		PASS
Band2	9262	NV	0	9.01	0.004864		PASS
Band2	9262	NV	10	9.29	0.005015		PASS
Band2	9262	NV	20	9.19	0.004961		PASS
Band2	9262	NV	30	9.80	0.005290		PASS
Band2	9262	NV	40	9.68	0.005226		PASS
Band2	9262	NV	50	9.71	0.005242		PASS
Band2	9400	NV	-30	0.64	0.000340		PASS
Band2	9400	NV	-20	0.64	0.000340		PASS
Band2	9400	NV	-10	0.81	0.000431		PASS
Band2	9400	NV	0	0.89	0.000473		PASS

Band2	9400	NV	10	1.21	0.000644	within the authorized frequency block	PASS
Band2	9400	NV	20	0.81	0.000431		PASS
Band2	9400	NV	30	1.05	0.000559		PASS
Band2	9400	NV	40	1.09	0.000580		PASS
Band2	9400	NV	50	0.76	0.000404		PASS
Band2	9538	NV	-30	-3.31	-0.001735		PASS
Band2	9538	NV	-20	-2.56	-0.001342		PASS
Band2	9538	NV	-10	-2.87	-0.001505		PASS
Band2	9538	NV	0	-2.22	-0.001164		PASS
Band2	9538	NV	10	-2.17	-0.001138		PASS
Band2	9538	NV	20	-1.84	-0.000965		PASS
Band2	9538	NV	30	-1.28	-0.000671		PASS
Band2	9538	NV	40	-1.27	-0.000666		PASS
Band2	9538	NV	50	-0.96	-0.000503		PASS
Band5	4132	NV	-30	-2.32	-0.002807	±2.5	PASS
Band5	4132	NV	-20	-2.51	-0.003037	±2.5	PASS
Band5	4132	NV	-10	-2.73	-0.003303	±2.5	PASS
Band5	4132	NV	0	-2.48	-0.003001	±2.5	PASS
Band5	4132	NV	10	-2.30	-0.002783	±2.5	PASS
Band5	4132	NV	20	-2.62	-0.003170	±2.5	PASS
Band5	4132	NV	30	-2.50	-0.003025	±2.5	PASS
Band5	4132	NV	40	-2.47	-0.002989	±2.5	PASS
Band5	4132	NV	50	-2.41	-0.002916	±2.5	PASS
Band5	4183	NV	-30	-3.46	-0.004136	±2.5	PASS
Band5	4183	NV	-20	-3.96	-0.004733	±2.5	PASS
Band5	4183	NV	-10	-3.68	-0.004399	±2.5	PASS
Band5	4183	NV	0	-3.91	-0.004674	±2.5	PASS
Band5	4183	NV	10	-3.81	-0.004554	±2.5	PASS
Band5	4183	NV	20	-3.98	-0.004757	±2.5	PASS
Band5	4183	NV	30	-3.73	-0.004459	±2.5	PASS
Band5	4183	NV	40	-3.58	-0.004279	±2.5	PASS
Band5	4183	NV	50	-3.65	-0.004363	±2.5	PASS
Band5	4233	NV	-30	-1.59	-0.001878	±2.5	PASS
Band5	4233	NV	-20	-1.77	-0.002091	±2.5	PASS
Band5	4233	NV	-10	-1.77	-0.002091	±2.5	PASS
Band5	4233	NV	0	-1.60	-0.001890	±2.5	PASS
Band5	4233	NV	10	-1.77	-0.002091	±2.5	PASS
Band5	4233	NV	20	-1.77	-0.002091	±2.5	PASS
Band5	4233	NV	30	0.19	0.000224	±2.5	PASS
Band5	4233	NV	40	-1.39	-0.001642	±2.5	PASS
Band5	4233	NV	50	-1.76	-0.002079	±2.5	PASS

HSDPA

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	-5.97	-0.003223	within the authorized frequency block.	PASS
Band2	9262	1	VN	NT	-5.91	-0.003190		PASS
Band2	9262	1	VH	NT	-5.57	-0.003007		PASS
Band2	9262	2	VL	NT	-4.78	-0.002580		PASS
Band2	9262	2	VN	NT	-3.80	-0.002051		PASS
Band2	9262	2	VH	NT	-3.81	-0.002057		PASS
Band2	9262	3	VL	NT	-3.28	-0.001771		PASS
Band2	9262	3	VN	NT	-3.25	-0.001754		PASS
Band2	9262	3	VH	NT	-3.40	-0.001835		PASS
Band2	9262	4	VL	NT	-3.13	-0.001690		PASS
Band2	9262	4	VN	NT	-3.25	-0.001754		PASS
Band2	9262	4	VH	NT	-3.02	-0.001630		PASS
Band2	9400	1	VL	NT	-2.10	-0.001117		PASS
Band2	9400	1	VN	NT	-1.98	-0.001053		PASS
Band2	9400	1	VH	NT	-2.90	-0.001543		PASS
Band2	9400	2	VL	NT	-1.78	-0.000947		PASS
Band2	9400	2	VN	NT	-2.01	-0.001069		PASS
Band2	9400	2	VH	NT	-2.08	-0.001106		PASS
Band2	9400	3	VL	NT	-1.67	-0.000888		PASS
Band2	9400	3	VN	NT	-1.92	-0.001021		PASS
Band2	9400	3	VH	NT	-1.63	-0.000867		PASS
Band2	9400	4	VL	NT	-2.77	-0.001473		PASS
Band2	9400	4	VN	NT	-2.02	-0.001074		PASS
Band2	9400	4	VH	NT	-2.79	-0.001484		PASS
Band2	9538	1	VL	NT	-1.62	-0.000849		PASS
Band2	9538	1	VN	NT	-1.57	-0.000823		PASS
Band2	9538	1	VH	NT	-1.60	-0.000839		PASS
Band2	9538	2	VL	NT	-1.44	-0.000755		PASS
Band2	9538	2	VN	NT	-2.38	-0.001248		PASS
Band2	9538	2	VH	NT	-1.87	-0.000980		PASS
Band2	9538	3	VL	NT	-1.09	-0.000571		PASS
Band2	9538	3	VN	NT	-1.15	-0.000603		PASS
Band2	9538	3	VH	NT	-0.92	-0.000482		PASS
Band2	9538	4	VL	NT	-0.77	-0.000404		PASS
Band2	9538	4	VN	NT	-1.60	-0.000839		PASS
Band2	9538	4	VH	NT	-0.94	-0.000493		PASS
Band5	4132	1	VL	NT	-4.16	-0.005034	±2.5	PASS
Band5	4132	1	VN	NT	-2.16	-0.002614	±2.5	PASS

Band5	4132	1	VH	NT	-1.67	-0.002021	±2.5	PASS
Band5	4132	2	VL	NT	-2.16	-0.002614	±2.5	PASS
Band5	4132	2	VN	NT	-2.02	-0.002444	±2.5	PASS
Band5	4132	2	VH	NT	-1.86	-0.002251	±2.5	PASS
Band5	4132	3	VL	NT	-1.76	-0.002130	±2.5	PASS
Band5	4132	3	VN	NT	-1.75	-0.002118	±2.5	PASS
Band5	4132	3	VH	NT	-1.86	-0.002251	±2.5	PASS
Band5	4132	4	VL	NT	-9.23	-0.011169	±2.5	PASS
Band5	4132	4	VN	NT	-4.56	-0.005518	±2.5	PASS
Band5	4132	4	VH	NT	-2.70	-0.003267	±2.5	PASS
Band5	4183	1	VL	NT	-1.56	-0.001865	±2.5	PASS
Band5	4183	1	VN	NT	-1.80	-0.002152	±2.5	PASS
Band5	4183	1	VH	NT	-1.92	-0.002295	±2.5	PASS
Band5	4183	2	VL	NT	-1.46	-0.001745	±2.5	PASS
Band5	4183	2	VN	NT	-1.15	-0.001375	±2.5	PASS
Band5	4183	2	VH	NT	-1.87	-0.002235	±2.5	PASS
Band5	4183	3	VL	NT	-1.85	-0.002211	±2.5	PASS
Band5	4183	3	VN	NT	-1.98	-0.002367	±2.5	PASS
Band5	4183	3	VH	NT	-2.00	-0.002391	±2.5	PASS
Band5	4183	4	VL	NT	-6.42	-0.007674	±2.5	PASS
Band5	4183	4	VN	NT	-2.05	-0.002450	±2.5	PASS
Band5	4183	4	VH	NT	-1.82	-0.002175	±2.5	PASS
Band5	4233	1	VL	NT	-1.80	-0.002126	±2.5	PASS
Band5	4233	1	VN	NT	-1.75	-0.002067	±2.5	PASS
Band5	4233	1	VH	NT	-1.90	-0.002244	±2.5	PASS
Band5	4233	2	VL	NT	-2.00	-0.002362	±2.5	PASS
Band5	4233	2	VN	NT	-1.80	-0.002126	±2.5	PASS
Band5	4233	2	VH	NT	-1.79	-0.002114	±2.5	PASS
Band5	4233	3	VL	NT	-1.86	-0.002197	±2.5	PASS
Band5	4233	3	VN	NT	-1.29	-0.001524	±2.5	PASS
Band5	4233	3	VH	NT	-1.90	-0.002244	±2.5	PASS
Band5	4233	4	VL	NT	-1.75	-0.002067	±2.5	PASS
Band5	4233	4	VN	NT	-1.89	-0.002232	±2.5	PASS
Band5	4233	4	VH	NT	-2.15	-0.002540	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-5.46	-0.002948	within the authorized frequency block.	PASS
Band2	9262	1	NV	-20	-5.75	-0.003104		PASS
Band2	9262	1	NV	-10	-5.51	-0.002975		PASS
Band2	9262	1	NV	0	-5.14	-0.002775		PASS
Band2	9262	1	NV	10	-4.94	-0.002667		PASS
Band2	9262	1	NV	20	-5.29	-0.002856		PASS
Band2	9262	1	NV	30	-4.22	-0.002278		PASS
Band2	9262	1	NV	40	-4.06	-0.002192		PASS
Band2	9262	1	NV	50	-4.17	-0.002251		PASS
Band2	9262	2	NV	-30	-2.98	-0.001609		PASS
Band2	9262	2	NV	-20	-3.57	-0.001927		PASS
Band2	9262	2	NV	-10	-3.52	-0.001900		PASS
Band2	9262	2	NV	0	-3.33	-0.001798		PASS
Band2	9262	2	NV	10	-3.66	-0.001976		PASS
Band2	9262	2	NV	20	-2.58	-0.001393		PASS
Band2	9262	2	NV	30	-3.88	-0.002095		PASS
Band2	9262	2	NV	40	-3.67	-0.001981		PASS
Band2	9262	2	NV	50	-2.62	-0.001414		PASS
Band2	9262	3	NV	-30	-2.84	-0.001533		PASS
Band2	9262	3	NV	-20	-2.43	-0.001312		PASS
Band2	9262	3	NV	-10	-3.10	-0.001674		PASS
Band2	9262	3	NV	0	-3.18	-0.001717		PASS
Band2	9262	3	NV	10	-3.00	-0.001620		PASS
Band2	9262	3	NV	20	-2.78	-0.001501		PASS
Band2	9262	3	NV	30	-3.45	-0.001862		PASS
Band2	9262	3	NV	40	-2.81	-0.001517		PASS
Band2	9262	3	NV	50	-3.14	-0.001695		PASS
Band2	9262	4	NV	-30	-2.41	-0.001301		PASS
Band2	9262	4	NV	-20	-2.03	-0.001096		PASS
Band2	9262	4	NV	-10	-2.06	-0.001112		PASS
Band2	9262	4	NV	0	-3.15	-0.001700		PASS
Band2	9262	4	NV	10	-2.02	-0.001090		PASS
Band2	9262	4	NV	20	-2.53	-0.001366		PASS
Band2	9262	4	NV	30	-2.65	-0.001431		PASS
Band2	9262	4	NV	40	-2.72	-0.001468		PASS
Band2	9262	4	NV	50	-2.06	-0.001112		PASS
Band2	9400	1	NV	-30	-2.55	-0.001356		PASS
Band2	9400	1	NV	-20	-2.35	-0.001250		PASS
Band2	9400	1	NV	-10	-1.92	-0.001021		PASS

Band2	9400	1	NV	0	-1.74	-0.000926	within the authorized frequency block.	PASS
Band2	9400	1	NV	10	-1.94	-0.001032		PASS
Band2	9400	1	NV	20	-2.34	-0.001245		PASS
Band2	9400	1	NV	30	-2.35	-0.001250		PASS
Band2	9400	1	NV	40	-1.63	-0.000867		PASS
Band2	9400	1	NV	50	-1.79	-0.000952		PASS
Band2	9400	2	NV	-30	-1.35	-0.000718		PASS
Band2	9400	2	NV	-20	-1.54	-0.000819		PASS
Band2	9400	2	NV	-10	-1.49	-0.000793		PASS
Band2	9400	2	NV	0	-1.04	-0.000553		PASS
Band2	9400	2	NV	10	-2.19	-0.001165		PASS
Band2	9400	2	NV	20	-1.32	-0.000702		PASS
Band2	9400	2	NV	30	-1.60	-0.000851		PASS
Band2	9400	2	NV	40	-1.67	-0.000888		PASS
Band2	9400	2	NV	50	-0.84	-0.000447		PASS
Band2	9400	3	NV	-30	-2.03	-0.001080		PASS
Band2	9400	3	NV	-20	-0.78	-0.000415		PASS
Band2	9400	3	NV	-10	-1.73	-0.000920		PASS
Band2	9400	3	NV	0	-1.29	-0.000686		PASS
Band2	9400	3	NV	10	-2.43	-0.001293		PASS
Band2	9400	3	NV	20	-2.90	-0.001543		PASS
Band2	9400	3	NV	30	-2.45	-0.001303		PASS
Band2	9400	3	NV	40	-2.15	-0.001144		PASS
Band2	9400	3	NV	50	-2.50	-0.001330		PASS
Band2	9400	4	NV	-30	-2.85	-0.001516		PASS
Band2	9400	4	NV	-20	-2.50	-0.001330		PASS
Band2	9400	4	NV	-10	-2.38	-0.001266		PASS
Band2	9400	4	NV	0	-2.11	-0.001122		PASS
Band2	9400	4	NV	10	-2.02	-0.001074		PASS
Band2	9400	4	NV	20	-2.64	-0.001404		PASS
Band2	9400	4	NV	30	-1.90	-0.001011		PASS
Band2	9400	4	NV	40	-1.33	-0.000707		PASS
Band2	9400	4	NV	50	-1.68	-0.000894		PASS
Band2	9538	1	NV	-30	-1.72	-0.000902		PASS
Band2	9538	1	NV	-20	-0.89	-0.000467		PASS
Band2	9538	1	NV	-10	-1.14	-0.000598		PASS
Band2	9538	1	NV	0	-1.23	-0.000645		PASS
Band2	9538	1	NV	10	-1.54	-0.000807		PASS
Band2	9538	1	NV	20	-1.34	-0.000702		PASS
Band2	9538	1	NV	30	-1.32	-0.000692		PASS
Band2	9538	1	NV	40	-0.42	-0.000220		PASS

Band2	9538	1	NV	50	-1.07	-0.000561	within the authorized frequency block.	PASS
Band2	9538	2	NV	-30	-1.33	-0.000697		PASS
Band2	9538	2	NV	-20	-0.91	-0.000477		PASS
Band2	9538	2	NV	-10	-1.04	-0.000545		PASS
Band2	9538	2	NV	0	-1.09	-0.000571		PASS
Band2	9538	2	NV	10	-0.41	-0.000215		PASS
Band2	9538	2	NV	20	-0.56	-0.000294		PASS
Band2	9538	2	NV	30	-0.22	-0.000115		PASS
Band2	9538	2	NV	40	-1.72	-0.000902		PASS
Band2	9538	2	NV	50	-0.84	-0.000440		PASS
Band2	9538	3	NV	-30	-0.57	-0.000299		PASS
Band2	9538	3	NV	-20	-1.26	-0.000661		PASS
Band2	9538	3	NV	-10	-1.09	-0.000571		PASS
Band2	9538	3	NV	0	-0.83	-0.000435		PASS
Band2	9538	3	NV	10	-0.35	-0.000183		PASS
Band2	9538	3	NV	20	-1.40	-0.000734		PASS
Band2	9538	3	NV	30	-1.07	-0.000561		PASS
Band2	9538	3	NV	40	-0.90	-0.000472		PASS
Band2	9538	3	NV	50	-1.03	-0.000540		PASS
Band2	9538	4	NV	-30	-0.81	-0.000425		PASS
Band2	9538	4	NV	-20	-1.34	-0.000702		PASS
Band2	9538	4	NV	-10	-0.56	-0.000294		PASS
Band2	9538	4	NV	0	-0.96	-0.000503		PASS
Band2	9538	4	NV	10	-0.31	-0.000163		PASS
Band2	9538	4	NV	20	-0.58	-0.000304		PASS
Band2	9538	4	NV	30	-0.40	-0.000210		PASS
Band2	9538	4	NV	40	-0.92	-0.000482		PASS
Band2	9538	4	NV	50	-0.65	-0.000341		PASS
Band5	4132	1	NV	-30	-3.35	-0.004054	±2.5	PASS
Band5	4132	1	NV	-20	-1.97	-0.002384	±2.5	PASS
Band5	4132	1	NV	-10	-1.53	-0.001851	±2.5	PASS
Band5	4132	1	NV	0	-0.89	-0.001077	±2.5	PASS
Band5	4132	1	NV	10	-0.86	-0.001041	±2.5	PASS
Band5	4132	1	NV	20	-2.30	-0.002783	±2.5	PASS
Band5	4132	1	NV	30	-1.92	-0.002323	±2.5	PASS
Band5	4132	1	NV	40	-1.42	-0.001718	±2.5	PASS
Band5	4132	1	NV	50	-1.73	-0.002093	±2.5	PASS
Band5	4132	2	NV	-30	-2.47	-0.002989	±2.5	PASS
Band5	4132	2	NV	-20	-2.44	-0.002953	±2.5	PASS
Band5	4132	2	NV	-10	-2.10	-0.002541	±2.5	PASS
Band5	4132	2	NV	0	-2.29	-0.002771	±2.5	PASS

Band5	4132	2	NV	10	-1.97	-0.002384	±2.5	PASS
Band5	4132	2	NV	20	-2.17	-0.002626	±2.5	PASS
Band5	4132	2	NV	30	-1.70	-0.002057	±2.5	PASS
Band5	4132	2	NV	40	-1.97	-0.002384	±2.5	PASS
Band5	4132	2	NV	50	-1.51	-0.001827	±2.5	PASS
Band5	4132	3	NV	-30	-1.72	-0.002081	±2.5	PASS
Band5	4132	3	NV	-20	-1.54	-0.001864	±2.5	PASS
Band5	4132	3	NV	-10	-3.08	-0.003727	±2.5	PASS
Band5	4132	3	NV	0	-1.81	-0.002190	±2.5	PASS
Band5	4132	3	NV	10	-2.08	-0.002517	±2.5	PASS
Band5	4132	3	NV	20	-1.99	-0.002408	±2.5	PASS
Band5	4132	3	NV	30	-1.92	-0.002323	±2.5	PASS
Band5	4132	3	NV	40	-1.92	-0.002323	±2.5	PASS
Band5	4132	3	NV	50	-1.97	-0.002384	±2.5	PASS
Band5	4132	4	NV	-30	-1.38	-0.001670	±2.5	PASS
Band5	4132	4	NV	-20	-1.70	-0.002057	±2.5	PASS
Band5	4132	4	NV	-10	-2.05	-0.002481	±2.5	PASS
Band5	4132	4	NV	0	-2.22	-0.002686	±2.5	PASS
Band5	4132	4	NV	10	-1.92	-0.002323	±2.5	PASS
Band5	4132	4	NV	20	-1.82	-0.002202	±2.5	PASS
Band5	4132	4	NV	30	-2.04	-0.002469	±2.5	PASS
Band5	4132	4	NV	40	-1.38	-0.001670	±2.5	PASS
Band5	4132	4	NV	50	-1.90	-0.002299	±2.5	PASS
Band5	4183	1	NV	-30	-2.00	-0.002391	±2.5	PASS
Band5	4183	1	NV	-20	-1.74	-0.002080	±2.5	PASS
Band5	4183	1	NV	-10	-1.44	-0.001721	±2.5	PASS
Band5	4183	1	NV	0	-1.65	-0.001972	±2.5	PASS
Band5	4183	1	NV	10	-1.92	-0.002295	±2.5	PASS
Band5	4183	1	NV	20	-1.70	-0.002032	±2.5	PASS
Band5	4183	1	NV	30	-2.12	-0.002534	±2.5	PASS
Band5	4183	1	NV	40	-2.05	-0.002450	±2.5	PASS
Band5	4183	1	NV	50	-1.71	-0.002044	±2.5	PASS
Band5	4183	2	NV	-30	-1.29	-0.001542	±2.5	PASS
Band5	4183	2	NV	-20	-1.70	-0.002032	±2.5	PASS
Band5	4183	2	NV	-10	-1.90	-0.002271	±2.5	PASS
Band5	4183	2	NV	0	-1.81	-0.002164	±2.5	PASS
Band5	4183	2	NV	10	-1.65	-0.001972	±2.5	PASS
Band5	4183	2	NV	20	-1.58	-0.001889	±2.5	PASS
Band5	4183	2	NV	30	-2.09	-0.002498	±2.5	PASS
Band5	4183	2	NV	40	-1.96	-0.002343	±2.5	PASS
Band5	4183	2	NV	50	-1.83	-0.002187	±2.5	PASS

Band5	4183	3	NV	-30	-2.07	-0.002474	±2.5	PASS
Band5	4183	3	NV	-20	-2.05	-0.002450	±2.5	PASS
Band5	4183	3	NV	-10	-1.94	-0.002319	±2.5	PASS
Band5	4183	3	NV	0	-3.36	-0.004016	±2.5	PASS
Band5	4183	3	NV	10	-1.78	-0.002128	±2.5	PASS
Band5	4183	3	NV	20	-1.99	-0.002379	±2.5	PASS
Band5	4183	3	NV	30	-1.81	-0.002164	±2.5	PASS
Band5	4183	3	NV	40	-1.70	-0.002032	±2.5	PASS
Band5	4183	3	NV	50	-4.66	-0.005570	±2.5	PASS
Band5	4183	4	NV	-30	-1.60	-0.001913	±2.5	PASS
Band5	4183	4	NV	-20	-1.69	-0.002020	±2.5	PASS
Band5	4183	4	NV	-10	-1.76	-0.002104	±2.5	PASS
Band5	4183	4	NV	0	-1.66	-0.001984	±2.5	PASS
Band5	4183	4	NV	10	-1.70	-0.002032	±2.5	PASS
Band5	4183	4	NV	20	-2.03	-0.002426	±2.5	PASS
Band5	4183	4	NV	30	-1.92	-0.002295	±2.5	PASS
Band5	4183	4	NV	40	-1.86	-0.002223	±2.5	PASS
Band5	4183	4	NV	50	-1.92	-0.002295	±2.5	PASS
Band5	4233	1	NV	-30	-1.82	-0.002150	±2.5	PASS
Band5	4233	1	NV	-20	-1.87	-0.002209	±2.5	PASS
Band5	4233	1	NV	-10	-1.81	-0.002138	±2.5	PASS
Band5	4233	1	NV	0	-1.85	-0.002185	±2.5	PASS
Band5	4233	1	NV	10	-1.87	-0.002209	±2.5	PASS
Band5	4233	1	NV	20	-1.59	-0.001878	±2.5	PASS
Band5	4233	1	NV	30	-1.81	-0.002138	±2.5	PASS
Band5	4233	1	NV	40	-2.00	-0.002362	±2.5	PASS
Band5	4233	1	NV	50	-4.00	-0.004725	±2.5	PASS
Band5	4233	2	NV	-30	-1.79	-0.002114	±2.5	PASS
Band5	4233	2	NV	-20	-1.89	-0.002232	±2.5	PASS
Band5	4233	2	NV	-10	-2.04	-0.002410	±2.5	PASS
Band5	4233	2	NV	0	-1.82	-0.002150	±2.5	PASS
Band5	4233	2	NV	10	-2.14	-0.002528	±2.5	PASS
Band5	4233	2	NV	20	-2.09	-0.002469	±2.5	PASS
Band5	4233	2	NV	30	-2.07	-0.002445	±2.5	PASS
Band5	4233	2	NV	40	-1.88	-0.002221	±2.5	PASS
Band5	4233	2	NV	50	2.68	0.003166	±2.5	PASS
Band5	4233	3	NV	-30	-1.82	-0.002150	±2.5	PASS
Band5	4233	3	NV	-20	-1.87	-0.002209	±2.5	PASS
Band5	4233	3	NV	-10	-1.80	-0.002126	±2.5	PASS
Band5	4233	3	NV	0	-1.91	-0.002256	±2.5	PASS
Band5	4233	3	NV	10	-1.67	-0.001973	±2.5	PASS

Band5	4233	3	NV	20	-1.97	-0.002327	±2.5	PASS
Band5	4233	3	NV	30	-2.08	-0.002457	±2.5	PASS
Band5	4233	3	NV	40	-2.06	-0.002433	±2.5	PASS
Band5	4233	3	NV	50	-1.92	-0.002268	±2.5	PASS
Band5	4233	4	NV	-30	-5.45	-0.006438	±2.5	PASS
Band5	4233	4	NV	-20	3.35	0.003957	±2.5	PASS
Band5	4233	4	NV	-10	-1.77	-0.002091	±2.5	PASS
Band5	4233	4	NV	0	-1.54	-0.001819	±2.5	PASS
Band5	4233	4	NV	10	-1.75	-0.002067	±2.5	PASS
Band5	4233	4	NV	20	-1.67	-0.001973	±2.5	PASS
Band5	4233	4	NV	30	-1.49	-0.001760	±2.5	PASS
Band5	4233	4	NV	40	-7.10	-0.008386	±2.5	PASS
Band5	4233	4	NV	50	0.64	0.000756	±2.5	PASS

HSUPA

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VL	NT	4.10	0.002213	within the authorized frequency block.	PASS
Band2	9262	1	VN	NT	1.82	0.000983		PASS
Band2	9262	1	VH	NT	4.97	0.002683		PASS
Band2	9262	2	VL	NT	7.84	0.004232		PASS
Band2	9262	2	VN	NT	7.34	0.003962		PASS
Band2	9262	2	VH	NT	7.70	0.004157		PASS
Band2	9262	3	VL	NT	8.63	0.004659		PASS
Band2	9262	3	VN	NT	8.43	0.004551		PASS
Band2	9262	3	VH	NT	8.01	0.004324		PASS
Band2	9262	4	VL	NT	7.55	0.004076		PASS
Band2	9262	4	VN	NT	8.34	0.004502		PASS
Band2	9262	4	VH	NT	7.64	0.004124		PASS
Band2	9262	5	VL	NT	7.81	0.004216		PASS
Band2	9262	5	VN	NT	7.77	0.004195		PASS
Band2	9262	5	VH	NT	8.21	0.004432		PASS
Band2	9400	1	VL	NT	6.44	0.003426		PASS
Band2	9400	1	VN	NT	5.06	0.002691		PASS
Band2	9400	1	VH	NT	6.86	0.003649		PASS
Band2	9400	2	VL	NT	7.88	0.004191		PASS
Band2	9400	2	VN	NT	7.57	0.004027		PASS
Band2	9400	2	VH	NT	7.60	0.004043		PASS
Band2	9400	3	VL	NT	8.13	0.004324		PASS
Band2	9400	3	VN	NT	7.02	0.003734		PASS
Band2	9400	3	VH	NT	8.76	0.004660		PASS
Band2	9400	4	VL	NT	7.07	0.003761		PASS
Band2	9400	4	VN	NT	8.42	0.004479		PASS
Band2	9400	4	VH	NT	7.98	0.004245		PASS
Band2	9400	5	VL	NT	8.55	0.004548		PASS
Band2	9400	5	VN	NT	7.24	0.003851		PASS
Band2	9400	5	VH	NT	7.95	0.004229		PASS
Band2	9538	1	VL	NT	6.45	0.003381		PASS
Band2	9538	1	VN	NT	5.86	0.003072		PASS
Band2	9538	1	VH	NT	7.30	0.003827		PASS
Band2	9538	2	VL	NT	7.87	0.004126		PASS
Band2	9538	2	VN	NT	7.80	0.004089		PASS
Band2	9538	2	VH	NT	7.91	0.004147		PASS
Band2	9538	3	VL	NT	8.01	0.004199		PASS
Band2	9538	3	VN	NT	9.60	0.005033		PASS

Band2	9538	3	VH	NT	8.81	0.004618	within the authorized frequency block.	PASS
Band2	9538	4	VL	NT	8.36	0.004382		PASS
Band2	9538	4	VN	NT	8.86	0.004645		PASS
Band2	9538	4	VH	NT	9.21	0.004828		PASS
Band2	9538	5	VL	NT	8.64	0.004529		PASS
Band2	9538	5	VN	NT	8.43	0.004419		PASS
Band2	9538	5	VH	NT	8.77	0.004597		PASS
Band5	4132	1	VL	NT	-0.19	-0.000230	±2.5	PASS
Band5	4132	1	VN	NT	-0.30	-0.000363	±2.5	PASS
Band5	4132	1	VH	NT	1.10	0.001331	±2.5	PASS
Band5	4132	2	VL	NT	-0.34	-0.000411	±2.5	PASS
Band5	4132	2	VN	NT	-0.27	-0.000327	±2.5	PASS
Band5	4132	2	VH	NT	-0.32	-0.000387	±2.5	PASS
Band5	4132	3	VL	NT	-0.37	-0.000448	±2.5	PASS
Band5	4132	3	VN	NT	-0.25	-0.000303	±2.5	PASS
Band5	4132	3	VH	NT	-0.31	-0.000375	±2.5	PASS
Band5	4132	4	VL	NT	-0.35	-0.000424	±2.5	PASS
Band5	4132	4	VN	NT	-0.41	-0.000496	±2.5	PASS
Band5	4132	4	VH	NT	-0.44	-0.000532	±2.5	PASS
Band5	4132	5	VL	NT	-0.41	-0.000496	±2.5	PASS
Band5	4132	5	VN	NT	-0.31	-0.000375	±2.5	PASS
Band5	4132	5	VH	NT	-0.36	-0.000436	±2.5	PASS
Band5	4183	1	VL	NT	-0.32	-0.000383	±2.5	PASS
Band5	4183	1	VN	NT	-0.48	-0.000574	±2.5	PASS
Band5	4183	1	VH	NT	-0.57	-0.000681	±2.5	PASS
Band5	4183	2	VL	NT	-0.44	-0.000526	±2.5	PASS
Band5	4183	2	VN	NT	-0.40	-0.000478	±2.5	PASS
Band5	4183	2	VH	NT	-0.49	-0.000586	±2.5	PASS
Band5	4183	3	VL	NT	-0.46	-0.000550	±2.5	PASS
Band5	4183	3	VN	NT	-0.38	-0.000454	±2.5	PASS
Band5	4183	3	VH	NT	-0.56	-0.000669	±2.5	PASS
Band5	4183	4	VL	NT	-0.29	-0.000347	±2.5	PASS
Band5	4183	4	VN	NT	-0.19	-0.000227	±2.5	PASS
Band5	4183	4	VH	NT	-0.31	-0.000371	±2.5	PASS
Band5	4183	5	VL	NT	-0.38	-0.000454	±2.5	PASS
Band5	4183	5	VN	NT	-0.41	-0.000490	±2.5	PASS
Band5	4183	5	VH	NT	-0.31	-0.000371	±2.5	PASS
Band5	4233	1	VL	NT	-0.50	-0.000591	±2.5	PASS
Band5	4233	1	VN	NT	-0.34	-0.000402	±2.5	PASS
Band5	4233	1	VH	NT	-0.23	-0.000272	±2.5	PASS
Band5	4233	2	VL	NT	-0.52	-0.000614	±2.5	PASS

Band5	4233	2	VN	NT	-0.64	-0.000756	±2.5	PASS
Band5	4233	2	VH	NT	-0.37	-0.000437	±2.5	PASS
Band5	4233	3	VL	NT	-0.18	-0.000213	±2.5	PASS
Band5	4233	3	VN	NT	-0.31	-0.000366	±2.5	PASS
Band5	4233	3	VH	NT	-0.46	-0.000543	±2.5	PASS
Band5	4233	4	VL	NT	-0.21	-0.000248	±2.5	PASS
Band5	4233	4	VN	NT	-0.21	-0.000248	±2.5	PASS
Band5	4233	4	VH	NT	-0.39	-0.000461	±2.5	PASS
Band5	4233	5	VL	NT	-0.24	-0.000283	±2.5	PASS
Band5	4233	5	VN	NT	-0.19	-0.000224	±2.5	PASS
Band5	4233	5	VH	NT	-0.34	-0.000402	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	5.30	0.002861	within the authorized frequency block.	PASS
Band2	9262	1	NV	-20	6.82	0.003682		PASS
Band2	9262	1	NV	-10	6.02	0.003250		PASS
Band2	9262	1	NV	0	6.90	0.003725		PASS
Band2	9262	1	NV	10	6.84	0.003693		PASS
Band2	9262	1	NV	20	6.76	0.003649		PASS
Band2	9262	1	NV	30	7.27	0.003925		PASS
Band2	9262	1	NV	40	7.02	0.003790		PASS
Band2	9262	1	NV	50	7.34	0.003962		PASS
Band2	9262	2	NV	-30	7.93	0.004281		PASS
Band2	9262	2	NV	-20	7.47	0.004033		PASS
Band2	9262	2	NV	-10	7.71	0.004162		PASS
Band2	9262	2	NV	0	7.89	0.004259		PASS
Band2	9262	2	NV	10	8.33	0.004497		PASS
Band2	9262	2	NV	20	8.12	0.004384		PASS
Band2	9262	2	NV	30	7.70	0.004157		PASS
Band2	9262	2	NV	40	8.06	0.004351		PASS
Band2	9262	2	NV	50	7.92	0.004276		PASS
Band2	9262	3	NV	-30	8.11	0.004378		PASS
Band2	9262	3	NV	-20	8.43	0.004551		PASS
Band2	9262	3	NV	-10	8.93	0.004821		PASS
Band2	9262	3	NV	0	8.09	0.004367		PASS
Band2	9262	3	NV	10	7.65	0.004130		PASS
Band2	9262	3	NV	20	7.68	0.004146		PASS
Band2	9262	3	NV	30	8.30	0.004481		PASS
Band2	9262	3	NV	40	8.18	0.004416		PASS

Band2	9262	3	NV	50	7.96	0.004297	within the authorized frequency block.	PASS
Band2	9262	4	NV	-30	7.67	0.004141		PASS
Band2	9262	4	NV	-20	8.23	0.004443		PASS
Band2	9262	4	NV	-10	8.88	0.004794		PASS
Band2	9262	4	NV	0	8.49	0.004583		PASS
Band2	9262	4	NV	10	8.20	0.004427		PASS
Band2	9262	4	NV	20	7.53	0.004065		PASS
Band2	9262	4	NV	30	8.72	0.004707		PASS
Band2	9262	4	NV	40	8.38	0.004524		PASS
Band2	9262	4	NV	50	8.36	0.004513		PASS
Band2	9262	5	NV	-30	8.00	0.004319		PASS
Band2	9262	5	NV	-20	8.61	0.004648		PASS
Band2	9262	5	NV	-10	8.19	0.004421		PASS
Band2	9262	5	NV	0	8.25	0.004454		PASS
Band2	9262	5	NV	10	8.38	0.004524		PASS
Band2	9262	5	NV	20	7.90	0.004265		PASS
Band2	9262	5	NV	30	4.18	0.002257		PASS
Band2	9262	5	NV	40	4.91	0.002651		PASS
Band2	9262	5	NV	50	5.94	0.003207		PASS
Band2	9400	1	NV	-30	7.39	0.003931		PASS
Band2	9400	1	NV	-20	6.49	0.003452		PASS
Band2	9400	1	NV	-10	7.20	0.003830		PASS
Band2	9400	1	NV	0	7.77	0.004133		PASS
Band2	9400	1	NV	10	7.74	0.004117		PASS
Band2	9400	1	NV	20	8.15	0.004335		PASS
Band2	9400	1	NV	30	7.10	0.003777		PASS
Band2	9400	1	NV	40	7.75	0.004122		PASS
Band2	9400	1	NV	50	7.28	0.003872		PASS
Band2	9400	2	NV	-30	7.22	0.003840		PASS
Band2	9400	2	NV	-20	7.45	0.003963		PASS
Band2	9400	2	NV	-10	7.65	0.004069		PASS
Band2	9400	2	NV	0	7.69	0.004090		PASS
Band2	9400	2	NV	10	8.52	0.004532		PASS
Band2	9400	2	NV	20	8.34	0.004436		PASS
Band2	9400	2	NV	30	7.75	0.004122		PASS
Band2	9400	2	NV	40	8.11	0.004314		PASS
Band2	9400	2	NV	50	8.24	0.004383		PASS
Band2	9400	3	NV	-30	7.33	0.003899		PASS
Band2	9400	3	NV	-20	8.75	0.004654		PASS
Band2	9400	3	NV	-10	7.80	0.004149		PASS
Band2	9400	3	NV	0	6.37	0.003388		PASS

Band2	9400	3	NV	10	6.72	0.003574	within the authorized frequency block.	PASS
Band2	9400	3	NV	20	7.43	0.003952		PASS
Band2	9400	3	NV	30	8.10	0.004309		PASS
Band2	9400	3	NV	40	8.73	0.004644		PASS
Band2	9400	3	NV	50	8.00	0.004255		PASS
Band2	9400	4	NV	-30	7.12	0.003787		PASS
Band2	9400	4	NV	-20	8.38	0.004457		PASS
Band2	9400	4	NV	-10	7.98	0.004245		PASS
Band2	9400	4	NV	0	7.26	0.003862		PASS
Band2	9400	4	NV	10	8.28	0.004404		PASS
Band2	9400	4	NV	20	7.65	0.004069		PASS
Band2	9400	4	NV	30	7.56	0.004021		PASS
Band2	9400	4	NV	40	7.66	0.004074		PASS
Band2	9400	4	NV	50	7.29	0.003878		PASS
Band2	9400	5	NV	-30	8.94	0.004755		PASS
Band2	9400	5	NV	-20	7.97	0.004239		PASS
Band2	9400	5	NV	-10	1.75	0.000931		PASS
Band2	9400	5	NV	0	3.02	0.001606		PASS
Band2	9400	5	NV	10	4.23	0.002250		PASS
Band2	9400	5	NV	20	4.98	0.002649		PASS
Band2	9400	5	NV	30	5.82	0.003096		PASS
Band2	9400	5	NV	40	5.62	0.002989		PASS
Band2	9400	5	NV	50	6.07	0.003229		PASS
Band2	9538	1	NV	-30	7.45	0.003905		PASS
Band2	9538	1	NV	-20	7.58	0.003974		PASS
Band2	9538	1	NV	-10	6.51	0.003413		PASS
Band2	9538	1	NV	0	7.40	0.003879		PASS
Band2	9538	1	NV	10	8.05	0.004220		PASS
Band2	9538	1	NV	20	8.25	0.004325		PASS
Band2	9538	1	NV	30	8.11	0.004251		PASS
Band2	9538	1	NV	40	7.75	0.004063		PASS
Band2	9538	1	NV	50	7.23	0.003790		PASS
Band2	9538	2	NV	-30	7.70	0.004036		PASS
Band2	9538	2	NV	-20	8.55	0.004482		PASS
Band2	9538	2	NV	-10	7.63	0.004000		PASS
Band2	9538	2	NV	0	6.50	0.003407		PASS
Band2	9538	2	NV	10	7.39	0.003874		PASS
Band2	9538	2	NV	20	8.08	0.004236		PASS
Band2	9538	2	NV	30	8.25	0.004325		PASS
Band2	9538	2	NV	40	8.99	0.004713		PASS
Band2	9538	2	NV	50	9.76	0.005116		PASS

Band2	9538	3	NV	-30	9.01	0.004723	within the authorized frequency block.	PASS
Band2	9538	3	NV	-20	8.85	0.004639		PASS
Band2	9538	3	NV	-10	9.31	0.004880		PASS
Band2	9538	3	NV	0	8.63	0.004524		PASS
Band2	9538	3	NV	10	9.61	0.005038		PASS
Band2	9538	3	NV	20	8.21	0.004304		PASS
Band2	9538	3	NV	30	8.54	0.004477		PASS
Band2	9538	3	NV	40	7.62	0.003995		PASS
Band2	9538	3	NV	50	7.43	0.003895		PASS
Band2	9538	4	NV	-30	8.96	0.004697		PASS
Band2	9538	4	NV	-20	8.78	0.004603		PASS
Band2	9538	4	NV	-10	8.81	0.004618		PASS
Band2	9538	4	NV	0	7.78	0.004078		PASS
Band2	9538	4	NV	10	7.32	0.003837		PASS
Band2	9538	4	NV	20	8.90	0.004666		PASS
Band2	9538	4	NV	30	7.65	0.004010		PASS
Band2	9538	4	NV	40	8.51	0.004461		PASS
Band2	9538	4	NV	50	8.00	0.004194		PASS
Band2	9538	5	NV	-30	8.28	0.004341		PASS
Band2	9538	5	NV	-20	8.35	0.004377		PASS
Band2	9538	5	NV	-10	8.37	0.004388		PASS
Band2	9538	5	NV	0	8.05	0.004220		PASS
Band2	9538	5	NV	10	8.10	0.004246		PASS
Band2	9538	5	NV	20	8.16	0.004278		PASS
Band2	9538	5	NV	30	8.31	0.004356		PASS
Band2	9538	5	NV	40	7.16	0.003753		PASS
Band2	9538	5	NV	50	7.90	0.004141		PASS
Band5	4132	1	NV	-30	-1.37	-0.001658	±2.5	PASS
Band5	4132	1	NV	-20	-0.06	-0.000073	±2.5	PASS
Band5	4132	1	NV	-10	-0.29	-0.000351	±2.5	PASS
Band5	4132	1	NV	0	-0.32	-0.000387	±2.5	PASS
Band5	4132	1	NV	10	-0.35	-0.000424	±2.5	PASS
Band5	4132	1	NV	20	-0.29	-0.000351	±2.5	PASS
Band5	4132	1	NV	30	-0.32	-0.000387	±2.5	PASS
Band5	4132	1	NV	40	-0.29	-0.000351	±2.5	PASS
Band5	4132	1	NV	50	-0.29	-0.000351	±2.5	PASS
Band5	4132	2	NV	-30	-0.24	-0.000290	±2.5	PASS
Band5	4132	2	NV	-20	-0.28	-0.000339	±2.5	PASS
Band5	4132	2	NV	-10	-0.44	-0.000532	±2.5	PASS
Band5	4132	2	NV	0	-0.31	-0.000375	±2.5	PASS
Band5	4132	2	NV	10	-0.36	-0.000436	±2.5	PASS

Band5	4132	2	NV	20	-0.18	-0.000218	±2.5	PASS
Band5	4132	2	NV	30	-0.34	-0.000411	±2.5	PASS
Band5	4132	2	NV	40	-0.35	-0.000424	±2.5	PASS
Band5	4132	2	NV	50	-0.46	-0.000557	±2.5	PASS
Band5	4132	3	NV	-30	-0.47	-0.000569	±2.5	PASS
Band5	4132	3	NV	-20	-0.38	-0.000460	±2.5	PASS
Band5	4132	3	NV	-10	-0.41	-0.000496	±2.5	PASS
Band5	4132	3	NV	0	-0.49	-0.000593	±2.5	PASS
Band5	4132	3	NV	10	-0.43	-0.000520	±2.5	PASS
Band5	4132	3	NV	20	-0.37	-0.000448	±2.5	PASS
Band5	4132	3	NV	30	-0.46	-0.000557	±2.5	PASS
Band5	4132	3	NV	40	-0.22	-0.000266	±2.5	PASS
Band5	4132	3	NV	50	-0.43	-0.000520	±2.5	PASS
Band5	4132	4	NV	-30	-0.46	-0.000557	±2.5	PASS
Band5	4132	4	NV	-20	-0.36	-0.000436	±2.5	PASS
Band5	4132	4	NV	-10	-0.31	-0.000375	±2.5	PASS
Band5	4132	4	NV	0	-0.27	-0.000327	±2.5	PASS
Band5	4132	4	NV	10	-0.42	-0.000508	±2.5	PASS
Band5	4132	4	NV	20	-0.51	-0.000617	±2.5	PASS
Band5	4132	4	NV	30	-0.40	-0.000484	±2.5	PASS
Band5	4132	4	NV	40	-0.29	-0.000351	±2.5	PASS
Band5	4132	4	NV	50	-0.46	-0.000557	±2.5	PASS
Band5	4132	5	NV	-30	-0.49	-0.000593	±2.5	PASS
Band5	4132	5	NV	-20	-0.37	-0.000448	±2.5	PASS
Band5	4132	5	NV	-10	-1.09	-0.001319	±2.5	PASS
Band5	4132	5	NV	0	-0.33	-0.000399	±2.5	PASS
Band5	4132	5	NV	10	-0.57	-0.000690	±2.5	PASS
Band5	4132	5	NV	20	-0.59	-0.000714	±2.5	PASS
Band5	4132	5	NV	30	-0.36	-0.000436	±2.5	PASS
Band5	4132	5	NV	40	-0.41	-0.000496	±2.5	PASS
Band5	4132	5	NV	50	-0.37	-0.000448	±2.5	PASS
Band5	4183	1	NV	-30	-0.32	-0.000383	±2.5	PASS
Band5	4183	1	NV	-20	-0.39	-0.000466	±2.5	PASS
Band5	4183	1	NV	-10	-0.43	-0.000514	±2.5	PASS
Band5	4183	1	NV	0	-0.56	-0.000669	±2.5	PASS
Band5	4183	1	NV	10	-0.50	-0.000598	±2.5	PASS
Band5	4183	1	NV	20	-0.48	-0.000574	±2.5	PASS
Band5	4183	1	NV	30	-0.44	-0.000526	±2.5	PASS
Band5	4183	1	NV	40	-0.36	-0.000430	±2.5	PASS
Band5	4183	1	NV	50	-0.23	-0.000275	±2.5	PASS
Band5	4183	2	NV	-30	-0.29	-0.000347	±2.5	PASS

Band5	4183	2	NV	-20	-0.47	-0.000562	±2.5	PASS
Band5	4183	2	NV	-10	-0.39	-0.000466	±2.5	PASS
Band5	4183	2	NV	0	-0.39	-0.000466	±2.5	PASS
Band5	4183	2	NV	10	-0.54	-0.000645	±2.5	PASS
Band5	4183	2	NV	20	-0.37	-0.000442	±2.5	PASS
Band5	4183	2	NV	30	-0.23	-0.000275	±2.5	PASS
Band5	4183	2	NV	40	-0.36	-0.000430	±2.5	PASS
Band5	4183	2	NV	50	-0.55	-0.000657	±2.5	PASS
Band5	4183	3	NV	-30	-0.39	-0.000466	±2.5	PASS
Band5	4183	3	NV	-20	-0.26	-0.000311	±2.5	PASS
Band5	4183	3	NV	-10	-0.47	-0.000562	±2.5	PASS
Band5	4183	3	NV	0	-0.31	-0.000371	±2.5	PASS
Band5	4183	3	NV	10	-0.26	-0.000311	±2.5	PASS
Band5	4183	3	NV	20	-0.41	-0.000490	±2.5	PASS
Band5	4183	3	NV	30	-0.29	-0.000347	±2.5	PASS
Band5	4183	3	NV	40	-0.67	-0.000801	±2.5	PASS
Band5	4183	3	NV	50	-0.94	-0.001124	±2.5	PASS
Band5	4183	4	NV	-30	-0.31	-0.000371	±2.5	PASS
Band5	4183	4	NV	-20	-0.33	-0.000394	±2.5	PASS
Band5	4183	4	NV	-10	-0.33	-0.000394	±2.5	PASS
Band5	4183	4	NV	0	-0.29	-0.000347	±2.5	PASS
Band5	4183	4	NV	10	-0.51	-0.000610	±2.5	PASS
Band5	4183	4	NV	20	-0.24	-0.000287	±2.5	PASS
Band5	4183	4	NV	30	-0.28	-0.000335	±2.5	PASS
Band5	4183	4	NV	40	-0.36	-0.000430	±2.5	PASS
Band5	4183	4	NV	50	-0.29	-0.000347	±2.5	PASS
Band5	4183	5	NV	-30	-0.31	-0.000371	±2.5	PASS
Band5	4183	5	NV	-20	-0.45	-0.000538	±2.5	PASS
Band5	4183	5	NV	-10	-0.31	-0.000371	±2.5	PASS
Band5	4183	5	NV	0	-0.34	-0.000406	±2.5	PASS
Band5	4183	5	NV	10	-0.41	-0.000490	±2.5	PASS
Band5	4183	5	NV	20	-0.37	-0.000442	±2.5	PASS
Band5	4183	5	NV	30	-0.47	-0.000562	±2.5	PASS
Band5	4183	5	NV	40	-0.30	-0.000359	±2.5	PASS
Band5	4183	5	NV	50	-0.48	-0.000574	±2.5	PASS
Band5	4233	1	NV	-30	-0.57	-0.000673	±2.5	PASS
Band5	4233	1	NV	-20	-0.51	-0.000602	±2.5	PASS
Band5	4233	1	NV	-10	-0.35	-0.000413	±2.5	PASS
Band5	4233	1	NV	0	-0.51	-0.000602	±2.5	PASS
Band5	4233	1	NV	10	-0.39	-0.000461	±2.5	PASS
Band5	4233	1	NV	20	-0.52	-0.000614	±2.5	PASS

Band5	4233	1	NV	30	-0.54	-0.000638	±2.5	PASS
Band5	4233	1	NV	40	-0.62	-0.000732	±2.5	PASS
Band5	4233	1	NV	50	-0.53	-0.000626	±2.5	PASS
Band5	4233	2	NV	-30	-0.59	-0.000697	±2.5	PASS
Band5	4233	2	NV	-20	-0.40	-0.000472	±2.5	PASS
Band5	4233	2	NV	-10	-0.57	-0.000673	±2.5	PASS
Band5	4233	2	NV	0	-0.24	-0.000283	±2.5	PASS
Band5	4233	2	NV	10	-0.38	-0.000449	±2.5	PASS
Band5	4233	2	NV	20	-0.28	-0.000331	±2.5	PASS
Band5	4233	2	NV	30	-0.11	-0.000130	±2.5	PASS
Band5	4233	2	NV	40	-0.36	-0.000425	±2.5	PASS
Band5	4233	2	NV	50	-0.31	-0.000366	±2.5	PASS
Band5	4233	3	NV	-30	-0.16	-0.000189	±2.5	PASS
Band5	4233	3	NV	-20	-0.26	-0.000307	±2.5	PASS
Band5	4233	3	NV	-10	-0.33	-0.000390	±2.5	PASS
Band5	4233	3	NV	0	-0.32	-0.000378	±2.5	PASS
Band5	4233	3	NV	10	-0.33	-0.000390	±2.5	PASS
Band5	4233	3	NV	20	-0.24	-0.000283	±2.5	PASS
Band5	4233	3	NV	30	-0.39	-0.000461	±2.5	PASS
Band5	4233	3	NV	40	-0.31	-0.000366	±2.5	PASS
Band5	4233	3	NV	50	-0.40	-0.000472	±2.5	PASS
Band5	4233	4	NV	-30	-0.26	-0.000307	±2.5	PASS
Band5	4233	4	NV	-20	-0.15	-0.000177	±2.5	PASS
Band5	4233	4	NV	-10	1.28	0.001512	±2.5	PASS
Band5	4233	4	NV	0	-0.31	-0.000366	±2.5	PASS
Band5	4233	4	NV	10	-0.11	-0.000130	±2.5	PASS
Band5	4233	4	NV	20	-0.46	-0.000543	±2.5	PASS
Band5	4233	4	NV	30	-0.19	-0.000224	±2.5	PASS
Band5	4233	4	NV	40	-0.21	-0.000248	±2.5	PASS
Band5	4233	4	NV	50	-0.25	-0.000295	±2.5	PASS
Band5	4233	5	NV	-30	-0.31	-0.000366	±2.5	PASS
Band5	4233	5	NV	-20	-0.21	-0.000248	±2.5	PASS
Band5	4233	5	NV	-10	-0.24	-0.000283	±2.5	PASS
Band5	4233	5	NV	0	-0.10	-0.000118	±2.5	PASS
Band5	4233	5	NV	10	-0.17	-0.000201	±2.5	PASS
Band5	4233	5	NV	20	-0.38	-0.000449	±2.5	PASS
Band5	4233	5	NV	30	-0.20	-0.000236	±2.5	PASS
Band5	4233	5	NV	40	-0.31	-0.000366	±2.5	PASS
Band5	4233	5	NV	50	-0.20	-0.000236	±2.5	PASS