





Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Appendix F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
BandName	Channel	VolValue	TempValue	ValueHz	ValuePpm	Limit	Verdict

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Temperature							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	NV	-30	13.27	0.016100	±2.5	PASS
GSM850	128	NV	-20	13.08	0.015870	±2.5	PASS
GSM850	128	NV	-10	12.88	0.015627	±2.5	PASS
GSM850	128	NV	0	15.46	0.018758	±2.5	PASS
GSM850	128	NV	10	13.46	0.016331	±2.5	PASS
GSM850	128	NV	20	10.85	0.013164	±2.5	PASS
GSM850	128	NV	30	16.50	0.020019	±2.5	PASS
GSM850	128	NV	40	13.85	0.016804	±2.5	PASS
GSM850	128	NV	50	12.72	0.015433	±2.5	PASS
GSM850	190	NV	-30	17.47	0.020882	±2.5	PASS
GSM850	190	NV	-20	14.01	0.016746	±2.5	PASS
GSM850	190	NV	-10	15.43	0.018444	±2.5	PASS
GSM850	190	NV	0	18.79	0.022460	±2.5	PASS
GSM850	190	NV	10	14.75	0.017631	±2.5	PASS
GSM850	190	NV	20	17.95	0.021456	±2.5	PASS
GSM850	190	NV	30	16.92	0.020225	±2.5	PASS
GSM850	190	NV	40	13.62	0.016280	±2.5	PASS
GSM850	190	NV	50	15.01	0.017942	±2.5	PASS
GSM850	251	NV	-30	19.31	0.022750	±2.5	PASS
GSM850	251	NV	-20	19.47	0.022938	±2.5	PASS
GSM850	251	NV	-10	19.66	0.023162	±2.5	PASS
GSM850	251	NV	0	18.37	0.021642	±2.5	PASS
GSM850	251	NV	10	20.24	0.023845	±2.5	PASS
GSM850	251	NV	20	17.69	0.020841	±2.5	PASS
GSM850	251	NV	30	19.27	0.022703	±2.5	PASS
GSM850	251	NV	40	19.73	0.023245	±2.5	PASS
GSM850	251	NV	50	18.11	0.021336	±2.5	PASS
GPRS850	128	NV	-30	13.53	0.016416	±2.5	PASS
GPRS850	128	NV	-20	9.75	0.011830	±2.5	PASS
GPRS850	128	NV	-10	7.46	0.009051	±2.5	PASS
GPRS850	128	NV	0	10.94	0.013273	±2.5	PASS
GPRS850	128	NV	10	13.30	0.016137	±2.5	PASS
GPRS850	128	NV	20	11.01	0.013358	±2.5	PASS
GPRS850	128	NV	30	10.85	0.013164	±2.5	PASS
GPRS850	128	NV	40	11.88	0.014414	±2.5	PASS
GPRS850	128	NV	50	8.91	0.010810	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

GPRS850	190	NV	-30	13.11	0.015671	±2.5	PASS
GPRS850	190	NV	-20	12.07	0.014427	±2.5	PASS
GPRS850	190	NV	-10	12.66	0.015133	±2.5	PASS
GPRS850	190	NV	0	11.59	0.013854	±2.5	PASS
GPRS850	190	NV	10	15.56	0.018599	±2.5	PASS
GPRS850	190	NV	20	12.88	0.015396	±2.5	PASS
GPRS850	190	NV	30	16.50	0.019723	±2.5	PASS
GPRS850	190	NV	40	16.47	0.019687	±2.5	PASS
GPRS850	190	NV	50	12.75	0.015240	±2.5	PASS
GPRS850	251	NV	-30	14.46	0.017036	±2.5	PASS
GPRS850	251	NV	-20	15.98	0.018827	±2.5	PASS
GPRS850	251	NV	-10	18.31	0.021572	±2.5	PASS
GPRS850	251	NV	0	12.37	0.014574	±2.5	PASS
GPRS850	251	NV	10	20.18	0.023775	±2.5	PASS
GPRS850	251	NV	20	16.27	0.019168	±2.5	PASS
GPRS850	251	NV	30	15.53	0.018296	±2.5	PASS
GPRS850	251	NV	40	15.21	0.017919	±2.5	PASS
GPRS850	251	NV	50	16.82	0.019816	±2.5	PASS
EGPRS850	128	NV	-30	15.66	0.019000	±2.5	PASS
EGPRS850	128	NV	-20	12.95	0.015712	±2.5	PASS
EGPRS850	128	NV	-10	12.04	0.014608	±2.5	PASS
EGPRS850	128	NV	0	13.66	0.016574	±2.5	PASS
EGPRS850	128	NV	10	10.75	0.013043	±2.5	PASS
EGPRS850	128	NV	20	10.11	0.012266	±2.5	PASS
EGPRS850	128	NV	30	13.72	0.016646	±2.5	PASS
EGPRS850	128	NV	40	14.30	0.017350	±2.5	PASS
EGPRS850	128	NV	50	11.59	0.014062	±2.5	PASS
EGPRS850	190	NV	-30	12.46	0.014894	±2.5	PASS
EGPRS850	190	NV	-20	13.14	0.015706	±2.5	PASS
EGPRS850	190	NV	-10	11.27	0.013471	±2.5	PASS
EGPRS850	190	NV	0	12.98	0.015515	±2.5	PASS
EGPRS850	190	NV	10	11.95	0.014284	±2.5	PASS
EGPRS850	190	NV	20	13.88	0.016591	±2.5	PASS
EGPRS850	190	NV	30	11.95	0.014284	±2.5	PASS
EGPRS850	190	NV	40	12.69	0.015169	±2.5	PASS
EGPRS850	190	NV	50	10.75	0.012850	±2.5	PASS
EGPRS850	251	NV	-30	13.27	0.015634	±2.5	PASS
EGPRS850	251	NV	-20	13.92	0.016400	±2.5	PASS
EGPRS850	251	NV	-10	15.46	0.018214	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

EGPRS850	251	NV	0	16.18	0.019062	±2.5	PASS
EGPRS850	251	NV	10	13.98	0.016470	±2.5	PASS
EGPRS850	251	NV	20	11.40	0.013431	±2.5	PASS
EGPRS850	251	NV	30	13.46	0.015858	±2.5	PASS
EGPRS850	251	NV	40	15.37	0.018108	±2.5	PASS
EGPRS850	251	NV	50	14.21	0.016741	±2.5	PASS
GSM1900	512	NV	-30	-300.00	-0.162145	±2.5	PASS
GSM1900	512	NV	-20	360.00	0.194574	±2.5	PASS
GSM1900	512	NV	-10	1560.00	0.843152	±2.5	PASS
GSM1900	512	NV	0	-780.00	-0.421576	±2.5	PASS
GSM1900	512	NV	10	700.00	0.378337	±2.5	PASS
GSM1900	512	NV	20	370.00	0.199978	±2.5	PASS
GSM1900	512	NV	30	720.00	0.389147	±2.5	PASS
GSM1900	512	NV	40	440.00	0.237812	±2.5	PASS
GSM1900	512	NV	50	-330.00	-0.178359	±2.5	PASS
GSM1900	661	NV	-30	550.00	0.292553	±2.5	PASS
GSM1900	661	NV	-20	2420.00	1.287234	±2.5	PASS
GSM1900	661	NV	-10	-610.00	-0.324468	±2.5	PASS
GSM1900	661	NV	0	1130.00	0.601064	±2.5	PASS
GSM1900	661	NV	10	910.00	0.484043	±2.5	PASS
GSM1900	661	NV	20	390.00	0.207447	±2.5	PASS
GSM1900	661	NV	30	770.00	0.409574	±2.5	PASS
GSM1900	661	NV	40	120.00	0.063830	±2.5	PASS
GSM1900	661	NV	50	160.00	0.085106	±2.5	PASS
GSM1900	810	NV	-30	-1980.00	-1.036758	±2.5	PASS
GSM1900	810	NV	-20	-740.00	-0.387475	±2.5	PASS
GSM1900	810	NV	-10	650.00	0.340350	±2.5	PASS
GSM1900	810	NV	0	590.00	0.308933	±2.5	PASS
GSM1900	810	NV	10	710.00	0.371767	±2.5	PASS
GSM1900	810	NV	20	490.00	0.256571	±2.5	PASS
GSM1900	810	NV	30	190.00	0.099487	±2.5	PASS
GSM1900	810	NV	40	580.00	0.303697	±2.5	PASS
GSM1900	810	NV	50	550.00	0.287988	±2.5	PASS
GPRS1900	512	NV	-30	500.00	0.270241	±2.5	PASS
GPRS1900	512	NV	-20	300.00	0.162145	±2.5	PASS
GPRS1900	512	NV	-10	650.00	0.351313	±2.5	PASS
GPRS1900	512	NV	0	50.00	0.027024	±2.5	PASS
GPRS1900	512	NV	10	60.00	0.032429	±2.5	PASS
GPRS1900	512	NV	20	1120.00	0.605340	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

GPRS1900	512	NV	30	850.00	0.459410	±2.5	PASS
GPRS1900	512	NV	40	200.00	0.108096	±2.5	PASS
GPRS1900	512	NV	50	1380.00	0.745865	±2.5	PASS
GPRS1900	661	NV	-30	510.00	0.271277	±2.5	PASS
GPRS1900	661	NV	-20	540.00	0.287234	±2.5	PASS
GPRS1900	661	NV	-10	360.00	0.191489	±2.5	PASS
GPRS1900	661	NV	0	-800.00	-0.425532	±2.5	PASS
GPRS1900	661	NV	10	1510.00	0.803191	±2.5	PASS
GPRS1900	661	NV	20	-640.00	-0.340426	±2.5	PASS
GPRS1900	661	NV	30	530.00	0.281915	±2.5	PASS
GPRS1900	661	NV	40	-490.00	-0.260638	±2.5	PASS
GPRS1900	661	NV	50	640.00	0.340426	±2.5	PASS
GPRS1900	810	NV	-30	1330.00	0.696408	±2.5	PASS
GPRS1900	810	NV	-20	310.00	0.162321	±2.5	PASS
GPRS1900	810	NV	-10	-900.00	-0.471254	±2.5	PASS
GPRS1900	810	NV	0	480.00	0.251335	±2.5	PASS
GPRS1900	810	NV	10	-1120.00	-0.586449	±2.5	PASS
GPRS1900	810	NV	20	80.00	0.041889	±2.5	PASS
GPRS1900	810	NV	30	260.00	0.136140	±2.5	PASS
GPRS1900	810	NV	40	730.00	0.382239	±2.5	PASS
GPRS1900	810	NV	50	750.00	0.392711	±2.5	PASS
EGPRS1900	512	NV	-30	-260.00	-0.140525	±2.5	PASS
EGPRS1900	512	NV	-20	-250.00	-0.135121	±2.5	PASS
EGPRS1900	512	NV	-10	1070.00	0.578316	±2.5	PASS
EGPRS1900	512	NV	0	-700.00	-0.378337	±2.5	PASS
EGPRS1900	512	NV	10	-550.00	-0.297265	±2.5	PASS
EGPRS1900	512	NV	20	-3030.00	-1.637661	±2.5	PASS
EGPRS1900	512	NV	30	-1950.00	-1.053940	±2.5	PASS
EGPRS1900	512	NV	40	-230.00	-0.124311	±2.5	PASS
EGPRS1900	512	NV	50	-1300.00	-0.702627	±2.5	PASS
EGPRS1900	661	NV	-30	930.00	0.494681	±2.5	PASS
EGPRS1900	661	NV	-20	-670.00	-0.356383	±2.5	PASS
EGPRS1900	661	NV	-10	-750.00	-0.398936	±2.5	PASS
EGPRS1900	661	NV	0	-270.00	-0.143617	±2.5	PASS
EGPRS1900	661	NV	10	710.00	0.377660	±2.5	PASS
EGPRS1900	661	NV	20	150.00	0.079787	±2.5	PASS
EGPRS1900	661	NV	30	-280.00	-0.148936	±2.5	PASS
EGPRS1900	661	NV	40	510.00	0.271277	±2.5	PASS
EGPRS1900	661	NV	50	1080.00	0.574468	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

EGPRS1900	810	NV	-30	-380.00	-0.198974	±2.5	PASS
EGPRS1900	810	NV	-20	-650.00	-0.340350	±2.5	PASS
EGPRS1900	810	NV	-10	-600.00	-0.314169	±2.5	PASS
EGPRS1900	810	NV	0	-1450.00	-0.759242	±2.5	PASS
EGPRS1900	810	NV	10	-90.00	-0.047125	±2.5	PASS
EGPRS1900	810	NV	20	-840.00	-0.439837	±2.5	PASS
EGPRS1900	810	NV	30	-880.00	-0.460781	±2.5	PASS
EGPRS1900	810	NV	40	10.00	0.005236	±2.5	PASS
EGPRS1900	810	NV	50	740.00	0.387475	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>