

Case No. : <u>GTS20250626004-4-1</u>	
Ambient Condition: <u>22</u> °C, <u>52</u> %RH	
According Standard: ■Part15E	
Test Date: <u>2025.9.3</u>	Test Engineer: <u>Evan ouyang</u>

Appendix E.1: Emission Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant2	5745	25.920	5732.080	5758.000	---	---
		5785	28.120	5769.960	5798.080	---	---
		5825	25.480	5812.440	5837.920	---	---
11N20SISO	Ant2	5745	27.360	5731.320	5758.680	---	---
		5785	27.120	5771.320	5798.440	---	---
		5825	25.720	5812.000	5837.720	---	---
11N40SISO	Ant2	5755	56.560	5723.480	5780.040	---	---
		5795	57.840	5771.720	5829.560	---	---
11AC20SISO	Ant2	5745	26.640	5731.880	5758.520	---	---
		5785	25.320	5772.480	5797.800	---	---
		5825	26.040	5812.120	5838.160	---	---
11AC40SISO	Ant2	5755	47.040	5732.040	5779.080	---	---
		5795	48.240	5771.720	5819.960	---	---
11AX20SISO	Ant2	5745	26.200	5732.240	5758.440	---	---
		5785	26.000	5772.440	5798.440	---	---
		5825	25.200	5812.600	5837.800	---	---
11AX40SISO	Ant2	5755	45.760	5732.120	5777.880	---	---
		5795	45.600	5772.680	5818.280	---	---

Test Graphs

11A_Ant2_5745



11A_Ant2_5785




11A_Ant2_5825



11N20SISO_Ant2_5745



11N20SISO_Ant2_5785




11N20SISO_Ant2_5825



11N40SISO_Ant2_5755



11N40SISO_Ant2_5795




11AC20SISO_Ant2_5825



11AC40SISO_Ant2_5755



11AC40SISO_Ant2_5795




11AX20SISO_Ant2_5825



11AX40SISO_Ant2_5755



11AX40SISO_Ant2_5795




Appendix E.2: Occupied channel bandwidth

Test Result


TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant2	5745	18.053	5735.9193	5753.9723	---	---
		5785	18.030	5776.0015	5794.0315	---	---
		5825	17.780	5816.0635	5833.8435	---	---
11N20SISO	Ant2	5745	19.092	5735.3947	5754.4867	---	---
		5785	19.031	5775.5274	5794.5584	---	---
		5825	19.011	5815.4633	5834.4743	---	---
11N40SISO	Ant2	5755	37.687	5736.2022	5773.8892	---	---
		5795	37.557	5776.3534	5813.9104	---	---
11AC20SISO	Ant2	5745	19.109	5735.4554	5754.5644	---	---
		5785	19.014	5775.5624	5794.5764	---	---
		5825	18.978	5815.5403	5834.5183	---	---
11AC40SISO	Ant2	5755	37.868	5736.1670	5774.0350	---	---
		5795	37.803	5776.3149	5814.1179	---	---
11AX20SISO	Ant2	5745	19.701	5735.1970	5754.8980	---	---
		5785	19.657	5775.2374	5794.8944	---	---
		5825	19.563	5815.2540	5834.8170	---	---
11AX40SISO	Ant2	5755	38.582	5735.7619	5774.3439	---	---
		5795	38.622	5775.7869	5814.4089	---	---

Test Graphs







11N20SISO_Ant2_5745




11N20SISO_Ant2_5785



11N20SISO_Ant2_5825




11N40SISO_Ant2_5755




11N40SISO_Ant2_5795



11AC20SISO_Ant2_5745




11AC20SISO_Ant2_5785



11AC20SISO_Ant2_5825




11AC40SISO_Ant2_5755




11AC40SISO_Ant2_5795



11AX20SISO_Ant2_5745




11AX20SISO_Ant2_5785



11AX20SISO_Ant2_5825



11AX40SISO_Ant2_5755



11AX40SISO_Ant2_5795



Appendix E.3: Min emission bandwidth

Test Result B4

TestMode	Antenna	Freq(MHz)	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant2	5745	16.400	5736.800	5753.200	0.5	PASS
		5785	16.360	5776.800	5793.160	0.5	PASS
		5825	16.360	5816.800	5833.160	0.5	PASS
11N20SISO	Ant2	5745	17.600	5736.200	5753.800	0.5	PASS
		5785	17.600	5776.200	5793.800	0.5	PASS
		5825	17.640	5816.160	5833.800	0.5	PASS
11N40SISO	Ant2	5755	36.320	5736.840	5773.160	0.5	PASS
		5795	36.320	5776.840	5813.160	0.5	PASS
11AC20SISO	Ant2	5745	17.600	5736.200	5753.800	0.5	PASS
		5785	17.600	5776.200	5793.800	0.5	PASS
		5825	17.600	5816.200	5833.800	0.5	PASS
11AC40SISO	Ant2	5755	36.320	5736.840	5773.160	0.5	PASS
		5795	36.320	5776.840	5813.160	0.5	PASS
11AX20SISO	Ant2	5745	19.040	5735.480	5754.520	0.5	PASS
		5785	19.040	5775.480	5794.520	0.5	PASS
		5825	18.960	5815.520	5834.480	0.5	PASS
11AX40SISO	Ant2	5755	38.000	5736.040	5774.040	0.5	PASS
		5795	38.080	5775.960	5814.040	0.5	PASS

Test Graphs B4

11A_Ant2_5745



11A_Ant2_5785




11A_Ant2_5825



11N20SISO_Ant2_5745



11N20SISO_Ant2_5785



11N20SISO_Ant2_5825



11N40SISO_Ant2_5755



11N40SISO_Ant2_5795



11AC20SISO_Ant2_5745



11AC20SISO_Ant2_5785




11AC20SISO_Ant2_5825



11AC40SISO_Ant2_5755



11AC40SISO_Ant2_5795



11AX20SISO_Ant2_5825



11AX40SISO_Ant2_5755



11AX40SISO_Ant2_5795




Appendix E3: Duty Cycle

Test Result


TestMode	Antenna	Freq(MHz)	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]	1/T Factor[KHz]
11A	Ant2	5745	2.03	2.27	89.43	0.49	0.49
		5785	2.03	2.26	89.82	0.47	0.49
		5825	2.03	2.23	91.03	0.41	0.49
11N20SISO	Ant2	5745	1.89	2.16	87.50	0.58	0.53
		5785	1.89	2.09	90.43	0.44	0.53
		5825	1.89	2.13	88.73	0.52	0.53
11N40SISO	Ant2	5755	0.94	1.17	80.34	0.95	1.06
		5795	0.93	1.08	86.11	0.65	1.08
11AC20SISO	Ant2	5745	1.90	2.11	90.05	0.46	0.53
		5785	1.90	2.12	89.62	0.48	0.53
		5825	1.90	2.11	90.05	0.46	0.53
11AC40SISO	Ant2	5755	0.93	1.07	86.92	0.61	1.08
		5795	0.94	1.15	81.74	0.88	1.06
11AX20SISO	Ant2	5745	1.47	1.68	87.50	0.58	0.68
		5785	1.46	1.69	86.39	0.64	0.68
		5825	1.46	1.69	86.39	0.64	0.68
11AX40SISO	Ant2	5755	0.76	0.91	83.52	0.78	1.32
		5795	0.76	1.00	76.00	1.19	1.32

Test Graphs


11A_Ant2_5745




11A_Ant2_5785




11A_Ant2_5825




11N20SISO_Ant2_5745




11N20SISO_Ant2_5785




11N20SISO_Ant2_5825




11N40SISO_Ant2_5755




11N40SISO_Ant2_5795




11AC20SISO_Ant2_5825





11AC40SISO_Ant2_5755



11AC40SISO_Ant2_5795







Appendix E.4: Maximum conducted output power

Test Result Channel Power

Test Mode	Antenna	Freq(MHz)	Set Power	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant2	5745	---	10.16	89.43	0.49	10.65	≤30.00	PASS
		5785	---	11.57	89.82	0.47	12.04	≤30.00	PASS
		5825	---	12.63	91.03	0.41	13.04	≤30.00	PASS
11N20SI SO	Ant2	5745	---	10.96	87.50	0.58	11.54	≤30.00	PASS
		5785	---	12.06	90.43	0.44	12.50	≤30.00	PASS
		5825	---	12.93	88.73	0.52	13.45	≤30.00	PASS
11N40SI SO	Ant2	5755	---	10.34	80.34	0.95	11.29	≤30.00	PASS
		5795	---	11.45	86.11	0.65	12.10	≤30.00	PASS
11AC20S ISO	Ant2	5745	---	10.27	90.05	0.46	10.73	≤30.00	PASS
		5785	---	11.54	89.62	0.48	12.02	≤30.00	PASS
		5825	---	12.62	90.05	0.46	13.08	≤30.00	PASS
11AC40S ISO	Ant2	5755	---	10.05	86.92	0.61	10.66	≤30.00	PASS
		5795	---	11.36	81.74	0.88	12.24	≤30.00	PASS
11AX20S ISO	Ant2	5745	---	10.29	87.50	0.58	10.87	≤30.00	PASS
		5785	---	11.55	86.39	0.64	12.19	≤30.00	PASS
		5825	---	12.51	86.39	0.64	13.15	≤30.00	PASS
11AX40S ISO	Ant2	5755	---	8.85	83.52	0.78	9.63	≤30.00	PASS
		5795	---	11.23	76.00	1.19	12.42	≤30.00	PASS

Note:

1. The Duty Cycle Factor is compensated in the graph.
2. The Duty Cycle Factor and RBW Factor is compensated in the data.

Appendix E.5: Maximum power spectral density


Test Result

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant2	5745	-3.60	≤ 30.00	PASS
		5785	-2.25	≤ 30.00	PASS
		5825	-1.31	≤ 30.00	PASS
11N20SISO	Ant2	5745	-3.30	≤ 30.00	PASS
		5785	-2.51	≤ 30.00	PASS
		5825	-1.26	≤ 30.00	PASS
11N40SISO	Ant2	5755	-5.96	≤ 30.00	PASS
		5795	-4.83	≤ 30.00	PASS
11AC20SISO	Ant2	5745	-3.88	≤ 30.00	PASS
		5785	-2.51	≤ 30.00	PASS
		5825	-1.69	≤ 30.00	PASS
11AC40SISO	Ant2	5755	-6.29	≤ 30.00	PASS
		5795	-4.78	≤ 30.00	PASS
11AX20SISO	Ant2	5745	-4.19	≤ 30.00	PASS
		5785	-2.79	≤ 30.00	PASS
		5825	-1.81	≤ 30.00	PASS
11AX40SISO	Ant2	5755	-6.78	≤ 30.00	PASS
		5795	-4.93	≤ 30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
 2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Graphs

11A_Ant2_5745



11A_Ant2_5785




11A_Ant2_5825



11N20SISO_Ant2_5745



11N20SISO_Ant2_5785



11N20SISO_Ant2_5825



11N40SISO_Ant2_5755



11N40SISO_Ant2_5795




11AC20SISO_Ant2_5745



11AC20SISO_Ant2_5785



11AC20SISO_Ant2_5825



11AC40SISO_Ant2_5755



11AC40SISO_Ant2_5795



11AX20ISO_Ant2_5745



11AX20ISO_Ant2_5785




11AX20SISO_Ant2_5825



11AX40SISO_Ant2_5755



11AX40SISO_Ant2_5795



Appendix E.6: Band edge measurements

TestMode	Antenna	ChName	Freq(MHz)	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant2	Low	5745	5650~5700	-39.32	≤-26.87	PASS
				5700~5720	-28.31	≤15.40	PASS
				5720~5725	-26.37	≤17.91	PASS
				5760~5650	-39.74	≤-27	PASS
		High	5825	5850~5855	-26.43	≤16.65	PASS
				5855~5875	-26.3	≤15.50	PASS
				5875~5925	-39.06	≤-26.91	PASS
				5925~5935	-37.39	≤-27	PASS
11N20SI SO	Ant2	Low	5745	5650~5700	-39.6	≤-26.02	PASS
				5700~5720	-30.99	≤13.47	PASS
				5720~5725	-28.49	≤16.60	PASS
				5760~5650	-40.08	≤-27	PASS
		High	5825	5850~5855	-25.82	≤18.50	PASS
				5855~5875	-27.41	≤15.58	PASS
				5875~5925	-37.09	≤-24.91	PASS
				5925~5935	-37.73	≤-27	PASS
11N40SI SO	Ant2	Low	5755	5650~5700	-40.44	≤-26.70	PASS
				5700~5720	-25.09	≤14.71	PASS
				5720~5725	-25.37	≤15.74	PASS
				5780~5650	-39.37	≤-27	PASS
		High	5795	5850~5855	-33.58	≤16.03	PASS
				5855~5875	-33.04	≤15.01	PASS
				5875~5925	-39.27	≤-26.83	PASS
				5925~5935	-37.25	≤-27	PASS
11AC20S ISO	Ant2	Low	5745	5650~5700	-39.24	≤-25.93	PASS
				5700~5720	-29.09	≤15.21	PASS
				5720~5725	-25.11	≤16.60	PASS
				5760~5650	-38.9	≤-27	PASS
		High	5825	5850~5855	-23.32	≤16.34	PASS
				5855~5875	-26.44	≤15.35	PASS
				5875~5925	-38.44	≤-26.01	PASS
				5925~5935	-38.36	≤-27	PASS
11AC40S ISO	Ant2	Low	5755	5650~5700	-40.01	≤-26.30	PASS
				5700~5720	-24.57	≤14.52	PASS
				5720~5725	-24.7	≤16.35	PASS
				5780~5650	-38.15	≤-27	PASS
		High	5795	5850~5855	-34.32	≤17.16	PASS
				5855~5875	-34.66	≤12.51	PASS

				5875~5925	-39.64	≤ -26.95	PASS
				5925~5935	-38.13	≤ -27	PASS
11AX20S ISO	Ant2	Low	5745	5650~5700	-40.36	≤ -26.53	PASS
				5700~5720	-25.36	≤ 15.34	PASS
				5720~5725	-23.7	≤ 20.80	PASS
				5760~5650	-38.86	≤ -27	PASS
		High	5825	5850~5855	-27.94	≤ 16.34	PASS
				5855~5875	-26.92	≤ 14.63	PASS
				5875~5925	-39.03	≤ -26.91	PASS
				5925~5935	-38.22	≤ -27	PASS
11AX40S ISO	Ant2	Low	5755	5650~5700	-39.82	≤ -26.40	PASS
				5700~5720	-26.53	≤ 12.97	PASS
				5720~5725	-24.96	≤ 16.04	PASS
				5780~5650	-37.53	≤ -27	PASS
		High	5795	5850~5855	-30.69	≤ 17.16	PASS
				5855~5875	-35.31	≤ 12.65	PASS
				5875~5925	-39.51	≤ -26.71	PASS
				5925~5935	-37.56	≤ -27	PASS

Test Graphs B4






11N20SISO_Ant2_High_5825



11N40SISO_Ant2_Low_5755



11N40SISO_Ant2_High_5795




11AC20SISO_Ant2_Low_5745



11AC20SISO_Ant2_High_5825



11AC40SISO_Ant2_Low_5755



11AC40SISO_Ant2_High_5795




11AX20SISO_Ant2_Low_5745



11AX20SISO_Ant2_High_5825



11AX40SISO_Ant2_Low_5755




Appendix E.7: Conducted Spurious Emission

Test Result

TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant2	5745	30~5650	5014.57	-40.88	≤-27	PASS
			5925~27000	25983.48	-32.32	≤-27	PASS
		5785	30~5650	5013.44	-39.86	≤-27	PASS
			5925~27000	24262.36	-30.01	≤-27	PASS
		5825	30~5650	5364.13	-40.34	≤-27	PASS
			5925~27000	26504.74	-31.57	≤-27	PASS
11N20SISO	Ant2	5745	30~5650	4596.06	-35.71	≤-27	PASS
			5925~27000	26062.87	-31.12	≤-27	PASS
		5785	30~5650	3049.25	-40.09	≤-27	PASS
			5925~27000	26517.38	-31.6	≤-27	PASS
		5825	30~5650	5499.2	-40.05	≤-27	PASS
			5925~27000	26693.71	-31.64	≤-27	PASS
11N40SISO	Ant2	5755	30~5650	5396.16	-40.3	≤-27	PASS
			5925~27000	24156.98	-32.09	≤-27	PASS
		5795	30~5650	4635.78	-38.1	≤-27	PASS
			5925~27000	24774.48	-31.25	≤-27	PASS
11AC20SISO	Ant2	5745	30~5650	5460.04	-40.26	≤-27	PASS
			5925~27000	23452.38	-31.56	≤-27	PASS
		5785	30~5650	5339.03	-39.65	≤-27	PASS
			5925~27000	24758.32	-31.57	≤-27	PASS
		5825	30~5650	5433.07	-40.48	≤-27	PASS
			5925~27000	24236.37	-31.82	≤-27	PASS
11AC40SISO	Ant2	5755	30~5650	4603.74	-37.08	≤-27	PASS
			5925~27000	26707.76	-32.04	≤-27	PASS
		5795	30~5650	5344.83	-40.32	≤-27	PASS
			5925~27000	24341.04	-31.71	≤-27	PASS
11AX20SISO	Ant2	5745	30~5650	3029.58	-40.45	≤-27	PASS
			5925~27000	24166.12	-32.3	≤-27	PASS
		5785	30~5650	2618.2	-39.76	≤-27	PASS
			5925~27000	24251.82	-31.61	≤-27	PASS
		5825	30~5650	4970.73	-40.25	≤-27	PASS
			5925~27000	26113.45	-31.32	≤-27	PASS
11AX40SISO	Ant2	5755	30~5650	2683.58	-40.64	≤-27	PASS
			5925~27000	24210.37	-31.14	≤-27	PASS
		5795	30~5650	4636.15	-35.72	≤-27	PASS
			5925~27000	23420.06	-31.38	≤-27	PASS

Test Graphs





11A_Ant2_5785_5925~27000



11A_Ant2_5825_30~5650



11A_Ant2_5825_5925~27000



11N20SISO_Ant2_5745_30~5650



11N20SISO_Ant2_5745_5925~27000



11N20SISO_Ant2_5785_30~5650



11N20SISO_Ant2_5785_5925~27000



11N20SISO_Ant2_5825_30~5650




11N20SISO_Ant2_5825_5925~27000



11N40SISO_Ant2_5755_30~5650



11N40SISO_Ant2_5755_5925~27000



11N40SISO_Ant2_5795_30~5650



11N40SISO_Ant2_5795_5925~27000



11AC20SISO_Ant2_5745_30~5650



11AC20SISO_Ant2_5745_5925~27000



11AC20SISO_Ant2_5785_30~5650



11AC20SISO_Ant2_5785_5925~27000



11AC20SISO_Ant2_5825_30~5650



11AC20SISO_Ant2_5825_5925~27000



11AC40SISO_Ant2_5755_30~5650



11AC40SISO_Ant2_5755_5925~27000



11AC40SISO_Ant2_5795_30~5650



11AC40SISO_Ant2_5795_5925~27000



11AX20SISO_Ant2_5745_30~5650



11AX20SISO_Ant2_5745_5925~27000



11AX20SISO_Ant2_5785_30~5650



11AX20SISO_Ant2_5785_5925~27000



11AX20SISO_Ant2_5825_30~5650



11AX20SISO_Ant2_5825_5925~27000



11AX40SISO_Ant2_5755_30~5650




11AX40SISO_Ant2_5755_5925~27000



11AX40SISO_Ant2_5795_30~5650





Appendix E.8: Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant2	Low	5745	Peak	5650.000	-39.909	≤-27.00	---	---	PASS
				Peak	5700.000	-38.85	≤10.00	---	---	PASS
				Peak	5720.000	-28.59	≤15.60	---	---	PASS
				Peak	5725.000	-24.33	≤27.00	---	---	PASS
		High	5825	Peak	5850.000	-27.298	≤27.00	---	---	PASS
				Peak	5855.000	-31.68	≤15.60	---	---	PASS
				Peak	5875.000	-37.01	≤10.00	---	---	PASS
				Peak	5925.000	-36.74	≤-27.00	---	---	PASS
11N20SI SO	Ant2	Low	5745	Peak	5650.000	-39.36	≤-27.00	---	---	PASS
				Peak	5700.000	-36.23	≤10.00	---	---	PASS
				Peak	5720.000	-32.67	≤15.60	---	---	PASS
				Peak	5725.000	-26.09	≤27.00	---	---	PASS
		High	5825	Peak	5850.000	-22.907	≤27.00	---	---	PASS
				Peak	5855.000	-28.37	≤15.60	---	---	PASS
				Peak	5875.000	-36.63	≤10.00	---	---	PASS
				Peak	5925.000	-35.69	≤-27.00	---	---	PASS
11N40SI SO	Ant2	Low	5755	Peak	5650.000	-39.7	≤-27.00	---	---	PASS
				Peak	5700.000	-38.35	≤10.00	---	---	PASS
				Peak	5720.000	-28.55	≤15.60	---	---	PASS
				Peak	5725.000	-26.17	≤27.00	---	---	PASS
		High	5795	Peak	5850.000	-31.805	≤27.00	---	---	PASS
				Peak	5855.000	-30.9	≤15.60	---	---	PASS
				Peak	5875.000	-36.49	≤10.00	---	---	PASS
				Peak	5925.000	-36.51	≤-27.00	---	---	PASS
11AC20S ISO	Ant2	Low	5745	Peak	5650.000	-40.897	≤-27.00	---	---	PASS
				Peak	5700.000	-37.74	≤10.00	---	---	PASS
				Peak	5720.000	-26.33	≤15.60	---	---	PASS
				Peak	5725.000	-24.65	≤27.00	---	---	PASS
		High	5825	Peak	5850.000	-25.722	≤27.00	---	---	PASS
				Peak	5855.000	-26.59	≤15.60	---	---	PASS
				Peak	5875.000	-34.33	≤10.00	---	---	PASS


				Peak	5925.000	-37.5	≤ -27.00	- - -	- - -	PASS
11AC40S ISO	Ant2	Low	5755	Peak	5650.000	- 39.434	≤ -27.00	---	---	PASS
				Peak	5700.000	-36.91	≤ 10.00	---	---	PASS
				Peak	5720.000	-23.69	≤ 15.60	---	---	PASS
				Peak	5725.000	-21.36	≤ 27.00	- - -	- - -	PASS
		High	5795	Peak	5850.000	- 29.868	≤ 27.00	---	---	PASS
				Peak	5855.000	-32.65	≤ 15.60	---	---	PASS
				Peak	5875.000	-37.18	≤ 10.00	---	---	PASS
				Peak	5925.000	-37.61	≤ -27.00	- - -	- - -	PASS
11AX20S ISO	Ant2	Low	5745	Peak	5650.000	- 39.911	≤ -27.00	---	---	PASS
				Peak	5700.000	-37.58	≤ 10.00	---	---	PASS
				Peak	5720.000	-26.11	≤ 15.60	---	---	PASS
				Peak	5725.000	-25.11	≤ 27.00	- - -	- - -	PASS
		High	5825	Peak	5850.000	- 25.589	≤ 27.00	---	---	PASS
				Peak	5855.000	-27.96	≤ 15.60	---	---	PASS
				Peak	5875.000	-35.08	≤ 10.00	---	---	PASS
				Peak	5925.000	-36.33	≤ -27.00	- - -	- - -	PASS
11AX40S ISO	Ant2	Low	5755	Peak	5650.000	- 39.755	≤ -27.00	---	---	PASS
				Peak	5700.000	-34.26	≤ 10.00	---	---	PASS
				Peak	5720.000	-29.13	≤ 15.60	---	---	PASS
				Peak	5725.000	-24.28	≤ 27.00	- - -	- - -	PASS
		High	5795	Peak	5850.000	- 31.354	≤ 27.00	---	---	PASS
				Peak	5855.000	-31.61	≤ 15.60	---	---	PASS
				Peak	5875.000	-36.19	≤ 10.00	---	---	PASS
				Peak	5925.000	-36.61	≤ -27.00	- - -	- - -	PASS

Note:

1. The Antenna Gain is compensated in the graph.
2. The Duty Cycle Factor and RBW Factor is compensated in the graph.
3. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs

11A_Ant2_Low_5745_Peak



11A_Ant2_High_5825_Peak



11N20SISO_Ant2_Low_5745_Peak



11N20SISO_Ant2_High_5825_Peak



11N40SISO_Ant2_Low_5755_Peak



11N40SISO_Ant2_High_5795_Peak



11AC20SISO_Ant2_Low_5745_Peak



11AC20SISO_Ant2_High_5825_Peak



11AC40SISO_Ant2_Low_5755_Peak



11AC40SISO_Ant2_High_5795_Peak



11AX20SISO_Ant2_Low_5745_Peak



11AX20SISO_Ant2_High_5825_Peak



11AX40SISO_Ant2_Low_5755_Peak

