

|                                                        |                                          |
|--------------------------------------------------------|------------------------------------------|
| <b>Case No. :</b> <u>GTS20240328013-1-06</u>           |                                          |
| <b>Ambient Condition:</b> <u>23</u> °C, <u>53</u> %RH, |                                          |
| <b>Test Date:</b> <u>2025.3.12</u>                     | <b>Test Engineer:</b> <u>Evan ouyang</u> |


## Appendix C.1: DTS Bandwidth

### Test Result

| TestMode  | Antenna | Frequency[MHz] | DTS BW [MHz] | FL[MHz]  | FH[MHz]  | Limit[MHz] | Verdict |
|-----------|---------|----------------|--------------|----------|----------|------------|---------|
| 11B       | Ant1    | 2412           | 7.560        | 2408.000 | 2415.560 | 0.5        | PASS    |
|           |         | 2437           | 8.040        | 2433.000 | 2441.040 | 0.5        | PASS    |
|           |         | 2462           | 8.080        | 2457.960 | 2466.040 | 0.5        | PASS    |
| 11G       | Ant1    | 2412           | 16.400       | 2403.840 | 2420.240 | 0.5        | PASS    |
|           |         | 2437           | 16.320       | 2428.840 | 2445.160 | 0.5        | PASS    |
|           |         | 2462           | 16.360       | 2453.840 | 2470.200 | 0.5        | PASS    |
| 11N20SISO | Ant1    | 2412           | 17.640       | 2403.200 | 2420.840 | 0.5        | PASS    |
|           |         | 2437           | 17.360       | 2428.440 | 2445.800 | 0.5        | PASS    |
|           |         | 2462           | 17.560       | 2453.240 | 2470.800 | 0.5        | PASS    |
| 11N40SISO | Ant1    | 2422           | 36.080       | 2404.080 | 2440.160 | 0.5        | PASS    |
|           |         | 2437           | 36.000       | 2419.240 | 2455.240 | 0.5        | PASS    |
|           |         | 2452           | 36.080       | 2434.080 | 2470.160 | 0.5        | PASS    |

Test Graphs





11G\_Ant1\_2412




11G\_Ant1\_2437



## 11G\_Ant1\_2462



## 11N20SISO\_Ant1\_2412




## 11N20SISO\_Ant1\_2437



11N20SISO\_Ant1\_2462




11N40SISO\_Ant1\_2422



## 11N40SISO\_Ant1\_2437



## 11N40SISO\_Ant1\_2452




## Appendix C.2: Occupied Channel Bandwidth

### Test Result

| TestMode  | Antenna | Channel<br>Frequency[MHz] | OCB<br>[MHz] | FL[MHz]   | FH[MHz]   | Limit[MHz] | Verdict |
|-----------|---------|---------------------------|--------------|-----------|-----------|------------|---------|
| 11B       | Ant1    | 2412                      | 12.966       | 2405.5762 | 2418.5422 | ---        | ---     |
|           |         | 2437                      | 12.876       | 2430.6354 | 2443.5114 | ---        | ---     |
|           |         | 2462                      | 12.893       | 2455.6048 | 2468.4978 | ---        | ---     |
| 11G       | Ant1    | 2412                      | 16.858       | 2403.6235 | 2420.4815 | ---        | ---     |
|           |         | 2437                      | 16.764       | 2428.6654 | 2445.4294 | ---        | ---     |
|           |         | 2462                      | 16.804       | 2453.6607 | 2470.4647 | ---        | ---     |
| 11N20SISO | Ant1    | 2412                      | 17.875       | 2403.1046 | 2420.9796 | ---        | ---     |
|           |         | 2437                      | 17.830       | 2428.1468 | 2445.9768 | ---        | ---     |
|           |         | 2462                      | 17.826       | 2453.1399 | 2470.9659 | ---        | ---     |
| 11N40SISO | Ant1    | 2422                      | 36.246       | 2404.0635 | 2440.3095 | ---        | ---     |
|           |         | 2437                      | 36.126       | 2419.0671 | 2455.1931 | ---        | ---     |
|           |         | 2452                      | 36.135       | 2434.0928 | 2470.2278 | ---        | ---     |

## Test Graphs

11B\_Ant1\_2412




11B\_Ant1\_2437




11B\_Ant1\_2462



11G\_Ant1\_2412




11G\_Ant1\_2437



## 11G\_Ant1\_2462




## 11N20SISO\_Ant1\_2412




## 11N20SISO\_Ant1\_2437




11N20SISO\_Ant1\_2462




11N40SISO\_Ant1\_2422



## 11N40SISO\_Ant1\_2437



## 11N40SISO\_Ant1\_2452



### Appendix C.3: Maximum conducted output power

| Test Mode | Antenna | Frequency[MHz] | Peak power [dBm] | Limit [dBm] | Verdict |
|-----------|---------|----------------|------------------|-------------|---------|
| 11B       | Ant1    | 2412           | 15.07            | ≤30.00      | PASS    |
|           |         | 2437           | 16.23            | ≤30.00      | PASS    |
|           |         | 2462           | 16.61            | ≤30.00      | PASS    |
| 11G       | Ant1    | 2412           | 18.89            | ≤30.00      | PASS    |
|           |         | 2437           | 19.78            | ≤30.00      | PASS    |
|           |         | 2462           | 20.26            | ≤30.00      | PASS    |
| 11N20SISO | Ant1    | 2412           | 18.77            | ≤30.00      | PASS    |
|           |         | 2437           | 19.57            | ≤30.00      | PASS    |
|           |         | 2462           | 20.04            | ≤30.00      | PASS    |
| 11N40SISO | Ant1    | 2422           | 18.44            | ≤30.00      | PASS    |
|           |         | 2437           | 18.91            | ≤30.00      | PASS    |
|           |         | 2452           | 19.33            | ≤30.00      | PASS    |

## Appendix C.4: Maximum power spectral density

### Test Result

| TestMode  | Antenna | Frequency[MHz] | Result[dBm/3-100kHz] | Limit[dBm/3kHz] | Verdict |
|-----------|---------|----------------|----------------------|-----------------|---------|
| 11B       | Ant1    | 2412           | -10.32               | ≤8.00           | PASS    |
|           |         | 2437           | -7.94                | ≤8.00           | PASS    |
|           |         | 2462           | -9.51                | ≤8.00           | PASS    |
| 11G       | Ant1    | 2412           | -12.89               | ≤8.00           | PASS    |
|           |         | 2437           | -12.22               | ≤8.00           | PASS    |
|           |         | 2462           | -11.28               | ≤8.00           | PASS    |
| 11N20SISO | Ant1    | 2412           | -13.56               | ≤8.00           | PASS    |
|           |         | 2437           | -12.65               | ≤8.00           | PASS    |
|           |         | 2462           | -11.65               | ≤8.00           | PASS    |
| 11N40SISO | Ant1    | 2422           | -15.02               | ≤8.00           | PASS    |
|           |         | 2437           | -14.28               | ≤8.00           | PASS    |
|           |         | 2452           | -15.40               | ≤8.00           | PASS    |

## Test Graphs

11B\_Ant1\_2412




11B\_Ant1\_2437




11B\_Ant1\_2462



11G\_Ant1\_2412




11G\_Ant1\_2437



## 11G\_Ant1\_2462




## 11N20SISO\_Ant1\_2412




## 11N20SISO\_Ant1\_2437




11N20SISO\_Ant1\_2462



11N40SISO\_Ant1\_2422



## 11N40SISO\_Ant1\_2437



## 11N40SISO\_Ant1\_2452




## Appendix C.5: Band edge measurements

### Test Result

| TestMode  | Antenna | ChName | Frequency[MHz] | RefLevel[dBm] | Result[dBm] | Limit[dBm]    | Verdict |
|-----------|---------|--------|----------------|---------------|-------------|---------------|---------|
| 11B       | Ant1    | Low    | 2412           | 3.84          | -46.28      | $\leq -16.16$ | PASS    |
|           |         | High   | 2462           | 5.37          | -49.48      | $\leq -14.63$ | PASS    |
| 11G       | Ant1    | Low    | 2412           | -1.62         | -33.72      | $\leq -21.62$ | PASS    |
|           |         | High   | 2462           | -0.28         | -47.44      | $\leq -20.28$ | PASS    |
| 11N20SISO | Ant1    | Low    | 2412           | -1.45         | -33.99      | $\leq -21.45$ | PASS    |
|           |         | High   | 2462           | -0.58         | -44.91      | $\leq -20.58$ | PASS    |
| 11N40SISO | Ant1    | Low    | 2422           | -4.83         | -38.68      | $\leq -24.83$ | PASS    |
|           |         | High   | 2452           | -4.27         | -42.05      | $\leq -24.27$ | PASS    |

Test Graphs




11B\_Ant1\_High\_2462

Frequency


Auto Tune

Center Freq  
2.495000000 GHzStart Freq  
2.440000000 GHzStop Freq  
2.550000000 GHzCF Step  
11.000000 MHz  
Auto ManFreq Offset  
0 Hz


11G\_Ant1\_Low\_2412




11G\_Ant1\_High\_2462




11N20SISO\_Ant1\_Low\_2412




## 11N20SISO\_Ant1\_High\_2462



## 11N40SISO\_Ant1\_Low\_2422



## 11N40SISO\_Ant1\_High\_2452





## Appendix C.6: Conducted Spurious Emission

### Test Result

| TestMode  | Antenna | Frequency[MHz] | FreqRange [Mhz] | RefLevel [dBm] | Result [dBm] | Limit [dBm]   | Verdict |
|-----------|---------|----------------|-----------------|----------------|--------------|---------------|---------|
| 11B       | Ant1    | 2412           | Reference       | 2.49           | 2.49         | ---           | PASS    |
|           |         |                | 30~1000         | 2.49           | -60.58       | $\leq -17.51$ | PASS    |
|           |         |                | 1000~26500      | 2.49           | -45.79       | $\leq -17.51$ | PASS    |
|           |         | 2437           | Reference       | 3.09           | 3.09         | ---           | PASS    |
|           |         |                | 30~1000         | 3.09           | -60.57       | $\leq -16.91$ | PASS    |
|           |         |                | 1000~26500      | 3.09           | -45.77       | $\leq -16.91$ | PASS    |
|           |         | 2462           | Reference       | 4.00           | 4.00         | ---           | PASS    |
|           |         |                | 30~1000         | 4.00           | -59.94       | $\leq -16$    | PASS    |
|           |         |                | 1000~26500      | 4.00           | -47.59       | $\leq -16$    | PASS    |
| 11G       | Ant1    | 2412           | Reference       | -1.99          | -1.99        | ---           | PASS    |
|           |         |                | 30~1000         | -1.99          | -60.69       | $\leq -21.99$ | PASS    |
|           |         |                | 1000~26500      | -1.99          | -47.35       | $\leq -21.99$ | PASS    |
|           |         | 2437           | Reference       | -0.94          | -0.94        | ---           | PASS    |
|           |         |                | 30~1000         | -0.94          | -60.49       | $\leq -20.94$ | PASS    |
|           |         |                | 1000~26500      | -0.94          | -47.19       | $\leq -20.94$ | PASS    |
|           |         | 2462           | Reference       | -0.97          | -0.97        | ---           | PASS    |
|           |         |                | 30~1000         | -0.97          | -61          | $\leq -20.97$ | PASS    |
|           |         |                | 1000~26500      | -0.97          | -46.64       | $\leq -20.97$ | PASS    |
| 11N20SISO | Ant1    | 2412           | Reference       | -2.78          | -2.78        | ---           | PASS    |
|           |         |                | 30~1000         | -2.78          | -60.7        | $\leq -22.78$ | PASS    |
|           |         |                | 1000~26500      | -2.78          | -47.92       | $\leq -22.78$ | PASS    |
|           |         | 2437           | Reference       | -1.96          | -1.96        | ---           | PASS    |
|           |         |                | 30~1000         | -1.96          | -60.64       | $\leq -21.96$ | PASS    |
|           |         |                | 1000~26500      | -1.96          | -46.71       | $\leq -21.96$ | PASS    |
|           |         | 2462           | Reference       | -1.23          | -1.23        | ---           | PASS    |
|           |         |                | 30~1000         | -1.23          | -60.67       | $\leq -21.23$ | PASS    |
|           |         |                | 1000~26500      | -1.23          | -47.7        | $\leq -21.23$ | PASS    |
| 11N40SISO | Ant1    | 2422           | Reference       | -6.08          | -6.08        | ---           | PASS    |
|           |         |                | 30~1000         | -6.08          | -60.74       | $\leq -26.08$ | PASS    |
|           |         |                | 1000~26500      | -6.08          | -47.57       | $\leq -26.08$ | PASS    |
|           |         | 2437           | Reference       | -5.63          | -5.63        | ---           | PASS    |
|           |         |                | 30~1000         | -5.63          | -61.02       | $\leq -25.63$ | PASS    |
|           |         |                | 1000~26500      | -5.63          | -46.64       | $\leq -25.63$ | PASS    |
|           |         | 2452           | Reference       | -4.21          | -4.21        | ---           | PASS    |
|           |         |                | 30~1000         | -4.21          | -60.94       | $\leq -24.21$ | PASS    |
|           |         |                | 1000~26500      | -4.21          | -47.6        | $\leq -24.21$ | PASS    |

## Test Graphs







11B\_Ant1\_2437\_0~Reference



11B\_Ant1\_2437\_30~1000




## 11B\_Ant1\_2437\_1000~26500



## 11B\_Ant1\_2462\_0~Reference



## 11B\_Ant1\_2462\_30~1000




11B\_Ant1\_2462\_1000~26500




11G\_Ant1\_2412\_0~Reference



## 11G\_Ant1\_2412\_30~1000




## 11G\_Ant1\_2412\_1000~26500




## 11G\_Ant1\_2437\_0~Reference



11G\_Ant1\_2437\_30~1000




11G\_Ant1\_2437\_1000~26500




## 11G\_Ant1\_2462\_0~Reference



## 11G\_Ant1\_2462\_30~1000



## 11G\_Ant1\_2462\_1000~26500




11N20SISO\_Ant1\_2412\_0~Reference



11N20SISO\_Ant1\_2412\_30~1000




## 11N20SISO\_Ant1\_2412\_1000~26500



## 11N20SISO\_Ant1\_2437\_0~Reference



## 11N20SISO\_Ant1\_2437\_30~1000




11N20SISO\_Ant1\_2437\_1000~26500




11N20SISO\_Ant1\_2462\_0~Reference



## 11N20SISO\_Ant1\_2462\_30~1000




## 11N20SISO\_Ant1\_2462\_1000~26500



## 11N40SISO\_Ant1\_2422\_0~Reference



11N40SISO\_Ant1\_2422\_30~1000




11N40SISO\_Ant1\_2422\_1000~26500



## 11N40SISO\_Ant1\_2437\_0~Reference



## 11N40SISO\_Ant1\_2437\_30~1000




## 11N40SISO\_Ant1\_2437\_1000~26500




11N40SISO\_Ant1\_2452\_0~Reference



11N40SISO\_Ant1\_2452\_30~1000





## Appendix C.7: Emissions in Restricted Bands

### Test Result


| TestMode      | Antenna | ChName | Frequenc<br>y[MHz] | Detector | Freq<br>[MHz] | Result<br>[dBm] | Limit<br>[dBm] | Result<br>[dBuV/m] | Limit<br>[dBuV/m] | Verdict |
|---------------|---------|--------|--------------------|----------|---------------|-----------------|----------------|--------------------|-------------------|---------|
| 11B           | Ant1    | Low    | 2412               | AV       | 2310.000      | -49.44          | ≤-41.20        | 45.76              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2385.800      | -48.59          | ≤-41.20        | 46.61              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2390.000      | -48.8           | ≤-41.20        | 46.40              | ≤54               | PASS    |
|               |         |        |                    | Peak     | 2310.000      | -46.06          | ≤-21.20        | 49.14              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2334.710      | -39.34          | ≤-21.20        | 55.86              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2390.000      | -47.94          | ≤-21.20        | 47.26              | ≤74               | PASS    |
|               |         | High   | 2462               | AV       | 2483.500      | -48.61          | ≤-41.20        | 46.59              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2499.950      | -48.42          | ≤-41.20        | 46.78              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2500.000      | -48.42          | ≤-41.20        | 46.78              | ≤54               | PASS    |
|               |         |        |                    | Peak     | 2483.500      | -43.05          | ≤-21.20        | 52.15              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2494.120      | -39.86          | ≤-21.20        | 55.34              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2500.000      | -44.31          | ≤-21.20        | 50.89              | ≤74               | PASS    |
| 11G           | Ant1    | Low    | 2412               | AV       | 2310.000      | -49.23          | ≤-41.20        | 45.97              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2389.960      | -45.5           | ≤-41.20        | 49.70              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2390.000      | -45.5           | ≤-41.20        | 49.70              | ≤54               | PASS    |
|               |         |        |                    | Peak     | 2310.000      | -46.19          | ≤-21.20        | 49.01              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2388.790      | -39.17          | ≤-21.20        | 56.03              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2390.000      | -42.19          | ≤-21.20        | 53.01              | ≤74               | PASS    |
|               |         | High   | 2462               | AV       | 2483.500      | -45.21          | ≤-41.20        | 49.99              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2483.560      | -45.28          | ≤-41.20        | 49.92              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2500.000      | -47.35          | ≤-41.20        | 47.85              | ≤54               | PASS    |
|               |         |        |                    | Peak     | 2483.500      | -43.26          | ≤-21.20        | 51.94              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2497.530      | -37.44          | ≤-21.20        | 57.76              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2500.000      | -43.36          | ≤-21.20        | 51.84              | ≤74               | PASS    |
| 11N20SIS<br>O | Ant1    | Low    | 2412               | AV       | 2310.000      | -49.24          | ≤-41.20        | 45.96              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2389.960      | -44.32          | ≤-41.20        | 50.88              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2390.000      | -44.32          | ≤-41.20        | 50.88              | ≤54               | PASS    |
|               |         |        |                    | Peak     | 2310.000      | -45.33          | ≤-21.20        | 49.87              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2389.960      | -38.73          | ≤-21.20        | 56.47              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2390.000      | -38.73          | ≤-21.20        | 56.47              | ≤74               | PASS    |
|               |         | High   | 2462               | AV       | 2483.500      | -44.32          | ≤-41.20        | 50.88              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2483.560      | -44.4           | ≤-41.20        | 50.80              | ≤54               | PASS    |
|               |         |        |                    | AV       | 2500.000      | -47.38          | ≤-41.20        | 47.82              | ≤54               | PASS    |
|               |         |        |                    | Peak     | 2483.500      | -42.34          | ≤-21.20        | 52.86              | ≤74               | PASS    |
|               |         |        |                    | Peak     | 2497.530      | -38.38          | ≤-21.20        | 56.82              | ≤74               | PASS    |


|               |      |      |      |      |          |        |               |       |           |      |
|---------------|------|------|------|------|----------|--------|---------------|-------|-----------|------|
|               |      |      |      | Peak | 2500.000 | -41.91 | $\leq -21.20$ | 53.29 | $\leq 74$ | PASS |
| 11N40SIS<br>O | Ant1 | Low  | 2422 | AV   | 2310.000 | -49.43 | $\leq -41.20$ | 45.77 | $\leq 54$ | PASS |
|               |      |      |      | AV   | 2389.960 | -42.36 | $\leq -41.20$ | 52.84 | $\leq 54$ | PASS |
|               |      |      |      | AV   | 2390.000 | -42.36 | $\leq -41.20$ | 52.84 | $\leq 54$ | PASS |
|               |      |      |      | Peak | 2310.000 | -45.67 | $\leq -21.20$ | 49.53 | $\leq 74$ | PASS |
|               |      |      |      | Peak | 2388.140 | -31.7  | $\leq -21.20$ | 63.50 | $\leq 74$ | PASS |
|               |      |      |      | Peak | 2390.000 | -38.73 | $\leq -21.20$ | 56.47 | $\leq 74$ | PASS |
|               |      | High | 2452 | AV   | 2483.500 | -43.28 | $\leq -41.20$ | 51.92 | $\leq 54$ | PASS |
|               |      |      |      | AV   | 2483.560 | -43.31 | $\leq -41.20$ | 51.89 | $\leq 54$ | PASS |
|               |      |      |      | AV   | 2500.000 | -46.74 | $\leq -41.20$ | 48.46 | $\leq 54$ | PASS |
|               |      |      |      | Peak | 2483.500 | -43.26 | $\leq -21.20$ | 51.94 | $\leq 74$ | PASS |
|               |      |      |      | Peak | 2496.980 | -36.57 | $\leq -21.20$ | 58.63 | $\leq 74$ | PASS |
|               |      |      |      | Peak | 2500.000 | -45.01 | $\leq -21.20$ | 50.19 | $\leq 74$ | PASS |

## Note:


1. The Antenna Gain is compensated in the graph.
2. The Duty Cycle Factor and RBW Factor is compensated in the graph.
3. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs





11B\_Ant1\_High\_2462\_Peak




11G\_Ant1\_Low\_2412\_AV




## 11G\_Ant1\_Low\_2412\_Peak



## 11G\_Ant1\_High\_2462\_AV




## 11G\_Ant1\_High\_2462\_Peak



11N20SISO\_Ant1\_Low\_2412\_AV



11N20SISO\_Ant1\_Low\_2412\_Peak



## 11N20SISO\_Ant1\_High\_2462\_AV



## 11N20SISO\_Ant1\_High\_2462\_Peak



## 11N40SISO\_Ant1\_Low\_2422\_AV



11N40SISO\_Ant1\_Low\_2422\_Peak



11N40SISO\_Ant1\_High\_2452\_AV



