

Access Reader

User Manual

Revision 1.0



Preface

This manual introduces the functions and operations of the card reader. Read carefully before using the device, and keep the manual safe for future reference.

Privacy Notice

As the device user or data controller, you might collect the personal data of others such as their face, audio, fingerprints, and license plate number. You need to be in compliance with your local privacy protection laws and regulations to protect the legitimate rights and interests of other people by implementing measures which include but are not limited: Providing clear and visible identification to inform people of the existence of the surveillance area and provide required contact information.

Safety Instruction

The following signal words might appear in the manual.

Signal Words	Meaning
 DANGER	Indicates a high potential hazard which, if not avoided, will result in death or serious injury.
 WARNING	Indicates a medium or low potential hazard which, if not avoided, could result in slight or moderate injury.
 CAUTION	Indicates a potential risk which, if not avoided, could result in property damage, data loss, reductions in performance, or unpredictable results.
 NOTE	Provides additional information as a supplement to the text.

About the Manual

- The manual is for reference only. Slight differences might be found between the manual and the product.
- We are not liable for losses incurred due to operating the product in ways that are not in compliance with the manual.
- The manual will be updated according to the latest laws and regulations of related jurisdictions. For detailed information, see the paper user’s manual, use our CD-ROM, scan the QR code or visit our official website. The manual is for reference only. Slight differences might be found between the electronic version and the paper version.
- All designs and software are subject to change without prior written notice. Product updates might result in some differences appearing between the actual product and the manual. Please contact customer service for the latest program and supplementary documentation.

- There might be errors in the print or deviations in the description of the functions, operations and technical data. If there is any doubt or dispute, we reserve the right of final explanation.
- Upgrade the reader software or try other mainstream reader software if the manual (in PDF format) cannot be opened.
- All trademarks, registered trademarks and company names in the manual are properties of their respective owners.
- Please visit our website, contact the supplier or customer service if any problems occur while using the device.
- If there is any uncertainty or controversy, we reserve the right of final explanation.

Important Safety Instruction and Warning

Transportation Guidelines

Ensure the card reader is transported, operated, and stored within the specified humidity and temperature ranges.

Storage Conditions

The card reader must be stored in environments with approved humidity and temperature levels.

Installation Instructions

- **Power Connection:** Never plug the power adapter into the card reader while the adapter is energized.
- **Electrical Compliance:** Observe the regional electrical safety regulations. Verify that the voltage is stable and compatible with the Access Controller’s power specifications.
- **Power Supply:** Avoid connecting the card reader to multiple power sources simultaneously, as this may cause irreparable damage.
- **Battery Warning:** Incorrect battery handling may lead to fire or explosion hazards.
- **Height Work:** Personnel working at elevated positions must wear helmets, safety harnesses, and follow all necessary safety protocols.
- **Environmental Placement:**
 - ◊ Do not install the card reader in direct sunlight or near heat-emitting equipment.
 - ◊ Protect the device from moisture, dust, and airborne contaminants.
 - ◊ Ensure the mounting surface is stable to prevent accidental falls.
 - ◊ Maintain adequate ventilation around the device; avoid obstructing airflow.
- **Power Supply Requirements:**
 - ◊ Use only manufacturer-approved adapters or cabinet power supplies.
 - ◊ Select power cords compliant with regional standards and rated power specifications.
 - ◊ The power source must meet IEC 62368-1 ES1 standards and not exceed PS2. Refer to the card reader’s label for exact power requirements.

Access Reader User Manual

- ◇ As a Class I appliance, the card reader must be connected to a properly grounded power outlet.

Operational Guidelines

- **Power Verification:** Ensure the power supply is correct before activating the device.
- **Safe Disconnection:** Never remove the power cord from the card reader while the adapter is still energized.
- **Power Limits:** Operate the device strictly within its specified input and output power ratings.
- **Environmental Conditions:** Use the card reader only within approved humidity and temperature ranges.
- **Liquid Hazard Prevention:**
 - ◇ Avoid dropping or spilling liquids on the device.
 - ◇ Ensure no liquid-filled objects are placed on the card reader to prevent internal leakage.
- **Unauthorized Tampering:** Do not attempt to disassemble the device without professional guidance.

Contents


- Preface.....I*
- Product Overview 1*
 - Synopsis.....1*
 - Appearance1*
 - Dimensions.....1*
- Ports and Installation.....2*
 - Port Overview.....2*
 - Installation Process.....2*
- Unlocking the Door.....3*
- Updating the System4*
 - Updating through LumiViewer.....4*
 - Updating through Wizard.....4*
- Security Recommendation.....5*

Product Overview


Synopsis

In most access control systems, a card reader is a security system that requires a swipe of a credential card to verify the person entering the room/space is cleared. It is suitable for a wide variety of scenes such as office buildings, schools, compounds, communities, factories, public venues, business centers and government buildings.

Appearance



Dimensions



Ports and Installation

Port Overview


Port overview		
Color	Port	Description
Red	12 V	Power supply
Black	GND	
Blue	CASE	Anti-tampering alarm signals(for Wiegand card reader)
White	D1	Wiegands transmission signals (for Wiegand card reader)
Green	D0	
Brown	LED	Wiegand responsive signals (for Wiegand card reader)
Yellow	RS-485_B	RS-485 card reader
Purple	RS-485_A	

Installation Process

The installation process of model M and model A is same. This section uses the installation of model M as an example.

Process

- 1. Mount the bracket to the wall or a mounting surface
- 2. Wire the card reader. For details, see"2.1 Port Overview".
- 3. Attach the card reader to the bracket.
- 4. Screw in a screw on the bottom of the card reader.



Unlocking the Door

Swipe card on the card reader to open the door. For card reader with keypad, you can also unlock the door by entering the user ID and password.

- Unlock the door through public password: Enter the public password, and then tap #.
- Unlock the door through user password: Enter the user ID and tap #, and then enter the user password and tap #.
- Unlock the door through card + password: Swipe card, enter the password, and then tap #.

If the password is correct, the indicator is green and the buzzer sound once. If the password is incorrect, the indicator is red, and the buzzer sounds 4 times (RS-485 communication) or sounds 3 times (Wiegand communication or no signal line is connected).

Updating the System

Updating through LumiViewer

Precondition

- The card reader was added to the access controller through RS-485 wires.
- The card controller and access reader are powered on.

Process

1. Install and log in to LumiViewer, and then select **Device Manager**.
2. Click  .

Figure 4-1 Select the access controller

☐	No.	Name	Device Type	Device Model	IP	Port	Connect Status	Channel Status	SN	Operation
☐	1	10.10.10.89	Access Contr...		10.10.10.89	80	Online	32/0/2/2	2405007AKJ00174	   

3. Click  and  to select the update file.
4. Click **Upgrade**.
The indicator of the card reader flashes blue until the update is complete, and then the card reader automatically restarts.

Updating through Wizard

Precondition

- The card reader was added to the access controller through RS-485 wires.
- The access controller and card reader are powered on.

Process

1. Install and open the Wizard, and then select **Device upgrade**.
2. Click  of an access controller, and then click .
3. Click **Upgrade**.
The indicator of the card reader flashes blue until update is complete, and then the card reader automatically restarts.

Security Recommendation

Account Management

1. Use complex passwords

Please refer to the following suggestions to set passwords:

- The length should not be less than 8 characters;
- Include at least two types of characters: upper and lower case letters, numbers and symbols;
- Do not contain the account name or the account name in reverse order;
- Do not use continuous characters, such as 123, abc, etc.;
- Do not use repeating characters, such as 111, aaa, etc.

2. Change passwords periodically

It is recommended to periodically change the device password to reduce the risk of being guessed or cracked.

3. Allocate accounts and permissions appropriately

Appropriately add users based on service and management requirements and assign minimum permission sets to users.

4. Enable account lockout function

The account lockout function is enabled by default. You are advised to keep it enabled to protect account security. After multiple failed password attempts, the corresponding account and source IP address will be locked.

5. Set and update password reset information in a timely manner

The device supports password reset function. To reduce the risk of this function being used by threat actors, if there is any change in the information, please modify it in time. When setting security questions, it is recommended not to use easily guessed answers.

Service Configuration

1. Enable HTTPS

It is recommended that you enable HTTPS to access web services through secure channels.

2. Encrypted transmission of audio and video

If your audio and video data contents are very important or sensitive, it is recommended to use encrypted transmission function in order to reduce the risk of your audio and video data being eavesdropped during transmission.

3. Turn off non-essential services and use safe mode

If not needed, it is recommended to turn off some services such as SSH, SNMP, SMTP, UPnP, AP hotspot etc., to reduce the attack surfaces.

If necessary, it is highly recommended to choose safe modes, including but not limited to the following services:

- SNMP: Choose SNMP v3, and set up strong encryption and authentication passwords.
- SMTP: Choose TLS to access mailbox server.
- FTP: Choose SFTP, and set up complex passwords.
- AP hotspot: Choose WPA2-PSK encryption mode, and set up complex passwords.

4. Change HTTP and other default service ports

It is recommended that you change the default port of HTTP and other services to any port between 1024 and 65535 to reduce the risk of being guessed by threat actors.

Network Configuration

1. Enable Allow list

It is recommended that you turn on the allow list function, and only allow IP in the allow list to access the device. Therefore, please be sure to add your computer IP address and supporting device IP address to the allow list.

2. MAC address binding

It is recommended that you bind the IP address of the gateway to the MAC address on the device to reduce the risk of ARP spoofing.

3. Build a secure network environment

In order to better ensure the security of devices and reduce potential cyber risks, the following are recommended:

- Disable the port mapping function of the router to avoid direct access to the intranet devices from external network;
- According to the actual network needs, partition the network: if there is no communication demand between the two subnets, it is recommended to use VLAN, gateway and other methods to partition the network to achieve network isolation;
- Establish 802.1x access authentication system to reduce the risk of illegal terminal access to the private network.

Security Auditing

1. Check online users

It is recommended to check online users regularly to identify illegal users.

2. Check device log

By viewing logs, you can learn about the IP addresses that attempt to log in to the device and key operations of the logged users.

3. Configure network log

Due to the limited storage capacity of devices, the stored log is limited. If you need to save the log for a long time, it is recommended to enable the network log function to ensure that the critical logs are synchronized to the network log server for tracing.

Access Reader User Manual

Software Security

1. **Update firmware in time**

According to the industry standard operating specifications, the firmware of devices needs to be updated to the latest version in time in order to ensure that the device has the latest functions and security. If the device is connected to the public network, it is recommended to enable the online upgrade automatic detection function, so as to obtain the firmware update information released by the manufacturer in a timely manner.

2. **Update client software in time**

It is recommended to download and use the latest client software.

Physical Protection

It is recommended that you carry out physical protection for devices (especially storage devices), such as placing the device in a dedicated machine room and cabinet, and having access control and key management in place to prevent unauthorized personnel from damaging hardware and other peripheral equipment (e.g. USB flash disk, serial port).

1. This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions:

(1) This device may not cause harmful interference.

(2) This device must accept any interference received, including interference that may cause undesired operation.

2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- - Reorient or relocate the receiving antenna.
- - Increase the separation between the equipment and receiver.
- - Connect the equipment into an outlet on a circuit different from that to which the

receiver is connected.

- - Consult the dealer or an experienced radio/TV technician for help

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. This equipment should be installed and operated with minimum distance 20cm between the radiator& your body.