

Appendix F: Frequency Stability Test Result

Voltage							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
BandName	Channel	VolValue	TempValue	ValueHz	ValuePpm	Limit	Verdict

Temperature							
Band	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GPRS850	128	NV	-30	13.14	0.015943	±2.5	PASS
GPRS850	128	NV	-20	14.14	0.017156	±2.5	PASS
GPRS850	128	NV	-10	12.46	0.015118	±2.5	PASS
GPRS850	128	NV	0	7.59	0.009209	±2.5	PASS
GPRS850	128	NV	10	13.24	0.016064	±2.5	PASS
GPRS850	128	NV	20	10.17	0.012339	±2.5	PASS
GPRS850	128	NV	30	11.49	0.013941	±2.5	PASS
GPRS850	128	NV	40	11.56	0.014026	±2.5	PASS
GPRS850	128	NV	50	15.34	0.018612	±2.5	PASS
GPRS850	190	NV	-30	14.21	0.016985	±2.5	PASS
GPRS850	190	NV	-20	16.95	0.020261	±2.5	PASS
GPRS850	190	NV	-10	15.46	0.018480	±2.5	PASS
GPRS850	190	NV	0	13.79	0.016483	±2.5	PASS
GPRS850	190	NV	10	14.27	0.017057	±2.5	PASS
GPRS850	190	NV	20	11.30	0.013507	±2.5	PASS
GPRS850	190	NV	30	14.79	0.017679	±2.5	PASS
GPRS850	190	NV	40	16.40	0.019603	±2.5	PASS
GPRS850	190	NV	50	14.01	0.016746	±2.5	PASS
GPRS850	251	NV	-30	13.53	0.015940	±2.5	PASS
GPRS850	251	NV	-20	13.37	0.015752	±2.5	PASS
GPRS850	251	NV	-10	16.34	0.019251	±2.5	PASS
GPRS850	251	NV	0	11.72	0.013808	±2.5	PASS
GPRS850	251	NV	10	13.14	0.015481	±2.5	PASS
GPRS850	251	NV	20	14.79	0.017425	±2.5	PASS
GPRS850	251	NV	30	7.85	0.009248	±2.5	PASS
GPRS850	251	NV	40	10.85	0.012783	±2.5	PASS
GPRS850	251	NV	50	13.72	0.016164	±2.5	PASS
EGPRS850	128	NV	-30	4.23	0.005132	±2.5	PASS
EGPRS850	128	NV	-20	7.04	0.008542	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

EGPRS850	128	NV	-10	9.04	0.010968	±2.5	PASS
EGPRS850	128	NV	0	7.68	0.009318	±2.5	PASS
EGPRS850	128	NV	10	4.68	0.005678	±2.5	PASS
EGPRS850	128	NV	20	7.39	0.008966	±2.5	PASS
EGPRS850	128	NV	30	9.62	0.011672	±2.5	PASS
EGPRS850	128	NV	40	9.04	0.010968	±2.5	PASS
EGPRS850	128	NV	50	3.91	0.004744	±2.5	PASS
EGPRS850	190	NV	-30	7.85	0.009383	±2.5	PASS
EGPRS850	190	NV	-20	5.36	0.006407	±2.5	PASS
EGPRS850	190	NV	-10	10.27	0.012276	±2.5	PASS
EGPRS850	190	NV	0	9.91	0.011846	±2.5	PASS
EGPRS850	190	NV	10	5.52	0.006598	±2.5	PASS
EGPRS850	190	NV	20	5.23	0.006251	±2.5	PASS
EGPRS850	190	NV	30	11.69	0.013973	±2.5	PASS
EGPRS850	190	NV	40	6.72	0.008033	±2.5	PASS
EGPRS850	190	NV	50	6.62	0.007913	±2.5	PASS
EGPRS850	251	NV	-30	0.36	0.000424	±2.5	PASS
EGPRS850	251	NV	-20	3.84	0.004524	±2.5	PASS
EGPRS850	251	NV	-10	7.97	0.009390	±2.5	PASS
EGPRS850	251	NV	0	2.94	0.003464	±2.5	PASS
EGPRS850	251	NV	10	8.01	0.009437	±2.5	PASS
EGPRS850	251	NV	20	4.46	0.005254	±2.5	PASS
EGPRS850	251	NV	30	5.00	0.005891	±2.5	PASS
EGPRS850	251	NV	40	4.65	0.005478	±2.5	PASS
EGPRS850	251	NV	50	6.97	0.008212	±2.5	PASS
GPRS1900	512	NV	-30	130.00	0.070263	±2.5	PASS
GPRS1900	512	NV	-20	20.00	0.010810	±2.5	PASS
GPRS1900	512	NV	-10	780.00	0.421576	±2.5	PASS
GPRS1900	512	NV	0	320.00	0.172954	±2.5	PASS
GPRS1900	512	NV	10	500.00	0.270241	±2.5	PASS
GPRS1900	512	NV	20	-140.00	-0.075667	±2.5	PASS
GPRS1900	512	NV	30	-420.00	-0.227002	±2.5	PASS
GPRS1900	512	NV	40	-740.00	-0.399957	±2.5	PASS
GPRS1900	512	NV	50	500.00	0.270241	±2.5	PASS
GPRS1900	661	NV	-30	1660.00	0.882979	±2.5	PASS
GPRS1900	661	NV	-20	-10.00	-0.005319	±2.5	PASS
GPRS1900	661	NV	-10	-870.00	-0.462766	±2.5	PASS
GPRS1900	661	NV	0	50.00	0.026596	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

GPRS1900	661	NV	10	780.00	0.414894	±2.5	PASS
GPRS1900	661	NV	20	240.00	0.127660	±2.5	PASS
GPRS1900	661	NV	30	-10.00	-0.005319	±2.5	PASS
GPRS1900	661	NV	40	-910.00	-0.484043	±2.5	PASS
GPRS1900	661	NV	50	-100.00	-0.053191	±2.5	PASS
GPRS1900	810	NV	-30	590.00	0.308933	±2.5	PASS
GPRS1900	810	NV	-20	-350.00	-0.183265	±2.5	PASS
GPRS1900	810	NV	-10	520.00	0.272280	±2.5	PASS
GPRS1900	810	NV	0	-340.00	-0.178029	±2.5	PASS
GPRS1900	810	NV	10	-140.00	-0.073306	±2.5	PASS
GPRS1900	810	NV	20	-730.00	-0.382239	±2.5	PASS
GPRS1900	810	NV	30	-760.00	-0.397947	±2.5	PASS
GPRS1900	810	NV	40	1100.00	0.575977	±2.5	PASS
GPRS1900	810	NV	50	-570.00	-0.298461	±2.5	PASS
EGPRS1900	512	NV	-30	-1750.00	-0.945844	±2.5	PASS
EGPRS1900	512	NV	-20	-1610.00	-0.870176	±2.5	PASS
EGPRS1900	512	NV	-10	-740.00	-0.399957	±2.5	PASS
EGPRS1900	512	NV	0	-1150.00	-0.621554	±2.5	PASS
EGPRS1900	512	NV	10	-1090.00	-0.589125	±2.5	PASS
EGPRS1900	512	NV	20	-1920.00	-1.037726	±2.5	PASS
EGPRS1900	512	NV	30	-2340.00	-1.264728	±2.5	PASS
EGPRS1900	512	NV	40	-490.00	-0.264836	±2.5	PASS
EGPRS1900	512	NV	50	-400.00	-0.216193	±2.5	PASS
EGPRS1900	661	NV	-30	-1470.00	-0.781915	±2.5	PASS
EGPRS1900	661	NV	-20	-880.00	-0.468085	±2.5	PASS
EGPRS1900	661	NV	-10	-3280.00	-1.744681	±2.5	PASS
EGPRS1900	661	NV	0	-2820.00	-1.500000	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

0							
EGPRS190 0	661	NV	10	-850.00	-0.452128	±2.5	PASS
EGPRS190 0	661	NV	20	-1600.00	-0.851064	±2.5	PASS
EGPRS190 0	661	NV	30	-890.00	-0.473404	±2.5	PASS
EGPRS190 0	661	NV	40	-1250.00	-0.664894	±2.5	PASS
EGPRS190 0	661	NV	50	-1980.00	-1.053191	±2.5	PASS
EGPRS190 0	810	NV	-30	-2150.00	-1.125772	±2.5	PASS
EGPRS190 0	810	NV	-20	-2760.00	-1.445178	±2.5	PASS
EGPRS190 0	810	NV	-10	-340.00	-0.178029	±2.5	PASS
EGPRS190 0	810	NV	0	-2700.00	-1.413761	±2.5	PASS
EGPRS190 0	810	NV	10	-1040.00	-0.544560	±2.5	PASS
EGPRS190 0	810	NV	20	-1850.00	-0.968688	±2.5	PASS
EGPRS190 0	810	NV	30	50.00	0.026181	±2.5	PASS
EGPRS190 0	810	NV	40	-1340.00	-0.701644	±2.5	PASS
EGPRS190 0	810	NV	50	-3530.00	-1.848361	±2.5	PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Appendix G: Modulation Characteristics

Test Result

Band	Channel	Result	Verdict
BandName	Channel	Result	Verdict

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Test Graphs

--	--

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>