

Band26(814-824)	15MHz	QPSK	26765	75RB#0	VN	NT	4.52	0.005502	±2.5	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	VL	NT	2.26	0.002751	±2.5	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	VH	NT	1.47	0.001789	±2.5	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	VN	NT	2.68	0.003262	±2.5	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	VL	NT	-3.66	-0.004455	±2.5	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	VH	NT	-4.35	-0.005295	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configuration	Voltage[Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	-30	2.12	0.002602	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	-20	-2.36	-0.002897	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	-10	-2.57	-0.003155	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	0	-3.91	-0.004799	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	10	-3.02	-0.003707	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	20	3.36	0.004124	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	30	-3.06	-0.003756	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	40	-4.03	-0.004947	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	NV	50	-2.27	-0.002786	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	NV	-30	-2.78	-0.003412	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	NV	-20	-2.20	-0.002700	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	NV	-10	-3.32	-0.004075	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	NV	0	-2.85	-0.003498	±2.5	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotech.com E-mail: service@anbotech.com

Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	NV	10	2.53	0.003105	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	NV	20	-2.53	-0.003105	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	NV	30	3.59	0.004407	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	NV	40	3.19	0.003916	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	NV	50	-2.98	-0.003658	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	-30	-3.63	-0.004432	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	-20	-2.02	-0.002466	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	-10	-3.29	-0.004017	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	0	2.80	0.003419	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	10	-2.33	-0.002845	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	20	-3.92	-0.004786	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	30	-3.42	-0.004176	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	40	-2.37	-0.002894	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	NV	50	-2.02	-0.002466	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	NV	-30	-3.79	-0.004628	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	NV	-20	-3.78	-0.004615	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	NV	-10	-3.63	-0.004432	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	NV	0	-3.02	-0.003687	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	NV	10	-3.20	-0.003907	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	NV	20	-1.46	-0.001783	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	NV	30	-3.28	-0.004005	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	NV	40	-4.43	-0.005409	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	NV	50	2.42	0.002955	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	-30	-3.30	-0.004008	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	-20	-2.59	-0.003146	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	-10	-1.75	-0.002126	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	0	-3.26	-0.003960	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	10	2.70	0.003279	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	20	-4.11	-0.004992	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	30	-3.96	-0.004810	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	40	-3.39	-0.004118	±2.5	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	NV	50	-1.92	-0.002332	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	NV	-30	-3.53	-0.004288	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	NV	-20	3.50	0.004251	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	NV	-10	-2.19	-0.002660	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	NV	0	-3.89	-0.004725	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	NV	10	-3.29	-0.003996	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	NV	20	2.39	0.002903	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	NV	30	-4.79	-0.005818	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	NV	40	2.46	0.002988	±2.5	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	NV	50	-4.38	-0.005320	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	NV	-30	-4.49	-0.005506	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band26(814-824)	3MHz	QPSK	26705	15RB#0	NV	-20	-3.12	-0.003826	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	NV	-10	-4.02	-0.004929	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	NV	0	-4.69	-0.005751	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	NV	10	-4.12	-0.005052	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	NV	20	-5.38	-0.006597	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	NV	30	-3.69	-0.004525	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	NV	40	-3.29	-0.004034	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	NV	50	-3.93	-0.004819	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	NV	-30	-4.63	-0.005677	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	NV	-20	-3.76	-0.004611	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	NV	-10	-8.71	-0.010681	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	NV	0	-5.56	-0.006818	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	NV	10	-4.31	-0.005285	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	NV	20	-8.85	-0.010852	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	NV	30	-4.68	-0.005739	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	NV	40	-5.59	-0.006855	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	NV	50	-6.04	-0.007406	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	NV	-30	-2.72	-0.003321	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	NV	-20	-3.69	-0.004505	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	NV	-10	-2.27	-0.002772	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	NV	0	-4.33	-0.005287	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band26(814-824)	3MHz	QPSK	26740	15RB#0	NV	10	-3.16	-0.003858	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	NV	20	-2.83	-0.003455	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	NV	30	-1.79	-0.002186	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	NV	40	-2.89	-0.003529	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	NV	50	-3.18	-0.003883	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	NV	-30	-2.57	-0.003138	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	NV	-20	-2.89	-0.003529	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	NV	-10	-2.85	-0.003480	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	NV	0	-3.60	-0.004396	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	NV	10	-2.53	-0.003089	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	NV	20	-4.06	-0.004957	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	NV	30	-3.25	-0.003968	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	NV	40	-3.55	-0.004335	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	NV	50	-2.42	-0.002955	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	NV	-30	4.86	0.005909	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	NV	-20	-2.50	-0.003040	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	NV	-10	2.75	0.003343	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	NV	0	4.32	0.005252	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	NV	10	2.42	0.002942	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	NV	20	3.18	0.003866	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	NV	30	-3.03	-0.003684	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band26(814-824)	3MHz	QPSK	26775	15RB#0	NV	40	3.71	0.004511	±2.5	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	NV	50	3.45	0.004195	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	NV	-30	-2.98	-0.003623	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	NV	-20	-1.79	-0.002176	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	NV	-10	-3.69	-0.004486	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	NV	0	3.00	0.003647	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	NV	10	-2.78	-0.003380	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	NV	20	-1.63	-0.001982	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	NV	30	-2.12	-0.002578	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	NV	40	-2.80	-0.003404	±2.5	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	NV	50	-1.46	-0.001775	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	NV	-30	-4.11	-0.005034	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	NV	-20	-3.16	-0.003870	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	NV	-10	-2.83	-0.003466	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	NV	0	2.95	0.003613	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	NV	10	-3.39	-0.004152	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	NV	20	-4.49	-0.005499	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	NV	30	-2.62	-0.003209	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	NV	40	-3.03	-0.003711	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	NV	50	-5.06	-0.006197	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	NV	-30	-4.09	-0.005009	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band26(814-824)	5MHz	16QAM	26715	25RB#0	NV	-20	-2.90	-0.003552	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	NV	-10	-2.73	-0.003344	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	NV	0	-2.10	-0.002572	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	NV	10	-2.56	-0.003135	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	NV	20	-2.35	-0.002878	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	NV	30	-3.45	-0.004225	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	NV	40	-2.07	-0.002535	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	NV	50	-2.49	-0.003050	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	NV	-30	-3.38	-0.004127	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	NV	-20	-3.53	-0.004310	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	NV	-10	-3.10	-0.003785	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	NV	0	-4.39	-0.005360	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	NV	10	-3.09	-0.003773	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	NV	20	-3.18	-0.003883	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	NV	30	-3.09	-0.003773	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	NV	40	-4.91	-0.005995	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	NV	50	-3.62	-0.004420	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	NV	-30	-2.45	-0.002991	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	NV	-20	-4.65	-0.005678	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	NV	-10	-3.42	-0.004176	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	NV	0	-4.38	-0.005348	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band26(814-824)	5MHz	16QAM	26740	25RB#0	NV	10	-3.56	-0.004347	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	NV	20	-3.35	-0.004090	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	NV	30	-3.45	-0.004212	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	NV	40	-4.36	-0.005324	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	NV	50	-3.95	-0.004823	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	NV	-30	-2.63	-0.003201	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	NV	-20	-2.69	-0.003274	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	NV	-10	2.80	0.003408	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	NV	0	2.16	0.002629	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	NV	10	-1.72	-0.002094	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	NV	20	-2.06	-0.002508	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	NV	30	-2.68	-0.003262	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	NV	40	-3.65	-0.004443	±2.5	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	NV	50	-2.69	-0.003274	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	NV	-30	-2.23	-0.002715	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	NV	-20	-1.80	-0.002191	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	NV	-10	-2.46	-0.002995	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	NV	0	-2.46	-0.002995	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	NV	10	-4.09	-0.004979	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	NV	20	1.16	0.001412	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	NV	30	-2.65	-0.003226	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band26(814-824)	5MHz	16QAM	26765	25RB#0	NV	40	-2.27	-0.002763	±2.5	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	NV	50	-3.45	-0.004200	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	-30	-2.88	-0.003516	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	-20	-2.53	-0.003089	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	-10	-2.86	-0.003492	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	0	-3.03	-0.003700	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	10	-3.12	-0.003810	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	20	-2.15	-0.002625	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	30	-5.31	-0.006484	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	40	-3.60	-0.004396	±2.5	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	50	-2.65	-0.003236	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	NV	-30	-2.59	-0.003162	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	NV	-20	-3.69	-0.004505	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	NV	-10	-3.99	-0.004872	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	NV	0	-3.98	-0.004860	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	NV	10	-3.13	-0.003822	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	NV	20	-3.42	-0.004176	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	NV	30	-5.19	-0.006337	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	NV	40	-5.55	-0.006777	±2.5	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	NV	50	-3.19	-0.003895	±2.5	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	NV	-30	2.17	0.002642	±2.5	PASS


Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com


Band26(814-824)	15MHz	QPSK	26765	75RB#0	NV	-20	-2.20	-0.002678	±2.5	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	NV	-10	-1.90	-0.002313	±2.5	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	NV	0	-2.45	-0.002982	±2.5	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	NV	10	-3.49	-0.004248	±2.5	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	NV	20	-2.70	-0.003287	±2.5	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	NV	30	-4.29	-0.005222	±2.5	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	NV	40	-2.83	-0.003445	±2.5	PASS
Band26(814-824)	15MHz	QPSK	26765	75RB#0	NV	50	-2.40	-0.002921	±2.5	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	NV	-30	-3.16	-0.003847	±2.5	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	NV	-20	-3.65	-0.004443	±2.5	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	NV	-10	-4.32	-0.005259	±2.5	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	NV	0	-3.65	-0.004443	±2.5	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	NV	10	-2.62	-0.003189	±2.5	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	NV	20	-4.45	-0.005417	±2.5	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	NV	30	-4.36	-0.005307	±2.5	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	NV	40	-2.73	-0.003323	±2.5	PASS
Band26(814-824)	15MHz	16QAM	26765	75RB#0	NV	50	-3.81	-0.004638	±2.5	PASS

Test Graphs




CMU500 V3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: #19.0 MHz Ref Level: 15.20 dBm BW: 1.4 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Go To Local Show Remote Screen	CMU500 V3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: #19.0 MHz Ref Level: 15.20 dBm BW: 1.4 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Go To Local Show Remote Screen
Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-PASS	Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-PASS
CMU500 V3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: #19.0 MHz Ref Level: 15.20 dBm BW: 1.4 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Go To Local Show Remote Screen	CMU500 V3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: #19.0 MHz Ref Level: 15.20 dBm BW: 1.4 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Go To Local Show Remote Screen
Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-PASS	Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-PAS
CMU500 V3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: #19.0 MHz Ref Level: 15.20 dBm BW: 1.4 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Go To Local Show Remote Screen	CMU500 V3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: #19.0 MHz Ref Level: 15.20 dBm BW: 1.4 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Go To Local Show Remote Screen
Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-PAS	Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-PAS


CMW 500 V 3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 823.5 MHz Ref Level: 18.60 dBm BW: 1.4 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Detected Allocation NoRB: 0 6OffsetRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 1.93 1.89 1.93 1.92 1.96 0.02 0.03 EVM Peak [%] 1h 7.20 8.09 8.13 9.45 10.13 1.07 0.81 EVM DMR5 [%] 1h 1.76 1.77 1.84 2.02 2.02 0.13 0.15 IQ Offset [dBc] -56.16 -53.85 -51.91 -51.91 1.24 1.24 Freq Error [Hz] 0.77 -1.49 -3.78 -3.78 1.53 1.53 Timing Error [Ts] 22.45 22.39 22.66 22.66 0.15 0.15 TX Power [dBm] 0.19 0.19 0.16 0.21 0.02 0.02 Peak Power [dBm] 5.54 5.68 5.52 5.83 0.14 0.14 Statistic Count 10/10 Out of Tolerance 0.00 % Detected Modulation QPSK Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-PASS	CMW 500 V 3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 823.5 MHz Ref Level: 18.60 dBm BW: 1.4 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Detected Allocation NoRB: 0 6OffsetRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 1.93 1.90 1.94 1.93 1.98 1.97 0.03 0.03 EVM Peak [%] 1h 7.29 8.29 8.39 9.09 9.73 9.89 1.04 0.73 EVM DMR5 [%] 1h 1.72 1.69 1.89 1.88 2.13 2.16 0.16 0.19 IQ Offset [dBc] -54.62 -54.24 -54.24 -54.24 -53.45 -53.45 0.61 0.61 Freq Error [Hz] 1.10 -0.31 -1.89 -1.89 0.87 0.87 Timing Error [Ts] 22.37 22.32 22.57 22.57 0.15 0.15 TX Power [dBm] 0.01 0.00 -0.01 0.02 0.02 0.01 0.01 Peak Power [dBm] 5.36 5.51 5.35 5.64 0.13 0.13 Statistic Count 10/10 Out of Tolerance 0.00 % Detected Modulation QPSK Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-PASS
CMW 500 V 3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 823.5 MHz Ref Level: 18.60 dBm BW: 1.4 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Detected Allocation NoRB: 0 6OffsetRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 1.95 1.92 1.95 1.94 2.01 2.01 0.03 0.03 EVM Peak [%] 1h 7.74 8.95 8.30 9.46 9.81 10.51 1.13 0.75 EVM DMR5 [%] 1h 1.76 1.77 1.89 1.88 2.09 2.13 0.15 0.20 IQ Offset [dBc] -54.21 -54.53 -54.03 -54.03 0.41 0.41 Freq Error [Hz] -3.20 -1.04 -3.20 -3.20 1.24 1.24 Timing Error [Ts] 22.32 22.28 22.50 22.50 0.14 0.14 TX Power [dBm] -0.02 -0.03 -0.05 -0.02 0.01 0.01 Peak Power [dBm] 5.33 5.47 5.32 5.62 0.14 0.14 Statistic Count 10/10 Out of Tolerance 0.00 % Detected Modulation QPSK Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-PASS	CMW 500 V 3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 823.5 MHz Ref Level: 18.60 dBm BW: 1.4 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Detected Allocation NoRB: 0 6OffsetRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.43 2.34 2.37 2.37 2.50 2.43 0.10 0.04 EVM Peak [%] 1h 10.66 10.16 8.59 9.84 11.13 10.45 2.03 0.42 EVM DMR5 [%] 1h 1.45 1.54 1.49 1.49 1.62 1.55 0.10 0.04 IQ Offset [dBc] -55.75 -50.68 -48.09 -48.09 3.27 3.27 Freq Error [Hz] 2.17 0.17 2.17 2.17 1.33 1.33 Timing Error [Ts] 21.85 21.85 22.06 22.06 0.15 0.15 TX Power [dBm] -1.12 -1.15 -1.19 -1.12 0.03 0.03 Peak Power [dBm] 5.86 5.61 5.31 5.88 0.26 0.26 Statistic Count 10/10 Out of Tolerance 0.00 % Detected Modulation 16-QAM Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-PASS
CMW 500 V 3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 823.5 MHz Ref Level: 18.60 dBm BW: 1.4 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Detected Allocation NoRB: 0 6OffsetRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.44 2.39 2.37 2.37 2.49 2.41 0.10 0.03 EVM Peak [%] 1h 10.90 10.02 8.65 9.60 10.90 10.02 1.98 0.40 EVM DMR5 [%] 1h 1.37 1.49 1.52 1.50 1.67 1.57 0.12 0.04 IQ Offset [dBc] -54.80 -50.49 -47.84 -47.84 3.68 3.68 Freq Error [Hz] -0.69 -1.34 -3.85 -3.85 1.65 1.65 Timing Error [Ts] 22.01 21.76 22.01 22.01 0.15 0.15 TX Power [dBm] -1.09 -1.12 -1.15 -1.09 0.03 0.03 Peak Power [dBm] 5.87 5.63 5.32 5.90 0.27 0.27 Statistic Count 10/10 Out of Tolerance 0.00 % Detected Modulation 16-QAM Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-PAS	CMW 500 V 3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 823.5 MHz Ref Level: 18.60 dBm BW: 1.4 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Detected Allocation NoRB: 0 6OffsetRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.46 2.40 2.36 2.36 2.47 2.41 0.09 0.03 EVM Peak [%] 1h 10.93 9.88 8.68 9.83 11.10 10.66 2.11 0.57 EVM DMR5 [%] 1h 1.33 1.41 1.49 1.47 1.64 1.52 0.11 0.03 IQ Offset [dBc] -55.14 -50.58 -47.51 -47.51 3.62 3.62 Freq Error [Hz] -0.10 -0.67 -3.05 -3.05 1.09 1.09 Timing Error [Ts] 21.55 21.71 21.97 21.97 0.15 0.15 TX Power [dBm] -1.10 -1.13 -1.16 -1.10 0.03 0.03 Peak Power [dBm] 5.90 5.63 5.32 5.90 0.27 0.27 Statistic Count 10/10 Out of Tolerance 0.00 % Detected Modulation 16-QAM Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(814-824)-1.4MHz-16QAM-26783-6RB#0-PAS




Band26(814-824)-3MHz-QPSK-26705-15RB#0-PASS




Band26(814-824)-3MHz-QPSK-26705-15RB#0-PASS




Band26(814-824)-3MHz-QPSK-26705-15RB#0-PASS




Band26(814-824)-3MHz-16QAM-26705-15RB#0-PASS




Band26(814-824)-3MHz-16QAM-26705-15RB#0-PASS



Band26(814-824)-3MHz-16QAM-26705-15RB#0-PASS




Band26(814-824)-3MHz-QPSK-26740-15RB#0-PASS




Band26(814-824)-3MHz-QPSK-26740-15RB#0-PASS

CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 819.0 MHz Ref Level: 14.90 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum RF Settings Trigger Detected Allocation NoRB: 15 OffsetRB: 0 <table><tr><td>Current</td><td>Average</td><td>Extreme</td><td>StdDev</td></tr><tr><td>EVM RMS [%] 1h</td><td>3.75</td><td>3.81</td><td>3.92</td><td>4.08</td><td>4.13</td><td>0.15</td><td>0.15</td></tr><tr><td>EVM Peak [%] 1h</td><td>17.39</td><td>17.41</td><td>19.35</td><td>21.52</td><td>21.48</td><td>1.97</td><td>1.94</td></tr><tr><td>EVM DMRS [%] 1h</td><td>3.15</td><td>3.09</td><td>3.18</td><td>3.16</td><td>3.27</td><td>0.05</td><td>0.08</td></tr><tr><td>IQ Offset [dBc]</td><td>-52.61</td><td>-53.07</td><td>-52.56</td><td>0.64</td><td></td><td></td><td></td></tr><tr><td>Freq Error [Hz]</td><td>-1.73</td><td>-1.99</td><td>-6.42</td><td>1.63</td><td></td><td></td><td></td></tr><tr><td>Timing Error [Ts]</td><td>7.90</td><td>7.76</td><td>7.98</td><td>0.18</td><td></td><td></td><td></td></tr><tr><td>TX Power [dBm]</td><td>2.43</td><td>-2.33</td><td>-2.33</td><td>0.00</td><td></td><td></td><td></td></tr><tr><td>Peak Power [dBm]</td><td>-2.27</td><td>2.23</td><td>1.93</td><td>2.49</td><td>0.26</td><td></td><td></td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: QPSK Detected Channel Type: PUSCH View Filter Throughput: 100.0 % PS Connection Established RRC State: Connected Go To Local Show Remote Screen Band26(814-824)-3MHz-QPSK-26740-15RB#0-PASS	Current	Average	Extreme	StdDev	EVM RMS [%] 1h	3.75	3.81	3.92	4.08	4.13	0.15	0.15	EVM Peak [%] 1h	17.39	17.41	19.35	21.52	21.48	1.97	1.94	EVM DMRS [%] 1h	3.15	3.09	3.18	3.16	3.27	0.05	0.08	IQ Offset [dBc]	-52.61	-53.07	-52.56	0.64				Freq Error [Hz]	-1.73	-1.99	-6.42	1.63				Timing Error [Ts]	7.90	7.76	7.98	0.18				TX Power [dBm]	2.43	-2.33	-2.33	0.00				Peak Power [dBm]	-2.27	2.23	1.93	2.49	0.26			CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 819.0 MHz Ref Level: 14.90 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum RF Settings Trigger Detected Allocation NoRB: 15 OffsetRB: 0 <table><tr><td>Current</td><td>Average</td><td>Extreme</td><td>StdDev</td></tr><tr><td>EVM RMS [%] 1h</td><td>4.12</td><td>4.12</td><td>3.90</td><td>4.12</td><td>4.12</td><td>0.21</td><td>0.20</td></tr><tr><td>EVM Peak [%] 1h</td><td>28.44</td><td>28.46</td><td>30.06</td><td>30.95</td><td>31.87</td><td>31.83</td><td>1.46</td></tr><tr><td>EVM DMRS [%] 1h</td><td>3.16</td><td>3.16</td><td>3.02</td><td>3.01</td><td>3.17</td><td>3.16</td><td>0.12</td></tr><tr><td>IQ Offset [dBc]</td><td>-48.66</td><td>-50.35</td><td>-48.53</td><td>0.12</td><td></td><td></td><td></td></tr><tr><td>Freq Error [Hz]</td><td>1.60</td><td>0.20</td><td>-2.79</td><td>1.36</td><td></td><td></td><td></td></tr><tr><td>Timing Error [Ts]</td><td>8.49</td><td>8.46</td><td>8.57</td><td>0.09</td><td></td><td></td><td></td></tr><tr><td>TX Power [dBm]</td><td>-3.59</td><td>-3.49</td><td>-3.59</td><td>-3.40</td><td>0.09</td><td></td><td></td></tr><tr><td>Peak Power [dBm]</td><td>2.12</td><td>2.24</td><td>2.10</td><td>2.38</td><td>0.01</td><td></td><td></td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: 16-QAM Detected Channel Type: PUSCH View Filter Throughput: 100.0 % PS Connection Established RRC State: Connected Go To Local Show Remote Screen Band26(814-824)-3MHz-16QAM-26740-15RB#0-PASS	Current	Average	Extreme	StdDev	EVM RMS [%] 1h	4.12	4.12	3.90	4.12	4.12	0.21	0.20	EVM Peak [%] 1h	28.44	28.46	30.06	30.95	31.87	31.83	1.46	EVM DMRS [%] 1h	3.16	3.16	3.02	3.01	3.17	3.16	0.12	IQ Offset [dBc]	-48.66	-50.35	-48.53	0.12				Freq Error [Hz]	1.60	0.20	-2.79	1.36				Timing Error [Ts]	8.49	8.46	8.57	0.09				TX Power [dBm]	-3.59	-3.49	-3.59	-3.40	0.09			Peak Power [dBm]	2.12	2.24	2.10	2.38	0.01		
Current	Average	Extreme	StdDev																																																																																																																																						
EVM RMS [%] 1h	3.75	3.81	3.92	4.08	4.13	0.15	0.15																																																																																																																																		
EVM Peak [%] 1h	17.39	17.41	19.35	21.52	21.48	1.97	1.94																																																																																																																																		
EVM DMRS [%] 1h	3.15	3.09	3.18	3.16	3.27	0.05	0.08																																																																																																																																		
IQ Offset [dBc]	-52.61	-53.07	-52.56	0.64																																																																																																																																					
Freq Error [Hz]	-1.73	-1.99	-6.42	1.63																																																																																																																																					
Timing Error [Ts]	7.90	7.76	7.98	0.18																																																																																																																																					
TX Power [dBm]	2.43	-2.33	-2.33	0.00																																																																																																																																					
Peak Power [dBm]	-2.27	2.23	1.93	2.49	0.26																																																																																																																																				
Current	Average	Extreme	StdDev																																																																																																																																						
EVM RMS [%] 1h	4.12	4.12	3.90	4.12	4.12	0.21	0.20																																																																																																																																		
EVM Peak [%] 1h	28.44	28.46	30.06	30.95	31.87	31.83	1.46																																																																																																																																		
EVM DMRS [%] 1h	3.16	3.16	3.02	3.01	3.17	3.16	0.12																																																																																																																																		
IQ Offset [dBc]	-48.66	-50.35	-48.53	0.12																																																																																																																																					
Freq Error [Hz]	1.60	0.20	-2.79	1.36																																																																																																																																					
Timing Error [Ts]	8.49	8.46	8.57	0.09																																																																																																																																					
TX Power [dBm]	-3.59	-3.49	-3.59	-3.40	0.09																																																																																																																																				
Peak Power [dBm]	2.12	2.24	2.10	2.38	0.01																																																																																																																																				
CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 819.0 MHz Ref Level: 14.90 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum RF Settings Trigger Detected Allocation NoRB: 15 OffsetRB: 0 <table><tr><td>Current</td><td>Average</td><td>Extreme</td><td>StdDev</td></tr><tr><td>EVM RMS [%] 1h</td><td>4.09</td><td>4.09</td><td>3.90</td><td>3.90</td><td>4.13</td><td>0.21</td><td>0.21</td></tr><tr><td>EVM Peak [%] 1h</td><td>28.97</td><td>29.00</td><td>30.01</td><td>31.91</td><td>31.86</td><td>1.35</td><td>1.32</td></tr><tr><td>EVM DMRS [%] 1h</td><td>3.17</td><td>3.14</td><td>3.05</td><td>3.03</td><td>3.24</td><td>0.15</td><td>0.17</td></tr><tr><td>IQ Offset [dBc]</td><td>-48.67</td><td>-50.29</td><td>-48.48</td><td>0.13</td><td></td><td></td><td></td></tr><tr><td>Freq Error [Hz]</td><td>1.37</td><td>0.44</td><td>3.18</td><td>1.79</td><td></td><td></td><td></td></tr><tr><td>Timing Error [Ts]</td><td>8.68</td><td>8.62</td><td>8.64</td><td>0.13</td><td></td><td></td><td></td></tr><tr><td>TX Power [dBm]</td><td>-3.59</td><td>-3.49</td><td>-3.59</td><td>-3.40</td><td>0.09</td><td></td><td></td></tr><tr><td>Peak Power [dBm]</td><td>2.07</td><td>2.19</td><td>2.04</td><td>2.34</td><td>0.11</td><td></td><td></td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: 16-QAM Detected Channel Type: PUSCH View Filter Throughput: 100.0 % PS Connection Established RRC State: Connected Go To Local Show Remote Screen Band26(814-824)-3MHz-16QAM-26740-15RB#0-PASS	Current	Average	Extreme	StdDev	EVM RMS [%] 1h	4.09	4.09	3.90	3.90	4.13	0.21	0.21	EVM Peak [%] 1h	28.97	29.00	30.01	31.91	31.86	1.35	1.32	EVM DMRS [%] 1h	3.17	3.14	3.05	3.03	3.24	0.15	0.17	IQ Offset [dBc]	-48.67	-50.29	-48.48	0.13				Freq Error [Hz]	1.37	0.44	3.18	1.79				Timing Error [Ts]	8.68	8.62	8.64	0.13				TX Power [dBm]	-3.59	-3.49	-3.59	-3.40	0.09			Peak Power [dBm]	2.07	2.19	2.04	2.34	0.11			CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 819.0 MHz Ref Level: 14.90 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum RF Settings Trigger Detected Allocation NoRB: 15 OffsetRB: 0 <table><tr><td>Current</td><td>Average</td><td>Extreme</td><td>StdDev</td></tr><tr><td>EVM RMS [%] 1h</td><td>4.13</td><td>4.12</td><td>3.91</td><td>3.91</td><td>4.14</td><td>0.21</td><td>0.21</td></tr><tr><td>EVM Peak [%] 1h</td><td>28.41</td><td>28.44</td><td>29.83</td><td>29.83</td><td>31.73</td><td>1.30</td><td>1.27</td></tr><tr><td>EVM DMRS [%] 1h</td><td>3.17</td><td>3.12</td><td>3.03</td><td>3.01</td><td>3.20</td><td>0.15</td><td>0.16</td></tr><tr><td>IQ Offset [dBc]</td><td>-49.47</td><td>-50.66</td><td>-48.85</td><td>0.16</td><td></td><td></td><td></td></tr><tr><td>Freq Error [Hz]</td><td>1.39</td><td>0.16</td><td>-3.19</td><td>1.82</td><td></td><td></td><td></td></tr><tr><td>Timing Error [Ts]</td><td>8.64</td><td>8.64</td><td>8.85</td><td>0.17</td><td></td><td></td><td></td></tr><tr><td>TX Power [dBm]</td><td>-3.59</td><td>-3.49</td><td>-3.59</td><td>-3.40</td><td>0.09</td><td></td><td></td></tr><tr><td>Peak Power [dBm]</td><td>2.08</td><td>2.20</td><td>2.02</td><td>2.37</td><td>0.12</td><td></td><td></td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: 16-QAM Detected Channel Type: PUSCH View Filter Throughput: 100.0 % PS Connection Established RRC State: Connected Go To Local Show Remote Screen Band26(814-824)-3MHz-16QAM-26740-15RB#0-PASS	Current	Average	Extreme	StdDev	EVM RMS [%] 1h	4.13	4.12	3.91	3.91	4.14	0.21	0.21	EVM Peak [%] 1h	28.41	28.44	29.83	29.83	31.73	1.30	1.27	EVM DMRS [%] 1h	3.17	3.12	3.03	3.01	3.20	0.15	0.16	IQ Offset [dBc]	-49.47	-50.66	-48.85	0.16				Freq Error [Hz]	1.39	0.16	-3.19	1.82				Timing Error [Ts]	8.64	8.64	8.85	0.17				TX Power [dBm]	-3.59	-3.49	-3.59	-3.40	0.09			Peak Power [dBm]	2.08	2.20	2.02	2.37	0.12		
Current	Average	Extreme	StdDev																																																																																																																																						
EVM RMS [%] 1h	4.09	4.09	3.90	3.90	4.13	0.21	0.21																																																																																																																																		
EVM Peak [%] 1h	28.97	29.00	30.01	31.91	31.86	1.35	1.32																																																																																																																																		
EVM DMRS [%] 1h	3.17	3.14	3.05	3.03	3.24	0.15	0.17																																																																																																																																		
IQ Offset [dBc]	-48.67	-50.29	-48.48	0.13																																																																																																																																					
Freq Error [Hz]	1.37	0.44	3.18	1.79																																																																																																																																					
Timing Error [Ts]	8.68	8.62	8.64	0.13																																																																																																																																					
TX Power [dBm]	-3.59	-3.49	-3.59	-3.40	0.09																																																																																																																																				
Peak Power [dBm]	2.07	2.19	2.04	2.34	0.11																																																																																																																																				
Current	Average	Extreme	StdDev																																																																																																																																						
EVM RMS [%] 1h	4.13	4.12	3.91	3.91	4.14	0.21	0.21																																																																																																																																		
EVM Peak [%] 1h	28.41	28.44	29.83	29.83	31.73	1.30	1.27																																																																																																																																		
EVM DMRS [%] 1h	3.17	3.12	3.03	3.01	3.20	0.15	0.16																																																																																																																																		
IQ Offset [dBc]	-49.47	-50.66	-48.85	0.16																																																																																																																																					
Freq Error [Hz]	1.39	0.16	-3.19	1.82																																																																																																																																					
Timing Error [Ts]	8.64	8.64	8.85	0.17																																																																																																																																					
TX Power [dBm]	-3.59	-3.49	-3.59	-3.40	0.09																																																																																																																																				
Peak Power [dBm]	2.08	2.20	2.02	2.37	0.12																																																																																																																																				
CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 822.5 MHz Ref Level: 18.50 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum RF Settings Trigger Detected Allocation NoRB: 15 OffsetRB: 0 <table><tr><td>Current</td><td>Average</td><td>Extreme</td><td>StdDev</td></tr><tr><td>EVM RMS [%] 1h</td><td>1.80</td><td>1.89</td><td>1.90</td><td>1.97</td><td>2.01</td><td>0.09</td><td>0.07</td></tr><tr><td>EVM Peak [%] 1h</td><td>6.57</td><td>10.83</td><td>8.07</td><td>11.17</td><td>9.90</td><td>1.11</td><td>0.99</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.80</td><td>1.81</td><td>1.77</td><td>1.88</td><td>1.91</td><td>0.06</td><td>0.06</td></tr><tr><td>IQ Offset [dBc]</td><td>-51.48</td><td>-51.39</td><td>-50.68</td><td>0.73</td><td></td><td></td><td></td></tr><tr><td>Freq Error [Hz]</td><td>1.42</td><td>0.46</td><td>0.86</td><td>1.50</td><td></td><td></td><td></td></tr><tr><td>Timing Error [Ts]</td><td>5.83</td><td>4.84</td><td>5.07</td><td>0.18</td><td></td><td></td><td></td></tr><tr><td>TX Power [dBm]</td><td>0.31</td><td>0.32</td><td>0.30</td><td>0.35</td><td>0.01</td><td></td><td></td></tr><tr><td>Peak Power [dBm]</td><td>5.77</td><td>5.79</td><td>5.67</td><td>5.91</td><td>0.09</td><td></td><td></td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: QPSK Detected Channel Type: PUSCH View Filter Throughput: 100.0 % PS Connection Established RRC State: Connected Go To Local Show Remote Screen Band26(814-824)-3MHz-QPSK-26775-15RB#0-PASS	Current	Average	Extreme	StdDev	EVM RMS [%] 1h	1.80	1.89	1.90	1.97	2.01	0.09	0.07	EVM Peak [%] 1h	6.57	10.83	8.07	11.17	9.90	1.11	0.99	EVM DMRS [%] 1h	1.80	1.81	1.77	1.88	1.91	0.06	0.06	IQ Offset [dBc]	-51.48	-51.39	-50.68	0.73				Freq Error [Hz]	1.42	0.46	0.86	1.50				Timing Error [Ts]	5.83	4.84	5.07	0.18				TX Power [dBm]	0.31	0.32	0.30	0.35	0.01			Peak Power [dBm]	5.77	5.79	5.67	5.91	0.09			CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 822.5 MHz Ref Level: 18.50 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum RF Settings Trigger Detected Allocation NoRB: 15 OffsetRB: 0 <table><tr><td>Current</td><td>Average</td><td>Extreme</td><td>StdDev</td></tr><tr><td>EVM RMS [%] 1h</td><td>1.79</td><td>1.88</td><td>1.90</td><td>1.96</td><td>2.00</td><td>0.09</td><td>0.07</td></tr><tr><td>EVM Peak [%] 1h</td><td>6.92</td><td>10.88</td><td>7.99</td><td>11.22</td><td>9.41</td><td>1.02</td><td>0.42</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.81</td><td>1.85</td><td>1.83</td><td>1.94</td><td>1.97</td><td>0.05</td><td>0.07</td></tr><tr><td>IQ Offset [dBc]</td><td>-51.35</td><td>-51.81</td><td>-50.68</td><td>0.84</td><td></td><td></td><td></td></tr><tr><td>Freq Error [Hz]</td><td>1.72</td><td>0.77</td><td>0.77</td><td>1.63</td><td>1.47</td><td></td><td></td></tr><tr><td>Timing Error [Ts]</td><td>4.55</td><td>4.63</td><td>4.85</td><td>0.12</td><td></td><td></td><td></td></tr><tr><td>TX Power [dBm]</td><td>0.13</td><td>0.12</td><td>0.11</td><td>0.13</td><td>0.01</td><td></td><td></td></tr><tr><td>Peak Power [dBm]</td><td>5.43</td><td>5.59</td><td>5.43</td><td>5.73</td><td>0.13</td><td></td><td></td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: QPSK Detected Channel Type: PUSCH View Filter Throughput: 100.0 % PS Connection Established RRC State: Connected Go To Local Show Remote Screen Band26(814-824)-3MHz-QPSK-26775-15RB#0-PASS	Current	Average	Extreme	StdDev	EVM RMS [%] 1h	1.79	1.88	1.90	1.96	2.00	0.09	0.07	EVM Peak [%] 1h	6.92	10.88	7.99	11.22	9.41	1.02	0.42	EVM DMRS [%] 1h	1.81	1.85	1.83	1.94	1.97	0.05	0.07	IQ Offset [dBc]	-51.35	-51.81	-50.68	0.84				Freq Error [Hz]	1.72	0.77	0.77	1.63	1.47			Timing Error [Ts]	4.55	4.63	4.85	0.12				TX Power [dBm]	0.13	0.12	0.11	0.13	0.01			Peak Power [dBm]	5.43	5.59	5.43	5.73	0.13		
Current	Average	Extreme	StdDev																																																																																																																																						
EVM RMS [%] 1h	1.80	1.89	1.90	1.97	2.01	0.09	0.07																																																																																																																																		
EVM Peak [%] 1h	6.57	10.83	8.07	11.17	9.90	1.11	0.99																																																																																																																																		
EVM DMRS [%] 1h	1.80	1.81	1.77	1.88	1.91	0.06	0.06																																																																																																																																		
IQ Offset [dBc]	-51.48	-51.39	-50.68	0.73																																																																																																																																					
Freq Error [Hz]	1.42	0.46	0.86	1.50																																																																																																																																					
Timing Error [Ts]	5.83	4.84	5.07	0.18																																																																																																																																					
TX Power [dBm]	0.31	0.32	0.30	0.35	0.01																																																																																																																																				
Peak Power [dBm]	5.77	5.79	5.67	5.91	0.09																																																																																																																																				
Current	Average	Extreme	StdDev																																																																																																																																						
EVM RMS [%] 1h	1.79	1.88	1.90	1.96	2.00	0.09	0.07																																																																																																																																		
EVM Peak [%] 1h	6.92	10.88	7.99	11.22	9.41	1.02	0.42																																																																																																																																		
EVM DMRS [%] 1h	1.81	1.85	1.83	1.94	1.97	0.05	0.07																																																																																																																																		
IQ Offset [dBc]	-51.35	-51.81	-50.68	0.84																																																																																																																																					
Freq Error [Hz]	1.72	0.77	0.77	1.63	1.47																																																																																																																																				
Timing Error [Ts]	4.55	4.63	4.85	0.12																																																																																																																																					
TX Power [dBm]	0.13	0.12	0.11	0.13	0.01																																																																																																																																				
Peak Power [dBm]	5.43	5.59	5.43	5.73	0.13																																																																																																																																				
CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 822.5 MHz Ref Level: 18.50 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum RF Settings Trigger Detected Allocation NoRB: 15 OffsetRB: 0 <table><tr><td>Current</td><td>Average</td><td>Extreme</td><td>StdDev</td></tr><tr><td>EVM RMS [%] 1h</td><td>1.81</td><td>1.89</td><td>1.90</td><td>1.96</td><td>2.00</td><td>0.10</td><td>0.08</td></tr><tr><td>EVM Peak [%] 1h</td><td>7.89</td><td>10.93</td><td>8.09</td><td>11.17</td><td>9.93</td><td>1.12</td><td>0.93</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.80</td><td>1.82</td><td>1.78</td><td>1.89</td><td>1.83</td><td>0.01</td><td>0.03</td></tr><tr><td>IQ Offset [dBc]</td><td>-51.64</td><td>-52.14</td><td>-50.59</td><td>1.20</td><td></td><td></td><td></td></tr><tr><td>Freq Error [Hz]</td><td>-0.33</td><td>0.50</td><td>2.68</td><td>1.46</td><td></td><td></td><td></td></tr><tr><td>Timing Error [Ts]</td><td>4.76</td><td>4.73</td><td>4.88</td><td>0.13</td><td></td><td></td><td></td></tr><tr><td>TX Power [dBm]</td><td>0.09</td><td>0.09</td><td>0.08</td><td>0.09</td><td>0.01</td><td></td><td></td></tr><tr><td>Peak Power [dBm]</td><td>5.45</td><td>5.55</td><td>5.41</td><td>5.69</td><td>0.10</td><td></td><td></td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: QPSK Detected Channel Type: PUSCH View Filter Throughput: 100.0 % PS Connection Established RRC State: Connected Go To Local Show Remote Screen Band26(814-824)-3MHz-QPSK-26775-15RB#0-PASS	Current	Average	Extreme	StdDev	EVM RMS [%] 1h	1.81	1.89	1.90	1.96	2.00	0.10	0.08	EVM Peak [%] 1h	7.89	10.93	8.09	11.17	9.93	1.12	0.93	EVM DMRS [%] 1h	1.80	1.82	1.78	1.89	1.83	0.01	0.03	IQ Offset [dBc]	-51.64	-52.14	-50.59	1.20				Freq Error [Hz]	-0.33	0.50	2.68	1.46				Timing Error [Ts]	4.76	4.73	4.88	0.13				TX Power [dBm]	0.09	0.09	0.08	0.09	0.01			Peak Power [dBm]	5.45	5.55	5.41	5.69	0.10			CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 822.5 MHz Ref Level: 18.50 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum RF Settings Trigger Detected Allocation NoRB: 15 OffsetRB: 0 <table><tr><td>Current</td><td>Average</td><td>Extreme</td><td>StdDev</td></tr><tr><td>EVM RMS [%] 1h</td><td>2.54</td><td>2.54</td><td>2.47</td><td>2.48</td><td>2.55</td><td>0.06</td><td>0.05</td></tr><tr><td>EVM Peak [%] 1h</td><td>24.32</td><td>24.28</td><td>19.41</td><td>19.40</td><td>24.67</td><td>24.63</td><td>4.76</td></tr><tr><td>EVM DMRS [%] 1h</td><td>2.94</td><td>2.88</td><td>2.00</td><td>2.10</td><td>2.12</td><td>2.24</td><td>0.07</td></tr><tr><td>IQ Offset [dBc]</td><td>-54.02</td><td>-53.77</td><td>-52.49</td><td>1.04</td><td></td><td></td><td></td></tr><tr><td>Freq Error [Hz]</td><td>-2.06</td><td>0.04</td><td>-2.62</td><td>1.34</td><td></td><td></td><td></td></tr><tr><td>Timing Error [Ts]</td><td>3.45</td><td>3.67</td><td>3.91</td><td>0.20</td><td></td><td></td><td></td></tr><tr><td>TX Power [dBm]</td><td>-1.11</td><td>-1.09</td><td>-1.11</td><td>-1.06</td><td>0.02</td><td></td><td></td></tr><tr><td>Peak Power [dBm]</td><td>6.47</td><td>5.96</td><td>5.33</td><td>6.49</td><td>0.54</td><td></td><td></td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: 16-QAM Detected Channel Type: PUSCH View Filter Throughput: 100.0 % PS Connection Established RRC State: Connected Go To Local Show Remote Screen Band26(814-824)-3MHz-16QAM-26775-15RB#0-PASS	Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.54	2.54	2.47	2.48	2.55	0.06	0.05	EVM Peak [%] 1h	24.32	24.28	19.41	19.40	24.67	24.63	4.76	EVM DMRS [%] 1h	2.94	2.88	2.00	2.10	2.12	2.24	0.07	IQ Offset [dBc]	-54.02	-53.77	-52.49	1.04				Freq Error [Hz]	-2.06	0.04	-2.62	1.34				Timing Error [Ts]	3.45	3.67	3.91	0.20				TX Power [dBm]	-1.11	-1.09	-1.11	-1.06	0.02			Peak Power [dBm]	6.47	5.96	5.33	6.49	0.54		
Current	Average	Extreme	StdDev																																																																																																																																						
EVM RMS [%] 1h	1.81	1.89	1.90	1.96	2.00	0.10	0.08																																																																																																																																		
EVM Peak [%] 1h	7.89	10.93	8.09	11.17	9.93	1.12	0.93																																																																																																																																		
EVM DMRS [%] 1h	1.80	1.82	1.78	1.89	1.83	0.01	0.03																																																																																																																																		
IQ Offset [dBc]	-51.64	-52.14	-50.59	1.20																																																																																																																																					
Freq Error [Hz]	-0.33	0.50	2.68	1.46																																																																																																																																					
Timing Error [Ts]	4.76	4.73	4.88	0.13																																																																																																																																					
TX Power [dBm]	0.09	0.09	0.08	0.09	0.01																																																																																																																																				
Peak Power [dBm]	5.45	5.55	5.41	5.69	0.10																																																																																																																																				
Current	Average	Extreme	StdDev																																																																																																																																						
EVM RMS [%] 1h	2.54	2.54	2.47	2.48	2.55	0.06	0.05																																																																																																																																		
EVM Peak [%] 1h	24.32	24.28	19.41	19.40	24.67	24.63	4.76																																																																																																																																		
EVM DMRS [%] 1h	2.94	2.88	2.00	2.10	2.12	2.24	0.07																																																																																																																																		
IQ Offset [dBc]	-54.02	-53.77	-52.49	1.04																																																																																																																																					
Freq Error [Hz]	-2.06	0.04	-2.62	1.34																																																																																																																																					
Timing Error [Ts]	3.45	3.67	3.91	0.20																																																																																																																																					
TX Power [dBm]	-1.11	-1.09	-1.11	-1.06	0.02																																																																																																																																				
Peak Power [dBm]	6.47	5.96	5.33	6.49	0.54																																																																																																																																				
CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 822.5 MHz Ref Level: 18.50 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum RF Settings Trigger Detected Allocation NoRB: 15 OffsetRB: 0 <table><tr><td>Current</td><td>Average</td><td>Extreme</td><td>StdDev</td></tr><tr><td>EVM RMS [%] 1h</td><td>1.81</td><td>1.89</td><td>1.90</td><td>1.96</td><td>2.00</td><td>0.10</td><td>0.08</td></tr><tr><td>EVM Peak [%] 1h</td><td>7.89</td><td>10.93</td><td>8.09</td><td>11.17</td><td>9.93</td><td>1.12</td><td>0.93</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.80</td><td>1.82</td><td>1.78</td><td>1.89</td><td>1.83</td><td>0.01</td><td>0.03</td></tr><tr><td>IQ Offset [dBc]</td><td>-51.64</td><td>-52.14</td><td>-50.59</td><td>1.20</td><td></td><td></td><td></td></tr><tr><td>Freq Error [Hz]</td><td>-0.33</td><td>0.50</td><td>2.68</td><td>1.46</td><td></td><td></td><td></td></tr><tr><td>Timing Error [Ts]</td><td>4.76</td><td>4.73</td><td>4.88</td><td>0.13</td><td></td><td></td><td></td></tr><tr><td>TX Power [dBm]</td><td>0.09</td><td>0.09</td><td>0.08</td><td>0.09</td><td>0.01</td><td></td><td></td></tr><tr><td>Peak Power [dBm]</td><td>5.45</td><td>5.55</td><td>5.41</td><td>5.69</td><td>0.10</td><td></td><td></td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: QPSK Detected Channel Type: PUSCH View Filter Throughput: 100.0 % PS Connection Established RRC State: Connected Go To Local Show Remote Screen Band26(814-824)-3MHz-QPSK-26775-15RB#0-PASS	Current	Average	Extreme	StdDev	EVM RMS [%] 1h	1.81	1.89	1.90	1.96	2.00	0.10	0.08	EVM Peak [%] 1h	7.89	10.93	8.09	11.17	9.93	1.12	0.93	EVM DMRS [%] 1h	1.80	1.82	1.78	1.89	1.83	0.01	0.03	IQ Offset [dBc]	-51.64	-52.14	-50.59	1.20				Freq Error [Hz]	-0.33	0.50	2.68	1.46				Timing Error [Ts]	4.76	4.73	4.88	0.13				TX Power [dBm]	0.09	0.09	0.08	0.09	0.01			Peak Power [dBm]	5.45	5.55	5.41	5.69	0.10			CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 822.5 MHz Ref Level: 18.50 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum RF Settings Trigger Detected Allocation NoRB: 15 OffsetRB: 0 <table><tr><td>Current</td><td>Average</td><td>Extreme</td><td>StdDev</td></tr><tr><td>EVM RMS [%] 1h</td><td>2.54</td><td>2.54</td><td>2.47</td><td>2.48</td><td>2.55</td><td>0.06</td><td>0.05</td></tr><tr><td>EVM Peak [%] 1h</td><td>24.32</td><td>24.28</td><td>19.41</td><td>19.40</td><td>24.67</td><td>24.63</td><td>4.76</td></tr><tr><td>EVM DMRS [%] 1h</td><td>2.94</td><td>2.88</td><td>2.00</td><td>2.10</td><td>2.12</td><td>2.24</td><td>0.07</td></tr><tr><td>IQ Offset [dBc]</td><td>-54.02</td><td>-53.77</td><td>-52.49</td><td>1.04</td><td></td><td></td><td></td></tr><tr><td>Freq Error [Hz]</td><td>-2.06</td><td>0.04</td><td>-2.62</td><td>1.34</td><td></td><td></td><td></td></tr><tr><td>Timing Error [Ts]</td><td>3.45</td><td>3.67</td><td>3.91</td><td>0.20</td><td></td><td></td><td></td></tr><tr><td>TX Power [dBm]</td><td>-1.11</td><td>-1.09</td><td>-1.11</td><td>-1.06</td><td>0.02</td><td></td><td></td></tr><tr><td>Peak Power [dBm]</td><td>6.47</td><td>5.96</td><td>5.33</td><td>6.49</td><td>0.54</td><td></td><td></td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: 16-QAM Detected Channel Type: PUSCH View Filter Throughput: 100.0 % PS Connection Established RRC State: Connected Go To Local Show Remote Screen Band26(814-824)-3MHz-16QAM-26775-15RB#0-PASS	Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.54	2.54	2.47	2.48	2.55	0.06	0.05	EVM Peak [%] 1h	24.32	24.28	19.41	19.40	24.67	24.63	4.76	EVM DMRS [%] 1h	2.94	2.88	2.00	2.10	2.12	2.24	0.07	IQ Offset [dBc]	-54.02	-53.77	-52.49	1.04				Freq Error [Hz]	-2.06	0.04	-2.62	1.34				Timing Error [Ts]	3.45	3.67	3.91	0.20				TX Power [dBm]	-1.11	-1.09	-1.11	-1.06	0.02			Peak Power [dBm]	6.47	5.96	5.33	6.49	0.54		
Current	Average	Extreme	StdDev																																																																																																																																						
EVM RMS [%] 1h	1.81	1.89	1.90	1.96	2.00	0.10	0.08																																																																																																																																		
EVM Peak [%] 1h	7.89	10.93	8.09	11.17	9.93	1.12	0.93																																																																																																																																		
EVM DMRS [%] 1h	1.80	1.82	1.78	1.89	1.83	0.01	0.03																																																																																																																																		
IQ Offset [dBc]	-51.64	-52.14	-50.59	1.20																																																																																																																																					
Freq Error [Hz]	-0.33	0.50	2.68	1.46																																																																																																																																					
Timing Error [Ts]	4.76	4.73	4.88	0.13																																																																																																																																					
TX Power [dBm]	0.09	0.09	0.08	0.09	0.01																																																																																																																																				
Peak Power [dBm]	5.45	5.55	5.41	5.69	0.10																																																																																																																																				
Current	Average	Extreme	StdDev																																																																																																																																						
EVM RMS [%] 1h	2.54	2.54	2.47	2.48	2.55	0.06	0.05																																																																																																																																		
EVM Peak [%] 1h	24.32	24.28	19.41	19.40	24.67	24.63	4.76																																																																																																																																		
EVM DMRS [%] 1h	2.94	2.88	2.00	2.10	2.12	2.24	0.07																																																																																																																																		
IQ Offset [dBc]	-54.02	-53.77	-52.49	1.04																																																																																																																																					
Freq Error [Hz]	-2.06	0.04	-2.62	1.34																																																																																																																																					
Timing Error [Ts]	3.45	3.67	3.91	0.20																																																																																																																																					
TX Power [dBm]	-1.11	-1.09	-1.11	-1.06	0.02																																																																																																																																				
Peak Power [dBm]	6.47	5.96	5.33	6.49	0.54																																																																																																																																				
CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 822.5 MHz Ref Level: 18.50 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum RF Settings Trigger Detected Allocation NoRB: 15 OffsetRB: 0 <table><tr><td>Current</td><td>Average</td><td>Extreme</td><td>StdDev</td></tr><tr><td>EVM RMS [%] 1h</td><td>1.81</td><td>1.89</td><td>1.90</td><td>1.96</td><td>2.00</td><td>0.10</td><td>0.08</td></tr><tr><td>EVM Peak [%] 1h</td><td>7.89</td><td>10.93</td><td>8.09</td><td>11.17</td><td>9.93</td><td>1.12</td><td>0.93</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.80</td><td>1.82</td><td>1.78</td><td>1.89</td><td>1.83</td><td>0.01</td><td>0.03</td></tr><tr><td>IQ Offset [dBc]</td><td>-51.64</td><td>-52.14</td><td>-50.59</td><td>1.20</td><td></td><td></td><td></td></tr><tr><td>Freq Error [Hz]</td><td>-0.33</td><td>0.50</td><td>2.68</td><td>1.46</td><td></td><td></td><td></td></tr><tr><td>Timing Error [Ts]</td><td>4.76</td><td>4.73</td><td>4.88</td><td>0.13</td><td></td><td></td><td></td></tr><tr><td>TX Power [dBm]</td><td>0.09</td><td>0.09</td><td>0.08</td><td>0.09</td><td>0.01</td><td></td><td></td></tr><tr><td>Peak Power [dBm]</td><td>5.45</td><td>5.55</td><td>5.41</td><td>5.69</td><td>0.10</td><td></td><td></td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: QPSK Detected Channel Type: PUSCH View Filter Throughput: 100.0 % PS Connection Established RRC State: Connected Go To Local Show Remote Screen Band26(814-824)-3MHz-QPSK-26775-15RB#0-PASS	Current	Average	Extreme	StdDev	EVM RMS [%] 1h	1.81	1.89	1.90	1.96	2.00	0.10	0.08	EVM Peak [%] 1h	7.89	10.93	8.09	11.17	9.93	1.12	0.93	EVM DMRS [%] 1h	1.80	1.82	1.78	1.89	1.83	0.01	0.03	IQ Offset [dBc]	-51.64	-52.14	-50.59	1.20				Freq Error [Hz]	-0.33	0.50	2.68	1.46				Timing Error [Ts]	4.76	4.73	4.88	0.13				TX Power [dBm]	0.09	0.09	0.08	0.09	0.01			Peak Power [dBm]	5.45	5.55	5.41	5.69	0.10			CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 822.5 MHz Ref Level: 18.50 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum RF Settings Trigger Detected Allocation NoRB: 15 OffsetRB: 0 <table><tr><td>Current</td><td>Average</td><td>Extreme</td><td>StdDev</td></tr><tr><td>EVM RMS [%] 1h</td><td>2.54</td><td>2.54</td><td>2.47</td><td>2.48</td><td>2.55</td><td>0.06</td><td>0.05</td></tr><tr><td>EVM Peak [%] 1h</td><td>24.32</td><td>24.28</td><td>19.41</td><td>19.40</td><td>24.67</td><td>24.63</td><td>4.76</td></tr><tr><td>EVM DMRS [%] 1h</td><td>2.94</td><td>2.88</td><td>2.00</td><td>2.10</td><td>2.12</td><td>2.24</td><td>0.07</td></tr><tr><td>IQ Offset [dBc]</td><td>-54.02</td><td>-53.77</td><td>-52.49</td><td>1.04</td><td></td><td></td><td></td></tr><tr><td>Freq Error [Hz]</td><td>-2.06</td><td>0.04</td><td>-2.62</td><td>1.34</td><td></td><td></td><td></td></tr><tr><td>Timing Error [Ts]</td><td>3.45</td><td>3.67</td><td>3.91</td><td>0.20</td><td></td><td></td><td></td></tr><tr><td>TX Power [dBm]</td><td>-1.11</td><td>-1.09</td><td>-1.11</td><td>-1.06</td><td>0.02</td><td></td><td></td></tr><tr><td>Peak Power [dBm]</td><td>6.47</td><td>5.96</td><td>5.33</td><td>6.49</td><td>0.54</td><td></td><td></td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: 16-QAM Detected Channel Type: PUSCH View Filter Throughput: 100.0 % PS Connection Established RRC State: Connected Go To Local Show Remote Screen Band26(814-824)-3MHz-16QAM-26775-15RB#0-PASS	Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.54	2.54	2.47	2.48	2.55	0.06	0.05	EVM Peak [%] 1h	24.32	24.28	19.41	19.40	24.67	24.63	4.76	EVM DMRS [%] 1h	2.94	2.88	2.00	2.10	2.12	2.24	0.07	IQ Offset [dBc]	-54.02	-53.77	-52.49	1.04				Freq Error [Hz]	-2.06	0.04	-2.62	1.34				Timing Error [Ts]	3.45	3.67	3.91	0.20				TX Power [dBm]	-1.11	-1.09	-1.11	-1.06	0.02			Peak Power [dBm]	6.47	5.96	5.33	6.49	0.54		
Current	Average	Extreme	StdDev																																																																																																																																						
EVM RMS [%] 1h	1.81	1.89	1.90	1.96	2.00	0.10	0.08																																																																																																																																		
EVM Peak [%] 1h	7.89	10.93	8.09	11.17	9.93	1.12	0.93																																																																																																																																		
EVM DMRS [%] 1h	1.80	1.82	1.78	1.89	1.83	0.01	0.03																																																																																																																																		
IQ Offset [dBc]	-51.64	-52.14	-50.59	1.20																																																																																																																																					
Freq Error [Hz]	-0.33	0.50	2.68	1.46																																																																																																																																					
Timing Error [Ts]	4.76	4.73	4.88	0.13																																																																																																																																					
TX Power [dBm]	0.09	0.09	0.08	0.09	0.01																																																																																																																																				
Peak Power [dBm]	5.45	5.55	5.41	5.69	0.10																																																																																																																																				
Current	Average	Extreme	StdDev																																																																																																																																						
EVM RMS [%] 1h	2.54	2.54	2.47	2.48	2.55	0.06	0.05																																																																																																																																		
EVM Peak [%] 1h	24.32	24.28	19.41	19.40	24.67	24.63	4.76																																																																																																																																		
EVM DMRS [%] 1h	2.94	2.88	2.00	2.10	2.12	2.24	0.07																																																																																																																																		
IQ Offset [dBc]	-54.02	-53.77	-52.49	1.04																																																																																																																																					
Freq Error [Hz]	-2.06	0.04	-2.62	1.34																																																																																																																																					
Timing Error [Ts]	3.45	3.67	3.91	0.20																																																																																																																																					
TX Power [dBm]	-1.11	-1.09	-1.11	-1.06	0.02																																																																																																																																				
Peak Power [dBm]	6.47	5.96	5.33	6.49	0.54																																																																																																																																				
CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 822.5 MHz Ref Level: 18.50 dBm BW: 3.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum RF Settings Trigger Detected Allocation NoRB: 15 OffsetRB: 0 <table><tr><td>Current</td><td>Average</td><td>Extreme</td><td>StdDev</td></tr><tr><td>EVM RMS [%] 1h</td><td>1.81</td><td>1.89</td><td>1.90</td><td>1.96</td><td>2.00</td><td>0.10</td><td>0.08</td></tr><tr><td>EVM Peak [%] 1h</td><td>7.89</td><td>10.93</td><td>8.09</td><td>11.17</td><td>9.93</td><td>1.12</td><td>0.93</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.80</td><td>1.82</td><td>1.78</td><td>1.89</td><td>1.83</td><td>0.01</td><td>0.03</td></tr><tr><td>IQ Offset [dBc]</td><td>-51.64</td><td>-52.14</td><td>-50.59</td><td>1.20</td><td></td><td></td><td></td></tr><tr><td>Freq Error [Hz]</td><td>-0.33</td><td>0.50</td><td>2.68</td><td>1.46</td><td></td><td></td><td></td></tr><tr><td>Timing Error [Ts]</td><td>4.76</td><td>4.73</td><td>4.88</td><td>0.13</td><td></td><td></td><td></td></tr><tr><td>TX Power [dBm]</td><td>0.09</td><td>0.09</td><td>0.08</td><td>0.09</td><td>0.01</td><td></td><td></td></tr><tr><td>Peak Power [dBm]</td><td>5.45</td><td>5.55</td><td>5.41</td><td>5.69</td><td>0.10</td><td></td><td></td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: QPSK Detected Channel Type: PUSCH View Filter Throughput: 100.0 % PS Connection Established RRC State: Connected Go To Local Show Remote Screen Band26(814-824)-3MHz-QPSK-26775-15RB#0-P	Current	Average	Extreme	StdDev	EVM RMS [%] 1h	1.81	1.89	1.90	1.96	2.00	0.10	0.08	EVM Peak [%] 1h	7.89	10.93	8.09	11.17	9.93	1.12	0.93	EVM DMRS [%] 1h	1.80	1.82	1.78	1.89	1.83	0.01	0.03	IQ Offset [dBc]	-51.64	-52.14	-50.59	1.20				Freq Error [Hz]	-0.33	0.50	2.68	1.46				Timing Error [Ts]	4.76	4.73	4.88	0.13				TX Power [dBm]	0.09	0.09	0.08	0.09	0.01			Peak Power [dBm]	5.45	5.55	5.41	5.69	0.10																																																																							
Current	Average	Extreme	StdDev																																																																																																																																						
EVM RMS [%] 1h	1.81	1.89	1.90	1.96	2.00	0.10	0.08																																																																																																																																		
EVM Peak [%] 1h	7.89	10.93	8.09	11.17	9.93	1.12	0.93																																																																																																																																		
EVM DMRS [%] 1h	1.80	1.82	1.78	1.89	1.83	0.01	0.03																																																																																																																																		
IQ Offset [dBc]	-51.64	-52.14	-50.59	1.20																																																																																																																																					
Freq Error [Hz]	-0.33	0.50	2.68	1.46																																																																																																																																					
Timing Error [Ts]	4.76	4.73	4.88	0.13																																																																																																																																					
TX Power [dBm]	0.09	0.09	0.08	0.09	0.01																																																																																																																																				
Peak Power [dBm]	5.45	5.55	5.41	5.69	0.10																																																																																																																																				




Band26(814-824)-3MHz-16QAM-26775-15RB#0-PASS




Band26(814-824)-3MHz-16QAM-26775-15RB#0-PASS




Band26(814-824)-5MHz-QPSK-26715-25RB#0-PASS




Band26(814-824)-5MHz-QPSK-26715-25RB#0-PASS




Band26(814-824)-5MHz-QPSK-26715-25RB#0-PASS



Band26(814-824)-5MHz-16QAM-26715-25RB#0-PASS




Band26(814-824)-5MHz-16QAM-26715-25RB#0-PASS




Band26(814-824)-5MHz-16QAM-26715-25RB#0-PASS


CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 819.0 MHz Ref Level: 14.90 dBm BW: 5.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Detected Allocation NoRB: 25 OffsetsRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>4.18</td><td>4.12</td><td>4.21</td><td>0.08</td></tr><tr><td>EVM Peak [%] 1h</td><td>27.12</td><td>27.11</td><td>27.46</td><td>2.67</td></tr><tr><td>EVM DMRS [%] 1h</td><td>3.15</td><td>3.05</td><td>3.12</td><td>0.10</td></tr><tr><td>IQ Offset [dBc]</td><td>-51.09</td><td>-50.59</td><td>-50.09</td><td>0.33</td></tr><tr><td>Freq Error [Hz]</td><td>-3.19</td><td>-1.75</td><td>-3.19</td><td>0.99</td></tr><tr><td>Timing Error [Ts]</td><td>4.04</td><td>3.98</td><td>4.04</td><td>0.05</td></tr><tr><td>TX Power [dBm]</td><td>-2.45</td><td>-2.40</td><td>-2.45</td><td>0.05</td></tr><tr><td>Peak Power [dBm]</td><td>2.88</td><td>2.83</td><td>2.79</td><td>0.03</td></tr></tbody></table> Statistic Count 10/10 Out of Tolerance 0.00 % Detected Modulation QPSK Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(814-824)-5MHz-QPSK-26740-25RB#0-PASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	4.18	4.12	4.21	0.08	EVM Peak [%] 1h	27.12	27.11	27.46	2.67	EVM DMRS [%] 1h	3.15	3.05	3.12	0.10	IQ Offset [dBc]	-51.09	-50.59	-50.09	0.33	Freq Error [Hz]	-3.19	-1.75	-3.19	0.99	Timing Error [Ts]	4.04	3.98	4.04	0.05	TX Power [dBm]	-2.45	-2.40	-2.45	0.05	Peak Power [dBm]	2.88	2.83	2.79	0.03	CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 819.0 MHz Ref Level: 14.90 dBm BW: 5.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Detected Allocation NoRB: 25 OffsetsRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>4.08</td><td>4.16</td><td>4.01</td><td>0.08</td></tr><tr><td>EVM Peak [%] 1h</td><td>26.02</td><td>26.03</td><td>24.82</td><td>2.71</td></tr><tr><td>EVM DMRS [%] 1h</td><td>3.11</td><td>2.98</td><td>3.07</td><td>0.10</td></tr><tr><td>IQ Offset [dBc]</td><td>-51.23</td><td>-50.72</td><td>-50.09</td><td>0.45</td></tr><tr><td>Freq Error [Hz]</td><td>-0.74</td><td>-1.89</td><td>-3.48</td><td>1.06</td></tr><tr><td>Timing Error [Ts]</td><td>6.00</td><td>7.54</td><td>8.10</td><td>0.70</td></tr><tr><td>TX Power [dBm]</td><td>-2.48</td><td>-2.44</td><td>-2.48</td><td>0.05</td></tr><tr><td>Peak Power [dBm]</td><td>2.59</td><td>2.80</td><td>2.59</td><td>0.08</td></tr></tbody></table> Statistic Count 10/10 Out of Tolerance 0.00 % Detected Modulation QPSK Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(814-824)-5MHz-QPSK-26740-25RB#0-PASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	4.08	4.16	4.01	0.08	EVM Peak [%] 1h	26.02	26.03	24.82	2.71	EVM DMRS [%] 1h	3.11	2.98	3.07	0.10	IQ Offset [dBc]	-51.23	-50.72	-50.09	0.45	Freq Error [Hz]	-0.74	-1.89	-3.48	1.06	Timing Error [Ts]	6.00	7.54	8.10	0.70	TX Power [dBm]	-2.48	-2.44	-2.48	0.05	Peak Power [dBm]	2.59	2.80	2.59	0.08
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	4.18	4.12	4.21	0.08																																																																																							
EVM Peak [%] 1h	27.12	27.11	27.46	2.67																																																																																							
EVM DMRS [%] 1h	3.15	3.05	3.12	0.10																																																																																							
IQ Offset [dBc]	-51.09	-50.59	-50.09	0.33																																																																																							
Freq Error [Hz]	-3.19	-1.75	-3.19	0.99																																																																																							
Timing Error [Ts]	4.04	3.98	4.04	0.05																																																																																							
TX Power [dBm]	-2.45	-2.40	-2.45	0.05																																																																																							
Peak Power [dBm]	2.88	2.83	2.79	0.03																																																																																							
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	4.08	4.16	4.01	0.08																																																																																							
EVM Peak [%] 1h	26.02	26.03	24.82	2.71																																																																																							
EVM DMRS [%] 1h	3.11	2.98	3.07	0.10																																																																																							
IQ Offset [dBc]	-51.23	-50.72	-50.09	0.45																																																																																							
Freq Error [Hz]	-0.74	-1.89	-3.48	1.06																																																																																							
Timing Error [Ts]	6.00	7.54	8.10	0.70																																																																																							
TX Power [dBm]	-2.48	-2.44	-2.48	0.05																																																																																							
Peak Power [dBm]	2.59	2.80	2.59	0.08																																																																																							
CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 819.0 MHz Ref Level: 14.90 dBm BW: 5.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Detected Allocation NoRB: 25 OffsetsRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>4.07</td><td>4.14</td><td>3.99</td><td>0.08</td></tr><tr><td>EVM Peak [%] 1h</td><td>26.23</td><td>26.20</td><td>23.63</td><td>2.71</td></tr><tr><td>EVM DMRS [%] 1h</td><td>3.11</td><td>2.96</td><td>3.05</td><td>0.11</td></tr><tr><td>IQ Offset [dBc]</td><td>-50.96</td><td>-50.55</td><td>-49.72</td><td>0.47</td></tr><tr><td>Freq Error [Hz]</td><td>0.30</td><td>-1.26</td><td>-3.65</td><td>1.33</td></tr><tr><td>Timing Error [Ts]</td><td>5.87</td><td>5.95</td><td>6.13</td><td>0.16</td></tr><tr><td>TX Power [dBm]</td><td>-2.48</td><td>-2.44</td><td>-2.39</td><td>0.05</td></tr><tr><td>Peak Power [dBm]</td><td>2.63</td><td>2.85</td><td>2.51</td><td>0.09</td></tr></tbody></table> Statistic Count 10/10 Out of Tolerance 0.00 % Detected Modulation QPSK Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(814-824)-5MHz-QPSK-26740-25RB#0-PASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	4.07	4.14	3.99	0.08	EVM Peak [%] 1h	26.23	26.20	23.63	2.71	EVM DMRS [%] 1h	3.11	2.96	3.05	0.11	IQ Offset [dBc]	-50.96	-50.55	-49.72	0.47	Freq Error [Hz]	0.30	-1.26	-3.65	1.33	Timing Error [Ts]	5.87	5.95	6.13	0.16	TX Power [dBm]	-2.48	-2.44	-2.39	0.05	Peak Power [dBm]	2.63	2.85	2.51	0.09	CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 819.0 MHz Ref Level: 14.90 dBm BW: 5.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Detected Allocation NoRB: 25 OffsetsRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>3.75</td><td>3.90</td><td>3.71</td><td>0.09</td></tr><tr><td>EVM Peak [%] 1h</td><td>22.58</td><td>26.13</td><td>21.25</td><td>2.58</td></tr><tr><td>EVM DMRS [%] 1h</td><td>2.73</td><td>2.73</td><td>2.88</td><td>0.01</td></tr><tr><td>IQ Offset [dBc]</td><td>-51.10</td><td>-49.83</td><td>-48.46</td><td>1.25</td></tr><tr><td>Freq Error [Hz]</td><td>0.82</td><td>-0.27</td><td>-2.13</td><td>1.23</td></tr><tr><td>Timing Error [Ts]</td><td>4.46</td><td>4.64</td><td>4.89</td><td>0.10</td></tr><tr><td>TX Power [dBm]</td><td>-3.59</td><td>-3.55</td><td>-3.59</td><td>0.04</td></tr><tr><td>Peak Power [dBm]</td><td>2.33</td><td>2.78</td><td>2.30</td><td>0.38</td></tr></tbody></table> Statistic Count 10/10 Out of Tolerance 0.00 % Detected Modulation 16-QAM Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(814-824)-5MHz-16QAM-26740-25RB#0-PASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	3.75	3.90	3.71	0.09	EVM Peak [%] 1h	22.58	26.13	21.25	2.58	EVM DMRS [%] 1h	2.73	2.73	2.88	0.01	IQ Offset [dBc]	-51.10	-49.83	-48.46	1.25	Freq Error [Hz]	0.82	-0.27	-2.13	1.23	Timing Error [Ts]	4.46	4.64	4.89	0.10	TX Power [dBm]	-3.59	-3.55	-3.59	0.04	Peak Power [dBm]	2.33	2.78	2.30	0.38
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	4.07	4.14	3.99	0.08																																																																																							
EVM Peak [%] 1h	26.23	26.20	23.63	2.71																																																																																							
EVM DMRS [%] 1h	3.11	2.96	3.05	0.11																																																																																							
IQ Offset [dBc]	-50.96	-50.55	-49.72	0.47																																																																																							
Freq Error [Hz]	0.30	-1.26	-3.65	1.33																																																																																							
Timing Error [Ts]	5.87	5.95	6.13	0.16																																																																																							
TX Power [dBm]	-2.48	-2.44	-2.39	0.05																																																																																							
Peak Power [dBm]	2.63	2.85	2.51	0.09																																																																																							
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	3.75	3.90	3.71	0.09																																																																																							
EVM Peak [%] 1h	22.58	26.13	21.25	2.58																																																																																							
EVM DMRS [%] 1h	2.73	2.73	2.88	0.01																																																																																							
IQ Offset [dBc]	-51.10	-49.83	-48.46	1.25																																																																																							
Freq Error [Hz]	0.82	-0.27	-2.13	1.23																																																																																							
Timing Error [Ts]	4.46	4.64	4.89	0.10																																																																																							
TX Power [dBm]	-3.59	-3.55	-3.59	0.04																																																																																							
Peak Power [dBm]	2.33	2.78	2.30	0.38																																																																																							
CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 819.0 MHz Ref Level: 14.90 dBm BW: 5.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Detected Allocation NoRB: 25 OffsetsRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>3.75</td><td>3.96</td><td>3.71</td><td>0.04</td></tr><tr><td>EVM Peak [%] 1h</td><td>23.83</td><td>37.63</td><td>21.84</td><td>3.95</td></tr><tr><td>EVM DMRS [%] 1h</td><td>2.84</td><td>2.81</td><td>2.87</td><td>0.07</td></tr><tr><td>IQ Offset [dBc]</td><td>-51.28</td><td>-49.38</td><td>-48.49</td><td>1.21</td></tr><tr><td>Freq Error [Hz]</td><td>-1.92</td><td>-2.39</td><td>-3.55</td><td>0.07</td></tr><tr><td>Timing Error [Ts]</td><td>7.00</td><td>6.79</td><td>7.00</td><td>0.18</td></tr><tr><td>TX Power [dBm]</td><td>-3.58</td><td>-3.55</td><td>-3.58</td><td>0.04</td></tr><tr><td>Peak Power [dBm]</td><td>2.56</td><td>2.72</td><td>2.52</td><td>0.15</td></tr></tbody></table> Statistic Count 10/10 Out of Tolerance 0.00 % Detected Modulation 16-QAM Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(814-824)-5MHz-QPSK-26740-25RB#0-PASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	3.75	3.96	3.71	0.04	EVM Peak [%] 1h	23.83	37.63	21.84	3.95	EVM DMRS [%] 1h	2.84	2.81	2.87	0.07	IQ Offset [dBc]	-51.28	-49.38	-48.49	1.21	Freq Error [Hz]	-1.92	-2.39	-3.55	0.07	Timing Error [Ts]	7.00	6.79	7.00	0.18	TX Power [dBm]	-3.58	-3.55	-3.58	0.04	Peak Power [dBm]	2.56	2.72	2.52	0.15	CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 819.0 MHz Ref Level: 14.90 dBm BW: 5.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Detected Allocation NoRB: 25 OffsetsRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>3.75</td><td>3.92</td><td>3.72</td><td>0.09</td></tr><tr><td>EVM Peak [%] 1h</td><td>22.91</td><td>36.57</td><td>21.42</td><td>3.15</td></tr><tr><td>EVM DMRS [%] 1h</td><td>2.76</td><td>2.80</td><td>2.87</td><td>0.02</td></tr><tr><td>IQ Offset [dBc]</td><td>-50.88</td><td>-50.02</td><td>-48.69</td><td>1.30</td></tr><tr><td>Freq Error [Hz]</td><td>-2.45</td><td>-2.69</td><td>-4.55</td><td>1.42</td></tr><tr><td>Timing Error [Ts]</td><td>4.80</td><td>4.86</td><td>4.99</td><td>0.12</td></tr><tr><td>TX Power [dBm]</td><td>-3.58</td><td>-3.55</td><td>-3.58</td><td>0.04</td></tr><tr><td>Peak Power [dBm]</td><td>2.44</td><td>2.81</td><td>2.37</td><td>0.34</td></tr></tbody></table> Statistic Count 10/10 Out of Tolerance 0.00 % Detected Modulation 16-QAM Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(814-824)-5MHz-16QAM-26740-25RB#0-PASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	3.75	3.92	3.72	0.09	EVM Peak [%] 1h	22.91	36.57	21.42	3.15	EVM DMRS [%] 1h	2.76	2.80	2.87	0.02	IQ Offset [dBc]	-50.88	-50.02	-48.69	1.30	Freq Error [Hz]	-2.45	-2.69	-4.55	1.42	Timing Error [Ts]	4.80	4.86	4.99	0.12	TX Power [dBm]	-3.58	-3.55	-3.58	0.04	Peak Power [dBm]	2.44	2.81	2.37	0.34
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	3.75	3.96	3.71	0.04																																																																																							
EVM Peak [%] 1h	23.83	37.63	21.84	3.95																																																																																							
EVM DMRS [%] 1h	2.84	2.81	2.87	0.07																																																																																							
IQ Offset [dBc]	-51.28	-49.38	-48.49	1.21																																																																																							
Freq Error [Hz]	-1.92	-2.39	-3.55	0.07																																																																																							
Timing Error [Ts]	7.00	6.79	7.00	0.18																																																																																							
TX Power [dBm]	-3.58	-3.55	-3.58	0.04																																																																																							
Peak Power [dBm]	2.56	2.72	2.52	0.15																																																																																							
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	3.75	3.92	3.72	0.09																																																																																							
EVM Peak [%] 1h	22.91	36.57	21.42	3.15																																																																																							
EVM DMRS [%] 1h	2.76	2.80	2.87	0.02																																																																																							
IQ Offset [dBc]	-50.88	-50.02	-48.69	1.30																																																																																							
Freq Error [Hz]	-2.45	-2.69	-4.55	1.42																																																																																							
Timing Error [Ts]	4.80	4.86	4.99	0.12																																																																																							
TX Power [dBm]	-3.58	-3.55	-3.58	0.04																																																																																							
Peak Power [dBm]	2.44	2.81	2.37	0.34																																																																																							
CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 821.5 MHz Ref Level: 16.00 dBm BW: 5.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Detected Allocation NoRB: 25 OffsetsRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>2.17</td><td>2.22</td><td>2.20</td><td>0.07</td></tr><tr><td>EVM Peak [%] 1h</td><td>20.25</td><td>19.59</td><td>20.04</td><td>0.28</td></tr><tr><td>EVM DMRS [%] 1h</td><td>2.00</td><td>2.04</td><td>1.89</td><td>0.03</td></tr><tr><td>IQ Offset [dBc]</td><td>-54.17</td><td>-53.77</td><td>-52.79</td><td>0.70</td></tr><tr><td>Freq Error [Hz]</td><td>-1.34</td><td>-0.53</td><td>2.86</td><td>1.57</td></tr><tr><td>Timing Error [Ts]</td><td>25.84</td><td>24.11</td><td>25.84</td><td>0.88</td></tr><tr><td>TX Power [dBm]</td><td>-0.06</td><td>-0.04</td><td>-0.06</td><td>0.01</td></tr><tr><td>Peak Power [dBm]</td><td>5.17</td><td>5.36</td><td>5.17</td><td>0.09</td></tr></tbody></table> Statistic Count 10/10 Out of Tolerance 0.00 % Detected Modulation QPSK Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(814-824)-5MHz-QPSK-26765-25RB#0-PASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.17	2.22	2.20	0.07	EVM Peak [%] 1h	20.25	19.59	20.04	0.28	EVM DMRS [%] 1h	2.00	2.04	1.89	0.03	IQ Offset [dBc]	-54.17	-53.77	-52.79	0.70	Freq Error [Hz]	-1.34	-0.53	2.86	1.57	Timing Error [Ts]	25.84	24.11	25.84	0.88	TX Power [dBm]	-0.06	-0.04	-0.06	0.01	Peak Power [dBm]	5.17	5.36	5.17	0.09	CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 821.5 MHz Ref Level: 16.00 dBm BW: 5.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Detected Allocation NoRB: 25 OffsetsRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>2.13</td><td>2.23</td><td>2.18</td><td>0.03</td></tr><tr><td>EVM Peak [%] 1h</td><td>20.00</td><td>20.69</td><td>20.01</td><td>0.38</td></tr><tr><td>EVM DMRS [%] 1h</td><td>2.03</td><td>2.13</td><td>1.90</td><td>0.24</td></tr><tr><td>IQ Offset [dBc]</td><td>-54.32</td><td>-53.71</td><td>-52.51</td><td>0.80</td></tr><tr><td>Freq Error [Hz]</td><td>0.41</td><td>-0.16</td><td>-2.57</td><td>1.73</td></tr><tr><td>Timing Error [Ts]</td><td>23.57</td><td>23.57</td><td>23.75</td><td>0.14</td></tr><tr><td>TX Power [dBm]</td><td>-0.18</td><td>-0.18</td><td>-0.19</td><td>0.01</td></tr><tr><td>Peak Power [dBm]</td><td>5.26</td><td>5.28</td><td>5.24</td><td>0.04</td></tr></tbody></table> Statistic Count 10/10 Out of Tolerance 0.00 % Detected Modulation QPSK Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(814-824)-5MHz-QPSK-26765-25RB#0-PASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.13	2.23	2.18	0.03	EVM Peak [%] 1h	20.00	20.69	20.01	0.38	EVM DMRS [%] 1h	2.03	2.13	1.90	0.24	IQ Offset [dBc]	-54.32	-53.71	-52.51	0.80	Freq Error [Hz]	0.41	-0.16	-2.57	1.73	Timing Error [Ts]	23.57	23.57	23.75	0.14	TX Power [dBm]	-0.18	-0.18	-0.19	0.01	Peak Power [dBm]	5.26	5.28	5.24	0.04
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.17	2.22	2.20	0.07																																																																																							
EVM Peak [%] 1h	20.25	19.59	20.04	0.28																																																																																							
EVM DMRS [%] 1h	2.00	2.04	1.89	0.03																																																																																							
IQ Offset [dBc]	-54.17	-53.77	-52.79	0.70																																																																																							
Freq Error [Hz]	-1.34	-0.53	2.86	1.57																																																																																							
Timing Error [Ts]	25.84	24.11	25.84	0.88																																																																																							
TX Power [dBm]	-0.06	-0.04	-0.06	0.01																																																																																							
Peak Power [dBm]	5.17	5.36	5.17	0.09																																																																																							
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.13	2.23	2.18	0.03																																																																																							
EVM Peak [%] 1h	20.00	20.69	20.01	0.38																																																																																							
EVM DMRS [%] 1h	2.03	2.13	1.90	0.24																																																																																							
IQ Offset [dBc]	-54.32	-53.71	-52.51	0.80																																																																																							
Freq Error [Hz]	0.41	-0.16	-2.57	1.73																																																																																							
Timing Error [Ts]	23.57	23.57	23.75	0.14																																																																																							
TX Power [dBm]	-0.18	-0.18	-0.19	0.01																																																																																							
Peak Power [dBm]	5.26	5.28	5.24	0.04																																																																																							
CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 819.0 MHz Ref Level: 14.90 dBm BW: 5.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Detected Allocation NoRB: 25 OffsetsRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>4.07</td><td>4.14</td><td>3.99</td><td>0.08</td></tr><tr><td>EVM Peak [%] 1h</td><td>26.23</td><td>26.20</td><td>23.63</td><td>2.71</td></tr><tr><td>EVM DMRS [%] 1h</td><td>3.11</td><td>2.96</td><td>3.05</td><td>0.11</td></tr><tr><td>IQ Offset [dBc]</td><td>-50.96</td><td>-50.55</td><td>-49.72</td><td>0.47</td></tr><tr><td>Freq Error [Hz]</td><td>0.30</td><td>-1.26</td><td>-3.65</td><td>1.33</td></tr><tr><td>Timing Error [Ts]</td><td>5.87</td><td>5.95</td><td>6.13</td><td>0.16</td></tr><tr><td>TX Power [dBm]</td><td>-2.48</td><td>-2.44</td><td>-2.39</td><td>0.05</td></tr><tr><td>Peak Power [dBm]</td><td>2.63</td><td>2.85</td><td>2.51</td><td>0.09</td></tr></tbody></table> Statistic Count 10/10 Out of Tolerance 0.00 % Detected Modulation QPSK Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(814-824)-5MHz-QPSK-26765-25RB#0-PASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	4.07	4.14	3.99	0.08	EVM Peak [%] 1h	26.23	26.20	23.63	2.71	EVM DMRS [%] 1h	3.11	2.96	3.05	0.11	IQ Offset [dBc]	-50.96	-50.55	-49.72	0.47	Freq Error [Hz]	0.30	-1.26	-3.65	1.33	Timing Error [Ts]	5.87	5.95	6.13	0.16	TX Power [dBm]	-2.48	-2.44	-2.39	0.05	Peak Power [dBm]	2.63	2.85	2.51	0.09	CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 819.0 MHz Ref Level: 14.90 dBm BW: 5.0 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Detected Allocation NoRB: 25 OffsetsRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>4.08</td><td>4.16</td><td>4.01</td><td>0.08</td></tr><tr><td>EVM Peak [%] 1h</td><td>26.02</td><td>26.03</td><td>24.82</td><td>2.71</td></tr><tr><td>EVM DMRS [%] 1h</td><td>3.11</td><td>2.98</td><td>3.07</td><td>0.10</td></tr><tr><td>IQ Offset [dBc]</td><td>-51.23</td><td>-50.72</td><td>-50.09</td><td>0.45</td></tr><tr><td>Freq Error [Hz]</td><td>-0.74</td><td>-1.89</td><td>-3.48</td><td>1.06</td></tr><tr><td>Timing Error [Ts]</td><td>6.00</td><td>7.54</td><td>8.10</td><td>0.70</td></tr><tr><td>TX Power [dBm]</td><td>-2.48</td><td>-2.44</td><td>-2.48</td><td>0.05</td></tr><tr><td>Peak Power [dBm]</td><td>2.59</td><td>2.80</td><td>2.59</td><td>0.08</td></tr></tbody></table> Statistic Count 10/10 Out of Tolerance 0.00 % Detected Modulation QPSK Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(814-824)-5MHz-QPSK-26765-25RB#0-PASS		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	4.08	4.16	4.01	0.08	EVM Peak [%] 1h	26.02	26.03	24.82	2.71	EVM DMRS [%] 1h	3.11	2.98	3.07	0.10	IQ Offset [dBc]	-51.23	-50.72	-50.09	0.45	Freq Error [Hz]	-0.74	-1.89	-3.48	1.06	Timing Error [Ts]	6.00	7.54	8.10	0.70	TX Power [dBm]	-2.48	-2.44	-2.48	0.05	Peak Power [dBm]	2.59	2.80	2.59	0.08
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	4.07	4.14	3.99	0.08																																																																																							
EVM Peak [%] 1h	26.23	26.20	23.63	2.71																																																																																							
EVM DMRS [%] 1h	3.11	2.96	3.05	0.11																																																																																							
IQ Offset [dBc]	-50.96	-50.55	-49.72	0.47																																																																																							
Freq Error [Hz]	0.30	-1.26	-3.65	1.33																																																																																							
Timing Error [Ts]	5.87	5.95	6.13	0.16																																																																																							
TX Power [dBm]	-2.48	-2.44	-2.39	0.05																																																																																							
Peak Power [dBm]	2.63	2.85	2.51	0.09																																																																																							
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	4.08	4.16	4.01	0.08																																																																																							
EVM Peak [%] 1h	26.02	26.03	24.82	2.71																																																																																							
EVM DMRS [%] 1h	3.11	2.98	3.07	0.10																																																																																							
IQ Offset [dBc]	-51.23	-50.72	-50.09	0.45																																																																																							
Freq Error [Hz]	-0.74	-1.89	-3.48	1.06																																																																																							
Timing Error [Ts]	6.00	7.54	8.10	0.70																																																																																							
TX Power [dBm]	-2.48	-2.44	-2.48	0.05																																																																																							
Peak Power [dBm]	2.59	2.80	2.59	0.08																																																																																							




Band26(814-824)-5MHz-16QAM-26765-25RB#0-PASS









Band26(814-824)-5MHz-16QAM-26765-25RB#0-PASS





Band26(814-824)-10MHz-QPSK-26740-50RB#0-PASS



Band26(814-824)-10MHz-16QAM-26740-50RB#0-PAS


	S 
Band26(814-824)-10MHz-16QAM-26740-50RB#0-PAS S	Band26(814-824)-10MHz-16QAM-26740-50RB#0-PAS S
	
Band26(814-824)-15MHz-QPSK-26765-75RB#0-PASS	Band26(814-824)-15MHz-QPSK-26765-75RB#0-PASS
	
Band26(814-824)-15MHz-QPSK-26765-75RB#0-PASS	Band26(814-824)-15MHz-16QAM-26765-75RB#0-PAS S



CMW 500 V3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 814.7 MHz Ref Level: 37.00 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum Detected Allocation NoRB: 0 60OffsetRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>2.87</td><td>2.92</td><td>3.16</td><td>0.26</td></tr><tr><td>EVM Peak [%] 1h</td><td>14.45</td><td>14.59</td><td>14.73</td><td>0.19</td></tr><tr><td>EVM DMRS [%] 1h</td><td>2.16</td><td>2.02</td><td>2.28</td><td>0.07</td></tr><tr><td>IQ Offset [dBc]</td><td>-56.18</td><td>-48.98</td><td>-47.69</td><td>1.18</td></tr><tr><td>Freq Error [Hz]</td><td>0.33</td><td>-0.69</td><td>-3.02</td><td>1.33</td></tr><tr><td>Timing Error [Ts]</td><td>19.15</td><td>19.26</td><td>19.46</td><td>0.16</td></tr><tr><td>TX Power [dBm]</td><td>-11.57</td><td>-11.70</td><td>-11.84</td><td>0.13</td></tr><tr><td>Peak Power [dBm]</td><td>-6.46</td><td>-6.49</td><td>-6.51</td><td>0.02</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10/10 0.00 % QPSK PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.87	2.92	3.16	0.26	EVM Peak [%] 1h	14.45	14.59	14.73	0.19	EVM DMRS [%] 1h	2.16	2.02	2.28	0.07	IQ Offset [dBc]	-56.18	-48.98	-47.69	1.18	Freq Error [Hz]	0.33	-0.69	-3.02	1.33	Timing Error [Ts]	19.15	19.26	19.46	0.16	TX Power [dBm]	-11.57	-11.70	-11.84	0.13	Peak Power [dBm]	-6.46	-6.49	-6.51	0.02	CMW 500 V3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 814.7 MHz Ref Level: 37.00 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum Detected Allocation NoRB: 0 60OffsetRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>2.87</td><td>2.92</td><td>3.17</td><td>0.26</td></tr><tr><td>EVM Peak [%] 1h</td><td>15.27</td><td>15.40</td><td>14.82</td><td>0.23</td></tr><tr><td>EVM DMRS [%] 1h</td><td>2.19</td><td>2.07</td><td>2.26</td><td>0.07</td></tr><tr><td>IQ Offset [dBc]</td><td>-56.44</td><td>-48.73</td><td>-47.64</td><td>0.99</td></tr><tr><td>Freq Error [Hz]</td><td>-0.39</td><td>-0.24</td><td>3.36</td><td>1.93</td></tr><tr><td>Timing Error [Ts]</td><td>19.17</td><td>19.16</td><td>19.37</td><td>0.17</td></tr><tr><td>TX Power [dBm]</td><td>-11.51</td><td>-11.54</td><td>-11.78</td><td>0.13</td></tr><tr><td>Peak Power [dBm]</td><td>-6.40</td><td>-6.42</td><td>-6.38</td><td>0.02</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10/10 0.00 % QPSK PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.87	2.92	3.17	0.26	EVM Peak [%] 1h	15.27	15.40	14.82	0.23	EVM DMRS [%] 1h	2.19	2.07	2.26	0.07	IQ Offset [dBc]	-56.44	-48.73	-47.64	0.99	Freq Error [Hz]	-0.39	-0.24	3.36	1.93	Timing Error [Ts]	19.17	19.16	19.37	0.17	TX Power [dBm]	-11.51	-11.54	-11.78	0.13	Peak Power [dBm]	-6.40	-6.42	-6.38	0.02
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.87	2.92	3.16	0.26																																																																																							
EVM Peak [%] 1h	14.45	14.59	14.73	0.19																																																																																							
EVM DMRS [%] 1h	2.16	2.02	2.28	0.07																																																																																							
IQ Offset [dBc]	-56.18	-48.98	-47.69	1.18																																																																																							
Freq Error [Hz]	0.33	-0.69	-3.02	1.33																																																																																							
Timing Error [Ts]	19.15	19.26	19.46	0.16																																																																																							
TX Power [dBm]	-11.57	-11.70	-11.84	0.13																																																																																							
Peak Power [dBm]	-6.46	-6.49	-6.51	0.02																																																																																							
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.87	2.92	3.17	0.26																																																																																							
EVM Peak [%] 1h	15.27	15.40	14.82	0.23																																																																																							
EVM DMRS [%] 1h	2.19	2.07	2.26	0.07																																																																																							
IQ Offset [dBc]	-56.44	-48.73	-47.64	0.99																																																																																							
Freq Error [Hz]	-0.39	-0.24	3.36	1.93																																																																																							
Timing Error [Ts]	19.17	19.16	19.37	0.17																																																																																							
TX Power [dBm]	-11.51	-11.54	-11.78	0.13																																																																																							
Peak Power [dBm]	-6.40	-6.42	-6.38	0.02																																																																																							
Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-PASS	Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-PASS																																																																																										
CMW 500 V3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 814.7 MHz Ref Level: 37.00 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum Detected Allocation NoRB: 0 60OffsetRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>2.89</td><td>2.93</td><td>3.16</td><td>0.25</td></tr><tr><td>EVM Peak [%] 1h</td><td>15.01</td><td>15.14</td><td>14.87</td><td>0.23</td></tr><tr><td>EVM DMRS [%] 1h</td><td>2.19</td><td>2.07</td><td>2.27</td><td>0.06</td></tr><tr><td>IQ Offset [dBc]</td><td>-50.01</td><td>-49.29</td><td>-47.75</td><td>1.09</td></tr><tr><td>Freq Error [Hz]</td><td>-0.86</td><td>-0.16</td><td>-3.06</td><td>1.43</td></tr><tr><td>Timing Error [Ts]</td><td>19.07</td><td>19.13</td><td>19.27</td><td>0.07</td></tr><tr><td>TX Power [dBm]</td><td>-11.46</td><td>-11.59</td><td>-11.72</td><td>0.13</td></tr><tr><td>Peak Power [dBm]</td><td>-6.35</td><td>-6.36</td><td>-6.38</td><td>0.01</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10/10 0.00 % QPSK PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.89	2.93	3.16	0.25	EVM Peak [%] 1h	15.01	15.14	14.87	0.23	EVM DMRS [%] 1h	2.19	2.07	2.27	0.06	IQ Offset [dBc]	-50.01	-49.29	-47.75	1.09	Freq Error [Hz]	-0.86	-0.16	-3.06	1.43	Timing Error [Ts]	19.07	19.13	19.27	0.07	TX Power [dBm]	-11.46	-11.59	-11.72	0.13	Peak Power [dBm]	-6.35	-6.36	-6.38	0.01	CMW 500 V3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 814.7 MHz Ref Level: 37.00 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum Detected Allocation NoRB: 0 60OffsetRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>2.90</td><td>2.95</td><td>3.16</td><td>0.25</td></tr><tr><td>EVM Peak [%] 1h</td><td>15.19</td><td>15.30</td><td>14.90</td><td>0.40</td></tr><tr><td>EVM DMRS [%] 1h</td><td>2.15</td><td>2.01</td><td>2.24</td><td>0.10</td></tr><tr><td>IQ Offset [dBc]</td><td>-50.30</td><td>-48.99</td><td>-47.51</td><td>1.21</td></tr><tr><td>Freq Error [Hz]</td><td>-1.17</td><td>-1.12</td><td>-4.03</td><td>1.36</td></tr><tr><td>Timing Error [Ts]</td><td>19.17</td><td>19.02</td><td>19.18</td><td>0.14</td></tr><tr><td>TX Power [dBm]</td><td>-11.40</td><td>-11.53</td><td>-11.67</td><td>0.13</td></tr><tr><td>Peak Power [dBm]</td><td>-6.30</td><td>-6.30</td><td>-6.33</td><td>0.02</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10/10 0.00 % QPSK PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.90	2.95	3.16	0.25	EVM Peak [%] 1h	15.19	15.30	14.90	0.40	EVM DMRS [%] 1h	2.15	2.01	2.24	0.10	IQ Offset [dBc]	-50.30	-48.99	-47.51	1.21	Freq Error [Hz]	-1.17	-1.12	-4.03	1.36	Timing Error [Ts]	19.17	19.02	19.18	0.14	TX Power [dBm]	-11.40	-11.53	-11.67	0.13	Peak Power [dBm]	-6.30	-6.30	-6.33	0.02
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.89	2.93	3.16	0.25																																																																																							
EVM Peak [%] 1h	15.01	15.14	14.87	0.23																																																																																							
EVM DMRS [%] 1h	2.19	2.07	2.27	0.06																																																																																							
IQ Offset [dBc]	-50.01	-49.29	-47.75	1.09																																																																																							
Freq Error [Hz]	-0.86	-0.16	-3.06	1.43																																																																																							
Timing Error [Ts]	19.07	19.13	19.27	0.07																																																																																							
TX Power [dBm]	-11.46	-11.59	-11.72	0.13																																																																																							
Peak Power [dBm]	-6.35	-6.36	-6.38	0.01																																																																																							
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.90	2.95	3.16	0.25																																																																																							
EVM Peak [%] 1h	15.19	15.30	14.90	0.40																																																																																							
EVM DMRS [%] 1h	2.15	2.01	2.24	0.10																																																																																							
IQ Offset [dBc]	-50.30	-48.99	-47.51	1.21																																																																																							
Freq Error [Hz]	-1.17	-1.12	-4.03	1.36																																																																																							
Timing Error [Ts]	19.17	19.02	19.18	0.14																																																																																							
TX Power [dBm]	-11.40	-11.53	-11.67	0.13																																																																																							
Peak Power [dBm]	-6.30	-6.30	-6.33	0.02																																																																																							
Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-PASS	Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-PASS																																																																																										
CMW 500 V3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 814.7 MHz Ref Level: 37.00 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum Detected Allocation NoRB: 0 60OffsetRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>2.94</td><td>2.95</td><td>3.17</td><td>0.25</td></tr><tr><td>EVM Peak [%] 1h</td><td>14.99</td><td>15.12</td><td>14.93</td><td>0.26</td></tr><tr><td>EVM DMRS [%] 1h</td><td>2.18</td><td>2.04</td><td>2.28</td><td>0.09</td></tr><tr><td>IQ Offset [dBc]</td><td>-51.42</td><td>-48.92</td><td>-47.46</td><td>1.44</td></tr><tr><td>Freq Error [Hz]</td><td>-1.47</td><td>-0.93</td><td>-2.27</td><td>0.73</td></tr><tr><td>Timing Error [Ts]</td><td>18.96</td><td>18.98</td><td>19.07</td><td>0.08</td></tr><tr><td>TX Power [dBm]</td><td>-11.34</td><td>-11.48</td><td>-11.61</td><td>0.13</td></tr><tr><td>Peak Power [dBm]</td><td>-6.21</td><td>-6.25</td><td>-6.27</td><td>0.02</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10/10 0.00 % QPSK PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.94	2.95	3.17	0.25	EVM Peak [%] 1h	14.99	15.12	14.93	0.26	EVM DMRS [%] 1h	2.18	2.04	2.28	0.09	IQ Offset [dBc]	-51.42	-48.92	-47.46	1.44	Freq Error [Hz]	-1.47	-0.93	-2.27	0.73	Timing Error [Ts]	18.96	18.98	19.07	0.08	TX Power [dBm]	-11.34	-11.48	-11.61	0.13	Peak Power [dBm]	-6.21	-6.25	-6.27	0.02	CMW 500 V3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 814.7 MHz Ref Level: 37.00 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum Detected Allocation NoRB: 0 60OffsetRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>3.32</td><td>3.24</td><td>3.19</td><td>0.14</td></tr><tr><td>EVM Peak [%] 1h</td><td>23.27</td><td>23.36</td><td>20.22</td><td>2.82</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.78</td><td>1.82</td><td>1.88</td><td>0.12</td></tr><tr><td>IQ Offset [dBc]</td><td>-54.89</td><td>-54.56</td><td>-52.40</td><td>1.21</td></tr><tr><td>Freq Error [Hz]</td><td>0.14</td><td>-0.53</td><td>-2.78</td><td>1.40</td></tr><tr><td>Timing Error [Ts]</td><td>20.40</td><td>20.58</td><td>20.69</td><td>0.08</td></tr><tr><td>TX Power [dBm]</td><td>-11.82</td><td>-11.88</td><td>-11.95</td><td>0.07</td></tr><tr><td>Peak Power [dBm]</td><td>-6.19</td><td>-6.02</td><td>-6.19</td><td>0.16</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10/10 0.00 % 16-QAM PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	3.32	3.24	3.19	0.14	EVM Peak [%] 1h	23.27	23.36	20.22	2.82	EVM DMRS [%] 1h	1.78	1.82	1.88	0.12	IQ Offset [dBc]	-54.89	-54.56	-52.40	1.21	Freq Error [Hz]	0.14	-0.53	-2.78	1.40	Timing Error [Ts]	20.40	20.58	20.69	0.08	TX Power [dBm]	-11.82	-11.88	-11.95	0.07	Peak Power [dBm]	-6.19	-6.02	-6.19	0.16
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.94	2.95	3.17	0.25																																																																																							
EVM Peak [%] 1h	14.99	15.12	14.93	0.26																																																																																							
EVM DMRS [%] 1h	2.18	2.04	2.28	0.09																																																																																							
IQ Offset [dBc]	-51.42	-48.92	-47.46	1.44																																																																																							
Freq Error [Hz]	-1.47	-0.93	-2.27	0.73																																																																																							
Timing Error [Ts]	18.96	18.98	19.07	0.08																																																																																							
TX Power [dBm]	-11.34	-11.48	-11.61	0.13																																																																																							
Peak Power [dBm]	-6.21	-6.25	-6.27	0.02																																																																																							
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	3.32	3.24	3.19	0.14																																																																																							
EVM Peak [%] 1h	23.27	23.36	20.22	2.82																																																																																							
EVM DMRS [%] 1h	1.78	1.82	1.88	0.12																																																																																							
IQ Offset [dBc]	-54.89	-54.56	-52.40	1.21																																																																																							
Freq Error [Hz]	0.14	-0.53	-2.78	1.40																																																																																							
Timing Error [Ts]	20.40	20.58	20.69	0.08																																																																																							
TX Power [dBm]	-11.82	-11.88	-11.95	0.07																																																																																							
Peak Power [dBm]	-6.19	-6.02	-6.19	0.16																																																																																							
Band26(814-824)-1.4MHz-QPSK-26697-6RB#0-PASS	Band26(814-824)-1.4MHz-16QAM-26697-6RB#0-PASS																																																																																										
CMW 500 V3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 814.7 MHz Ref Level: 37.00 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum Detected Allocation NoRB: 0 60OffsetRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>3.34</td><td>3.26</td><td>3.20</td><td>0.15</td></tr><tr><td>EVM Peak [%] 1h</td><td>23.41</td><td>22.49</td><td>20.35</td><td>3.09</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.81</td><td>1.86</td><td>1.92</td><td>0.10</td></tr><tr><td>IQ Offset [dBc]</td><td>-57.81</td><td>-55.62</td><td>-54.27</td><td>1.33</td></tr><tr><td>Freq Error [Hz]</td><td>-1.95</td><td>-0.33</td><td>-2.20</td><td>1.30</td></tr><tr><td>Timing Error [Ts]</td><td>18.57</td><td>18.42</td><td>18.59</td><td>0.14</td></tr><tr><td>TX Power [dBm]</td><td>-11.76</td><td>-11.83</td><td>-11.90</td><td>0.07</td></tr><tr><td>Peak Power [dBm]</td><td>-6.19</td><td>-5.96</td><td>-6.24</td><td>0.24</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10/10 0.00 % 16-QAM PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	3.34	3.26	3.20	0.15	EVM Peak [%] 1h	23.41	22.49	20.35	3.09	EVM DMRS [%] 1h	1.81	1.86	1.92	0.10	IQ Offset [dBc]	-57.81	-55.62	-54.27	1.33	Freq Error [Hz]	-1.95	-0.33	-2.20	1.30	Timing Error [Ts]	18.57	18.42	18.59	0.14	TX Power [dBm]	-11.76	-11.83	-11.90	0.07	Peak Power [dBm]	-6.19	-5.96	-6.24	0.24	CMW 500 V3.7.22 - LTE Measurement - V3.7.20 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 814.7 MHz Ref Level: 37.00 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) 0 x 8 Sym high y 0 x 8 Sym high y 0 x 8 Sym high y Current Average Maximum Detected Allocation NoRB: 0 60OffsetRB: 0 <table><thead><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr></thead><tbody><tr><td>EVM RMS [%] 1h</td><td>3.34</td><td>3.26</td><td>3.20</td><td>0.14</td></tr><tr><td>EVM Peak [%] 1h</td><td>23.54</td><td>22.58</td><td>20.41</td><td>2.92</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.71</td><td>1.75</td><td>1.86</td><td>0.12</td></tr><tr><td>IQ Offset [dBc]</td><td>-54.48</td><td>-55.83</td><td>-53.51</td><td>0.73</td></tr><tr><td>Freq Error [Hz]</td><td>0.26</td><td>-0.84</td><td>-3.32</td><td>1.72</td></tr><tr><td>Timing Error [Ts]</td><td>20.31</td><td>20.22</td><td>20.50</td><td>0.16</td></tr><tr><td>TX Power [dBm]</td><td>-11.71</td><td>-11.78</td><td>-11.85</td><td>0.07</td></tr><tr><td>Peak Power [dBm]</td><td>-6.09</td><td>-5.93</td><td>-6.11</td><td>0.16</td></tr></tbody></table> Statistic Count Out of Tolerance Detected Modulation Detected Channel Type View Filter Throughput 10/10 0.00 % 16-QAM PUSCH 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	3.34	3.26	3.20	0.14	EVM Peak [%] 1h	23.54	22.58	20.41	2.92	EVM DMRS [%] 1h	1.71	1.75	1.86	0.12	IQ Offset [dBc]	-54.48	-55.83	-53.51	0.73	Freq Error [Hz]	0.26	-0.84	-3.32	1.72	Timing Error [Ts]	20.31	20.22	20.50	0.16	TX Power [dBm]	-11.71	-11.78	-11.85	0.07	Peak Power [dBm]	-6.09	-5.93	-6.11	0.16
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	3.34	3.26	3.20	0.15																																																																																							
EVM Peak [%] 1h	23.41	22.49	20.35	3.09																																																																																							
EVM DMRS [%] 1h	1.81	1.86	1.92	0.10																																																																																							
IQ Offset [dBc]	-57.81	-55.62	-54.27	1.33																																																																																							
Freq Error [Hz]	-1.95	-0.33	-2.20	1.30																																																																																							
Timing Error [Ts]	18.57	18.42	18.59	0.14																																																																																							
TX Power [dBm]	-11.76	-11.83	-11.90	0.07																																																																																							
Peak Power [dBm]	-6.19	-5.96	-6.24	0.24																																																																																							
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	3.34	3.26	3.20	0.14																																																																																							
EVM Peak [%] 1h	23.54	22.58	20.41	2.92																																																																																							
EVM DMRS [%] 1h	1.71	1.75	1.86	0.12																																																																																							
IQ Offset [dBc]	-54.48	-55.83	-53.51	0.73																																																																																							
Freq Error [Hz]	0.26	-0.84	-3.32	1.72																																																																																							
Timing Error [Ts]	20.31	20.22	20.50	0.16																																																																																							
TX Power [dBm]	-11.71	-11.78	-11.85	0.07																																																																																							
Peak Power [dBm]	-6.09	-5.93	-6.11	0.16																																																																																							


Band26(814-824)-1.4MHz-16QAM-26697-6RB#0-PAS

S




Band26(814-824)-1.4MHz-16QAM-26697-6RB#0-PAS

S




Band26(814-824)-1.4MHz-16QAM-26697-6RB#0-PAS

S




Band26(814-824)-1.4MHz-16QAM-26697-6RB#0-PAS

S




Band26(814-824)-1.4MHz-16QAM-26697-6RB#0-PAS

S




Band26(814-824)-1.4MHz-16QAM-26697-6RB#0-PAS

S




Band26(814-824)-1.4MHz-16QAM-26697-6RB#0-PAS


S




Band26(814-824)-1.4MHz-16QAM-26697-6RB#0-PAS

S







Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-PASS




Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-PASS




Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-PASS




Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-PASS




Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-PASS



Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-PASS



Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-PASS



Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-PASS

CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 819.0 MHz Ref Level: 15.20 dBm BW: 1.4 MHz CP: Normal Meas Subt Slot: 2 / All Error Vector Magnitude (RMS) 0 x 0 Sym high y 0 x 0 Sym high y 0 x 0 Sym high y CurrentAverageMaximum 10/10 0.00 % Detected Modulation Detected Channel Type View Filter Throughput 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-1.4MHz-QPSK-26740-6RB#0-PASS S	CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 819.0 MHz Ref Level: 15.20 dBm BW: 1.4 MHz CP: Normal Meas Subt Slot: 2 / All Error Vector Magnitude (RMS) 0 x 0 Sym high y 0 x 0 Sym high y 0 x 0 Sym high y CurrentAverageMaximum 10/10 0.00 % Detected Modulation Detected Channel Type View Filter Throughput 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-PAS S
CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 819.0 MHz Ref Level: 15.20 dBm BW: 1.4 MHz CP: Normal Meas Subt Slot: 2 / All Error Vector Magnitude (RMS) 0 x 0 Sym high y 0 x 0 Sym high y 0 x 0 Sym high y CurrentAverageMaximum 10/10 0.00 % Detected Modulation Detected Channel Type View Filter Throughput 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-PAS S	CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 819.0 MHz Ref Level: 15.20 dBm BW: 1.4 MHz CP: Normal Meas Subt Slot: 2 / All Error Vector Magnitude (RMS) 0 x 0 Sym high y 0 x 0 Sym high y 0 x 0 Sym high y CurrentAverageMaximum 10/10 0.00 % Detected Modulation Detected Channel Type View Filter Throughput 100.0 % PS Connection Established RRC State Connected Go To Local Show Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-PAS S

CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 819.0 MHz Ref Level: 15.20 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) x 0.5 Sym high y x 0.5 Sym high y x 0.5 Sym high y Current Average Maximum 10/10 0.00 % 16-QAM PUSCH 100.0 % PS: Connection Established RNC State: Connected Go To LocalShow Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-PAS S	CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 819.0 MHz Ref Level: 15.20 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) x 0.5 Sym high y x 0.5 Sym high y x 0.5 Sym high y Current Average Maximum 10/10 0.00 % 16-QAM PUSCH 100.0 % PS: Connection Established RNC State: Connected Go To LocalShow Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-PAS S
CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 819.0 MHz Ref Level: 15.20 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) x 0.5 Sym high y x 0.5 Sym high y x 0.5 Sym high y Current Average Maximum 10/10 0.00 % 16-QAM PUSCH 100.0 % PS: Connection Established RNC State: Connected Go To LocalShow Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-PAS S	CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 819.0 MHz Ref Level: 15.20 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) x 0.5 Sym high y x 0.5 Sym high y x 0.5 Sym high y Current Average Maximum 10/10 0.00 % 16-QAM PUSCH 100.0 % PS: Connection Established RNC State: Connected Go To LocalShow Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-1.4MHz-16QAM-26740-6RB#0-PAS S
CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 823.3 MHz Ref Level: 18.80 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) x 0.5 Sym high y x 0.5 Sym high y x 0.5 Sym high y Current Average Maximum 10/10 0.00 % QPSK PUSCH 100.0 % PS: Connection Established RNC State: Connected Go To LocalShow Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-PASS	CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 823.3 MHz Ref Level: 18.80 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) x 0.5 Sym high y x 0.5 Sym high y x 0.5 Sym high y Current Average Maximum 10/10 0.00 % QPSK PUSCH 100.0 % PS: Connection Established RNC State: Connected Go To LocalShow Remote Screen RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Band26(814-824)-1.4MHz-QPSK-26783-6RB#0-PASS