

Band26(824-849)	10MHz	QPSK	26990	50RB#0	NV	-20	-2.89	-0.003424	±2.5	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	NV	-10	2.39	0.002832	±2.5	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	NV	0	3.48	0.004123	±2.5	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	NV	10	-2.55	-0.003021	±2.5	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	NV	20	-1.33	-0.001576	±2.5	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	NV	30	2.78	0.003294	±2.5	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	NV	40	-1.96	-0.002322	±2.5	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	NV	50	-2.40	-0.002844	±2.5	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	NV	-30	-2.22	-0.002630	±2.5	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	NV	-20	-2.62	-0.003104	±2.5	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	NV	-10	-2.68	-0.003175	±2.5	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	NV	0	-2.40	-0.002844	±2.5	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	NV	10	-2.37	-0.002808	±2.5	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	NV	20	-1.37	-0.001623	±2.5	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	NV	30	-3.42	-0.004052	±2.5	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	NV	40	2.69	0.003187	±2.5	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	NV	50	2.76	0.003270	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	NV	-30	2.16	0.002598	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	NV	-20	2.13	0.002562	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	NV	-10	-2.40	-0.002886	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	NV	0	2.42	0.002910	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band26(824-849)	15MHz	QPSK	26865	75RB#0	NV	10	-3.89	-0.004678	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	NV	20	-2.36	-0.002838	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	NV	30	3.23	0.003885	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	NV	40	2.32	0.002790	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	NV	50	-2.78	-0.003343	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	NV	-30	-3.18	-0.003824	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	NV	-20	-3.03	-0.003644	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	NV	-10	-2.19	-0.002634	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	NV	0	-2.92	-0.003512	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	NV	10	-2.79	-0.003355	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	NV	20	-2.85	-0.003428	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	NV	30	1.83	0.002201	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	NV	40	-1.66	-0.001996	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	NV	50	2.75	0.003307	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	-30	-3.99	-0.004770	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	-20	-3.23	-0.003861	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	-10	-1.87	-0.002236	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	0	-3.92	-0.004686	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	10	-2.73	-0.003264	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	20	-3.96	-0.004734	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	30	-2.17	-0.002594	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	40	-1.92	-0.002295	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	50	-3.06	-0.003658	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	NV	-30	-2.93	-0.003503	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	NV	-20	-2.89	-0.003455	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	NV	-10	-2.40	-0.002869	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	NV	0	-3.58	-0.004280	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	NV	10	-2.60	-0.003108	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	NV	20	-1.56	-0.001865	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	NV	30	-3.22	-0.003849	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	NV	40	-3.45	-0.004124	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	NV	50	-4.31	-0.005152	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	NV	-30	-4.09	-0.004860	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	NV	-20	-4.69	-0.005573	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	NV	-10	-3.49	-0.004147	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	NV	0	-4.56	-0.005419	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	NV	10	-3.15	-0.003743	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	NV	20	-3.75	-0.004456	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	NV	30	-2.65	-0.003149	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	NV	40	-3.16	-0.003755	±2.5	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	NV	50	-3.73	-0.004433	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	NV	-30	-3.95	-0.004694	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.

Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com


Band26(824-849)	15MHz	16QAM	26965	75RB#0	NV	-20	-3.32	-0.003945	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	NV	-10	-5.21	-0.006191	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	NV	0	-5.44	-0.006465	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	NV	10	-4.29	-0.005098	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	NV	20	-4.21	-0.005003	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	NV	30	-4.59	-0.005455	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	NV	40	-3.69	-0.004385	±2.5	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	NV	50	-3.93	-0.004670	±2.5	PASS







Shenzhen Anbotek Compliance Laboratory Limited

Any unauthorized modification, forgery, or falsification of this document constitutes a violation of law and is subject to legal penalties. If you have any questions, you may scan the QR code to download the report for verification or contact us via email.



Hotline: 400-003-0500 web: www.anbotek.com E-mail: service@anbotek.com

Test Graphs





 CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS PDQ Freq: 836.5 MHz Ref Level: 14.80 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen	 CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS PDQ Freq: 836.5 MHz Ref Level: 14.80 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen
Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS	Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS
 CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS PDQ Freq: 836.5 MHz Ref Level: 14.80 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen	 CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS PDQ Freq: 836.5 MHz Ref Level: 14.80 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen
Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS	Band26(824-849)-1.4MHz-16QAM-26915-6RB#0-PAS
 CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS PDQ Freq: 836.5 MHz Ref Level: 14.80 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen	 CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS PDQ Freq: 836.5 MHz Ref Level: 14.80 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen
Band26(824-849)-1.4MHz-16QAM-26915-6RB#0-PAS	Band26(824-849)-1.4MHz-16QAM-26915-6RB#0-PAS

CMW 500 V3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 848.3 MHz Ref Level: 14.70 dBm BW: 1.4 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings: Multi Evaluation, Trigger, Display, Marker, Signaling Parameter, LTE Signaling ON Detected Allocation: NoRB: 0 <table><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr><tr><td>EVM RMS [%] 1h</td><td>1.94</td><td>1.83</td><td>1.95</td><td>0.03</td></tr><tr><td>EVM Peak [%] 1h</td><td>8.87</td><td>9.61</td><td>9.47</td><td>0.53</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.75</td><td>1.75</td><td>1.91</td><td>0.12</td></tr><tr><td>IQ Offset [dBc]</td><td>-52.43</td><td>-52.39</td><td>-50.87</td><td>1.01</td></tr><tr><td>Freq Error [Hz]</td><td>1.72</td><td>-0.77</td><td>-3.20</td><td>1.59</td></tr><tr><td>Timing Error [Ts]</td><td>19.71</td><td>19.49</td><td>19.71</td><td>0.16</td></tr><tr><td>TX Power [dBm]</td><td>-4.16</td><td>-4.16</td><td>-4.20</td><td>0.03</td></tr><tr><td>Peak Power [dBm]</td><td>1.38</td><td>1.36</td><td>1.32</td><td>0.03</td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: QPSK Detected Channel Type: PUSCH View Filter Throughput: 100.0 % Go To Local Show Remote Screen		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	1.94	1.83	1.95	0.03	EVM Peak [%] 1h	8.87	9.61	9.47	0.53	EVM DMRS [%] 1h	1.75	1.75	1.91	0.12	IQ Offset [dBc]	-52.43	-52.39	-50.87	1.01	Freq Error [Hz]	1.72	-0.77	-3.20	1.59	Timing Error [Ts]	19.71	19.49	19.71	0.16	TX Power [dBm]	-4.16	-4.16	-4.20	0.03	Peak Power [dBm]	1.38	1.36	1.32	0.03	CMW 500 V3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 848.3 MHz Ref Level: 14.70 dBm BW: 1.4 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings: Multi Evaluation, Trigger, Display, Marker, Signaling Parameter, LTE Signaling ON Detected Allocation: NoRB: 0 <table><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr><tr><td>EVM RMS [%] 1h</td><td>1.93</td><td>1.82</td><td>1.95</td><td>0.02</td></tr><tr><td>EVM Peak [%] 1h</td><td>8.63</td><td>9.16</td><td>9.30</td><td>0.56</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.60</td><td>1.66</td><td>1.90</td><td>0.12</td></tr><tr><td>IQ Offset [dBc]</td><td>-52.43</td><td>-52.39</td><td>-51.51</td><td>1.07</td></tr><tr><td>Freq Error [Hz]</td><td>-1.54</td><td>-1.10</td><td>-3.48</td><td>1.20</td></tr><tr><td>Timing Error [Ts]</td><td>21.57</td><td>21.44</td><td>21.57</td><td>0.12</td></tr><tr><td>TX Power [dBm]</td><td>-4.46</td><td>-4.48</td><td>-4.50</td><td>0.02</td></tr><tr><td>Peak Power [dBm]</td><td>1.10</td><td>1.08</td><td>1.07</td><td>0.01</td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: QPSK Detected Channel Type: PUSCH View Filter Throughput: 100.0 % Go To Local Show Remote Screen		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	1.93	1.82	1.95	0.02	EVM Peak [%] 1h	8.63	9.16	9.30	0.56	EVM DMRS [%] 1h	1.60	1.66	1.90	0.12	IQ Offset [dBc]	-52.43	-52.39	-51.51	1.07	Freq Error [Hz]	-1.54	-1.10	-3.48	1.20	Timing Error [Ts]	21.57	21.44	21.57	0.12	TX Power [dBm]	-4.46	-4.48	-4.50	0.02	Peak Power [dBm]	1.10	1.08	1.07	0.01
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	1.94	1.83	1.95	0.03																																																																																							
EVM Peak [%] 1h	8.87	9.61	9.47	0.53																																																																																							
EVM DMRS [%] 1h	1.75	1.75	1.91	0.12																																																																																							
IQ Offset [dBc]	-52.43	-52.39	-50.87	1.01																																																																																							
Freq Error [Hz]	1.72	-0.77	-3.20	1.59																																																																																							
Timing Error [Ts]	19.71	19.49	19.71	0.16																																																																																							
TX Power [dBm]	-4.16	-4.16	-4.20	0.03																																																																																							
Peak Power [dBm]	1.38	1.36	1.32	0.03																																																																																							
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	1.93	1.82	1.95	0.02																																																																																							
EVM Peak [%] 1h	8.63	9.16	9.30	0.56																																																																																							
EVM DMRS [%] 1h	1.60	1.66	1.90	0.12																																																																																							
IQ Offset [dBc]	-52.43	-52.39	-51.51	1.07																																																																																							
Freq Error [Hz]	-1.54	-1.10	-3.48	1.20																																																																																							
Timing Error [Ts]	21.57	21.44	21.57	0.12																																																																																							
TX Power [dBm]	-4.46	-4.48	-4.50	0.02																																																																																							
Peak Power [dBm]	1.10	1.08	1.07	0.01																																																																																							
Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS	Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS																																																																																										
CMW 500 V3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 848.3 MHz Ref Level: 14.70 dBm BW: 1.4 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings: Multi Evaluation, Trigger, Display, Marker, Signaling Parameter, LTE Signaling ON Detected Allocation: NoRB: 0 <table><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr><tr><td>EVM RMS [%] 1h</td><td>1.96</td><td>1.86</td><td>1.96</td><td>0.02</td></tr><tr><td>EVM Peak [%] 1h</td><td>9.07</td><td>9.46</td><td>9.23</td><td>0.49</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.70</td><td>1.75</td><td>1.91</td><td>0.07</td></tr><tr><td>IQ Offset [dBc]</td><td>-53.17</td><td>-51.99</td><td>-51.13</td><td>0.73</td></tr><tr><td>Freq Error [Hz]</td><td>1.42</td><td>-0.26</td><td>-2.70</td><td>1.54</td></tr><tr><td>Timing Error [Ts]</td><td>19.26</td><td>19.36</td><td>19.46</td><td>0.09</td></tr><tr><td>TX Power [dBm]</td><td>-4.53</td><td>-4.56</td><td>-4.53</td><td>0.02</td></tr><tr><td>Peak Power [dBm]</td><td>0.99</td><td>0.99</td><td>0.97</td><td>0.01</td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: QPSK Detected Channel Type: PUSCH View Filter Throughput: 100.0 % Go To Local Show Remote Screen		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	1.96	1.86	1.96	0.02	EVM Peak [%] 1h	9.07	9.46	9.23	0.49	EVM DMRS [%] 1h	1.70	1.75	1.91	0.07	IQ Offset [dBc]	-53.17	-51.99	-51.13	0.73	Freq Error [Hz]	1.42	-0.26	-2.70	1.54	Timing Error [Ts]	19.26	19.36	19.46	0.09	TX Power [dBm]	-4.53	-4.56	-4.53	0.02	Peak Power [dBm]	0.99	0.99	0.97	0.01	CMW 500 V3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 848.3 MHz Ref Level: 14.70 dBm BW: 1.4 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings: Multi Evaluation, Trigger, Display, Marker, Signaling Parameter, LTE Signaling ON Detected Allocation: NoRB: 0 <table><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr><tr><td>EVM RMS [%] 1h</td><td>2.08</td><td>2.36</td><td>2.02</td><td>0.05</td></tr><tr><td>EVM Peak [%] 1h</td><td>8.65</td><td>11.55</td><td>9.82</td><td>0.51</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.66</td><td>1.59</td><td>1.55</td><td>0.34</td></tr><tr><td>IQ Offset [dBc]</td><td>-56.55</td><td>-50.68</td><td>-47.93</td><td>4.03</td></tr><tr><td>Freq Error [Hz]</td><td>0.44</td><td>-0.44</td><td>-3.23</td><td>1.29</td></tr><tr><td>Timing Error [Ts]</td><td>20.34</td><td>20.32</td><td>20.54</td><td>0.12</td></tr><tr><td>TX Power [dBm]</td><td>-5.82</td><td>-5.90</td><td>-5.82</td><td>0.08</td></tr><tr><td>Peak Power [dBm]</td><td>1.34</td><td>1.06</td><td>0.72</td><td>0.30</td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: 16-QAM Detected Channel Type: PUSCH View Filter Throughput: 100.0 % Go To Local Show Remote Screen		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.08	2.36	2.02	0.05	EVM Peak [%] 1h	8.65	11.55	9.82	0.51	EVM DMRS [%] 1h	1.66	1.59	1.55	0.34	IQ Offset [dBc]	-56.55	-50.68	-47.93	4.03	Freq Error [Hz]	0.44	-0.44	-3.23	1.29	Timing Error [Ts]	20.34	20.32	20.54	0.12	TX Power [dBm]	-5.82	-5.90	-5.82	0.08	Peak Power [dBm]	1.34	1.06	0.72	0.30
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	1.96	1.86	1.96	0.02																																																																																							
EVM Peak [%] 1h	9.07	9.46	9.23	0.49																																																																																							
EVM DMRS [%] 1h	1.70	1.75	1.91	0.07																																																																																							
IQ Offset [dBc]	-53.17	-51.99	-51.13	0.73																																																																																							
Freq Error [Hz]	1.42	-0.26	-2.70	1.54																																																																																							
Timing Error [Ts]	19.26	19.36	19.46	0.09																																																																																							
TX Power [dBm]	-4.53	-4.56	-4.53	0.02																																																																																							
Peak Power [dBm]	0.99	0.99	0.97	0.01																																																																																							
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.08	2.36	2.02	0.05																																																																																							
EVM Peak [%] 1h	8.65	11.55	9.82	0.51																																																																																							
EVM DMRS [%] 1h	1.66	1.59	1.55	0.34																																																																																							
IQ Offset [dBc]	-56.55	-50.68	-47.93	4.03																																																																																							
Freq Error [Hz]	0.44	-0.44	-3.23	1.29																																																																																							
Timing Error [Ts]	20.34	20.32	20.54	0.12																																																																																							
TX Power [dBm]	-5.82	-5.90	-5.82	0.08																																																																																							
Peak Power [dBm]	1.34	1.06	0.72	0.30																																																																																							
Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS	Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-PAS																																																																																										
S	S																																																																																										
CMW 500 V3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 848.3 MHz Ref Level: 14.70 dBm BW: 1.4 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings: Multi Evaluation, Trigger, Display, Marker, Signaling Parameter, LTE Signaling ON Detected Allocation: NoRB: 0 <table><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr><tr><td>EVM RMS [%] 1h</td><td>2.12</td><td>2.39</td><td>2.04</td><td>0.26</td></tr><tr><td>EVM Peak [%] 1h</td><td>9.82</td><td>12.11</td><td>9.47</td><td>0.59</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.53</td><td>1.48</td><td>2.00</td><td>0.04</td></tr><tr><td>IQ Offset [dBc]</td><td>-58.35</td><td>-51.84</td><td>-48.15</td><td>4.10</td></tr><tr><td>Freq Error [Hz]</td><td>1.87</td><td>0.99</td><td>2.29</td><td>0.93</td></tr><tr><td>Timing Error [Ts]</td><td>18.47</td><td>18.31</td><td>18.47</td><td>0.16</td></tr><tr><td>TX Power [dBm]</td><td>-5.77</td><td>-5.85</td><td>-5.92</td><td>0.08</td></tr><tr><td>Peak Power [dBm]</td><td>1.52</td><td>1.25</td><td>0.93</td><td>0.29</td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: 16-QAM Detected Channel Type: PUSCH View Filter Throughput: 100.0 % Go To Local Show Remote Screen		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.12	2.39	2.04	0.26	EVM Peak [%] 1h	9.82	12.11	9.47	0.59	EVM DMRS [%] 1h	1.53	1.48	2.00	0.04	IQ Offset [dBc]	-58.35	-51.84	-48.15	4.10	Freq Error [Hz]	1.87	0.99	2.29	0.93	Timing Error [Ts]	18.47	18.31	18.47	0.16	TX Power [dBm]	-5.77	-5.85	-5.92	0.08	Peak Power [dBm]	1.52	1.25	0.93	0.29	CMW 500 V3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 848.3 MHz Ref Level: 14.70 dBm BW: 1.4 MHz CP: Normal Meas Subt/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings: Multi Evaluation, Trigger, Display, Marker, Signaling Parameter, LTE Signaling ON Detected Allocation: NoRB: 0 <table><tr><th></th><th>Current</th><th>Average</th><th>Extreme</th><th>StdDev</th></tr><tr><td>EVM RMS [%] 1h</td><td>2.10</td><td>2.37</td><td>2.04</td><td>0.25</td></tr><tr><td>EVM Peak [%] 1h</td><td>9.43</td><td>11.74</td><td>9.18</td><td>0.63</td></tr><tr><td>EVM DMRS [%] 1h</td><td>1.68</td><td>1.56</td><td>1.59</td><td>0.34</td></tr><tr><td>IQ Offset [dBc]</td><td>-55.83</td><td>-50.41</td><td>-47.15</td><td>4.76</td></tr><tr><td>Freq Error [Hz]</td><td>-2.23</td><td>-1.43</td><td>-3.25</td><td>1.19</td></tr><tr><td>Timing Error [Ts]</td><td>20.38</td><td>20.12</td><td>20.39</td><td>0.16</td></tr><tr><td>TX Power [dBm]</td><td>-5.77</td><td>-5.85</td><td>-5.93</td><td>0.08</td></tr><tr><td>Peak Power [dBm]</td><td>1.38</td><td>1.11</td><td>0.76</td><td>0.32</td></tr></table> Statistic Count: 10/10 Out of Tolerance: 0.00 % Detected Modulation: 16-QAM Detected Channel Type: PUSCH View Filter Throughput: 100.0 % Go To Local Show Remote Screen		Current	Average	Extreme	StdDev	EVM RMS [%] 1h	2.10	2.37	2.04	0.25	EVM Peak [%] 1h	9.43	11.74	9.18	0.63	EVM DMRS [%] 1h	1.68	1.56	1.59	0.34	IQ Offset [dBc]	-55.83	-50.41	-47.15	4.76	Freq Error [Hz]	-2.23	-1.43	-3.25	1.19	Timing Error [Ts]	20.38	20.12	20.39	0.16	TX Power [dBm]	-5.77	-5.85	-5.93	0.08	Peak Power [dBm]	1.38	1.11	0.76	0.32
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.12	2.39	2.04	0.26																																																																																							
EVM Peak [%] 1h	9.82	12.11	9.47	0.59																																																																																							
EVM DMRS [%] 1h	1.53	1.48	2.00	0.04																																																																																							
IQ Offset [dBc]	-58.35	-51.84	-48.15	4.10																																																																																							
Freq Error [Hz]	1.87	0.99	2.29	0.93																																																																																							
Timing Error [Ts]	18.47	18.31	18.47	0.16																																																																																							
TX Power [dBm]	-5.77	-5.85	-5.92	0.08																																																																																							
Peak Power [dBm]	1.52	1.25	0.93	0.29																																																																																							
	Current	Average	Extreme	StdDev																																																																																							
EVM RMS [%] 1h	2.10	2.37	2.04	0.25																																																																																							
EVM Peak [%] 1h	9.43	11.74	9.18	0.63																																																																																							
EVM DMRS [%] 1h	1.68	1.56	1.59	0.34																																																																																							
IQ Offset [dBc]	-55.83	-50.41	-47.15	4.76																																																																																							
Freq Error [Hz]	-2.23	-1.43	-3.25	1.19																																																																																							
Timing Error [Ts]	20.38	20.12	20.39	0.16																																																																																							
TX Power [dBm]	-5.77	-5.85	-5.93	0.08																																																																																							
Peak Power [dBm]	1.38	1.11	0.76	0.32																																																																																							
Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-PAS	Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-PAS																																																																																										
S	S																																																																																										





Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS

Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS





Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS

Band26(824-849)-3MHz-16QAM-26805-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-26805-15RB#0-PASS

Band26(824-849)-3MHz-16QAM-26805-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-26915-15RB#0-PASS


Band26(824-849)-3MHz-QPSK-26915-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-26915-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-26915-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-26915-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-26915-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-27025-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-27025-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-27025-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-27025-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-27025-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-27025-15RB#0-PASS




Band26(824-849)-5MHz-QPSK-26815-25RB#0-PASS




Band26(824-849)-5MHz-QPSK-26815-25RB#0-PASS




Band26(824-849)-5MHz-QPSK-26815-25RB#0-PASS




Band26(824-849)-5MHz-16QAM-26815-25RB#0-PASS




Band26(824-849)-5MHz-16QAM-26815-25RB#0-PASS




Band26(824-849)-5MHz-16QAM-26815-25RB#0-PASS




Band26(824-849)-5MHz-QPSK-26915-25RB#0-PASS




Band26(824-849)-5MHz-16QAM-26915-25RB#0-PASS




Band26(824-849)-5MHz-16QAM-26915-25RB#0-PASS




Band26(824-849)-5MHz-QPSK-27015-25RB#0-PASS




Band26(824-849)-5MHz-QPSK-27015-25RB#0-PASS




Band26(824-849)-5MHz-16QAM-27015-25RB#0-PASS




Band26(824-849)-5MHz-16QAM-27015-25RB#0-PASS




Band26(824-849)-5MHz-16QAM-27015-25RB#0-PASS




Band26(824-849)-10MHz-QPSK-26840-50RB#0-PASS



Band26(824-849)-10MHz-QPSK-26840-50RB#0-PASS



Band26(824-849)-10MHz-QPSK-26840-50RB#0-PASS



Band26(824-849)-10MHz-16QAM-26840-50RB#0-PAS



CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi EvaluationPRACHSRS FDD Freq: 829.0 MHz Ref Level: 37.00 dBm BW: 10.0 MHz CP: Normal Meas Subt Slot: 2 / All Error Vector Magnitude (RMS)

Band26(824-849)-10MHz-16QAM-26915-50RB#0-PAS S	Band26(824-849)-10MHz-16QAM-26915-50RB#0-PAS S
Band26(824-849)-10MHz-QPSK-26990-50RB#0-PASS	Band26(824-849)-10MHz-QPSK-26990-50RB#0-PASS
Band26(824-849)-10MHz-QPSK-26990-50RB#0-PASS	Band26(824-849)-10MHz-16QAM-26990-50RB#0-PAS S

Band26(824-849)-10MHz-16QAM-26990-50RB#0-PAS S	Band26(824-849)-10MHz-16QAM-26990-50RB#0-PAS S
Band26(824-849)-15MHz-QPSK-26865-75RB#0-PASS	Band26(824-849)-15MHz-QPSK-26865-75RB#0-PASS
Band26(824-849)-15MHz-QPSK-26865-75RB#0-PASS	Band26(824-849)-15MHz-16QAM-26865-75RB#0-PAS S

Band26(824-849)-15MHz-16QAM-26865-75RB#0-PAS S	Band26(824-849)-15MHz-16QAM-26865-75RB#0-PAS S
Band26(824-849)-15MHz-QPSK-26915-75RB#0-PASS	Band26(824-849)-15MHz-QPSK-26915-75RB#0-PASS
Band26(824-849)-15MHz-QPSK-26915-75RB#0-PASS	Band26(824-849)-15MHz-16QAM-26915-75RB#0-PAS S







Band26(824-849)-15MHz-16QAM-26915-75RB#0-PAS S	Band26(824-849)-15MHz-16QAM-26915-75RB#0-PAS S
Band26(824-849)-15MHz-QPSK-26965-75RB#0-PASS	Band26(824-849)-15MHz-QPSK-26965-75RB#0-PASS
Band26(824-849)-15MHz-QPSK-26965-75RB#0-PASS	Band26(824-849)-15MHz-16QAM-26965-75RB#0-PAS S


 CMW 500 V 3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS PD0 Freq: 841.5 MHz Ref Level: 17.70 dBm BW: 15.0 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Go To Local Show Remote Screen	 CMW 500 V 3.7.22 - LTE Measurement - V3.7.30 - TX Measurement Multi Evaluation PRACH SRS PD0 Freq: 841.5 MHz Ref Level: 17.70 dBm BW: 15.0 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter LTE Signaling ON Go To Local Show Remote Screen
Band26(824-849)-15MHz-16QAM-26965-75RB#0-PAS S	Band26(824-849)-15MHz-16QAM-26965-75RB#0-PAS S

Temperature


Temperature	
Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS	Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS
Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS	Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS
Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS	Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS

CMW 500 V3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 824.7 MHz Ref Level: 37.00 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Detected Allocation NoRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.06 1.97 2.08 1.98 2.14 2.04 0.03 0.03 EVM Peak [%] 1h 8.45 9.22 9.25 8.42 11.08 9.08 1.04 0.34 EVM DMRS [%] 1h 1.67 1.75 2.05 1.89 2.36 2.00 0.28 0.08 IQ Offset [dBc] -49.85 -50.33 -49.00 -49.00 1.01 Freq Error [Hz] -1.04 -1.20 -4.06 1.20 Timing Error [Ts] 11.85 11.62 11.86 0.15 TX Power [dBm] -0.64 -0.64 -0.64 0.00 Peak Power [dBm] 5.17 5.15 5.12 5.18 0.02 Statistic Count 10 / 10 Out of Tolerance 0.00 % Detected Modulation QPSK Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS	CMW 500 V3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 824.7 MHz Ref Level: 37.00 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Detected Allocation NoRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.07 1.99 2.07 1.98 2.11 2.01 0.03 0.02 EVM Peak [%] 1h 8.34 8.92 9.15 8.24 10.30 9.42 0.86 0.32 EVM DMRS [%] 1h 1.93 1.95 2.06 1.90 2.36 2.01 0.26 0.07 IQ Offset [dBc] -49.33 -50.21 -49.21 0.98 Freq Error [Hz] -1.16 -1.56 -3.15 1.12 Timing Error [Ts] 11.55 11.66 11.93 0.17 TX Power [dBm] -0.65 -0.65 -0.65 0.00 Peak Power [dBm] 5.16 5.14 5.11 5.16 0.02 Statistic Count 10 / 10 Out of Tolerance 0.00 % Detected Modulation QPSK Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS
CMW 500 V3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 824.7 MHz Ref Level: 37.00 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Detected Allocation NoRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.04 1.95 2.07 1.98 2.12 2.03 0.03 0.03 EVM Peak [%] 1h 8.36 9.11 9.12 8.33 10.12 9.43 0.84 0.50 EVM DMRS [%] 1h 1.74 1.78 2.06 1.88 2.36 2.01 0.28 0.07 IQ Offset [dBc] -50.41 -50.33 -49.09 0.86 Freq Error [Hz] -0.20 -1.54 -4.21 1.24 Timing Error [Ts] 11.93 11.89 12.02 0.12 TX Power [dBm] -0.66 -0.66 -0.67 -0.66 0.00 Peak Power [dBm] 5.16 5.13 5.10 5.16 0.02 Statistic Count 10 / 10 Out of Tolerance 0.00 % Detected Modulation QPSK Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS	CMW 500 V3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 824.7 MHz Ref Level: 37.00 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Detected Allocation NoRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.33 2.57 2.27 2.36 2.33 2.57 0.05 0.21 EVM Peak [%] 1h 8.85 11.48 9.11 9.41 9.71 11.76 0.44 2.09 EVM DMRS [%] 1h 1.74 1.72 2.08 1.63 2.49 1.73 0.40 0.08 IQ Offset [dBc] -51.61 -48.97 -46.65 0.22 Freq Error [Hz] -2.37 -1.70 -2.46 0.74 Timing Error [Ts] 12.16 12.21 12.33 0.08 TX Power [dBm] -1.67 -1.73 -1.80 -1.67 0.06 Peak Power [dBm] 5.17 5.01 4.85 5.17 0.15 Statistic Count 10 / 10 Out of Tolerance 0.00 % Detected Modulation 16-QAM Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(824-849)-1.4MHz-16QAM-26797-6RB#0-PAS
CMW 500 V3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 824.7 MHz Ref Level: 37.00 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Detected Allocation NoRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.31 2.54 2.28 2.36 2.35 2.58 0.05 0.21 EVM Peak [%] 1h 8.60 11.80 9.31 9.51 10.11 12.46 0.52 2.22 EVM DMRS [%] 1h 1.68 1.63 2.07 1.61 2.50 1.70 0.40 0.06 IQ Offset [dBc] -52.33 -49.27 -46.87 0.21 Freq Error [Hz] -3.29 -0.79 -3.29 1.02 Timing Error [Ts] 12.38 12.17 12.39 0.18 TX Power [dBm] -1.68 -1.74 -1.81 -1.68 0.06 Peak Power [dBm] 5.15 5.01 4.84 5.17 0.15 Statistic Count 10 / 10 Out of Tolerance 0.00 % Detected Modulation 16-QAM Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(824-849)-1.4MHz-16QAM-26797-6RB#0-PAS	CMW 500 V3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 824.7 MHz Ref Level: 37.00 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Detected Allocation NoRB: 0 Current Average Extreme StdDev EVM RMS [%] 1h 2.35 2.57 2.30 2.37 2.38 2.59 0.06 0.21 EVM Peak [%] 1h 8.81 11.60 9.26 9.44 10.35 12.07 0.61 2.14 EVM DMRS [%] 1h 1.66 1.63 2.07 1.59 2.48 1.69 0.40 0.06 IQ Offset [dBc] -51.32 -49.20 -47.05 0.20 Freq Error [Hz] 0.46 -0.92 -2.15 0.86 Timing Error [Ts] 12.26 12.27 12.46 0.17 TX Power [dBm] -1.68 -1.74 -1.80 -1.68 0.06 Peak Power [dBm] 5.14 5.00 4.84 5.17 0.15 Statistic Count 10 / 10 Out of Tolerance 0.00 % Detected Modulation 16-QAM Detected Channel Type PUSCH View Filter Throughput 100.0 % Go To Local Show Remote Screen Band26(824-849)-1.4MHz-16QAM-26797-6RB#0-PAS
S	S


 Band26(824-849)-1.4MHz-16QAM-26797-6RB#0-PAS S	 Band26(824-849)-1.4MHz-16QAM-26797-6RB#0-PAS S
 Band26(824-849)-1.4MHz-16QAM-26797-6RB#0-PAS S	 Band26(824-849)-1.4MHz-16QAM-26797-6RB#0-PAS S
 Band26(824-849)-1.4MHz-16QAM-26797-6RB#0-PAS S	 Band26(824-849)-1.4MHz-16QAM-26797-6RB#0-PAS S




Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-16QAM-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-16QAM-26915-6RB#0-PASS









Band26(824-849)-1.4MHz-16QAM-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-16QAM-26915-6RB#0-PASS




Band26(824-849)-1.4MHz-16QAM-26915-6RB#0-PASS


 CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 836.5 MHz Ref Level: 14.80 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen	 CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 836.5 MHz Ref Level: 14.80 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen
Band26(824-849)-1.4MHz-16QAM-26915-6RB#0-PAS S	Band26(824-849)-1.4MHz-16QAM-26915-6RB#0-PAS S
 CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 836.5 MHz Ref Level: 14.80 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen	 CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 836.5 MHz Ref Level: 14.80 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen
Band26(824-849)-1.4MHz-16QAM-26915-6RB#0-PAS S	Band26(824-849)-1.4MHz-16QAM-26915-6RB#0-PAS S
 CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 848.3 MHz Ref Level: 14.70 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen	 CMW 500 V 3.7.22 - LTE Measurement - V37.30 - TX Measurement Multi Evaluation PRACH SRS FDD Freq: 848.3 MHz Ref Level: 14.70 dBm BW: 1.4 MHz CP: Normal Meas Subst/Slot: 2 / All Error Vector Magnitude (RMS) RF Settings Trigger Display Marker Signaling Parameter Go To Local Show Remote Screen
Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS	Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS








Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS




Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS




Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-PASS

	S
Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-PAS S	Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-PAS S
	
Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-PAS S	Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-PAS S
	
Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-PAS S	Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-PAS S




Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-PAS

S




Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-PAS


S




Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS





Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS




Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-26805-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-26805-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-26805-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-26805-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-26805-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-26805-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-26805-15RB#0-PASS




Band26(824-849)-3MHz-16QAM-26805-15RB#0-PASS



Band26(824-849)-3MHz-16QAM-26805-15RB#0-PASS



Band26(824-849)-3MHz-QPSK-26915-15RB#0-PASS



Band26(824-849)-3MHz-QPSK-26915-15RB#0-PASS

